

Guidelines Importation of Logs, Sawn Timber/Lumber/ Pieces of Wood/Large Scantling and Squares LSS and Other Unmanufactured Wood Articles



**Plant Biosecurity Division
Department of Agriculture Malaysia**

February 2002
1st revised - February 2009
2nd revised - 26 Ogos 2010
3rd revised - 3 September 2010
4th revised - 23 September 2010
5th revised - 29 Jun 2011
6th revised - 7 Julai 2011
7th revised - 19 Julai 2011
8th revised - 16 March 2012
9th revised 01 April 2013



NUMBER	ITEM	PAGE
Guidelines Importation of Logs, Sawn Timber/Lumber/Pieces of Wood/Large Scantling and Squares LSS and Other Unmanufactured Wood Articles		
1	Definition	4
	<ul style="list-style-type: none"> a) Sawdust and Wood Chips b) Logs c) Pieces of Wood/Lumber/Sawn Timber d) Loose wood packing materials e) Wood Mulch f) Carved wood included semi processed furniture, parquet (Except veneer, plywood) 	<p style="text-align: right;">4</p> <p style="text-align: right;">4</p> <p style="text-align: right;">5</p> <p style="text-align: right;">5</p> <p style="text-align: right;">5</p> <p style="text-align: right;">6</p>
2	Import Conditions of Logs (except from high risk countries) & Lumber/ Sawn Timber (Other than Rubber Wood and Bakau Wood)	7 - 22
3	Import Conditions of Logs & Lumber/Sawn Timber (Rubber wood)	23 - 24
4	Import Conditions of Wood Mulch, Humus, Compost	25
5	Import Conditions of Carved Wood Included Semi Processed Furniture, Parquet (Except veneer, plywood)	26
6	Import Conditions of 'Sawdust and Wood Chips' Of Rubber Wood (except from countries endemic to SALB disease only allowed for research) Or Other Than Rubber Wood	28 - 30

7	Alternative Plant Quarantine Treatment Choices That Can Be Used Based On The Risk and The form of Import Wood	31 -33
8	Type of wood and wood article required Import Permit	34-40
9	List of Forbidden Pests and Diseases Species	41 - 46
10	Entry Point For Logs, Lumber/sawn timber and other wood articles.	47

Guidelines Importation of Logs, Sawn Timber/Lumber/Pieces of Wood/Large Scantling and Squares LSS and Other Unmanufactured Wood Articles

1. Definition

a. Sawdust and Wood Chips

- sawdust and wood chips includes wood that has been sawn, chipped, shaved or peeled to form wood pieces that are either no larger than 15mm in length and 10mm in cross-section, or no greater than 3mm in cross-section if longer than 15mm.



Picture 1 : Wood chips



Picture 2 : Sawdust



b. Logs

- Tree trunk; tree trunk whereas its' branches had been removed but not been sawed afterward (unprocessed) with minimum diameter 6inch (15.24 cm) and minimum length of 4ft (1.22 m).



Picture 3 & 4 : Logs

c. Sawn Timber/Lumber (pieces of logs)/Large Scantling and Squares LSS

- A wood product manufactured from logs. Example sawn timber. Sawn timber : Pieces of logs or wood product made from logs by sawing, and/or second sawing with minimum 2 side of surfaced logs had been sawed.



Picture 5,6,7,8 & 9: Sawn Timber/Lumber (pieces of logs)/ Large Scantling and Squares LSS

d. Loose Wood Packing Materials

- Excelsior and sawdust are produce from sawing wood or wood shaving into small and thin with bent shape.



Picture 10 : Wood Excelsior



Picture 11 : Wood Shavings

e. Wood Mulch

- Any material such as wood chips, straw, sawdust and shredded leaves that is spread on the surface of the soil to protect the soil and plant roots from the effects of raindrops, soil crusting, freezing and evaporation. Sometimes used as a ground decoration.



Picture 12 : Wood Mulch

f. Carved wood included semi processed furniture, parquet (Except veneer, plywood)



Picture 13 : Carved wood



Picture 14 : Parquet

2. Import Conditions of Logs (except from high risk countries) & Lumber/ Sawn Timber (Other than Rubber Wood and Bakau Wood)

NUM.	FORM OF WOOD	COUNTRIES	TYPES OF PEST	IMPORT REQUIREMENT														
1.	Wood : All timber items except logs	<p>American Tropic : (Countries endemic to South American Leaf Blight (SALB) (<i>Microcyclus ulei</i>))</p> <ol style="list-style-type: none"> 1. Belize; 2. Brazil; 3. Colombia; 4. Costa Rica; 5. Ecuador; 6. El Salvador; 7. French Guiana; 8. Guadelope; 9. Guatemala; 10. Guyana; 11. Haiti; 12. Honduras; 13. Mexico; 14. Nicaragua; 15. Panama Canal Zone (Panama); 16. Peru; 17. Saint Lucia; 18. Surinam; 19. Trinidad & Tobago; 20. Venezuela 	<p>target pest :</p> <p>i) <i>Microcyclus ulei</i> (South American Leaf Blight of Rubber – SALB)</p>	<p>Import requirement :</p> <ol style="list-style-type: none"> i) Import Permit: YES ii) Phytosanitary Certificate (PC) : YES iii) Treatment : <p>At the country of export:</p> <p>Heat or kiln drying</p> <p>1. For sawn timber/semi processed wood:</p> <ol style="list-style-type: none"> i) Less than 200mm : Dry bulb temperature in the chamber is maintained at or above 74°C (165°F). <table border="0"> <tr> <td>Maximum thickness of timber [mm]</td> <td>(Duration of treatment)</td> </tr> <tr> <td>0-25</td> <td>(4 hours)</td> </tr> <tr> <td>26-50</td> <td>(6 hours)</td> </tr> <tr> <td>51-75</td> <td>(8 hours)</td> </tr> <tr> <td>76-100</td> <td>(10 hours)</td> </tr> <tr> <td>101-150</td> <td>(14 hours)</td> </tr> <tr> <td>151-200</td> <td>(18 hours)</td> </tr> </table> <ol style="list-style-type: none"> ii) Greater than 200mm : Once a core temperature of 74°C (165°F) has been achieved, treatment duration must exceed 18 hours. <p>Treatment time does not commence until the temperature and humidity in the chamber have</p>	Maximum thickness of timber [mm]	(Duration of treatment)	0-25	(4 hours)	26-50	(6 hours)	51-75	(8 hours)	76-100	(10 hours)	101-150	(14 hours)	151-200	(18 hours)
Maximum thickness of timber [mm]	(Duration of treatment)																	
0-25	(4 hours)																	
26-50	(6 hours)																	
51-75	(8 hours)																	
76-100	(10 hours)																	
101-150	(14 hours)																	
151-200	(18 hours)																	

			<p>stabilized and the core temperature of the timber has reached at least 74°C (165°F).</p> <p>2. All sawn timber/semi processed wood must have average moisture content of less than 20%, based on oven-dry weight or mass.</p> <p>OR;</p> <p>All sawn timber/semi processed wood should undergo fumigation with methyl bromide at 120 gm/m³ for 24 hours at or above 21°C at the following rate:</p> <table data-bbox="1154 978 1544 1129"> <thead> <tr> <th>Temperature (21°C)</th> <th>MB rate (gm/m³)</th> <th>Duration</th> </tr> </thead> <tbody> <tr> <td>21 - Above</td> <td>120</td> <td>24 hours</td> </tr> <tr> <td>16 - 20</td> <td>128</td> <td>24 hours</td> </tr> <tr> <td>11 - 15</td> <td>136</td> <td>24 hours</td> </tr> </tbody> </table> <p>• Fumigation should not be carried out at temperature below or at 10°C.</p> <p>OR;</p> <p>All sawn timber/semi processed wood should undergo fumigation with Sulphuryl fluoride at 64 g/m³ for 24 hours at 21°C or above at NAP.</p> <p>OR;</p> <p>All sawn timber/semi processed wood should undergo fumigation with Ethylene oxide under initial minimum vacuum of 50</p>	Temperature (21°C)	MB rate (gm/m ³)	Duration	21 - Above	120	24 hours	16 - 20	128	24 hours	11 - 15	136	24 hours
Temperature (21°C)	MB rate (gm/m ³)	Duration													
21 - Above	120	24 hours													
16 - 20	128	24 hours													
11 - 15	136	24 hours													

				<p>kilopascals at 1500 g/m³ for 4 hours at 50°C or,</p> <p>1200 g/m³ for 5 hours at 50°C or,</p> <p>1500 g/m³ for 24 hours at 21°C</p> <p>OR,</p> <p>All sawn timber/semi processed wood should undergo fumigation with Phosphine at 5 g/m³ for 120 hours.</p> <p>OR,</p> <p>All sawn timber/semi processed wood should undergo fumigation with Cyanogen (C₂N₂) at 100 g/m³ for 24 hours.</p>
--	--	--	--	--

NUM.	FORM OF WOOD	COUNTRIES	TYPES OF PEST	IMPORT REQUIREMENT														
	All timber items except logs	<p>Middle of Africa : Countries endemic to Fusarium wilt disease)</p> <ol style="list-style-type: none"> 1. Angola; 2. Benin Republic; 3. Bolivia 4. Cameroon; 5. Congo, Republic of the; 6. Cote d'Ivoire (Ivory Coast); 7. Gabon; 8. Ghana; 9. Guinea; 10. Liberia; 11. Nigeria; 12. Rhodesia (Zimbabwe); 13. San Tome (San Tome & Principe); 14. Sierra Leone; 15. Sudan; 16. Tanzania; 17. Togo; 18. Zaire (Congo, Democratic Republic of the) <p>South & Middle of America : (Countries endemic to Fusarium wilt disease)</p> <ol style="list-style-type: none"> 1. Cuba; 2. Grenada; 3. Martinique; 4. Puerto Rico; 5. Dominican Republic; 6. Paraguay 	<p>target pest :</p> <p>ii) <i>Fusarium oxysporum f.sp. elaeidis</i> (Fusarium wilt of oil palm)</p>	<p>Import requirement :</p> <ol style="list-style-type: none"> i) Import Permit: YES ii) Phytosanitary Certificate (PC) : YES iii) Treatment : <p>At the country of export:</p> <p>Heat or kiln drying</p> <p>1. For sawn timber/semi processed wood:</p> <ol style="list-style-type: none"> i) Less than 200mm : Dry bulb temperature in the chamber is maintained at or above 74°C (165°F). <table> <thead> <tr> <th>Maximum thickness of timber [mm]</th> <th>(Duration of treatment)</th> </tr> </thead> <tbody> <tr> <td>0-25</td> <td>(4 hours)</td> </tr> <tr> <td>26-50</td> <td>(6 hours)</td> </tr> <tr> <td>51-75</td> <td>(8 hours)</td> </tr> <tr> <td>76-100</td> <td>(10 hours)</td> </tr> <tr> <td>101-150</td> <td>(14 hours)</td> </tr> <tr> <td>151-200</td> <td>(18 hours)</td> </tr> </tbody> </table> <ol style="list-style-type: none"> ii) Greater than 200mm : Once a core temperature of 74°C (165°F) has been achieved, treatment duration must exceed 18 hours. <p>Treatment time does not commence until the temperature and humidity in the chamber have stabilized and the core temperature of the timber has reached at least 74°C (165°F).</p>	Maximum thickness of timber [mm]	(Duration of treatment)	0-25	(4 hours)	26-50	(6 hours)	51-75	(8 hours)	76-100	(10 hours)	101-150	(14 hours)	151-200	(18 hours)
Maximum thickness of timber [mm]	(Duration of treatment)																	
0-25	(4 hours)																	
26-50	(6 hours)																	
51-75	(8 hours)																	
76-100	(10 hours)																	
101-150	(14 hours)																	
151-200	(18 hours)																	

				<p>2. All sawn timber/semi processed wood must have average moisture content of less than 20%, based on oven-dry weight or mass.</p> <p>OR;</p> <p>All sawn timber/semi processed wood should undergo fumigation with methyl bromide at 80 gm/m³ for 24 hours at or above 21°C at the following rate:</p> <table border="1"> <thead> <tr> <th>Temperature (21°C)</th> <th>MB rate (gm/m³)</th> <th>Duration</th> </tr> </thead> <tbody> <tr> <td>21 - Above</td> <td>80</td> <td>24 hours</td> </tr> <tr> <td>16 - 20</td> <td>88</td> <td>24 hours</td> </tr> <tr> <td>11 - 15</td> <td>96</td> <td>24 hours</td> </tr> </tbody> </table> <ul style="list-style-type: none"> • Fumigation should not be carried out at temperature below or at 10°C. <p>OR;</p> <p>All sawn timber/semi processed wood should undergo fumigation with Sulphuryl fluoride at 64 g/m³ for 24 hours at 21°C or above at NAP.</p> <p>OR;</p> <p>All sawn timber/semi processed wood should undergo fumigation with Ethylene oxide under initial minimum vacuum of 50 kilopascals at 1500 g/m³ for 4 hours at 50°C or,</p> <p>1200 g/m³ for 5 hours at 50°C or,</p>	Temperature (21°C)	MB rate (gm/m ³)	Duration	21 - Above	80	24 hours	16 - 20	88	24 hours	11 - 15	96	24 hours
Temperature (21°C)	MB rate (gm/m ³)	Duration														
21 - Above	80	24 hours														
16 - 20	88	24 hours														
11 - 15	96	24 hours														

				<p>1500 g/m³ for 24 hours at 21°C</p> <p>OR,</p> <p>All sawn timber/semi processed wood should undergo fumigation with Phosphine at 5 g/m³ for 120 hours.</p> <p>OR,</p> <p>All sawn timber/semi processed wood should undergo fumigation with Cyanogen (C₂N₂) at 100 g/m³ for 24 hours.</p>
--	--	--	--	---

NUM.	FORM OF WOOD	COUNTRIES	TYPES OF PEST	IMPORT REQUIREMENT												
2.	Wood : Logs, sawn timber and other wood articles	Countries endemic to <i>Globodera rostochiensis</i> (golden nematode) and <i>Bursaphelenchus xylophilus</i> (wood nematode) Europe : 1.Albania; 2.Austria; 3.Belarus; 4.Belgium; 5.Bulgaria; 6.Croatia; 7.Cyprus; 8.Czech Republic; 9.Denmark; 10.Estonia; 11.Faroe Islands; 12.Finland; 13.France; 14.Germany; 15.Greece; 16.Holand; 17.Hungary; 18.Iceland; 19.Ireland; 20.Italy; 21.Latvia;22.Liechtenstein; 23.Lithuania; 24.Luxembourg; 25.Malta 26.Netherlands; 27.Norway; 28.Poland; 29.Portugal; 30.Romania; 31.Russian Federation; 32.Serbia and Montenegro; 33.Slovakia; 34.Slovenia; 35.Spain; 36.Sweden; 37.Switzerland; 38.Ukraine; 39.United Kingdom Asia : 1.Armenia; 2.India; 3.Indonesia; 4.Israel; 5.Japan; 6.Lebanon; 7.Oman; 8.Pakistan; 9.Philippines; 10.Sri Lanka; 11.Tajikistan; 12. Turkey	iii) target pest : nematode : a) <i>Globodera rostochiensis</i> (golden nematode) b) <i>Bursaphelenchus xylophilus</i> (wood nematode)	Import requirement : i) Import Permit: YES ii) Phytosanitary Certificate (PC) : YES iii) Treatment : Logs: At the country of export: All logs should undergo fumigation with methyl bromide at 80 gm/m ³ for 24 hours at or above 21°C at the following rate: <table border="1"> <thead> <tr> <th>Temperature (21°C)</th> <th>MB rate (gm/m³)</th> <th>Duration</th> </tr> </thead> <tbody> <tr> <td>21 - Above</td> <td>80</td> <td>24 hours</td> </tr> <tr> <td>16 - 20</td> <td>88</td> <td>24 hours</td> </tr> <tr> <td>11 - 15</td> <td>96</td> <td>24 hours</td> </tr> </tbody> </table> <ul style="list-style-type: none"> • Fumigation should not be carried out at temperature below or at 10°C. OR; All logs should undergo fumigation with Sulphuryl fluoride at 64 g/m ³ for 24 hours at 21°C or above at NAP. OR; All logs should undergo fumigation with Ethylene oxide under initial minimum vacuum of 50 kilopascals at 1500 g/m ³ for 4 hours at 50°C or,	Temperature (21°C)	MB rate (gm/m ³)	Duration	21 - Above	80	24 hours	16 - 20	88	24 hours	11 - 15	96	24 hours
Temperature (21°C)	MB rate (gm/m ³)	Duration														
21 - Above	80	24 hours														
16 - 20	88	24 hours														
11 - 15	96	24 hours														

				<p>1200 g/m³ for 5 hours at 50°C or,</p> <p>1500 g/m³ for 24 hours at 21°C</p> <p>OR,</p> <p>All logs should undergo fumigation with Phosphine at 5 g/m³ for 120 hours.</p> <p>OR,</p> <p>All logs should undergo fumigation with Cyanogen (C₂N₂) at 100 g/m³ for 24 hours.</p> <p>Sawn timber and other wood articles (semi processed wood):</p> <p>At the country of export:</p> <p>Heat or kiln drying</p> <p>1. For sawn timber/semi processed wood:</p> <p>i) Less than 200mm : Dry bulb temperature in the chamber is maintained at or above 74°C (165°F).</p> <table> <thead> <tr> <th>Maximum thickness of timber [mm]</th> <th>(Duration of treatment)</th> </tr> </thead> <tbody> <tr> <td>0-25</td> <td>(4 hours)</td> </tr> <tr> <td>26-50</td> <td>(6 hours)</td> </tr> <tr> <td>51-75</td> <td>(8 hours)</td> </tr> <tr> <td>76-100</td> <td>(10 hours)</td> </tr> <tr> <td>101-150</td> <td>(14 hours)</td> </tr> <tr> <td>151-200</td> <td>(18 hours)</td> </tr> </tbody> </table> <p>ii) Greater than 200mm :</p>	Maximum thickness of timber [mm]	(Duration of treatment)	0-25	(4 hours)	26-50	(6 hours)	51-75	(8 hours)	76-100	(10 hours)	101-150	(14 hours)	151-200	(18 hours)
Maximum thickness of timber [mm]	(Duration of treatment)																	
0-25	(4 hours)																	
26-50	(6 hours)																	
51-75	(8 hours)																	
76-100	(10 hours)																	
101-150	(14 hours)																	
151-200	(18 hours)																	

				<p>Once a core temperature of 74°C (165°F) has been achieved, treatment duration must exceed 18 hours.</p> <p>Treatment time does not commence until the temperature and humidity in the chamber have stabilized and the core temperature of the timber has reached at least 74°C (165°F).</p> <p>2. All sawn timber/semi processed wood must have average moisture content of less than 20%, based on oven-dry weight or mass.</p> <p>OR;</p> <p>All sawn timber/semi processed wood should undergo fumigation with methyl bromide at 80 gm/m³ for 24 hours at or above 21°C at the following rate:</p> <table border="1"> <thead> <tr> <th>Temperature (21°C)</th> <th>MB rate (gm/m³)</th> <th>Duration</th> </tr> </thead> <tbody> <tr> <td>21 - Above</td> <td>80</td> <td>24 hours</td> </tr> <tr> <td>16 - 20</td> <td>88</td> <td>24 hours</td> </tr> <tr> <td>11 - 15</td> <td>96</td> <td>24 hours</td> </tr> </tbody> </table> <ul style="list-style-type: none"> • Fumigation should not be carried out at temperature below or at 10°C. <p>OR;</p> <p>All sawn timber/semi processed wood should undergo fumigation with Sulphuryl fluoride at 64</p>	Temperature (21°C)	MB rate (gm/m ³)	Duration	21 - Above	80	24 hours	16 - 20	88	24 hours	11 - 15	96	24 hours
Temperature (21°C)	MB rate (gm/m ³)	Duration														
21 - Above	80	24 hours														
16 - 20	88	24 hours														
11 - 15	96	24 hours														

				<p>g/m³ for 24 hours at 21°C or above at NAP.</p> <p>OR;</p> <p>All sawn timber/semi processed wood should undergo fumigation with Ethylene oxide under initial minimum vacuum of 50 kilopascals at 1500 g/m³ for 4 hours at 50°C or,</p> <p>1200 g/m³ for 5 hours at 50°C or,</p> <p>1500 g/m³ for 24 hours at 21°C</p> <p>OR,</p> <p>All sawn timber/semi processed wood should undergo fumigation with Phosphine at 5 g/m³ for 120 hours.</p> <p>OR,</p> <p>All sawn timber/semi processed wood should undergo fumigation with Cyanogen (C₂N₂) at 100 g/m³ for 24 hours.</p> <p>Treatment method done by APHIS for lumber/sawn timber importation.</p>
--	--	--	--	--

NUM.	FORM OF WOOD	COUNTRIES	TYPES OF PEST	IMPORT REQUIREMENT
		Africa : 1.Algeria; 2.Egypt; 3.Libya; 4.Morocco; 5.Sierra Leone; 6.South Africa; 7.Tunisia; 8.Zimbabwe North America : 1.Canada; 2.Mexico; 3.USA South America : 1.Chile Oceania : 1.Australia; 2.New Zealand; 3.Norfolk Island		* Treatment as above.
		Chile	iv) <i>Phytophthora pinifolia</i>	
		Europe 1.Austria; 2.Belgium; 3.Czech Republic; 4.Denmark; 5.Estonia; 6.Finland; 7.France; 8.Germany; 9.Ireland; 10.Italy; 11.Latvia; 12.Netherlands; 13.Norway; 14.Poland; 15.Portugal; 16.Slovakia; 17.Slovenia; 18.Spain; 19.Sweden; 20.Switzerland; 21.United Kingdom North America 1.Canada; 2.USA	v) <i>Phytophthora kernoviae</i> dan <i>Phytophthora ramorum</i>	
		Europe 1.Italy; 2.Spain Asia 1.Iraq; 2.Japan; 3.Philippines North America : 1.USA South America 1.Chile Oceania 1. Australia	vi) <i>Fusarium circinatum</i> (Pine Pitch Canker)	

NUM.	FORM OF WOOD	COUNTRIES	TYPES OF PEST	IMPORT REQUIREMENT												
3. i.	Wood : Logs	From other countries except : i) American Tropic endemic to SALB disease. ii) Africa countries endemic to Fusarium wilt disease. iii) Countries endemic to <i>Globodera rostochiensis</i> (golden nematode) and wood nematode. iv) Countries endemic to <i>Phytophthora pinifol</i> , <i>Phytophthora kernoviae</i> and <i>Phytophthora ramorum</i> . v) Countries endemic to <i>Fusarium circinatum</i> (Pine Pitch Canker).	Pests under the family of Lyctidae, Bostrichidae, Cerambycidae (longhorn beetles), Formicidae, Siricidae, Lymantriidae, Anobiidae, Scolytidae, Platypodidae, Buprestidae.	Import requirement : i) Import Permit: YES ii) Phytosanitary Certificate (PC) : YES iii) Treatment : At the country of export: All logs should undergo fumigation with methyl bromide at 64 gm/m ³ for 24 hours at or above 21°C at the following rate: <table border="1"> <thead> <tr> <th>Temperature (21°C)</th> <th>MB rate (gm/m³)</th> <th>Duration</th> </tr> </thead> <tbody> <tr> <td>21 - Above</td> <td>64</td> <td>24 hours</td> </tr> <tr> <td>16 - 20</td> <td>72</td> <td>24 hours</td> </tr> <tr> <td>11 - 15</td> <td>80</td> <td>24 hours</td> </tr> </tbody> </table> <ul style="list-style-type: none"> Fumigation should not be carried out at temperature below or at 10°C. 	Temperature (21°C)	MB rate (gm/m ³)	Duration	21 - Above	64	24 hours	16 - 20	72	24 hours	11 - 15	80	24 hours
Temperature (21°C)	MB rate (gm/m ³)	Duration														
21 - Above	64	24 hours														
16 - 20	72	24 hours														
11 - 15	80	24 hours														
ii.	Logs	Komponen Malaysia (Sabah & Sarawak)		OR; All logs should undergo fumigation with Sulphuryl fluoride at 64 g/m ³ for 24 hours at 21°C or above at NAP. OR; All logs should undergo fumigation with Ethylene oxide under initial minimum vacuum of 50 kilopascals at 1500 g/m ³ for 4 hours at 50°C or, 1200 g/m ³ for 5 hours at 50°C or,												

				<p>1500 g/m³ for 24 hours at 21°C</p> <p>OR,</p> <p>All logs should undergo fumigation with Phosphine at 5 g/m³ for 120 hours.</p> <p>OR,</p> <p>All logs should undergo fumigation with Cyanogen (C₂N₂) at 100 g/m³ for 24 hours.</p> <p>Treatment method done by APHIS for lumber/sawn timber importation.</p>
--	--	--	--	---

NUM.	FORM OF WOOD	COUNTRIES	TYPES OF PEST	IMPORT REQUIREMENT
4. i.	Wood : Sawn timber and other wood articles	From other countries except: i) American Tropic endemic to SALB disease. ii) Africa countries endemic to Fusarium wilt disease. iii) Countries endemic to <i>Globodera rostochiensis</i> (golden nematode) and wood nematode. iv) Countries endemic to Phytophthora pinifold, Phytophthora kernoviae and Phytophthora ramorum. v) Countries endemic to Fusarium circinatum (Pine Pitch Canker).	Pests under the family of Lyctidae, Bostrichidae, Cerambycidae (longhorn beetles), Formicidae, Siricidae, Lymantriidae, Anobiidae, Scolytidae, Platypodidae, Buprestidae.	Import requirement : i) Import Permit: YES ii) Phytosanitary Certificate (PC) : YES iii) Treatment : At the country of export: Heat or kiln drying 1. For sawn timber/semi processed wood: i) Less than 200mm : Dry bulb temperature in the chamber is maintained at or above 74°C (165°F). Maximum (Duration of thickness treatment) of timber [mm] 0-25 (4 hours) 26-50 (6 hours) 51-75 (8 hours) 76-100 (10 hours) 101-150 (14 hours) 151-200 (18 hours) ii) Greater than 200mm : Once a core temperature of 74°C (165°F) has been achieved, treatment duration must exceed 18 hours. Treatment time does not commence until the temperature and humidity in the chamber have stabilized and the core temperature of the timber has reached at least 74°C (165°F).
ii.	Sawn timber and other wood articles	Komponen Malaysia (Sabah & Sarawak)		

				<p>2. All sawn timber/semi processed wood must have average moisture content of less than 20%, based on oven-dry weight or mass.</p> <p>OR;</p> <p>All sawn timber/semi processed wood should undergo fumigation with methyl bromide at 48 gm/m³ for 24 hours at or above 21°C at the following rate:</p> <table border="1"> <thead> <tr> <th>Temperature (21°C)</th> <th>MB rate (gm/m³)</th> <th>Duration</th> </tr> </thead> <tbody> <tr> <td>21 - Above</td> <td>48</td> <td>24 hours</td> </tr> <tr> <td>16 - 20</td> <td>56</td> <td>24 hours</td> </tr> <tr> <td>11 - 15</td> <td>64</td> <td>24 hours</td> </tr> </tbody> </table> <ul style="list-style-type: none"> • Fumigation should not be carried out at temperature below or at 10°C. <p>OR;</p> <p>All sawn timber/semi processed wood should undergo fumigation with Sulphuryl fluoride at 64 g/m³ for 24 hours at 21°C or above at NAP.</p> <p>OR;</p> <p>All sawn timber/semi processed wood should undergo fumigation with Ethylene oxide under initial minimum vacuum of 50 kilopascals at 1500 g/m³ for 4 hours at 50°C or,</p> <p>1200 g/m³ for 5 hours at 50°C or,</p>	Temperature (21°C)	MB rate (gm/m ³)	Duration	21 - Above	48	24 hours	16 - 20	56	24 hours	11 - 15	64	24 hours
Temperature (21°C)	MB rate (gm/m ³)	Duration														
21 - Above	48	24 hours														
16 - 20	56	24 hours														
11 - 15	64	24 hours														

				<p>1500 g/m³ for 24 hours at 21°C</p> <p>OR,</p> <p>All sawn timber/semi processed wood should undergo fumigation with Phosphine at 5 g/m³ for 120 hours.</p> <p>OR,</p> <p>All sawn timber/semi processed wood should undergo fumigation with Cyanogen (C₂N₂) at 100 g/m³ for 24 hours.</p> <p>Treatment method done by APHIS for lumber/sawn timber importation.</p>
--	--	--	--	---

- * Types of treatment and pesticide used will be determined in the Import Permit.
- *Except for logs/LSS from Indonesia are not allowed into Malaysia.
- *Import condition above is not used for rubber wood.

3. Import Conditions of Logs & Lumber/Sawn Timber (Rubber wood)

LOGS	RUBBER WOOD		
	Countries endemic to SALB disease	Countries endemic to Fusarium wilt	Countries other than 1 & 2
	1	2	3
	<p>Importation not allowed, except for research purposes only. Import requirements for research purposes are :</p> <p>a) Import Permit b) accompanied by Phytosanitary Certificate from exporting country.</p> <p>Phytosanitary requirements:</p> <p>a) All timber must be free from bark. b) All timber must be free from soil contamination. c) Treatment : i) Dipping in boric acid (borax at 30% w/w) For continues 4 hours; OR, ii) Fumigation with MB at 128g/m³ for continues 24 hours @ minimum temperature of 21°C (only for non KD wood). OR, iii) Pressure impregnated d) The consignment can only be released for inspection after 30 days from the date of export. e) Inspection upon arrival at the point of entry.</p>	<p>Importation not allowed, except :</p> <p>a) Import Permit b) accompanied by Phytosanitary Certificate from exporting country.</p> <p>Phytosanitary requirements:</p> <p>a) All timber must be free from bark. b) All timber must be free from soil contamination. c) Treatment : i) Dipping in boric acid (borax at 30% w/w) For continues 4 hours; OR, ii) Fumigation with MB at 128g/m³ for continues 24 hours @ minimum temperature of 21°C (only for non KD wood). OR, iii) Pressure impregnated d) Inspection upon arrival at the point of entry.</p>	<p>Importation not allowed, except :</p> <p>a) Import Permit b) accompanied by Phytosanitary Certificate from exporting country.</p> <p>Phytosanitary requirements:</p> <p>a) All timber must be free from bark. b) All timber must be free from soil contamination. c) Treatment : i) Dipping in boric acid (borax at 30% w/w) For continues 4 hours; OR, ii) Fumigation with MB at 80g/m³ for continues 24 hours @ minimum temperature of 21°C (only for non KD wood). OR, iii) Pressure impregnated d) Inspection upon arrival at the point of entry.</p>

* Types of treatment and pesticide used will be determined in the Import Permit.

LUMBER/ SAWN TIMBER	RUBBER WOOD		
	Countries endemic to SALB disease	Countries endemic to Fusarium wilt	Countries other than 1 & 2
	1	2	3
	<p>Importation not allowed, except for research purposes only. Import requirements for research purposes are :</p> <p>a) Import Permit b) accompanied by Phytosanitary Certificate from exporting country.</p> <p>Phytosanitary requirements:</p> <p>a) All timber must be free from bark. b) All timber must be free from soil contamination. c) Treatment : i) Dipping in boric acid (borax at 30% w/w) For continues 4 hours; OR, ii) Fumigation with MB at 128g/m³ for continues 24 hours @ minimum temperature of 21°C (only for non KD wood). OR, iii) Pressure impregnated d) The consignment can only be released for inspection after 30 days from the date of export. e) Inspection upon arrival at the point of entry.</p>	<p>Importation not allowed, except :</p> <p>a) Import Permit b) accompanied by Phytosanitary Certificate from exporting country.</p> <p>Phytosanitary requirements:</p> <p>a) All timber must be free from bark. b) All timber must be free from soil contamination. c) Treatment : i) Dipping in boric acid (borax at 30% w/w) For continues 4 hours; OR, ii) Fumigation with MB at 128g/m³ for continues 24 hours @ minimum temperature of 21°C (only for non KD wood). OR, iii) Pressure impregnated d) Inspection upon arrival at the point of entry.</p>	<p>Importation not allowed, except :</p> <p>a) Import Permit b) accompanied by Phytosanitary Certificate from exporting country.</p> <p>Phytosanitary requirements:</p> <p>a) All timber must be free from bark. b) All timber must be free from soil contamination. c) Treatment : i) Dipping in boric acid (borax at 30% w/w) For continues 4 hours; OR, ii) Fumigation with MB at 80g/m³ for continues 24 hours @ minimum temperature of 21°C (only for non KD wood). OR, iii) Pressure impregnated d) Inspection upon arrival at the point of entry.</p>

* Types of treatment and pesticide used will be determined in the Import Permit.

4. Import Conditions of Wood Mulch, Humus, Compost

WOOD MULCH, HUMUS, COMPOST	RUBBER WOOD			OTHER TYPE OF WOOD		
	From SALB endemic countries	From countries with dangerous diseases attacking oil palm	From countries other than 1 & 2	From SALB endemic countries	From countries with dangerous diseases attacking oil palm	From countries other than 4 & 5
	1	2	3	4	5	6
	<u>Importation not allowed, except for research purposes</u> only. Import requirements for research purposes are:	<u>Importation not allowed, except for research purposes</u> only. Import requirements for research purposes are:	<u>Importation not allowed, except for research purposes</u> only. Import requirements for research purposes are:	Importation not allowed, except :	Importation not allowed, except :	Importation not allowed, except :
	a) Approval by the Technical Committee on importation of Microorganism and Organic Fertilizer (JKTPMOBO). b) Valid Import Permit.	a) Approval by the Technical Committee on importation of Microorganism and Organic Fertilizer (JKTPMOBO). b) Valid Import Permit.	a) Approval by the Technical Committee on importation of Microorganism and Organic Fertilizer (JKTPMOBO). b) Valid Import Permit.	a) Approval by the Technical Committee on importation of Microorganism and Organic Fertilizer (JKTPMOBO). b) Valid Import Permit.	a) Approval by the Technical Committee on importation of Microorganism and Organic Fertilizer (JKTPMOBO). b) Valid Import Permit.	a) Approval by the Technical Committee on importation of Microorganism and Organic Fertilizer (JKTPMOBO). b) Valid Import Permit.
	Phytosanitary measures:	Phytosanitary measures:	Phytosanitary measures:	Phytosanitary measures:	Phytosanitary measures:	Phytosanitary measures:
	a) All timber must be free from bark. b) Treatments to be applied based on the advice of (JKTPMOBO) c) Inspection upon arrival at the point of entry. d) The consignment can only be released for inspection after 30 days from the date of export.	a) Treatments to be applied based on the advice of (JKTPMOBO) b) Inspection upon arrival at the point of entry.	a) Treatments to be applied based on the advice of (JKTPMOBO) b) Inspection upon arrival at the point of entry.	a) Treatments to be applied based on the advice of (JKTPMOBO) b) Inspection upon arrival at the point of entry. c) The consignment can only be released for inspection after 30 days from the date of export.	a) Treatments to be applied based on the advice of (JKTPMOBO) b) Inspection upon arrival at the point of entry.	a) Treatments to be applied based on the advice of (JKTPMOBO) b) Inspection upon arrival at the point of entry.

* Types of treatment and pesticide used will be determined in the Import Permit.

5. Import Conditions of Carved Wood Included Semi Processed Furniture, Parquet (Except veneer, plywood).

WOOD CARVE INCLUDED SEMI PROCESSED FURNITURE, PARQUET	RUBBER WOOD			OTHER TYPE OF WOOD		
	From SALB endemic countries	From countries with dangerous diseases attacking oil palm	From countries other than 1 & 2	From SALB endemic countries	From countries with dangerous diseases attacking oil palm	From countries other than 4 & 5
	1	2	3	4	5	6
PROHIBITED	Importation not allowed, except : a) Valid Import Permit. b) accompanied by Phytosanitary Certificate from exporting country.	Importation not allowed, except : a) Valid Import Permit. b) accompanied by Phytosanitary Certificate from exporting country.	Importation not allowed, except : a) Valid Import Permit. b) accompanied by Phytosanitary Certificate from exporting country.	Importation not allowed, except : a) Valid Import Permit. b) accompanied by Phytosanitary Certificate from exporting country.	Importation not allowed, except : a) Valid Import Permit. b) accompanied by Phytosanitary Certificate from exporting country.	Importation not allowed, except : a) Valid Import Permit. b) accompanied by Phytosanitary Certificate from exporting country.
	Phytosanitary requirements: a) Treatment by dipping/pressure impregnation/ fumigation with pesticide*/kiln drying b) Inspection upon arrival at the point of entry.	Phytosanitary requirements: a) Treatment by dipping/pressure impregnation/ fumigation with nesticide*/kiln drying b) Inspection upon arrival at the point of entry.	Phytosanitary requirements: a) Treatment by dipping/pressure impregnation/ fumigation with pesticide*/kiln drying. b) Inspection upon arrival at the point of entry. c) The consignment can only be released for inspection after 30 days from the date of export.	Phytosanitary requirements: a) Treatment by dipping/pressure impregnation/ fumigation with pesticide*/kiln drying. b) Inspection upon arrival at the point of entry.	Phytosanitary requirements: a) Treatment by dipping/pressure impregnation/ fumigation with pesticide*/kiln drying. b) Inspection upon arrival at the point of entry.	Phytosanitary requirements: a) Treatment by dipping/pressure impregnation/ fumigation with pesticide*/kiln drying. b) Inspection upon arrival at the point of entry.

* Types of treatment and pesticide used will be determined in the Import Permit.

6. Import Conditions of 'Sawdust and Wood Chips' Of Rubber Wood (except from countries endemic to SALB disease only allowed for research) Or Other than Rubber Wood

Import Permit (IP)	:	Yes (IP is required for commercial consignments of sawdust and wood chips). (Quarantine inspection at the country of export is required if and when it's necessary).
Phytosanitary Cert. (PC)	:	Yes
Common name	:	sawdust and wood chips
Scientific name	:	Nil
Description form	:	sawdust and wood chips includes wood that has been sawn, chipped, shaved or peeled to form wood pieces that are either no larger than 15mm in length and 10mm in cross-section, or no greater than 3mm in cross-section if longer than 15mm. Wood pieces larger than specified must be imported into Malaysia under the requirements of the import plant health standard for sawn timber/sawn wood.
Country of origin	:	All countries (except for 'sawdust and wood chips' of rubber wood from countries endemic to SALB <u>only allowed for research</u>)
Special condition	:	<ol style="list-style-type: none">1. Import/License is to be sought from the relevant Ministry.2. A copy of this Import Permit (IP) must be sent to the consignor.3. Consignment must be accompanied with:<ol style="list-style-type: none">i. Import Permit (IP)ii. Phytosanitary Certificate (PC) which has the Malaysian Import Permit (IP) reference number and/or reference number of the quarantine treatment certificate (if related) printed at the additional declaration column.iii. The quarantine treatment certificate (if related)4. Treatment must be done prior to export and consignment must be exported within fourteen (14) days from the date of PC issued.5. Consignment must be declared free from soil, pests,

diseases, leaves, weed seeds contaminants and regulated articles.

6. Consignment is subjected to visual inspection, examination or analysis prior to clearance by MAQIS officer upon arrival at the point of entry into Malaysia.

Treatment

: **Option 1:**

Fumigation with

- a) methyl bromide (MB) at 48g/m³ for more than 24 continuous hours, and at a minimum temperature of 21°C (consignments (rubber wood/other than rubber wood) **from countries other than SALB countries**);

methyl bromide (MB) at 120g/m³ for more than 24 continuous hours, and at a minimum temperature of 21°C (consignments **of rubber wood from countries endemic to SALB - only allowed for research**);

OR,

- b) phosphine at 4g/m³ for 120 continuous hours, at a minimum temperature of 21°C.

Option 2:

Heat treatment for more than 4 hours at minimum continuous core temperature of 70°C.

The consignments must be treated no more than fourteen (14) days before export to Malaysia. If the consignment was **NOT** shipped within the required time period after treatment, the consignments will be considered untreated.

(The Department of Agriculture (DOA) Malaysia has the right to agree on the alternative insecticides and fungicides for the above treatment. Please consult the Plant Quarantine Authority of Malaysia if the pesticides are not available in the exporting country).

Post Entry Quarantine : NIL

Additional requirement : NIL

Other requirements : In exporting country :

Each commercial (bulk/small packaging) consignment of sawdust and wood chips must be:

- i. Free from bark;
- ii. Free from pests;
- iii. Shipped in lots of no more than 2 cubic metres in volume and packaged in clear plastic wrapping (if shipped in bulk);
- iv. Packed and shipped in a manner that prevents infestation and/or contamination by pests. DOA considers the following as examples of appropriate packaging: plastic wrapping, 6 sided boxing, and in a closed shipping container;
- v. relatively free of organic or non-organic extraneous material (e.g. leaves, soil, plastic, rubbish). DOA considers a contamination rate of 0.01% w/w extraneous material is considered acceptable.

Instruction for MAQIS inspectors/officers.

Inspection upon arrival in Malaysia:

Each commercial (bulk/small packaging) consignment of:

- i. manufactured product containing sawdust and wood chips will be inspected by Malaysia Quarantine Inspection Services (MAQIS) officers for evidence of phytosanitary risk.
- ii. If pests are intercepted/detected on the commodity, or associated packaging, the sawdust and wood chips will be treated (as per the treatment specifications stated above), destroyed or the suspension of trade, until the cause of the non-compliance is investigated, identified and rectified to the satisfaction of DOA Malaysia.
- iii. Treated sawdust and wood chips will have an 8kg random sample (or whole consignment, whichever is the lesser) inspected for evidence of pests or extraneous organic or non-organic material to verify that the treatment was effective.
- iv. Consignments contaminated with bark or greater than 0.01% w/w extraneous material (e.g leaves, soil, plastic, rubbish) shall have the contaminating material removed (if possible), or be treated or destroyed or return back to exporting country or the suspension of trade, until the cause of the non-compliance is investigated, identified and rectified to the satisfaction of DOA Malaysia.

7. Alternative Plant Quarantine Treatment Choices That Can Be Used Based On The Risk and the form of Import Wood

A. In the form of Logs

a) Fumigation treatment using Methyl Bromide (MB)

Temperature	Dosage Rate (lb/1000ft ³)	Minimum Concentration reading (oz.) at :						
		0.5 hrs	2 hrs	12 hrs	24 hrs*	36 hrs	48 hrs	72 hrs
40°F or above	15 lbs	240	240	200	120	160	120	80

* After 24 hours, aerate for 48 hours, add enough fumigant to bring concentration up to 240 oz.

b) MB fumigation treatment at normal atmospheric pressure (NAP)

80/64 gm/m³ for 24 hrs at 21°C at NAP (based on exporter countries)

B. In the form of Lumber/Sawn Timber

1. Treatments used by APHIS for lumber/sawn timber.

a) Fumigation with Methyl Bromide (MB) at NAP

Temperature	Dosage Rate (Lb/1000 ft ³)	Minimum Concentration reading (oz.) at :			
		0.5 hour	2 hours	4 hours	16 hours
70°F (21°C) or above	3 lbs	36	30	27	25
40-69°F (4.4-21°C)	5 lbs	60	51	46	42

b) MB at NAP

80/48 gm/m³ for 24 hrs at 21°C at NAP (based on exporter countries)

OR

c) MB in 26" vacuum

Temperature	Dosage Rate (lb/1000ft)	Exposure period
70°F (21°C) above	4 lbs	4 hours
40-69°F (4-21°C)	4 lbs	5 hours

OR

d) SF at NAP

Temperature	Dosage Rate (Lb/1000 ft ³)	Minimum Concentration reading (oz.) at :						
		0.5 hour	2 hours	4 hours	12 hours	16 hours	24 hours	32 hours
70°F (21°C) above	4 lbs	48	45	40	-	32	-	-
60-69°F (16-21°C)	4 lbs	48	45	40	36	-	32	-
50-59°F (10-15°C)	5 lbs	60	56	52	48	-	40	-
40-49°F (4-9°C)	6.5 lbs or	60	57	53	49	-	44	40
	5 lbs	60	57	53	49	-	44	40

OR

e) Fumigation with Sulphuryl Fluoride

64 g/m³ for 24 hours at 21°C or above at NAP

OR

f) Kiln drying

Maximum thickness of timber (mm)	Duration of treatment (hours)
0-25	4
26-50	6
51-75	8
76-100	10
101-150	14
151-200	18
More than 200	Exceed 18

(Chamber temperature must be maintained at a minimum 74°C for the duration of the treatment)

OR

g) Gamma ray treatment

At 5 kGray (0.5 M rad)

OR

h)

i. Ethylene oxide

Under initial minimum vacuum of 50 kilopascals at 1500 g/m³ for 4 hours at 50°C or,

1200 g/m³ for 5 hours at 50°C or,

1500 g/m³ for 24 hours at 21°C

OR

ii. Dipping/pressure-impregnated with pesticide*

8a. Types of wood and wood article required Import Permit.

Heading/ Subheading Number	Description of goods	Importation Requirement																																										
<p>4401</p>	<p>Fuel wood, in logs, in billets, in twigs, in faggots or in similar form; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms.</p> <p>EXCEPT :</p> <p>i. 4401 30 000 (Melamine Laminate Sawdust)</p> <p>ii. 4401 22 000 (Melamine Laminate Off-Cuts)</p> <p>iii. 4401 10 000 (kayu sugi) *cth kes pameran MIHAS Setelah P.Atikah & En. Ridzuan berbincang – x perlu IP.</p> <table border="1" data-bbox="483 940 1170 1167"> <thead> <tr> <th colspan="6">PDK - PERINTAH DUTI KASTAM</th> </tr> <tr> <th>HEADEI</th> <th>SUB</th> <th>ITEM</th> <th>UNIT</th> <th>DESCRIPTION</th> <th>OLD HS</th> </tr> </thead> <tbody> <tr> <td>4401</td> <td>10</td> <td>000</td> <td>KGM</td> <td>-Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms</td> <td>440110000</td> </tr> <tr> <td>4401</td> <td>21</td> <td>000</td> <td>KGM</td> <td>--Coniferous</td> <td>440121000</td> </tr> <tr> <td>4401</td> <td>22</td> <td>000</td> <td>KGM</td> <td>--Non-coniferous</td> <td>440122000</td> </tr> <tr> <td>4401</td> <td>31</td> <td>000</td> <td>KGM</td> <td>--Wood pellets</td> <td>440130000</td> </tr> <tr> <td>4401</td> <td>39</td> <td>000</td> <td>KGM</td> <td>--Other</td> <td>440130000</td> </tr> </tbody> </table>	PDK - PERINTAH DUTI KASTAM						HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS	4401	10	000	KGM	-Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms	440110000	4401	21	000	KGM	--Coniferous	440121000	4401	22	000	KGM	--Non-coniferous	440122000	4401	31	000	KGM	--Wood pellets	440130000	4401	39	000	KGM	--Other	440130000	<p>Require:</p> <ul style="list-style-type: none"> - Import Permit (IP) from Department of Agriculture Malaysia. - Phytosanitary Certificate (PC) from National Plant Protection Organization (NPPO) of exporting country.
PDK - PERINTAH DUTI KASTAM																																												
HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS																																							
4401	10	000	KGM	-Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms	440110000																																							
4401	21	000	KGM	--Coniferous	440121000																																							
4401	22	000	KGM	--Non-coniferous	440122000																																							
4401	31	000	KGM	--Wood pellets	440130000																																							
4401	39	000	KGM	--Other	440130000																																							
<p>4402 10 000</p>	<p>Wood charcoal (including shell or nut charcoal), whether or not agglomerated</p> <p>i. 4402 10 000 (off bamboo)</p> <table border="1" data-bbox="483 1360 963 1444"> <thead> <tr> <th colspan="6">PDK - PERINTAH DUTI KASTAM</th> </tr> <tr> <th>HEADEI</th> <th>SUB</th> <th>ITEM</th> <th>UNIT</th> <th>DESCRIPTION</th> <th>OLD HS</th> </tr> </thead> <tbody> <tr> <td>4402</td> <td>10</td> <td>000</td> <td>KGM</td> <td>-Of bamboo</td> <td>440210000</td> </tr> <tr> <td>4402</td> <td>90</td> <td>000</td> <td>KGM</td> <td>-Other</td> <td>440290000</td> </tr> </tbody> </table>	PDK - PERINTAH DUTI KASTAM						HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS	4402	10	000	KGM	-Of bamboo	440210000	4402	90	000	KGM	-Other	440290000	<p>Require:</p> <ul style="list-style-type: none"> - Import Permit (IP) from Department of Agriculture Malaysia. - Phytosanitary Certificate (PC) from National Plant Protection Organization (NPPO) of exporting country. 																		
PDK - PERINTAH DUTI KASTAM																																												
HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS																																							
4402	10	000	KGM	-Of bamboo	440210000																																							
4402	90	000	KGM	-Other	440290000																																							

Heading/ Subheading Number	Description of goods	Importation Requirement																																				
4403	Wood in the rough, whether or not stripped of bark or sapwood, or roughly squared.	Require: <ul style="list-style-type: none"> - Import Permit (IP) from Department of Agriculture Malaysia. - Phytosanitary Certificate (PC) from National Plant Protection Organization (NPPO) of exporting country. 																																				
4404	Hoopwood; split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise; wooden sticks, roughly trimmed but not turned, bent or otherwise worked, suitable for the manufacture of walking-sticks, umbrellas, tool handles or the like, chipwood and the like. <table border="1" data-bbox="483 1125 1162 1289"> <thead> <tr> <th colspan="6">PDK - PERINTAH DUTI KASTAM</th> </tr> <tr> <th>HEADEI</th> <th>SUB</th> <th>ITEM</th> <th>UNIT</th> <th>DESCRIPTION</th> <th>OLD HS</th> </tr> </thead> <tbody> <tr> <td>4404</td> <td>10</td> <td>100</td> <td>KGM</td> <td>--Chipwood</td> <td>440410100</td> </tr> <tr> <td>4404</td> <td>10</td> <td>900</td> <td>KGM</td> <td>--Other</td> <td>440410900</td> </tr> <tr> <td>4404</td> <td>20</td> <td>100</td> <td>KGM</td> <td>--Chipwood</td> <td>440420100</td> </tr> <tr> <td>4404</td> <td>20</td> <td>900</td> <td>KGM</td> <td>--Other</td> <td>440420900</td> </tr> </tbody> </table>	PDK - PERINTAH DUTI KASTAM						HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS	4404	10	100	KGM	--Chipwood	440410100	4404	10	900	KGM	--Other	440410900	4404	20	100	KGM	--Chipwood	440420100	4404	20	900	KGM	--Other	440420900	Require: <ul style="list-style-type: none"> - Import Permit (IP) from Department of Agriculture Malaysia. - Phytosanitary Certificate (PC) from National Plant Protection Organization (NPPO) of exporting country.
PDK - PERINTAH DUTI KASTAM																																						
HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS																																	
4404	10	100	KGM	--Chipwood	440410100																																	
4404	10	900	KGM	--Other	440410900																																	
4404	20	100	KGM	--Chipwood	440420100																																	
4404	20	900	KGM	--Other	440420900																																	
4406	Railway or tramway sleepers (cross-ties) of wood.	Require: <ul style="list-style-type: none"> - Import Permit (IP) from Department of Agriculture Malaysia. - Phytosanitary Certificate (PC) from National Plant Protection Organization (NPPO) of 																																				

Heading/ Subheading Number	Description of goods	Importation Requirement																																																																																																												
	<table border="1"> <thead> <tr> <th colspan="6">PDK - PERINTAH DUTI KASTAM</th> </tr> <tr> <th>HEADEI</th> <th>SUB</th> <th>ITEM</th> <th>UNIT</th> <th>DESCRIPTION</th> <th>OLD HS</th> </tr> </thead> <tbody> <tr><td>4406</td><td>10</td><td>110</td><td>MTQ</td><td>---Of Keruing</td><td>440610110</td></tr> <tr><td>4406</td><td>10</td><td>120</td><td>MTQ</td><td>---Of Kempas (Menggeris)</td><td>440610120</td></tr> <tr><td>4406</td><td>10</td><td>130</td><td>MTQ</td><td>---Of Kapur</td><td>440610130</td></tr> <tr><td>4406</td><td>10</td><td>190</td><td>MTQ</td><td>---Other</td><td>440610190</td></tr> <tr><td>4406</td><td>10</td><td>210</td><td>MTQ</td><td>---Of Balau (Selangan Batu)</td><td>440610210</td></tr> <tr><td>4406</td><td>10</td><td>220</td><td>MTQ</td><td>---Of Chengal</td><td>440610220</td></tr> <tr><td>4406</td><td>10</td><td>230</td><td>MTQ</td><td>---Of Merbau</td><td>440610230</td></tr> <tr><td>4406</td><td>10</td><td>290</td><td>MTQ</td><td>---Other</td><td>440610290</td></tr> <tr><td>4406</td><td>90</td><td>110</td><td>MTQ</td><td>---Of Keruing</td><td>440690110</td></tr> <tr><td>4406</td><td>90</td><td>120</td><td>MTQ</td><td>---Of Kempas (Menggeris)</td><td>440690120</td></tr> <tr><td>4406</td><td>90</td><td>130</td><td>MTQ</td><td>---Of Kapur</td><td>440690130</td></tr> <tr><td>4406</td><td>90</td><td>190</td><td>MTQ</td><td>---Other</td><td>440690190</td></tr> <tr><td>4406</td><td>90</td><td>210</td><td>MTQ</td><td>---Of Balau (Selangan Batu)</td><td>440690210</td></tr> <tr><td>4406</td><td>90</td><td>220</td><td>MTQ</td><td>---Of Chengal</td><td>440690220</td></tr> <tr><td>4406</td><td>90</td><td>230</td><td>MTQ</td><td>---Of Merbau</td><td>440690230</td></tr> <tr><td>4406</td><td>90</td><td>290</td><td>MTQ</td><td>---Other</td><td>440690290</td></tr> </tbody> </table>	PDK - PERINTAH DUTI KASTAM						HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS	4406	10	110	MTQ	---Of Keruing	440610110	4406	10	120	MTQ	---Of Kempas (Menggeris)	440610120	4406	10	130	MTQ	---Of Kapur	440610130	4406	10	190	MTQ	---Other	440610190	4406	10	210	MTQ	---Of Balau (Selangan Batu)	440610210	4406	10	220	MTQ	---Of Chengal	440610220	4406	10	230	MTQ	---Of Merbau	440610230	4406	10	290	MTQ	---Other	440610290	4406	90	110	MTQ	---Of Keruing	440690110	4406	90	120	MTQ	---Of Kempas (Menggeris)	440690120	4406	90	130	MTQ	---Of Kapur	440690130	4406	90	190	MTQ	---Other	440690190	4406	90	210	MTQ	---Of Balau (Selangan Batu)	440690210	4406	90	220	MTQ	---Of Chengal	440690220	4406	90	230	MTQ	---Of Merbau	440690230	4406	90	290	MTQ	---Other	440690290	exporting country.
PDK - PERINTAH DUTI KASTAM																																																																																																														
HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS																																																																																																									
4406	10	110	MTQ	---Of Keruing	440610110																																																																																																									
4406	10	120	MTQ	---Of Kempas (Menggeris)	440610120																																																																																																									
4406	10	130	MTQ	---Of Kapur	440610130																																																																																																									
4406	10	190	MTQ	---Other	440610190																																																																																																									
4406	10	210	MTQ	---Of Balau (Selangan Batu)	440610210																																																																																																									
4406	10	220	MTQ	---Of Chengal	440610220																																																																																																									
4406	10	230	MTQ	---Of Merbau	440610230																																																																																																									
4406	10	290	MTQ	---Other	440610290																																																																																																									
4406	90	110	MTQ	---Of Keruing	440690110																																																																																																									
4406	90	120	MTQ	---Of Kempas (Menggeris)	440690120																																																																																																									
4406	90	130	MTQ	---Of Kapur	440690130																																																																																																									
4406	90	190	MTQ	---Other	440690190																																																																																																									
4406	90	210	MTQ	---Of Balau (Selangan Batu)	440690210																																																																																																									
4406	90	220	MTQ	---Of Chengal	440690220																																																																																																									
4406	90	230	MTQ	---Of Merbau	440690230																																																																																																									
4406	90	290	MTQ	---Other	440690290																																																																																																									
4407	<p>Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end/finger-jointed, of a thickness exceeding 6 mm.</p>	<p>Require:</p> <ul style="list-style-type: none"> - Import Permit (IP) from Department of Agriculture Malaysia. - Phytosanitary Certificate (PC) from National Plant Protection Organization (NPPO) of exporting country. 																																																																																																												
4408	<p>Veneer sheets and sheets for plywood (whether or not spliced) and other wood sawn lengthwise, sliced or peeled, whether or not planed, sanded, or finger-jointed, of a <u>thickness not exceeding 6 mm.</u></p> <p>*thickness of veneer less than 2mm (MTIB, 07072011)</p>	<p>If thickness exceeding 6mm require:</p> <ul style="list-style-type: none"> - Import Permit (IP) from Department of Agriculture Malaysia. - Phytosanitary Certificate (PC) from National Plant Protection 																																																																																																												

Heading/ Subheading Number	Description of goods	Importation Requirement																																																																																																																								
	<p>PDK - PERINTAH DUTI KASTAM</p> <table border="1"> <thead> <tr> <th>HEADEI</th> <th>SUB</th> <th>ITEM</th> <th>UNIT</th> <th>DESCRIPTION</th> <th>OLD HS</th> </tr> </thead> <tbody> <tr><td>4408</td><td>10</td><td>100</td><td>MTQ</td><td>--Face veneer sheets</td><td>440810100</td></tr> <tr><td>4408</td><td>10</td><td>910</td><td>MTQ</td><td>---Planed sheets</td><td>440810900</td></tr> <tr><td>4408</td><td>10</td><td>920</td><td>MTQ</td><td>---Core veneer or sanded or end-jointed</td><td>440810900</td></tr> <tr><td>4408</td><td>10</td><td>990</td><td>MTQ</td><td>---Other</td><td>440810900</td></tr> <tr><td>4408</td><td>31</td><td>100</td><td>MTQ</td><td>---Face veneer sheets</td><td>440831100</td></tr> <tr><td>4408</td><td>31</td><td>910</td><td>MTQ</td><td>---Planed sheets</td><td>440831900</td></tr> <tr><td>4408</td><td>31</td><td>920</td><td>MTQ</td><td>---Core veneer or sanded or end-jointed</td><td>440831900</td></tr> <tr><td>4408</td><td>31</td><td>990</td><td>MTQ</td><td>---Other</td><td>440831900</td></tr> <tr><td>4408</td><td>39</td><td>100</td><td>MTQ</td><td>---Face veneer sheets</td><td>440839100</td></tr> <tr><td>4408</td><td>39</td><td>910</td><td>MTQ</td><td>---Planed sheets</td><td>440839900</td></tr> <tr><td>4408</td><td>39</td><td>920</td><td>MTQ</td><td>---Core veneer or sanded or end-jointed</td><td>440839900</td></tr> <tr><td>4408</td><td>39</td><td>990</td><td>MTQ</td><td>---Other</td><td>440839900</td></tr> <tr><td>4408</td><td>90</td><td>100</td><td>MTQ</td><td>--Face veneer sheets</td><td>440890100</td></tr> <tr><td>4408</td><td>90</td><td>910</td><td>MTQ</td><td>--Planed sheets</td><td>440890900</td></tr> <tr><td>4408</td><td>90</td><td>920</td><td>MTQ</td><td>--Core veneer or sanded or end-jointed</td><td>440890900</td></tr> <tr><td>4408</td><td>90</td><td>990</td><td>MTQ</td><td>--Other</td><td>440890900</td></tr> </tbody> </table>	HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS	4408	10	100	MTQ	--Face veneer sheets	440810100	4408	10	910	MTQ	---Planed sheets	440810900	4408	10	920	MTQ	---Core veneer or sanded or end-jointed	440810900	4408	10	990	MTQ	---Other	440810900	4408	31	100	MTQ	---Face veneer sheets	440831100	4408	31	910	MTQ	---Planed sheets	440831900	4408	31	920	MTQ	---Core veneer or sanded or end-jointed	440831900	4408	31	990	MTQ	---Other	440831900	4408	39	100	MTQ	---Face veneer sheets	440839100	4408	39	910	MTQ	---Planed sheets	440839900	4408	39	920	MTQ	---Core veneer or sanded or end-jointed	440839900	4408	39	990	MTQ	---Other	440839900	4408	90	100	MTQ	--Face veneer sheets	440890100	4408	90	910	MTQ	--Planed sheets	440890900	4408	90	920	MTQ	--Core veneer or sanded or end-jointed	440890900	4408	90	990	MTQ	--Other	440890900	<p>Organization (NPPPO) of exporting country.</p>																		
HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS																																																																																																																					
4408	10	100	MTQ	--Face veneer sheets	440810100																																																																																																																					
4408	10	910	MTQ	---Planed sheets	440810900																																																																																																																					
4408	10	920	MTQ	---Core veneer or sanded or end-jointed	440810900																																																																																																																					
4408	10	990	MTQ	---Other	440810900																																																																																																																					
4408	31	100	MTQ	---Face veneer sheets	440831100																																																																																																																					
4408	31	910	MTQ	---Planed sheets	440831900																																																																																																																					
4408	31	920	MTQ	---Core veneer or sanded or end-jointed	440831900																																																																																																																					
4408	31	990	MTQ	---Other	440831900																																																																																																																					
4408	39	100	MTQ	---Face veneer sheets	440839100																																																																																																																					
4408	39	910	MTQ	---Planed sheets	440839900																																																																																																																					
4408	39	920	MTQ	---Core veneer or sanded or end-jointed	440839900																																																																																																																					
4408	39	990	MTQ	---Other	440839900																																																																																																																					
4408	90	100	MTQ	--Face veneer sheets	440890100																																																																																																																					
4408	90	910	MTQ	--Planed sheets	440890900																																																																																																																					
4408	90	920	MTQ	--Core veneer or sanded or end-jointed	440890900																																																																																																																					
4408	90	990	MTQ	--Other	440890900																																																																																																																					
<p>4409</p>	<p>Wood (including strips and friezes for parquet flooring, not assembled) continuously shaped (tongued, grooved, rebated, chamfered, V-jointed, beaded, moulded, rounded or the like) along any of its edges, ends or faces, whether or not planed, sanded or end-jointed.</p> <p>(Wood for parquet; <u>thickness not exceeding 6 mm.</u>)</p> <table border="1"> <thead> <tr> <th>HEADEI</th> <th>SUB</th> <th>ITEM</th> <th>UNIT</th> <th>DESCRIPTION</th> <th>OLD HS</th> </tr> </thead> <tbody> <tr><td>4409</td><td>10</td><td>100</td><td>MTQ</td><td>--Moulded</td><td>440910100</td></tr> <tr><td>4409</td><td>10</td><td>200</td><td>MTQ</td><td>--Rounded</td><td>440910200</td></tr> <tr><td>4409</td><td>10</td><td>300</td><td>MTQ</td><td>--Strips and friezes for parquet flooring, not assembled</td><td>440910300</td></tr> <tr><td>4409</td><td>10</td><td>400</td><td>MTQ</td><td>--Sanded or finger-jointed</td><td>440910400</td></tr> <tr><td>4409</td><td>10</td><td>900</td><td>MTQ</td><td>--Other</td><td>440910900</td></tr> <tr><td>4409</td><td>21</td><td>100</td><td>MTQ</td><td>---Moulded</td><td>440921000</td></tr> <tr><td>4409</td><td>21</td><td>200</td><td>MTQ</td><td>---Rounded</td><td>440921000</td></tr> <tr><td>4409</td><td>21</td><td>300</td><td>MTQ</td><td>---Sanded or finger-jointed</td><td>440921000</td></tr> <tr><td>4409</td><td>21</td><td>900</td><td>MTQ</td><td>---Other</td><td>440921000</td></tr> <tr><td>4409</td><td>29</td><td>110</td><td>MTQ</td><td>----Moulded</td><td>440929110</td></tr> <tr><td>4409</td><td>29</td><td>120</td><td>MTQ</td><td>----Rounded</td><td>440929120</td></tr> <tr><td>4409</td><td>29</td><td>130</td><td>MTQ</td><td>----Strips and friezes for parquet flooring, not assembled</td><td>440929130</td></tr> <tr><td>4409</td><td>29</td><td>140</td><td>MTQ</td><td>----Sanded or finger-jointed</td><td>440929140</td></tr> <tr><td>4409</td><td>29</td><td>190</td><td>MTQ</td><td>----Other</td><td>440929190</td></tr> <tr><td>4409</td><td>29</td><td>910</td><td>MTQ</td><td>----Moulded</td><td>440929910</td></tr> <tr><td>4409</td><td>29</td><td>920</td><td>MTQ</td><td>----Rounded</td><td>440929920</td></tr> <tr><td>4409</td><td>29</td><td>930</td><td>MTQ</td><td>----Strips and friezes for parquet flooring, not assembled</td><td>440929930</td></tr> <tr><td>4409</td><td>29</td><td>940</td><td>MTQ</td><td>----Sanded or finger-jointed</td><td>440929940</td></tr> <tr><td>4409</td><td>29</td><td>990</td><td>MTQ</td><td>----Other</td><td>440929990</td></tr> </tbody> </table>	HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS	4409	10	100	MTQ	--Moulded	440910100	4409	10	200	MTQ	--Rounded	440910200	4409	10	300	MTQ	--Strips and friezes for parquet flooring, not assembled	440910300	4409	10	400	MTQ	--Sanded or finger-jointed	440910400	4409	10	900	MTQ	--Other	440910900	4409	21	100	MTQ	---Moulded	440921000	4409	21	200	MTQ	---Rounded	440921000	4409	21	300	MTQ	---Sanded or finger-jointed	440921000	4409	21	900	MTQ	---Other	440921000	4409	29	110	MTQ	----Moulded	440929110	4409	29	120	MTQ	----Rounded	440929120	4409	29	130	MTQ	----Strips and friezes for parquet flooring, not assembled	440929130	4409	29	140	MTQ	----Sanded or finger-jointed	440929140	4409	29	190	MTQ	----Other	440929190	4409	29	910	MTQ	----Moulded	440929910	4409	29	920	MTQ	----Rounded	440929920	4409	29	930	MTQ	----Strips and friezes for parquet flooring, not assembled	440929930	4409	29	940	MTQ	----Sanded or finger-jointed	440929940	4409	29	990	MTQ	----Other	440929990	<p>If thickness exceeding 6mm require:</p> <ul style="list-style-type: none"> - Import Permit (IP) from Department of Agriculture Malaysia. - Phytosanitary Certificate (PC) from National Plant Protection Organization (NPPPO) of exporting country.
HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS																																																																																																																					
4409	10	100	MTQ	--Moulded	440910100																																																																																																																					
4409	10	200	MTQ	--Rounded	440910200																																																																																																																					
4409	10	300	MTQ	--Strips and friezes for parquet flooring, not assembled	440910300																																																																																																																					
4409	10	400	MTQ	--Sanded or finger-jointed	440910400																																																																																																																					
4409	10	900	MTQ	--Other	440910900																																																																																																																					
4409	21	100	MTQ	---Moulded	440921000																																																																																																																					
4409	21	200	MTQ	---Rounded	440921000																																																																																																																					
4409	21	300	MTQ	---Sanded or finger-jointed	440921000																																																																																																																					
4409	21	900	MTQ	---Other	440921000																																																																																																																					
4409	29	110	MTQ	----Moulded	440929110																																																																																																																					
4409	29	120	MTQ	----Rounded	440929120																																																																																																																					
4409	29	130	MTQ	----Strips and friezes for parquet flooring, not assembled	440929130																																																																																																																					
4409	29	140	MTQ	----Sanded or finger-jointed	440929140																																																																																																																					
4409	29	190	MTQ	----Other	440929190																																																																																																																					
4409	29	910	MTQ	----Moulded	440929910																																																																																																																					
4409	29	920	MTQ	----Rounded	440929920																																																																																																																					
4409	29	930	MTQ	----Strips and friezes for parquet flooring, not assembled	440929930																																																																																																																					
4409	29	940	MTQ	----Sanded or finger-jointed	440929940																																																																																																																					
4409	29	990	MTQ	----Other	440929990																																																																																																																					
<p>4417</p>	<p>Tools, tool bodies, tool handles, broom or brush bodies and handles, of wood; boot or shoe lasts and trees, of wood.</p>	<p>Require:</p> <ul style="list-style-type: none"> - Import Permit (IP) from 																																																																																																																								

Heading/ Subheading Number	Description of goods	Importation Requirement																																																																																				
00 000	<p>PDK - PERINTAH DUTI KASTAM</p> <table border="1"> <thead> <tr> <th>HEADEI</th> <th>SUB</th> <th>ITEM</th> <th>UNIT</th> <th>DESCRIPTION</th> <th>OLD HS</th> </tr> </thead> <tbody> <tr> <td>4417</td> <td>00</td> <td>000</td> <td>KGM</td> <td>Tools, tool bodies, tool handles, broom or brush bodies and handles, of wood; boot or shoe lasts and trees, of wood.</td> <td>441700000</td> </tr> </tbody> </table>	HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS	4417	00	000	KGM	Tools, tool bodies, tool handles, broom or brush bodies and handles, of wood; boot or shoe lasts and trees, of wood.	441700000	<p>Department of Agriculture Malaysia.</p> <ul style="list-style-type: none"> - Phytosanitary Certificate (PC) from National Plant Protection Organization (NPPO) of exporting country. 																																																																								
HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS																																																																																	
4417	00	000	KGM	Tools, tool bodies, tool handles, broom or brush bodies and handles, of wood; boot or shoe lasts and trees, of wood.	441700000																																																																																	
4418	<p>Builders' joinery and carpentry of wood, including cellular wood panels, assembled parquet panels, shingles and shakes.</p> <p>*e.g. door and window frame (MTIB, 07072011)</p> <p>PDK - PERINTAH DUTI KASTAM</p> <table border="1"> <thead> <tr> <th>HEADEI</th> <th>SUB</th> <th>ITEM</th> <th>UNIT</th> <th>DESCRIPTION</th> <th>OLD HS</th> </tr> </thead> <tbody> <tr> <td>4418</td> <td>10</td> <td>000</td> <td>KGM</td> <td>--Windows, French-windows and their frames</td> <td>441810000</td> </tr> <tr> <td>4418</td> <td>20</td> <td>000</td> <td>KGM</td> <td>--Doors and their frames and thresholds</td> <td>441820000</td> </tr> <tr> <td>4418</td> <td>40</td> <td>000</td> <td>KGM</td> <td>--Shuttering for concrete constructional work</td> <td>441840000</td> </tr> <tr> <td>4418</td> <td>50</td> <td>100</td> <td>KGM</td> <td>--Shingles</td> <td>441850100</td> </tr> <tr> <td>4418</td> <td>50</td> <td>200</td> <td>KGM</td> <td>--Shakes</td> <td>441850200</td> </tr> <tr> <td>4418</td> <td>60</td> <td>000</td> <td>KGM</td> <td>--Posts and beams</td> <td>441860000</td> </tr> <tr> <td>4418</td> <td>71</td> <td>000</td> <td>KGM</td> <td>--For mosaic floors</td> <td>441871000</td> </tr> <tr> <td>4418</td> <td>72</td> <td>000</td> <td>KGM</td> <td>--Other, multilayer</td> <td>441872000</td> </tr> <tr> <td>4418</td> <td>79</td> <td>000</td> <td>KGM</td> <td>--Other</td> <td>441879000</td> </tr> <tr> <td>4418</td> <td>90</td> <td>110</td> <td>KGM</td> <td>---Plain</td> <td>441890110</td> </tr> <tr> <td>4418</td> <td>90</td> <td>191</td> <td>KGM</td> <td>----Faced with plastics</td> <td>441890191</td> </tr> <tr> <td>4418</td> <td>90</td> <td>199</td> <td>KGM</td> <td>----Other</td> <td>441890199</td> </tr> <tr> <td>4418</td> <td>90</td> <td>900</td> <td>KGM</td> <td>--Other</td> <td>441890900</td> </tr> </tbody> </table>	HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS	4418	10	000	KGM	--Windows, French-windows and their frames	441810000	4418	20	000	KGM	--Doors and their frames and thresholds	441820000	4418	40	000	KGM	--Shuttering for concrete constructional work	441840000	4418	50	100	KGM	--Shingles	441850100	4418	50	200	KGM	--Shakes	441850200	4418	60	000	KGM	--Posts and beams	441860000	4418	71	000	KGM	--For mosaic floors	441871000	4418	72	000	KGM	--Other, multilayer	441872000	4418	79	000	KGM	--Other	441879000	4418	90	110	KGM	---Plain	441890110	4418	90	191	KGM	----Faced with plastics	441890191	4418	90	199	KGM	----Other	441890199	4418	90	900	KGM	--Other	441890900	<p>Require:</p> <ul style="list-style-type: none"> - Import Permit (IP) from Department of Agriculture Malaysia. - Phytosanitary Certificate (PC) from National Plant Protection Organization (NPPO) of exporting country.
HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS																																																																																	
4418	10	000	KGM	--Windows, French-windows and their frames	441810000																																																																																	
4418	20	000	KGM	--Doors and their frames and thresholds	441820000																																																																																	
4418	40	000	KGM	--Shuttering for concrete constructional work	441840000																																																																																	
4418	50	100	KGM	--Shingles	441850100																																																																																	
4418	50	200	KGM	--Shakes	441850200																																																																																	
4418	60	000	KGM	--Posts and beams	441860000																																																																																	
4418	71	000	KGM	--For mosaic floors	441871000																																																																																	
4418	72	000	KGM	--Other, multilayer	441872000																																																																																	
4418	79	000	KGM	--Other	441879000																																																																																	
4418	90	110	KGM	---Plain	441890110																																																																																	
4418	90	191	KGM	----Faced with plastics	441890191																																																																																	
4418	90	199	KGM	----Other	441890199																																																																																	
4418	90	900	KGM	--Other	441890900																																																																																	
4420	<p>Wood marquetry and inlaid wood, caskets and cases for jewellery or cutlery, and similar articles, of wood; statuettes and other ornaments, of wood; wooden articles of furniture not falling in Chapter 94.</p>	<p>Require:</p> <ul style="list-style-type: none"> - Import Permit (IP) from Department of Agriculture Malaysia. - Phytosanitary Certificate (PC) from National Plant Protection Organization 																																																																																				

Heading/ Subheading Number	Description of goods	Importation Requirement																																																																		
	<table border="1"> <thead> <tr> <th colspan="6">PDK - PERINTAH DUTI KASTAM</th> </tr> <tr> <th>HEADEI</th> <th>SUB</th> <th>ITEM</th> <th>UNIT</th> <th>DESCRIPTION</th> <th>OLD HS</th> </tr> </thead> <tbody> <tr> <td>4420</td> <td>10</td> <td>000</td> <td>KGM</td> <td>-Statuettes and other ornaments, of wood</td> <td>442010900</td> </tr> <tr> <td>4420</td> <td>90</td> <td>100</td> <td>KGM</td> <td>--Wood marquetry and inlaid wood</td> <td>442090110</td> </tr> <tr> <td>4420</td> <td>90</td> <td>200</td> <td>KGM</td> <td>--Wooden articles of furniture, not falling in Chapter 94</td> <td>442090200</td> </tr> <tr> <td>4420</td> <td>90</td> <td>300</td> <td>KGM</td> <td>--Tobacco, cigar, cigarette and snuff boxes, ash trays</td> <td>442090300</td> </tr> <tr> <td>4420</td> <td>90</td> <td>410</td> <td>KGM</td> <td>---For cutlery</td> <td>442090410</td> </tr> <tr> <td>4420</td> <td>90</td> <td>420</td> <td>KGM</td> <td>---For drawing, mathematical or scientific instruments</td> <td>442090420</td> </tr> <tr> <td>4420</td> <td>90</td> <td>490</td> <td>KGM</td> <td>---Other</td> <td>442090490</td> </tr> <tr> <td>4420</td> <td>90</td> <td>500</td> <td>KGM</td> <td>--Articles of a kind normally carried in the pocket, in the handbag or on the person</td> <td>442090500</td> </tr> <tr> <td>4420</td> <td>90</td> <td>900</td> <td>KGM</td> <td>--Other</td> <td>442090900</td> </tr> </tbody> </table>	PDK - PERINTAH DUTI KASTAM						HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS	4420	10	000	KGM	-Statuettes and other ornaments, of wood	442010900	4420	90	100	KGM	--Wood marquetry and inlaid wood	442090110	4420	90	200	KGM	--Wooden articles of furniture, not falling in Chapter 94	442090200	4420	90	300	KGM	--Tobacco, cigar, cigarette and snuff boxes, ash trays	442090300	4420	90	410	KGM	---For cutlery	442090410	4420	90	420	KGM	---For drawing, mathematical or scientific instruments	442090420	4420	90	490	KGM	---Other	442090490	4420	90	500	KGM	--Articles of a kind normally carried in the pocket, in the handbag or on the person	442090500	4420	90	900	KGM	--Other	442090900	(NPP0) of exporting country.
PDK - PERINTAH DUTI KASTAM																																																																				
HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS																																																															
4420	10	000	KGM	-Statuettes and other ornaments, of wood	442010900																																																															
4420	90	100	KGM	--Wood marquetry and inlaid wood	442090110																																																															
4420	90	200	KGM	--Wooden articles of furniture, not falling in Chapter 94	442090200																																																															
4420	90	300	KGM	--Tobacco, cigar, cigarette and snuff boxes, ash trays	442090300																																																															
4420	90	410	KGM	---For cutlery	442090410																																																															
4420	90	420	KGM	---For drawing, mathematical or scientific instruments	442090420																																																															
4420	90	490	KGM	---Other	442090490																																																															
4420	90	500	KGM	--Articles of a kind normally carried in the pocket, in the handbag or on the person	442090500																																																															
4420	90	900	KGM	--Other	442090900																																																															
<p>9406 00 200</p>	<p>of wood - for the purposes of heading 94.06, the expression of prefabricated buildings which are finished in the factory or put up as elements, presented together, to be assembled on site, such as housing or worksite accommodation, offices, schools, shops, sheds, garages, or similar buildings.</p> <table border="1"> <thead> <tr> <th colspan="6">PDK - PERINTAH DUTI KASTAM</th> </tr> <tr> <th>HEADEI</th> <th>SUB</th> <th>ITEM</th> <th>UNIT</th> <th>DESCRIPTION</th> <th>OLD HS</th> </tr> </thead> <tbody> <tr> <td>9406</td> <td>00</td> <td>100</td> <td>KGM</td> <td>-Of plastics</td> <td>940600100</td> </tr> <tr> <td>9406</td> <td>00</td> <td>200</td> <td>KGM</td> <td>-Of wood</td> <td>940600200</td> </tr> <tr> <td>9406</td> <td>00</td> <td>300</td> <td>KGM</td> <td>-Of cement, of concrete or of artificial stone</td> <td>940600300</td> </tr> <tr> <td>9406</td> <td>00</td> <td>400</td> <td>KGM</td> <td>-Of iron and steel</td> <td>940600400</td> </tr> <tr> <td>9406</td> <td>00</td> <td>500</td> <td>KGM</td> <td>-Of aluminium</td> <td>940600500</td> </tr> <tr> <td>9406</td> <td>00</td> <td>900</td> <td>KGM</td> <td>-Other</td> <td>940600900</td> </tr> </tbody> </table>	PDK - PERINTAH DUTI KASTAM						HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS	9406	00	100	KGM	-Of plastics	940600100	9406	00	200	KGM	-Of wood	940600200	9406	00	300	KGM	-Of cement, of concrete or of artificial stone	940600300	9406	00	400	KGM	-Of iron and steel	940600400	9406	00	500	KGM	-Of aluminium	940600500	9406	00	900	KGM	-Other	940600900	<p>Require:</p> <ul style="list-style-type: none"> - Import Permit (IP) from Department of Agriculture Malaysia. - Phytosanitary Certificate (PC) from National Plant Protection Organization (NPP0) of exporting country. 																		
PDK - PERINTAH DUTI KASTAM																																																																				
HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS																																																															
9406	00	100	KGM	-Of plastics	940600100																																																															
9406	00	200	KGM	-Of wood	940600200																																																															
9406	00	300	KGM	-Of cement, of concrete or of artificial stone	940600300																																																															
9406	00	400	KGM	-Of iron and steel	940600400																																																															
9406	00	500	KGM	-Of aluminium	940600500																																																															
9406	00	900	KGM	-Other	940600900																																																															

Revised 10/11/2010 for meeting 11/11/2010 (14/12/2010)

Revised 29062011

Revised 07072011

Revised 19072011

Revised 17102011

Latest revised 17022014

8b. Types of wood and wood article not required Import Permit.

Heading/ Subheading Number	Description of goods	Importation Requirement																																										
4401 10 000	(kayu sugi) <table border="1"> <thead> <tr> <th colspan="6">PDK - PERINTAH DUTI KASTAM</th> </tr> <tr> <th>HEADEI</th> <th>SUB</th> <th>ITEM</th> <th>UNIT</th> <th>DESCRIPTION</th> <th>OLD HS</th> </tr> </thead> <tbody> <tr> <td>4401</td> <td>10</td> <td>000</td> <td>KGM</td> <td>-Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms</td> <td>440110000</td> </tr> </tbody> </table>	PDK - PERINTAH DUTI KASTAM						HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS	4401	10	000	KGM	-Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms	440110000	Not require: <ul style="list-style-type: none"> - Import Permit (IP) from Department of Agriculture Malaysia. - Phytosanitary Certificate (PC) from National Plant Protection Organization (NPPO) of exporting country. 																								
PDK - PERINTAH DUTI KASTAM																																												
HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS																																							
4401	10	000	KGM	-Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms	440110000																																							
4401 22 000	Melamine Laminate Off-Cuts <table border="1"> <thead> <tr> <th colspan="6">PDK - PERINTAH DUTI KASTAM</th> </tr> <tr> <th>HEADEI</th> <th>SUB</th> <th>ITEM</th> <th>UNIT</th> <th>DESCRIPTION</th> <th>OLD HS</th> </tr> </thead> <tbody> <tr> <td>4401</td> <td>22</td> <td>000</td> <td>KGM</td> <td>--Non-coniferous</td> <td>440122000</td> </tr> </tbody> </table>	PDK - PERINTAH DUTI KASTAM						HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS	4401	22	000	KGM	--Non-coniferous	440122000	Not require: <ul style="list-style-type: none"> - Import Permit (IP) from Department of Agriculture Malaysia. - Phytosanitary Certificate (PC) from National Plant Protection Organization (NPPO) of exporting country. 																								
PDK - PERINTAH DUTI KASTAM																																												
HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS																																							
4401	22	000	KGM	--Non-coniferous	440122000																																							
4401 31 000 4401 39 000	Melamine Laminate Sawdust <table border="1"> <thead> <tr> <th colspan="6">PDK - PERINTAH DUTI KASTAM</th> </tr> <tr> <th>HEADEI</th> <th>SUB</th> <th>ITEM</th> <th>UNIT</th> <th>DESCRIPTION</th> <th>OLD HS</th> </tr> </thead> <tbody> <tr> <td>4401</td> <td>10</td> <td>000</td> <td>KGM</td> <td>-Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms</td> <td>440110000</td> </tr> <tr> <td>4401</td> <td>21</td> <td>000</td> <td>KGM</td> <td>--Coniferous</td> <td>440121000</td> </tr> <tr> <td>4401</td> <td>22</td> <td>000</td> <td>KGM</td> <td>--Non-coniferous</td> <td>440122000</td> </tr> <tr> <td>4401</td> <td>31</td> <td>000</td> <td>KGM</td> <td>--Wood pellets</td> <td>440130000</td> </tr> <tr> <td>4401</td> <td>39</td> <td>000</td> <td>KGM</td> <td>--Other</td> <td>440130000</td> </tr> </tbody> </table> <p>LAMA : 4401 30 000</p>	PDK - PERINTAH DUTI KASTAM						HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS	4401	10	000	KGM	-Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms	440110000	4401	21	000	KGM	--Coniferous	440121000	4401	22	000	KGM	--Non-coniferous	440122000	4401	31	000	KGM	--Wood pellets	440130000	4401	39	000	KGM	--Other	440130000	Not require: <ul style="list-style-type: none"> - Import Permit (IP) from Department of Agriculture Malaysia. - Phytosanitary Certificate (PC) from National Plant Protection
PDK - PERINTAH DUTI KASTAM																																												
HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS																																							
4401	10	000	KGM	-Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms	440110000																																							
4401	21	000	KGM	--Coniferous	440121000																																							
4401	22	000	KGM	--Non-coniferous	440122000																																							
4401	31	000	KGM	--Wood pellets	440130000																																							
4401	39	000	KGM	--Other	440130000																																							

Heading/ Subheading Number	Description of goods	Importation Requirement																								
		Organization (NPPO) of exporting country.																								
4402	<p>Wood charcoal (including shell or nut charcoal), whether or not agglomerated</p> <p>EXCEPT :</p> <p>ii. 4402 10 000 (off bamboo)</p> <table border="1" data-bbox="500 703 1144 821"> <thead> <tr> <th colspan="6">PDK - PERINTAH DUTI KASTAM</th> </tr> <tr> <th>HEADE</th> <th>SUB</th> <th>ITEM</th> <th>UNIT</th> <th>DESCRIPTION</th> <th>OLD HS</th> </tr> </thead> <tbody> <tr> <td>4402</td> <td>10</td> <td>000</td> <td>KGM</td> <td>-Of bamboo</td> <td>440210000</td> </tr> <tr> <td>4402</td> <td>90</td> <td>000</td> <td>KGM</td> <td>-Other</td> <td>440290000</td> </tr> </tbody> </table>	PDK - PERINTAH DUTI KASTAM						HEADE	SUB	ITEM	UNIT	DESCRIPTION	OLD HS	4402	10	000	KGM	-Of bamboo	440210000	4402	90	000	KGM	-Other	440290000	<p>Not require:</p> <ul style="list-style-type: none"> - Import Permit (IP) from Department of Agriculture Malaysia. - Phytosanitary Certificate (PC) from National Plant Protection Organization (NPPO) of exporting country.
PDK - PERINTAH DUTI KASTAM																										
HEADE	SUB	ITEM	UNIT	DESCRIPTION	OLD HS																					
4402	10	000	KGM	-Of bamboo	440210000																					
4402	90	000	KGM	-Other	440290000																					
4405	<p>Wood wool; wood flour.</p> <table border="1" data-bbox="500 1115 1144 1232"> <thead> <tr> <th colspan="6">PDK - PERINTAH DUTI KASTAM</th> </tr> <tr> <th>HEADE</th> <th>SUB</th> <th>ITEM</th> <th>UNIT</th> <th>DESCRIPTION</th> <th>OLD HS</th> </tr> </thead> <tbody> <tr> <td>4405</td> <td>00</td> <td>100</td> <td>KGM</td> <td>-Wood wool</td> <td>440500100</td> </tr> <tr> <td>4405</td> <td>00</td> <td>200</td> <td>KGM</td> <td>-Wood flour</td> <td>440500200</td> </tr> </tbody> </table>	PDK - PERINTAH DUTI KASTAM						HEADE	SUB	ITEM	UNIT	DESCRIPTION	OLD HS	4405	00	100	KGM	-Wood wool	440500100	4405	00	200	KGM	-Wood flour	440500200	<p>Not require:</p> <ul style="list-style-type: none"> - Import Permit (IP) from Department of Agriculture Malaysia. - Phytosanitary Certificate (PC) from National Plant Protection Organization (NPPO) of exporting country.
PDK - PERINTAH DUTI KASTAM																										
HEADE	SUB	ITEM	UNIT	DESCRIPTION	OLD HS																					
4405	00	100	KGM	-Wood wool	440500100																					
4405	00	200	KGM	-Wood flour	440500200																					
4408	<p>Veneer sheets and sheets for plywood (whether or not spliced) and other wood sawn lengthwise, sliced or peeled, whether or not planed, sanded, or finger-jointed, of a <u>thickness not exceeding 6 mm.</u></p> <p><small>*thickness of veneer less than 2mm (MTIB, 07072011)</small></p>	<p>Not require:</p> <ul style="list-style-type: none"> - Import Permit (IP) from Department of Agriculture Malaysia. - Phytosanitary 																								

Heading/ Subheading Number	Description of goods	Importation Requirement																																																																																																												
	<table border="1"> <thead> <tr> <th colspan="6">PDK - PERINTAH DUTI KASTAM</th> </tr> <tr> <th>HEADEI</th> <th>SUB</th> <th>ITEM</th> <th>UNIT</th> <th>DESCRIPTION</th> <th>OLD HS</th> </tr> </thead> <tbody> <tr><td>4408</td><td>10</td><td>100</td><td>MTQ</td><td>--Face veneer sheets</td><td>440810100</td></tr> <tr><td>4408</td><td>10</td><td>910</td><td>MTQ</td><td>---Planed sheets</td><td>440810900</td></tr> <tr><td>4408</td><td>10</td><td>920</td><td>MTQ</td><td>---Core veneer or sanded or end-jointed</td><td>440810900</td></tr> <tr><td>4408</td><td>10</td><td>990</td><td>MTQ</td><td>---Other</td><td>440810900</td></tr> <tr><td>4408</td><td>31</td><td>100</td><td>MTQ</td><td>--Face veneer sheets</td><td>440831100</td></tr> <tr><td>4408</td><td>31</td><td>910</td><td>MTQ</td><td>---Planed sheets</td><td>440831900</td></tr> <tr><td>4408</td><td>31</td><td>920</td><td>MTQ</td><td>---Core veneer or sanded or end-jointed</td><td>440831900</td></tr> <tr><td>4408</td><td>31</td><td>990</td><td>MTQ</td><td>---Other</td><td>440831900</td></tr> <tr><td>4408</td><td>39</td><td>100</td><td>MTQ</td><td>--Face veneer sheets</td><td>440839100</td></tr> <tr><td>4408</td><td>39</td><td>910</td><td>MTQ</td><td>---Planed sheets</td><td>440839900</td></tr> <tr><td>4408</td><td>39</td><td>920</td><td>MTQ</td><td>---Core veneer or sanded or end-jointed</td><td>440839900</td></tr> <tr><td>4408</td><td>39</td><td>990</td><td>MTQ</td><td>---Other</td><td>440839900</td></tr> <tr><td>4408</td><td>90</td><td>100</td><td>MTQ</td><td>--Face veneer sheets</td><td>440890100</td></tr> <tr><td>4408</td><td>90</td><td>910</td><td>MTQ</td><td>---Planed sheets</td><td>440890900</td></tr> <tr><td>4408</td><td>90</td><td>920</td><td>MTQ</td><td>---Core veneer or sanded or end-jointed</td><td>440890900</td></tr> <tr><td>4408</td><td>90</td><td>990</td><td>MTQ</td><td>---Other</td><td>440890900</td></tr> </tbody> </table>	PDK - PERINTAH DUTI KASTAM						HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS	4408	10	100	MTQ	--Face veneer sheets	440810100	4408	10	910	MTQ	---Planed sheets	440810900	4408	10	920	MTQ	---Core veneer or sanded or end-jointed	440810900	4408	10	990	MTQ	---Other	440810900	4408	31	100	MTQ	--Face veneer sheets	440831100	4408	31	910	MTQ	---Planed sheets	440831900	4408	31	920	MTQ	---Core veneer or sanded or end-jointed	440831900	4408	31	990	MTQ	---Other	440831900	4408	39	100	MTQ	--Face veneer sheets	440839100	4408	39	910	MTQ	---Planed sheets	440839900	4408	39	920	MTQ	---Core veneer or sanded or end-jointed	440839900	4408	39	990	MTQ	---Other	440839900	4408	90	100	MTQ	--Face veneer sheets	440890100	4408	90	910	MTQ	---Planed sheets	440890900	4408	90	920	MTQ	---Core veneer or sanded or end-jointed	440890900	4408	90	990	MTQ	---Other	440890900	<p>Certificate (PC) from National Plant Protection Organization (NPPO) of exporting country.</p> <p>BUT if thickness exceeding <u>6mm</u> require:</p> <ul style="list-style-type: none"> - Import Permit (IP) from Department of Agriculture Malaysia. - Phytosanitary Certificate (PC) from National Plant Protection Organization (NPPO) of exporting country.
PDK - PERINTAH DUTI KASTAM																																																																																																														
HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS																																																																																																									
4408	10	100	MTQ	--Face veneer sheets	440810100																																																																																																									
4408	10	910	MTQ	---Planed sheets	440810900																																																																																																									
4408	10	920	MTQ	---Core veneer or sanded or end-jointed	440810900																																																																																																									
4408	10	990	MTQ	---Other	440810900																																																																																																									
4408	31	100	MTQ	--Face veneer sheets	440831100																																																																																																									
4408	31	910	MTQ	---Planed sheets	440831900																																																																																																									
4408	31	920	MTQ	---Core veneer or sanded or end-jointed	440831900																																																																																																									
4408	31	990	MTQ	---Other	440831900																																																																																																									
4408	39	100	MTQ	--Face veneer sheets	440839100																																																																																																									
4408	39	910	MTQ	---Planed sheets	440839900																																																																																																									
4408	39	920	MTQ	---Core veneer or sanded or end-jointed	440839900																																																																																																									
4408	39	990	MTQ	---Other	440839900																																																																																																									
4408	90	100	MTQ	--Face veneer sheets	440890100																																																																																																									
4408	90	910	MTQ	---Planed sheets	440890900																																																																																																									
4408	90	920	MTQ	---Core veneer or sanded or end-jointed	440890900																																																																																																									
4408	90	990	MTQ	---Other	440890900																																																																																																									

Heading/ Subheading Number	Description of goods	Importation Requirement																																																																																																																														
<p>4409</p>	<p>Wood (including strips and friezes for <u>parquet flooring</u>, not assembled) continuously shaped (tongued, grooved, rebated, chamfered, V-jointed, beaded, moulded, rounded or the like) along any of its edges, ends or faces, whether or not planed, sanded or end-jointed.</p> <p>(Wood for parquet; <u>thickness not exceeding 6 mm.</u>)</p> <table border="1" data-bbox="496 730 1146 1272"> <thead> <tr> <th colspan="6">PDK - PERINTAH DUTI KASTAM</th> </tr> <tr> <th>HEADEI</th> <th>SUB</th> <th>ITEM</th> <th>UNIT</th> <th>DESCRIPTION</th> <th>OLD HS</th> </tr> </thead> <tbody> <tr><td>4409</td><td>10</td><td>100</td><td>MTQ</td><td>--Moulded</td><td>440910100</td></tr> <tr><td>4409</td><td>10</td><td>200</td><td>MTQ</td><td>--Rounded</td><td>440910200</td></tr> <tr><td>4409</td><td>10</td><td>300</td><td>MTQ</td><td>--Strips and friezes for parquet flooring, not assembled</td><td>440910300</td></tr> <tr><td>4409</td><td>10</td><td>400</td><td>MTQ</td><td>--Sanded or finger-jointed</td><td>440910400</td></tr> <tr><td>4409</td><td>10</td><td>900</td><td>MTQ</td><td>--Other</td><td>440910900</td></tr> <tr><td>4409</td><td>21</td><td>100</td><td>MTQ</td><td>---Moulded</td><td>440921000</td></tr> <tr><td>4409</td><td>21</td><td>200</td><td>MTQ</td><td>---Rounded</td><td>440921000</td></tr> <tr><td>4409</td><td>21</td><td>300</td><td>MTQ</td><td>---Sanded or finger-jointed</td><td>440921000</td></tr> <tr><td>4409</td><td>21</td><td>900</td><td>MTQ</td><td>---Other</td><td>440921000</td></tr> <tr><td>4409</td><td>29</td><td>110</td><td>MTQ</td><td>----Moulded</td><td>440929110</td></tr> <tr><td>4409</td><td>29</td><td>120</td><td>MTQ</td><td>----Rounded</td><td>440929120</td></tr> <tr><td>4409</td><td>29</td><td>130</td><td>MTQ</td><td>----Strips and friezes for parquet flooring, not assembled</td><td>440929130</td></tr> <tr><td>4409</td><td>29</td><td>140</td><td>MTQ</td><td>----Sanded or finger-jointed</td><td>440929140</td></tr> <tr><td>4409</td><td>29</td><td>190</td><td>MTQ</td><td>----Other</td><td>440929190</td></tr> <tr><td>4409</td><td>29</td><td>910</td><td>MTQ</td><td>----Moulded</td><td>440929910</td></tr> <tr><td>4409</td><td>29</td><td>920</td><td>MTQ</td><td>----Rounded</td><td>440929920</td></tr> <tr><td>4409</td><td>29</td><td>930</td><td>MTQ</td><td>----Strips and friezes for parquet flooring, not assembled</td><td>440929930</td></tr> <tr><td>4409</td><td>29</td><td>940</td><td>MTQ</td><td>----Sanded or finger-jointed</td><td>440929940</td></tr> <tr><td>4409</td><td>29</td><td>990</td><td>MTQ</td><td>----Other</td><td>440929990</td></tr> </tbody> </table>	PDK - PERINTAH DUTI KASTAM						HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS	4409	10	100	MTQ	--Moulded	440910100	4409	10	200	MTQ	--Rounded	440910200	4409	10	300	MTQ	--Strips and friezes for parquet flooring, not assembled	440910300	4409	10	400	MTQ	--Sanded or finger-jointed	440910400	4409	10	900	MTQ	--Other	440910900	4409	21	100	MTQ	---Moulded	440921000	4409	21	200	MTQ	---Rounded	440921000	4409	21	300	MTQ	---Sanded or finger-jointed	440921000	4409	21	900	MTQ	---Other	440921000	4409	29	110	MTQ	----Moulded	440929110	4409	29	120	MTQ	----Rounded	440929120	4409	29	130	MTQ	----Strips and friezes for parquet flooring, not assembled	440929130	4409	29	140	MTQ	----Sanded or finger-jointed	440929140	4409	29	190	MTQ	----Other	440929190	4409	29	910	MTQ	----Moulded	440929910	4409	29	920	MTQ	----Rounded	440929920	4409	29	930	MTQ	----Strips and friezes for parquet flooring, not assembled	440929930	4409	29	940	MTQ	----Sanded or finger-jointed	440929940	4409	29	990	MTQ	----Other	440929990	<p>Not require:</p> <ul style="list-style-type: none"> - Import Permit (IP) from Department of Agriculture Malaysia. - Phytosanitary Certificate (PC) from National Plant Protection Organization (NPPO) of exporting country. <p>BUT if thickness <u>exceeding 6mm</u> require:</p> <ul style="list-style-type: none"> - Import Permit (IP) from Department of Agriculture Malaysia. - Phytosanitary Certificate (PC) from National Plant Protection Organization (NPPO) of exporting country.
PDK - PERINTAH DUTI KASTAM																																																																																																																																
HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS																																																																																																																											
4409	10	100	MTQ	--Moulded	440910100																																																																																																																											
4409	10	200	MTQ	--Rounded	440910200																																																																																																																											
4409	10	300	MTQ	--Strips and friezes for parquet flooring, not assembled	440910300																																																																																																																											
4409	10	400	MTQ	--Sanded or finger-jointed	440910400																																																																																																																											
4409	10	900	MTQ	--Other	440910900																																																																																																																											
4409	21	100	MTQ	---Moulded	440921000																																																																																																																											
4409	21	200	MTQ	---Rounded	440921000																																																																																																																											
4409	21	300	MTQ	---Sanded or finger-jointed	440921000																																																																																																																											
4409	21	900	MTQ	---Other	440921000																																																																																																																											
4409	29	110	MTQ	----Moulded	440929110																																																																																																																											
4409	29	120	MTQ	----Rounded	440929120																																																																																																																											
4409	29	130	MTQ	----Strips and friezes for parquet flooring, not assembled	440929130																																																																																																																											
4409	29	140	MTQ	----Sanded or finger-jointed	440929140																																																																																																																											
4409	29	190	MTQ	----Other	440929190																																																																																																																											
4409	29	910	MTQ	----Moulded	440929910																																																																																																																											
4409	29	920	MTQ	----Rounded	440929920																																																																																																																											
4409	29	930	MTQ	----Strips and friezes for parquet flooring, not assembled	440929930																																																																																																																											
4409	29	940	MTQ	----Sanded or finger-jointed	440929940																																																																																																																											
4409	29	990	MTQ	----Other	440929990																																																																																																																											
<p>4410</p>	<p>Particle board and similar board of wood or other ligneous materials, whether or not agglomerated with resins or other organic binding substances.</p> <table border="1" data-bbox="496 1724 1016 1856"> <thead> <tr> <th colspan="6">PDK - PERINTAH DUTI KASTAM</th> </tr> <tr> <th>HEADEI</th> <th>SUB</th> <th>ITEM</th> <th>UNIT</th> <th>DESCRIPTION</th> <th>OLD HS</th> </tr> </thead> <tbody> <tr><td>4410</td><td>11</td><td>000</td><td>MTQ</td><td>--Particle board</td><td>441011000</td></tr> <tr><td>4410</td><td>12</td><td>000</td><td>MTQ</td><td>--Oriented strand board (OSB)</td><td>441012000</td></tr> <tr><td>4410</td><td>19</td><td>000</td><td>MTQ</td><td>--Other</td><td>441019000</td></tr> <tr><td>4410</td><td>90</td><td>000</td><td>MTQ</td><td>-Other</td><td>441090000</td></tr> </tbody> </table>	PDK - PERINTAH DUTI KASTAM						HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS	4410	11	000	MTQ	--Particle board	441011000	4410	12	000	MTQ	--Oriented strand board (OSB)	441012000	4410	19	000	MTQ	--Other	441019000	4410	90	000	MTQ	-Other	441090000	<p>Not require:</p> <ul style="list-style-type: none"> - Import Permit (IP) from Department of Agriculture Malaysia. - Phytosanitary Certificate (PC) from National 																																																																																										
PDK - PERINTAH DUTI KASTAM																																																																																																																																
HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS																																																																																																																											
4410	11	000	MTQ	--Particle board	441011000																																																																																																																											
4410	12	000	MTQ	--Oriented strand board (OSB)	441012000																																																																																																																											
4410	19	000	MTQ	--Other	441019000																																																																																																																											
4410	90	000	MTQ	-Other	441090000																																																																																																																											

Heading/ Subheading Number	Description of goods	Importation Requirement																																																																																										
		Plant Protection Organization (NPPO) of exporting country.																																																																																										
4411	<p>Fibreboard of wood or other ligneous materials, whether or not bonded with resins or other organic substances.</p> <p>*e.g. medium density fibreboard,insulating board, hardboard and bio-composite products (MTIB, 07072011)</p> <table border="1" data-bbox="500 842 1029 1045"> <thead> <tr> <th colspan="6">PDK - PERINTAH DUTI KASTAM</th> </tr> <tr> <th>HEADEI</th> <th>SUB</th> <th>ITEM</th> <th>UNIT</th> <th>DESCRIPTION</th> <th>OLD HS</th> </tr> </thead> <tbody> <tr> <td>4411</td> <td>12</td> <td>000</td> <td>MTQ</td> <td>--Of a thickness not exceeding 5 mm</td> <td>441112000</td> </tr> <tr> <td>4411</td> <td>13</td> <td>000</td> <td>MTQ</td> <td>--Of a thickness exceeding 5 mm but not exceeding 9 mm</td> <td>441113000</td> </tr> <tr> <td>4411</td> <td>14</td> <td>000</td> <td>MTQ</td> <td>--Of a thickness exceeding 9 mm</td> <td>441114000</td> </tr> <tr> <td>4411</td> <td>92</td> <td>000</td> <td>MTQ</td> <td>--Of a density exceeding 0.8 g/cm3</td> <td>441192000</td> </tr> <tr> <td>4411</td> <td>93</td> <td>000</td> <td>MTQ</td> <td>--Of a density exceeding 0.5 g/cm3 but not exceeding 0.8 g/cm3</td> <td>441193000</td> </tr> <tr> <td>4411</td> <td>94</td> <td>000</td> <td>MTQ</td> <td>--Of a density not exceeding 0.5 g/cm3</td> <td>441194000</td> </tr> </tbody> </table>	PDK - PERINTAH DUTI KASTAM						HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS	4411	12	000	MTQ	--Of a thickness not exceeding 5 mm	441112000	4411	13	000	MTQ	--Of a thickness exceeding 5 mm but not exceeding 9 mm	441113000	4411	14	000	MTQ	--Of a thickness exceeding 9 mm	441114000	4411	92	000	MTQ	--Of a density exceeding 0.8 g/cm3	441192000	4411	93	000	MTQ	--Of a density exceeding 0.5 g/cm3 but not exceeding 0.8 g/cm3	441193000	4411	94	000	MTQ	--Of a density not exceeding 0.5 g/cm3	441194000	<p>Not require:</p> <ul style="list-style-type: none"> - Import Permit (IP) from Department of Agriculture Malaysia. - Phytosanitary Certificate (PC) from National Plant Protection Organization (NPPO) of exporting country. 																																										
PDK - PERINTAH DUTI KASTAM																																																																																												
HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS																																																																																							
4411	12	000	MTQ	--Of a thickness not exceeding 5 mm	441112000																																																																																							
4411	13	000	MTQ	--Of a thickness exceeding 5 mm but not exceeding 9 mm	441113000																																																																																							
4411	14	000	MTQ	--Of a thickness exceeding 9 mm	441114000																																																																																							
4411	92	000	MTQ	--Of a density exceeding 0.8 g/cm3	441192000																																																																																							
4411	93	000	MTQ	--Of a density exceeding 0.5 g/cm3 but not exceeding 0.8 g/cm3	441193000																																																																																							
4411	94	000	MTQ	--Of a density not exceeding 0.5 g/cm3	441194000																																																																																							
4412	<p>Plywood, veneered panels and similar laminated wood.</p> <p>*e.g. blockboard, laminboard and battenboard (MTIB, 07072011)</p> <table border="1" data-bbox="500 1335 1045 1688"> <thead> <tr> <th colspan="6">PDK - PERINTAH DUTI KASTAM</th> </tr> <tr> <th>HEADEI</th> <th>SUB</th> <th>ITEM</th> <th>UNIT</th> <th>DESCRIPTION</th> <th>OLD HS</th> </tr> </thead> <tbody> <tr> <td>4412</td> <td>10</td> <td>000</td> <td>MTQ</td> <td>-Of bamboo</td> <td>441210000</td> </tr> <tr> <td>4412</td> <td>31</td> <td>000</td> <td>MTQ</td> <td>--With at least one outer ply of tropical wood specified in Subheading Note 2 to this Chapter</td> <td>441231000</td> </tr> <tr> <td>4412</td> <td>32</td> <td>000</td> <td>MTQ</td> <td>--Other, with at least one outer ply of non-coniferous wood</td> <td>441232000</td> </tr> <tr> <td>4412</td> <td>39</td> <td>000</td> <td>MTQ</td> <td>--Other</td> <td>441239000</td> </tr> <tr> <td>4412</td> <td>94</td> <td>000</td> <td>MTQ</td> <td>--Blockboard, laminboard and battenboard</td> <td>441294000</td> </tr> <tr> <td>4412</td> <td>99</td> <td>100</td> <td>MTQ</td> <td>---With at least one ply of tropical wood specified in Subheading Note 2 to this Chapter</td> <td>441299110</td> </tr> <tr> <td>4412</td> <td>99</td> <td>910</td> <td>MTQ</td> <td>-----Plain</td> <td>441299121</td> </tr> <tr> <td>4412</td> <td>99</td> <td>921</td> <td>MTQ</td> <td>-----Faced with plastics</td> <td>441299122</td> </tr> <tr> <td>4412</td> <td>99</td> <td>929</td> <td>MTQ</td> <td>-----Other</td> <td>441299129</td> </tr> <tr> <td>4412</td> <td>99</td> <td>931</td> <td>MTQ</td> <td>-----Faced with teak</td> <td>441299131</td> </tr> <tr> <td>4412</td> <td>99</td> <td>939</td> <td>MTQ</td> <td>-----Other</td> <td>441299139</td> </tr> <tr> <td>4412</td> <td>99</td> <td>991</td> <td>MTQ</td> <td>-----Faced with plastics</td> <td>441299141</td> </tr> <tr> <td>4412</td> <td>99</td> <td>999</td> <td>MTQ</td> <td>-----Other</td> <td>441299149</td> </tr> </tbody> </table>	PDK - PERINTAH DUTI KASTAM						HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS	4412	10	000	MTQ	-Of bamboo	441210000	4412	31	000	MTQ	--With at least one outer ply of tropical wood specified in Subheading Note 2 to this Chapter	441231000	4412	32	000	MTQ	--Other, with at least one outer ply of non-coniferous wood	441232000	4412	39	000	MTQ	--Other	441239000	4412	94	000	MTQ	--Blockboard, laminboard and battenboard	441294000	4412	99	100	MTQ	---With at least one ply of tropical wood specified in Subheading Note 2 to this Chapter	441299110	4412	99	910	MTQ	-----Plain	441299121	4412	99	921	MTQ	-----Faced with plastics	441299122	4412	99	929	MTQ	-----Other	441299129	4412	99	931	MTQ	-----Faced with teak	441299131	4412	99	939	MTQ	-----Other	441299139	4412	99	991	MTQ	-----Faced with plastics	441299141	4412	99	999	MTQ	-----Other	441299149	<p>Not require:</p> <ul style="list-style-type: none"> - Import Permit (IP) from Department of Agriculture Malaysia. - Phytosanitary Certificate (PC) from National Plant Protection Organization (NPPO) of exporting country.
PDK - PERINTAH DUTI KASTAM																																																																																												
HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS																																																																																							
4412	10	000	MTQ	-Of bamboo	441210000																																																																																							
4412	31	000	MTQ	--With at least one outer ply of tropical wood specified in Subheading Note 2 to this Chapter	441231000																																																																																							
4412	32	000	MTQ	--Other, with at least one outer ply of non-coniferous wood	441232000																																																																																							
4412	39	000	MTQ	--Other	441239000																																																																																							
4412	94	000	MTQ	--Blockboard, laminboard and battenboard	441294000																																																																																							
4412	99	100	MTQ	---With at least one ply of tropical wood specified in Subheading Note 2 to this Chapter	441299110																																																																																							
4412	99	910	MTQ	-----Plain	441299121																																																																																							
4412	99	921	MTQ	-----Faced with plastics	441299122																																																																																							
4412	99	929	MTQ	-----Other	441299129																																																																																							
4412	99	931	MTQ	-----Faced with teak	441299131																																																																																							
4412	99	939	MTQ	-----Other	441299139																																																																																							
4412	99	991	MTQ	-----Faced with plastics	441299141																																																																																							
4412	99	999	MTQ	-----Other	441299149																																																																																							

Heading/ Subheading Number	Description of goods	Importation Requirement																								
<p>4413.00 000</p>	<p>Densified wood, in blocks, plates, strips or profile shapes.</p> <table border="1" data-bbox="500 411 1078 506"> <thead> <tr> <th colspan="6">PDK - PERINTAH DUTI KASTAM</th> </tr> <tr> <th>HEADEI</th> <th>SUB</th> <th>ITEM</th> <th>UNIT</th> <th>DESCRIPTION</th> <th>OLD HS</th> </tr> </thead> <tbody> <tr> <td>4413</td> <td>00</td> <td>000</td> <td>KGM</td> <td>Densified wood, in blocks, plates, strips or profile shapes.</td> <td>441300000</td> </tr> </tbody> </table>	PDK - PERINTAH DUTI KASTAM						HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS	4413	00	000	KGM	Densified wood, in blocks, plates, strips or profile shapes.	441300000	<p>Not require:</p> <ul style="list-style-type: none"> - Import Permit (IP) from Department of Agriculture Malaysia. - Phytosanitary Certificate (PC) from National Plant Protection Organization (NPPO) of exporting country. 						
PDK - PERINTAH DUTI KASTAM																										
HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS																					
4413	00	000	KGM	Densified wood, in blocks, plates, strips or profile shapes.	441300000																					
<p>4415</p>	<p>Packing cases, boxes, crates, drums and similar packings, of wood; cable-drums of woods; pallets, box pallets and other load boards, of wood; pallet collars of wood (Example barrel).</p> <table border="1" data-bbox="500 1125 1109 1255"> <thead> <tr> <th colspan="6">PDK - PERINTAH DUTI KASTAM</th> </tr> <tr> <th>HEADEI</th> <th>SUB</th> <th>ITEM</th> <th>UNIT</th> <th>DESCRIPTION</th> <th>OLD HS</th> </tr> </thead> <tbody> <tr> <td>4415</td> <td>10</td> <td>000</td> <td>UNT</td> <td>-Cases, boxes, crates, drums and similar packings; cable-drums</td> <td>441510000</td> </tr> <tr> <td>4415</td> <td>20</td> <td>000</td> <td>UNT</td> <td>-Pallets, box pallets and other load boards; pallet collar</td> <td>441520000</td> </tr> </tbody> </table>	PDK - PERINTAH DUTI KASTAM						HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS	4415	10	000	UNT	-Cases, boxes, crates, drums and similar packings; cable-drums	441510000	4415	20	000	UNT	-Pallets, box pallets and other load boards; pallet collar	441520000	<p>Not require:</p> <ul style="list-style-type: none"> - Import Permit (IP) from Department of Agriculture Malaysia. - Phytosanitary Certificate (PC) from National Plant Protection Organization (NPPO) of exporting country. <p>Consignment is under ISPM15 Regulations.</p>
PDK - PERINTAH DUTI KASTAM																										
HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS																					
4415	10	000	UNT	-Cases, boxes, crates, drums and similar packings; cable-drums	441510000																					
4415	20	000	UNT	-Pallets, box pallets and other load boards; pallet collar	441520000																					
<p>4419.00 000</p>	<p>Tableware and kitchenware, of wood.</p> <table border="1" data-bbox="500 1713 1138 1856"> <thead> <tr> <th colspan="6">PDK - PERINTAH DUTI KASTAM</th> </tr> <tr> <th>HEADEI</th> <th>SUB</th> <th>ITEM</th> <th>UNIT</th> <th>DESCRIPTION</th> <th>OLD HS</th> </tr> </thead> <tbody> <tr> <td>4415</td> <td>10</td> <td>000</td> <td>UNT</td> <td>-Cases, boxes, crates, drums and similar packings; cable-drums</td> <td>441510000</td> </tr> <tr> <td>4415</td> <td>20</td> <td>000</td> <td>UNT</td> <td>-Pallets, box pallets and other load boards; pallet collar</td> <td>441520000</td> </tr> </tbody> </table>	PDK - PERINTAH DUTI KASTAM						HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS	4415	10	000	UNT	-Cases, boxes, crates, drums and similar packings; cable-drums	441510000	4415	20	000	UNT	-Pallets, box pallets and other load boards; pallet collar	441520000	<p>Not require:</p> <ul style="list-style-type: none"> - Import Permit (IP) from Department of Agriculture Malaysia. - Phytosanitary
PDK - PERINTAH DUTI KASTAM																										
HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS																					
4415	10	000	UNT	-Cases, boxes, crates, drums and similar packings; cable-drums	441510000																					
4415	20	000	UNT	-Pallets, box pallets and other load boards; pallet collar	441520000																					

Heading/ Subheading Number	Description of goods	Importation Requirement																																																																																				
		Certificate (PC) from National Plant Protection Organization (NPPO) of exporting country.																																																																																				
4421	<p>Other articles of wood.</p> <table border="1" data-bbox="495 688 1136 1081"> <thead> <tr> <th colspan="6">PDK - PERINTAH DUTI KASTAM</th> </tr> <tr> <th>HEADEI</th> <th>SUB</th> <th>ITEM</th> <th>UNIT</th> <th>DESCRIPTION</th> <th>OLD HS</th> </tr> </thead> <tbody> <tr> <td>4421</td> <td>10</td> <td>000</td> <td>KGM</td> <td>-Clothes hangers</td> <td>442110000</td> </tr> <tr> <td>4421</td> <td>90</td> <td>100</td> <td>KGM</td> <td>--Spools, cops, bobbins, sewing thread reels and the like</td> <td>442190100</td> </tr> <tr> <td>4421</td> <td>90</td> <td>200</td> <td>KGM</td> <td>--Candy-sticks, ice-cream sticks and ice-cream spoons</td> <td>442190200</td> </tr> <tr> <td>4421</td> <td>90</td> <td>300</td> <td>KGM</td> <td>--Wood paving blocks</td> <td>442190300</td> </tr> <tr> <td>4421</td> <td>90</td> <td>410</td> <td>KGM</td> <td>--Match splints</td> <td>442190410</td> </tr> <tr> <td>4421</td> <td>90</td> <td>490</td> <td>KGM</td> <td>--Other</td> <td>442190490</td> </tr> <tr> <td>4421</td> <td>90</td> <td>500</td> <td>KGM</td> <td>--Joss stick</td> <td>442190500</td> </tr> <tr> <td>4421</td> <td>90</td> <td>600</td> <td>KGM</td> <td>--Blind and blind fittings</td> <td>442190600</td> </tr> <tr> <td>4421</td> <td>90</td> <td>700</td> <td>KGM</td> <td>--Toothpicks</td> <td>442190700</td> </tr> <tr> <td>4421</td> <td>90</td> <td>800</td> <td>KGM</td> <td>--Fans and handscreens, frames and handles therefor, and parts thereof</td> <td>442190800</td> </tr> <tr> <td>4421</td> <td>90</td> <td>910</td> <td>KGM</td> <td>--Prayer beads</td> <td>442010100</td> </tr> <tr> <td>4421</td> <td>90</td> <td>990</td> <td>KGM</td> <td>--Other</td> <td>442190900</td> </tr> </tbody> </table>	PDK - PERINTAH DUTI KASTAM						HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS	4421	10	000	KGM	-Clothes hangers	442110000	4421	90	100	KGM	--Spools, cops, bobbins, sewing thread reels and the like	442190100	4421	90	200	KGM	--Candy-sticks, ice-cream sticks and ice-cream spoons	442190200	4421	90	300	KGM	--Wood paving blocks	442190300	4421	90	410	KGM	--Match splints	442190410	4421	90	490	KGM	--Other	442190490	4421	90	500	KGM	--Joss stick	442190500	4421	90	600	KGM	--Blind and blind fittings	442190600	4421	90	700	KGM	--Toothpicks	442190700	4421	90	800	KGM	--Fans and handscreens, frames and handles therefor, and parts thereof	442190800	4421	90	910	KGM	--Prayer beads	442010100	4421	90	990	KGM	--Other	442190900	<p>Not require:</p> <ul style="list-style-type: none"> - Import Permit (IP) from Department of Agriculture Malaysia. - Phytosanitary Certificate (PC) from National Plant Protection Organization (NPPO) of exporting country.
PDK - PERINTAH DUTI KASTAM																																																																																						
HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS																																																																																	
4421	10	000	KGM	-Clothes hangers	442110000																																																																																	
4421	90	100	KGM	--Spools, cops, bobbins, sewing thread reels and the like	442190100																																																																																	
4421	90	200	KGM	--Candy-sticks, ice-cream sticks and ice-cream spoons	442190200																																																																																	
4421	90	300	KGM	--Wood paving blocks	442190300																																																																																	
4421	90	410	KGM	--Match splints	442190410																																																																																	
4421	90	490	KGM	--Other	442190490																																																																																	
4421	90	500	KGM	--Joss stick	442190500																																																																																	
4421	90	600	KGM	--Blind and blind fittings	442190600																																																																																	
4421	90	700	KGM	--Toothpicks	442190700																																																																																	
4421	90	800	KGM	--Fans and handscreens, frames and handles therefor, and parts thereof	442190800																																																																																	
4421	90	910	KGM	--Prayer beads	442010100																																																																																	
4421	90	990	KGM	--Other	442190900																																																																																	
4421.90 100	Spools	<p>Not require:</p> <ul style="list-style-type: none"> - Import Permit (IP) from Department of Agriculture Malaysia. - Phytosanitary Certificate (PC) from National Plant Protection Organization (NPPO) of exporting country. <p>Consignment is under ISPM15 Regulations.</p>																																																																																				

Heading/ Subheading Number	Description of goods	Importation Requirement																																																																																																																																				
9403	<p>Wooden furniture of a kind used in offices, wooden furniture of a kind used in kitchen; wooden furniture of a kind used in the bedroom; other wooden furniture; baby walker; fume cupboard for use in medical laboratory; other</p> <p>*if raw, need IP.</p> <table border="1" data-bbox="500 640 1149 1171"> <thead> <tr> <th>HEADEI</th> <th>SUB</th> <th>ITEM</th> <th>UNIT</th> <th>DESCRIPTION</th> <th>OLD HS</th> </tr> </thead> <tbody> <tr><td>9403</td><td>20</td><td>900</td><td>KGM</td><td>--Other</td><td>940320900</td></tr> <tr><td>9403</td><td>30</td><td>000</td><td>UNT</td><td>--Wooden furniture of a kind used in offices</td><td>940330000</td></tr> <tr><td>9403</td><td>40</td><td>000</td><td>UNT</td><td>--Wooden furniture of a kind used in the kitchen</td><td>940340000</td></tr> <tr><td>9403</td><td>50</td><td>000</td><td>UNT</td><td>--Wooden furniture of a kind used in the bedroom</td><td>940350000</td></tr> <tr><td>9403</td><td>60</td><td>100</td><td>UNT</td><td>--Baby walkers</td><td>940360100</td></tr> <tr><td>9403</td><td>60</td><td>200</td><td>UNT</td><td>--Fume cupboards</td><td>940360200</td></tr> <tr><td>9403</td><td>60</td><td>900</td><td>UNT</td><td>--Other</td><td>940360900</td></tr> <tr><td>9403</td><td>70</td><td>100</td><td>KGM</td><td>--Furniture of a kind used in offices</td><td>940370100</td></tr> <tr><td>9403</td><td>70</td><td>200</td><td>KGM</td><td>--Baby walkers</td><td>940370200</td></tr> <tr><td>9403</td><td>70</td><td>300</td><td>KGM</td><td>--Fume cupboards</td><td>940370300</td></tr> <tr><td>9403</td><td>70</td><td>900</td><td>KGM</td><td>--Other</td><td>940370900</td></tr> <tr><td>9403</td><td>81</td><td>100</td><td>KGM</td><td>--Of a kind used in parks, gardens or vestibules</td><td>940381100</td></tr> <tr><td>9403</td><td>81</td><td>200</td><td>KGM</td><td>--Fume cupboards</td><td>940381200</td></tr> <tr><td>9403</td><td>81</td><td>300</td><td>KGM</td><td>--Baby walkers</td><td>940381300</td></tr> <tr><td>9403</td><td>81</td><td>900</td><td>KGM</td><td>--Other</td><td>940381900</td></tr> <tr><td>9403</td><td>89</td><td>100</td><td>KGM</td><td>--Of a kind used in parks, gardens or vestibules</td><td>940389100</td></tr> <tr><td>9403</td><td>89</td><td>200</td><td>KGM</td><td>--Fume cupboards</td><td>940389200</td></tr> <tr><td>9403</td><td>89</td><td>300</td><td>KGM</td><td>--Baby walker</td><td>940389300</td></tr> <tr><td>9403</td><td>89</td><td>900</td><td>KGM</td><td>--Other</td><td>940389900</td></tr> <tr><td>9403</td><td>90</td><td>200</td><td>KGM</td><td>--Of baby walkers of subheading 9403.70 200</td><td>940390100</td></tr> <tr><td>9403</td><td>90</td><td>900</td><td>KGM</td><td>--Other</td><td>940390100</td></tr> </tbody> </table>	HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS	9403	20	900	KGM	--Other	940320900	9403	30	000	UNT	--Wooden furniture of a kind used in offices	940330000	9403	40	000	UNT	--Wooden furniture of a kind used in the kitchen	940340000	9403	50	000	UNT	--Wooden furniture of a kind used in the bedroom	940350000	9403	60	100	UNT	--Baby walkers	940360100	9403	60	200	UNT	--Fume cupboards	940360200	9403	60	900	UNT	--Other	940360900	9403	70	100	KGM	--Furniture of a kind used in offices	940370100	9403	70	200	KGM	--Baby walkers	940370200	9403	70	300	KGM	--Fume cupboards	940370300	9403	70	900	KGM	--Other	940370900	9403	81	100	KGM	--Of a kind used in parks, gardens or vestibules	940381100	9403	81	200	KGM	--Fume cupboards	940381200	9403	81	300	KGM	--Baby walkers	940381300	9403	81	900	KGM	--Other	940381900	9403	89	100	KGM	--Of a kind used in parks, gardens or vestibules	940389100	9403	89	200	KGM	--Fume cupboards	940389200	9403	89	300	KGM	--Baby walker	940389300	9403	89	900	KGM	--Other	940389900	9403	90	200	KGM	--Of baby walkers of subheading 9403.70 200	940390100	9403	90	900	KGM	--Other	940390100	<p>Not require:</p> <ul style="list-style-type: none"> - Import Permit (IP) from Department of Agriculture Malaysia. - Phytosanitary Certificate (PC) from National Plant Protection Organization (NPPO) of exporting country.
HEADEI	SUB	ITEM	UNIT	DESCRIPTION	OLD HS																																																																																																																																	
9403	20	900	KGM	--Other	940320900																																																																																																																																	
9403	30	000	UNT	--Wooden furniture of a kind used in offices	940330000																																																																																																																																	
9403	40	000	UNT	--Wooden furniture of a kind used in the kitchen	940340000																																																																																																																																	
9403	50	000	UNT	--Wooden furniture of a kind used in the bedroom	940350000																																																																																																																																	
9403	60	100	UNT	--Baby walkers	940360100																																																																																																																																	
9403	60	200	UNT	--Fume cupboards	940360200																																																																																																																																	
9403	60	900	UNT	--Other	940360900																																																																																																																																	
9403	70	100	KGM	--Furniture of a kind used in offices	940370100																																																																																																																																	
9403	70	200	KGM	--Baby walkers	940370200																																																																																																																																	
9403	70	300	KGM	--Fume cupboards	940370300																																																																																																																																	
9403	70	900	KGM	--Other	940370900																																																																																																																																	
9403	81	100	KGM	--Of a kind used in parks, gardens or vestibules	940381100																																																																																																																																	
9403	81	200	KGM	--Fume cupboards	940381200																																																																																																																																	
9403	81	300	KGM	--Baby walkers	940381300																																																																																																																																	
9403	81	900	KGM	--Other	940381900																																																																																																																																	
9403	89	100	KGM	--Of a kind used in parks, gardens or vestibules	940389100																																																																																																																																	
9403	89	200	KGM	--Fume cupboards	940389200																																																																																																																																	
9403	89	300	KGM	--Baby walker	940389300																																																																																																																																	
9403	89	900	KGM	--Other	940389900																																																																																																																																	
9403	90	200	KGM	--Of baby walkers of subheading 9403.70 200	940390100																																																																																																																																	
9403	90	900	KGM	--Other	940390100																																																																																																																																	

Revised 10/11/2010 for meeting 11/11/2010 (14/12/2010)

Revised 29062011

Revised 07072011

Revised 19072011

Revised 17102011

Latest revised 17022014

9. List of Forbidden Pests and Diseases Species

Forbidden pests and diseases species from entering Malaysia (to declare as plant quarantine pests and diseases) listed in table below:

Num.	Scientific names of pest	Family	Host	Distribution area
(Powderpost beetles)				
1	<i>Lyctus planicollis</i> (Sothorn lyctus beetle)	Lyctidae	<i>Oak, Ash, Lickory, Mahogany,</i> bamboo, hardwood flooring, hardwood timber, plywood & wood articles(crating, furniture, antiques, tool, spokes of wheel, gunstock	
2	<i>Lyctus cavicolis</i> (West lyctus beetle)	Lyctidae	<i>Eucalyptus, hickory, oak, orange</i>	
3	<i>Lyctus brunneus</i> (powderpost beetle)	Lyctidae		Cosmopolitan pest
4	<i>Trogoxylon parallelopidium</i> (velvet powderpost beetle)	Lyctidae	Seasoned hardwood	USA
5	<i>Lyctoxylon japonum</i> (powderpost beetle)	Lyctidae	bamboo	Panama, USA
6	<i>Minthea reticulata</i>	Lyctidae	bamboo	South East Asia to Papua New Guinea
False Powderpost beetles				
1	<i>Xylobiops basilaris</i> (false powderpost beetle)	Bostrichidae	Any freshly cut and partially seasoned hardwood (hickory, persimmon, elm,lumber)	
2	<i>Scobicia bidentata</i> (leadcable borer)	Bostrichidae	Freshly cut wood and lumber of hardwood	

Num.	Scientific names of pest	Family	Host	Distribution area
3	<i>Scobicia declives</i>	Bostrichidae	Acacia, dead & seasoned oak, eucalyptus, maple, elm, chesnut & other hardwoods	
4	<i>Prostephanus truncatus</i>	Bostrichidae	Wood (Timber storage structures), maize, cassava	Central America & Mexico, Tanzania, (feeding and breeding resource in Kenya - http://journals.cambridge.org/action/displayAbstract;jsessionid=B293538AEC3F531A71AE564F4B0DD8BF.to_mcat1?fromPage=online&aid=86423630032010) Kenya, Togo (http://resources.metapress.com/pdf-preview.axd?code=w865555512453571&size=largest30032010)
5	<i>Polycaon stoutii</i>	Bostrichidae	Softwood and hardwood	
Roundedheaded Borers (Wood boring beetles)				
1	<i>Hylotrupes bajulus</i> (Oldhouse borer)	Cerambycidae	Ash, hickory, oak	
2	<i>Arhopalus productus</i> (Newhouse borer)	Cerambycidae	Pines and firs, hardwood, hardwood flooring, plaster	

Num.	Scientific names of pest	Family	Host	Distribution area
3	<i>Nacerdes melanura</i> (Wharf house)	Cerambycidae		
4	<i>Monochamus scutellatus</i> (the black pine sawyer)	Cerambycidae		
5	Longhorn beetles	Cerambycidae		
Wood boring				
1	<i>Anoplophora glabripennis</i> (Longhorn beetle)	Cerambycidae	Acer, Mesculus, Hardwood, Celms, Poplars & Willows	Japan, Korea, Southern China, Canada, USA, EU, Holland
Carpenter Ants				
1	<i>Componotus nearcticus</i>	Formicidae	Stumps, logs, standing trees of all species & wooden portion of building	
2	<i>C. hyatti</i>	Formicidae		
3	<i>C. herculeanus</i> (Carpenter Ant)	Formicidae		
4	<i>C. pennsylvanicus</i> (Black Carpenter Ant)	Formicidae		
5	<i>C. clarithorax</i>	Formicidae		
6	<i>C. vicinus</i>	Formicidae		
7	<i>C. semitestaceus</i>	Formicidae		
8	<i>C. laevigatus</i>	Formicidae		
9	<i>C. modoc</i>	Formicidae		
10	<i>C. herculeanus</i>	Formicidae		
Wood wasp (Sirex)				
1	<i>Sirex longicanda</i>	Siricidae	Abies, Cupressus, Larix, Libocedrus, Picea, Pinus, Pesudotsuga	
2	<i>S. areolatus</i>	Siricidae		
3	<i>S. behrensii</i>	Siricidae		
4	<i>S. juvericus californicus</i>	Siricidae		
5	<i>S. noctilio</i> (Sirex wasp)	Siricidae		

Num.	Scientific names of pest	Family	Host	Distribution area
Wood wasps (Urocerus)				
1	<i>Urocerus californicus</i>			
2	<i>U. albicornis</i>			
3	<i>U. gigas flavicornis</i>			
Termites				
1	<i>Cryptotermes brevis</i> (Termite dry wood)			
2	<i>Coptotermus testaceus</i>			
3	<i>C. acinaciformis</i>			
4	<i>C. locteus</i>			
5	<i>C. heimi</i>			
Gypsy moth				
1	<i>Lymantria disper</i> Lymantria Asian biotype	Lymantriidae		
2	<i>Lymantria monacha</i> (Nun moth, Black arches moth)	Lymantriidae	Family Pinaceae, F. fagaceae (Fagus, Duercus, F. betulaceae, Fulmaceae, F. aceraceae (Acer)	
Death watch beetles				
1	<i>Anobium punctalum</i> (Furniture beetle)	Anobiidae	Dead wood, hardwood & softwood, paneling, flooring and furniture	
2	<i>Xestobium rufovillosum</i> (Death watch beetle)	Anobiidae	Hardwood, softwood, furniture	
3	<i>Hermicoelus carinatus</i> (Eastern Death watch beetle)	Anobiidae	Ash, basswood, maple, beech, elm, beam, flooring	
4	<i>H. gibbicolis</i>	Anobiidae	Well-seasoned Douglas fir studs, joists	
5	<i>Ernobius mollis</i>	Lymantriidae	softwood	
6	<i>Priobium sericeum</i>	Anobiidae	Flooring, sills	
7	<i>Ptilinus ruficornis</i>	Anobiidae	Beech, maple, oak, sycamore, mesquite, stored product	
8	<i>Xyletinus pelatus</i>	Anobiidae	Yellow poplar, cypress, western pine	
Ambrosia beetles (Wood stainer)				
1	<i>Monarthrum scutellare</i> (Large California oak ambrosia beetle)	Scolytidae	Trees	

Num.	Scientific names of pest	Family	Host	Distribution area
2	<i>Trypodendron lineatum</i> (Striped ambrosia beetle)	Scolytidae	Coniferous genera	USA, Canada
3	<i>Xyloborus saxeseni</i> (Lesser shothole borer)	Scolytidae		
4	<i>Scolytus renralii</i> (The Fir Engraver)	Scolytidae	Abies concolor, Abies magnifica, Douglas-fir, Tsuga & Picea, Oak, fur pine, redwood, cedar	California
5	<i>Trypodendron lineatum</i> (The Striped Ambrosia Beetle)	Scolytidae	Abies, Picea, Pseudotsuga Tsuge (Sawmill-Lumber & Veneer)	
6	<i>Gnathotrichus sulcatus</i> (The Scratch-Faced Ambrosia Beetle)	Scolytidae	Coniferous spp, spruce, fir, Douglas fir, hemlock, redwood, cedar	
7	<i>Platypus wilsoni</i> (Wilson's wideheaded Ambrosia Beetle)	Platypodid	Attack dying, weakend, recently dead of conifer, cypress	
Bark beetles				
1	<i>Dendroctonus brevicornis</i> (Western pine beetle)	Scolytidae	Weak, injured, dying or felled trees (some attack fruits, shade & ornamental trees & shrubs)	
2	<i>D. ponderosae</i> (Mountain pine beetle)	Scolytidae	Pines	
3	<i>D. frontalis</i> (Southern pine beetle)	Scolytidae	Pines	
4	<i>D. rufipennis</i> (spuce beetle)	Scolytidae		
5	<i>Ips confuses</i> (California pine Ips)		Pine and spruce	
6	<i>Tomicus piniperda</i>			
7	<i>Pseudohylesinus</i> sp (Secondary Bark Beetle)	Scolytidae	Abies spp., Douglas-fir, Western hemlock, Pinus spp., Picea spp.	
8	<i>Hylurgus ligniperda</i> sp (Golden haired bark beetle)	Scolytidae	Pines (Family Dinaceae)	
Flatheaded borers				
1	<i>Dicerca horni</i>	Buprestidae	Lumber, furniture	
2	<i>Buprestis aurulenta</i> (Golden buprestid)	Buprestidae		

Num.	Scientific names of pest	Family	Host	Distribution area
3	<i>Buprestis langii</i> (Green buprestid)	Buprestidae		
4	<i>Melanophila drummondi</i>	Buprestidae		
5	<i>Pentarthrum huttoni</i> (Wood boring weevil)			
Nematode				
1	<i>Globodera rostochiensis</i> (Golden nematode)	Heteroderidae		Countries endemic to Golden nematode
2	<i>Bursaphelenchus xylophilus</i> (wood nematode)	Parasitaphelenchidae		Countries endemic to wood nematode
Diseases				
1	<i>Microcyclus ulei</i> (South American Leaf Blight of Rubber – SALB)	Mycosphaerellaceae	Major hosts Hevea brasiliensis (rubber)	American Tropic Countries
2	<i>Fusarium oxysporum f.sp. elaeidis</i> (Fusarium wilt of oil palm)		Major hosts Elaeis guineensis (African oil palm)	Fusarium Wilt Countries (Africa and South and Middle of America)
3	<i>Phytophthora pinifolia</i>			Chile
4	<i>Phytophthora kernoviae</i>	Pythiaceae		Countries endemic to <i>Phytophthora kernoviae</i>
5	<i>Phytophthora ramorum</i>	Pythiaceae		Countries endemic to <i>Phytophthora ramorum</i>
6	<i>Fusarium circinatum</i>	Nectriaceae		Countries endemic to <i>Fusarium circinatum</i>

10. Entry Point For Logs, Lumber/sawn timber and other wood articles.

Consignments are allowed to enter any entry point (declared by CUSTOMS). Except for consignments from high risk countries (endemic to SALB disease and Fusarium Wilt – **except logs**) only allowed to enter through entry point listed below :

1) Peninsular Malaysia:

- I. Selangor - Port Klang (North Port, West Port)
- II. Penang - (NBCT, Dermaga Air Dalam)
- III. Negeri Sembilan/Melaka - (Linggi Port)
- IV. Kedah (Langkawi – Teluk Ewa Port)
- V. Perak (Lumut Port – only for Sabah dan Sarawak – in barge)
- VI. Johor (Pasir Gudang, Tanjung Pelepas)
- VII. Pahang (Kuantan Port)
- VIII. Terengganu (Kemaman Port)

2) Sarawak

- i. Kuching
- ii. Sibu (Rejang Port, Tanjung Manis Port)
- iii. Bintulu port
- iv. Miri port

3) Sabah

- I. Sandakan Port
- II. Lahad Datu Port
- III. Kota Kinabalu Port
- IV. Tawau Port

4) Labuan

- I. Dermaga Merdeka Port