

Notification of Department of Agriculture Re: Conditions for Import of Maize Seeds B.E. 2563 (2020)

The Department of Agriculture has completed pest risk analysis for commercial importation of maize seeds.

By virtue of the provisions of Section 8(2) and Section 10 of the Plant Quarantine Act B.E. 2507 (1964) amended by the Plant Quarantine Act (No.3) B.E. 2551 (2008) The Director-General of Department of Agriculture through the recommendation of the Plant Quarantine Committee hereby announces phytosanitary import requirements of maize seeds for sowing as follow:

- 1. This notification shall be called "Notification of Department of Agriculture, Re: Conditions for Import of Maize Seeds B.E. 2563 (2020)."
- 2. This notification shall enter into force ninety days after the date of its proclamation in the Government Gazette.

3. Permitted Plant Species

Maize (Zea mays) seeds

4. Permitted Country

All countries

5. Quarantine Pests of Concern

A list of quarantine pests of concern to the Kingdom of Thailand for maize seeds is given in the **Annex**.

6. Import Permit

Import permit issued by the Department of Agriculture (DOA) is required.

7. Means of Conveyance

Maize seeds must be imported from a port in any country to a port in the Kingdom of Thailand by air cargo or sea cargo or land cargo.

8. Requirements for Importation

8.1 Maize seeds must be non-genetically modified organisms.

- 8.2 The shipment must be packed in new, clean packaging and free of live insects, soil, sand, contaminant seeds, other plant materials (e.g. leaf, stem material, fruit pulp, pod material etc.), animal materials (e.g. animal faeces and feathers etc.) or other potential carriers of quarantine pests.
- 8.3 Maize seed lots are required to fulfill one of the following phytosanitary import conditions, or a combination of the conditions addressing each of the following seventeen quarantine pests; five bacteria i.e. Clavibacter michiganensis subsp. nebraskensis, Pantoea stewartii subsp. stewartii, Pseudomonas syringae pv. lapsa, Pseudomonas syringae pv. syringae, Xanthomonas vasicola pv. vasculorum; two viruses i.e. High plains virus, Wheat streak mosaic virus and ten fungi i.e. Bipolaris maydis race T, Fusarium culmorum, Harpophora maydis, Peronosclerospora heteropogoni, Peronosclerospora philippinensis, Sclerophthora macrospora, Sclerophthora rayssiae var. zeae, Sclerospora graminicola, Sporisorium reilianum and Stenocarpella macrospora.
 - 8.3.1 Maize seeds were produced in a country where the quarantine pests in 8.3 are not known to occur. OR
 - 8.3.2 Maize seeds were derived from parent plants that were inspected and tested during the growing season and found free from the quarantine pests in 8.3. OR
 - 8.3.3 Maize seeds were officially tested and found free from the quarantine pests in 8.3.
- 8.4 Maize seeds were produced in the fields that were inspected during the growing season and found free from *Striga* spp.
- 8.5 Maize seeds must be dressed with appropriate fungicides.

9. Phytosanitary Certification

- 9.1 A phytosanitary certificate (PC) or a re-export phytosanitary certificate issued by the National Plant Protection Organization from the exporting country is required. The original copy must accompany every consignment to the Kingdom of Thailand and bear one the following additional declaration, and/ or a combination of the declarations addressing each of the quarantine pests:
 - 1) "The consignment of maize seeds was produced in [country] where Clavibacter michiganensis subsp. nebraskensis, Pantoea stewartii subsp. stewartii, Pseudomonas syringae pv. lapsa, Pseudomonas syringae pv. syringae, Xanthomonas vasicola pv. vasculorum, High plains virus, Wheat streak mosaic virus, Bipolaris maydis race T, Fusarium culmorum, Harpophora maydis, Peronosclerospora heteropogoni, Peronosclerospora philippinensis, Sclerophthora macrospora, Sclerophthora rayssiae var. zeae, Sclerospora graminicola, Sporisorium reilianum and Stenocarpella macrosporaare not known to occur."

"The consignment of maize seeds was derived from parent plants that were inspected and tested during the growing season and found free from Clavibacter michiganensis subsp. nebraskensis, Pantoea stewartii subsp. stewartii, Pseudomonas syringae pv. lapsa, Pseudomonas syringae pv. syringae, Xanthomonas vasicola pv. vasculorum, High plains virus, Wheat streak mosaic virus, Bipolaris maydis race T, Fusarium culmorum, Harpophora maydis, Peronosclerospora heteropogoni, Peronosclerospora philippinensis, Sclerophthora macrospora, Sclerophthora rayssiae var. zeae, Sclerospora graminicola, Sporisorium reilianum and Stenocarpella macrospora."

OR

"The consignment of maize seeds was officially tested and found free from Clavibacter michiganensis subsp. nebraskensis, Pantoea stewartii subsp. stewartii, Pseudomonas syringae pv. lapsa, Pseudomonas syringae pv. syringae, Xanthomonas vasicola pv. vasculorum, High plains virus, Wheat streak mosaic virus, Bipolaris maydis race T, Fusarium culmorum, Harpophora maydis, Peronosclerospora heteropogoni, Peronosclerospora philippinensis, Sclerophthora macrospora, Sclerophthora rayssiae var. zeae, Sclerospora graminicola, Sporisorium reilianum and Stenocarpella macrospora."

AND

2) "The consignment of maize seeds was produced in the fields that were inspected during the growing season and found free from *Striga* spp."

AND

- 3) "The consignment of maize seeds was treated with appropriate fungicides."
- 9.2 Information on disinfection treatment must be indicated in the appropriate sections of the Phytosanitary Certificate.

10. Import inspection

- 10.1 When the consignments arrive at the point of entry in the Kingdom of Thailand, the import inspection must be conducted after confirming the respective documents accompanying the consignments concerned.
- 10.2 DOA reserved the right to have the consignment re-exported or destroyed at the importer's expenses, if non-compliance with documentary or phytosanitary import requirements is identified.
- 10.3 All consignments must be inspected for the presence of live insects, disease symptoms, soil, sand, contaminant seeds, trash and other debris when arrive at the point of entry in the Kingdom of Thailand. Subsequently, a representative sample must be drawn and submitted a designated laboratory for further analysis. The consignment must be held under quarantine pending results of the analysis.

- 10.4 If genetically modified maize seeds are found, the consignment must be re-exported or destroyed at the importer's expenses.
- 10.5 If the quarantine pests in 8.3 and 8.4 are found during import inspection, the consignment must be re-exported or destroyed at the importer's expense.
- 10.6 If quarantine pests of Thailand concern as stipulate in the **Annex** are found, the consignment must be treated with an appropriate treatment (if available), re-exported or destroyed at the importer's expenses.
- 10.7 If the consignments are frequently found to be non-compliance with phytosanitary import requirements or other cases, DOA may suspend, terminate or impose additional specific import conditions from a certain country as the **Annex** of this notification.
- 10.8 If any live organism of potential quarantine concern to Thailand not listed in the **Annex** is found, the consignment shall be treated with an appropriate treatment (if available), re-exported or destroyed at the importer's expenses. The DOA reserved the right to temporary suspension of import from the identified pathway until a risk assessment of intercepted organisms is determined.

Issued on 30 November B.E. 2563 (2020)

Phichest Wiriyapaha

Director-General
Department of Agriculture

List of Quarantine Pests of Maize Seeds Attached to the Notification of Department of Agriculture Re: Conditions for Import of Maize Seeds B.E. 2563 (2020)

Scientific name	Common name
Insect	
Order Coleoptera	
Family Bostrichidae	
Prostephanus truncatus	larger grain borer
Family Cucujidae	
Cryptolestes pusillus	flat grain beetle
Family Curculionidae	
Caulophilus oryzae	broad nosed grain weevil
Graphognatus leucoloma	white-fringed weevil
Family Languriidae	
Pharaxonotha kirschii	Mexican grain beetle
Family Ptinidae	
Gibbium psylloides	shiny spider beetle
Family Silvanidae	
Cathartus quadricollis	squarenecked flour beetle
Family Tenebrionidae	
Cyaneus angustus	large black flour beetle
Family Dermestidae	
Trogoderma glabrum	colored cabinet beetle
Trogoderma granarium	khapra beetle
Trogoderma inclusum	larger cabinet beetle
Trogoderma ornatum	ornate cabinet beetle
Trogoderma variabile	grain dermestid, warehouse beetle
Trogoderma versicolor	trogoderma dermestid beetle
Pathogens	
Bacteria	N. C. C.
Clavibacter michiganensis subsp.	Goss's bacterial wilt & leaf blight
nebraskensis	
Dickeya paradisiaca	rhizome rot
Enterobacter dissolvens	stalk rot
Erwinia carotovora pv. atroseptica	potato blackleg disease
Pantoea stewartii subsp. stewartii	bacterial wilt of maize
Pseudomonas rubrisubalbicans	mottled stripe of sugarcane
Pseudomonas syringae pv. coronafaciens	chocolate spot, halo blight
Pseudomonas syringae pv. lapsa	bacterial stalk rot
Pseudomonas syringae pv. striafaciens	bacterial: barley black node
Pseudomonas syringae pv. syringae	Holcus spot, bacterial canker or blas
Pseudomonas viridiflava	bacterial leaf blight of tomato
Xanthomonas vasicola pv. vasculorum	bacterial leaf streak
Fungi	
Bipolaris maydis race T	Southern corn leaf blight
Cercospora zeae-maydis	grey leaf spot

Scientific name	Common name
Claviceps gigantea	horse's tooth
Cochliobolus ravenelii	false smut
Fusarium culmorum	culm rot: cereal
Harpophora maydis	black bundle disease
Kabatiella zeae	eyespot
Mycosphaerella zeae-maydis	yellow leaf blight of maize
Peronosclerospora heteropogon	
Peronosclerospora philippinens	
Pestalosphaeria gubae	chlorotic spot
Phaeocytostroma ambiguum	stalk rot and root rot
Phaeosphaeria maydis	leaf spot of sorghum
Physalospora zeicola	physalospora ear rot
Pyrenochaeta terrestris	stalk rot and root rot
Pyrenophora teres	net blotch
Pyricularia setariae	blast of millet
Rosellinia necatrix	dematophora root rot
Sclerophthora macrospora	crazy top
Sclerophthora rayssiae var. zeae	
Sclerospora graminicola	downy mildew of pearl millet
Sphacelotheca reiliana	head smut of maize
Stenocarpella macrospora	dry rot of maize
Virus	dry for or marze
High plains virus	high plains virus
Wheat streak mosaic rymovirus	wheat streak mosaic
Weed Weed	wheat streak mosaic
Agropyron repens	couch grass
Alopecurus myosuroides	black-grass
Amaranthus albus	tumble pigweed
Amaranthus blitoides	spreading amaranth
Amaranthus retroflexus	redroot pigweed
Ambrosia trifida	giant ragweed
Asphodelus tenuifolius	onionweed
Avena fatua	wild oat
Axonopus fissifolius	
Chenopodium album	common carpetgrass fat hen
Cirsium arvense	
	creeping thistle
Cirsium vulgare	spear thistle
Convolvulus arvensis	field bindweed
Digitaria velutina	velvet fingergrass
Eragrostis cilianensis	stink grass
Galinsoga quadriradiata	shaggy soldier
Heliotropium europaeum	common heliotrope
Hibiscus trionum	Venice mallow
Orobanche spp.	broomrape
Pennisetum clandestinum	Kikuyu grass
Pennisetum macrourum	African feather grass
Parthenium hysterophorus	parthenium weed
Polygonum aviculare	prostrate knotweed

Scientific name	Common name
Polygonum convolvulus	black bindweed
Polygonum persicaria	redshank
Raphanus raphanistrum	wild radish
Senecio vulgaris	grinning (or grundie)-swallow
Setaria faberi	giant foxtail
Solanum carolinense	horsenettle
Solanum elaeagnifolium	silverleaf nightshade
Solanum viarum	tropical soda apple
Spergula arvensis	corn spurry
Striga angustifolia	witchweed
Striga aspera	witchweed
Striga densiflora	witchweed
Striga hermonthica	witchweed
Thlaspi arvense	field pennycress

[•] The Government Gazette: Volume 138, Special Part 10 D, Page 41-44, Date 13 January B.E. 2564 (2021)

UNOFFICIAL TRANSLATION

• This is an English translation. In case of any difference in meaning between the Thai text and the English translation, the Thai text shall be applied.