

Conditions For The Importation Of **ECONOMIC CROPS** Into Singapore

<p>PINEAPPLE (<i>Ananas comosus</i>) (For both fruits and plants)</p>	<p>Anguilla, Antigua, Aruba, Barbados, Belize, Bolivia, Bonaire, Brazil, Cayman Island, Colombia, Costa Rica, Cuba, Curacao, Dominica, Dominica Rep., Ecuador, El Salvador, French Guyana, Grenada, Guadeloupe, Guatemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Nevis, Nicaragua, Panama, Paraguay, Peru, Puerto Rico, St. Kitts, St Lucia, St Maarten, St Vincent and The Grenadines, Suriname, Tobago, Turks and Caicos Islands, Trinidad, Venezuela, Virgin Islands.</p>	<p><i>Microcyclus ulei</i>, <i>Scutellonema bradys</i> and Yellow spot virus</p>	<p>1. Phytosanitary certificate with additional certification on freedom of the regulated pests.</p> <p>2. To endorse the following pre-departure treatment into the Phytosanitary certificate :</p> <p>Treatment : Dipping (for plants only)</p> <p>Chemical : 0.1% a.i. cypermethrin + 0.1% a.i. fenamiphos + 0.1% a.i. chlorothalonil + 0.1% benomyl</p> <p>(Other equivalence may also be acceptable)</p> <p>Duration : 20 min</p> <p>3. Post-entry Inspection & Quarantine- At premises pre-approved by AVA</p>
	<p>All other countries (For planting purpose only)</p>	<p><i>Scutellonema bradys</i> and Yellow spot virus</p>	<p>1. Phytosanitary certificate with additional certification on freedom of the regulated pests.</p> <p>2. To endorse the following pre-departure treatment into the Phytosanitary certificate:</p>

			<p>Treatment : Spraying</p> <p>Chemical : 0.1% a.i. fenamiphos</p> <p>(Other equivalence may also be acceptable)</p> <p>3. Post-entry Inspection & Quarantine - At premises pre-approved by AVA</p>
--	--	--	---

Conditions For The Importation Of **ECONOMIC CROPS** Into Singapore

<p>TEA (<i>Camellia sinensis</i>)</p>	<p>Anguilla, Antigua, Aruba, Barbados, Belize, Bolivia, Bonaire, Brazil, Cayman Island, Colombia, Costa Rica, Cuba, Curacao, Dominica, Dominican Rep., Ecuador, El Salvador, French Guyana, Grenada, Guadeloupe, Guatemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Nevis, Nicaragua, Panama, Paraguay, Peru, Puerto Rico, St. Kitts, St Lucia, St Maarten, St Lucia, St Vincent and The Grenadines, Suriname, Tobago, Turks and Caicos Islands, Trinidad, Venezuela, Virgin Islands.</p>	<p><i>Microcyclus ulei</i>, <i>Phomopsis theae</i>, Phloem necrosis virus, Rayado fino virus, <i>Hoplolaimus pararobustus</i>, <i>Meloidogyne brevicauda</i> and <i>Meloidogyne exigua</i></p>	<p>1. Phytosanitary certificate with additional certification on freedom of the regulated pests.</p> <p>2. To endorse the following pre-departure treatment into the Phytosanitary certificate :</p> <p>Treatment : Seed Treatment</p> <p>Chemical : 0.1% a.i. fenamiphos + 0.2% a.i chlorothalonil + 0.2% a.i. benomyl</p> <p>(Other equivalence may also be acceptable)</p> <p>3. Post-entry Inspection & Quarantine- At premises pre-approved by AVA</p>
	<p>India, Japan, Kenya, Malawi, Sri Lanka, Tanzania and Uganda</p>	<p><i>Phomopsis theae</i>, Phloem necrosis virus, Rayado fino virus, <i>Hoplolaimus</i></p>	<p>1. Phytosanitary certificate with additional certification on freedom of the regulated pests.</p> <p>2. To endorse the following pre-departure treatment</p>

		<p><i>pararobustus</i>, <i>Meloidogyne brevicauda</i> and <i>Meloidogyne exigua</i></p>	<p>into the Phytosanitary certificate</p> <p>Treatment : Seed Treatment</p> <p>Chemical : 0.1% a.i. fenamiphos + 0.2% a.i. benomyl</p> <p>(Other equivalence may also be acceptable)</p> <p>3. Post-entry Inspection & Quarantine- At premises pre-approved by AVA</p>
	<p>All Other Countries</p>		<p>1. Phytosanitary certificate</p> <p>2. To endorse the following pre-departure treatment into the Phytosanitary certificate :</p> <p>Treatment : Seed Treatment</p> <p>Chemical : 0.1% a.i. fenamiphos + 0.2% a.i. benomyl</p> <p>(Other equivalence may also be acceptable)</p> <p>3. Post-entry Inspection - At premises pre-approved by AVA</p>

Conditions For The Importation Of **ECONOMIC CROPS** Into Singapore

<p>CITRUS (All planting material only. For potted citrus, the additional conditions listed under Nursery Stock-Ornamental Plants With Potting Media should also be complied)</p>	<p>Anguilla, Antigua, Aruba, Barbados, Belize, Bolivia, Bonaire, Brazil, Cayman Island, Colombia, Costa Rica, Cuba, Curacao, Dominica, Dominica Rep., Ecuador, El Salvador, French Guyana, Grenada, Guadeloupe, Gutaemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Nevis, Nicaragua, Panama, Paraguay, Peru, Puerto Rico, St. Kitts, St Lucia, St Maarten, St Vincent and The Grenadines, Suriname, Tobago, Turks and Caicos Islands, Trinidad, Venezuela, Virgin Islands.</p>	<p><i>Microcyclus ulei</i>, <i>Deuterophoma tracheiphila</i> (<i>Phoma tracheiphila</i>), <i>Hemicycliophora arenaria</i>, <i>Hoplolaimus indicus</i>, <i>Xiphinema index</i>, <i>Meloidogyne exigua</i> and <i>Meloidogyne indica</i>, <i>Anastrepha spp.</i>,<i>Ceratitis capitata</i>, <i>C. rosa</i>, <i>Chrysomphalus aonidium</i> and <i>Bactrocera tryoni</i>.</p>	<p>1. Phytosanitary certificate with additional certification on freedom of the regulated pests. (e.g. Pest Free Area in accordance with ISPM or Symptoms & Laboratory Confirmation)</p> <p>2. To endorse the following pre-departure treatment into the Phytosanitary certificate :</p> <p>Treatment : Dipping</p> <p>Chemical : 0.1% a.i. cypermethrin + 0.1% a.i. fenamiphos + 0.1% a.i. chlorothalonil + 0.1% benomyl</p> <p>(Other equivalence may also be acceptable)</p> <p>Duration : 15 – 20 min</p> <p>3. Post-entry Inspection & Quarantine - At premises pre-approved by AVA</p>
	<p>Egypt, France, Greece, Italy, Israel, Jordan, Lebanon, Malta,</p>	<p><i>Deuterophoma tracheiphila</i> (<i>Phoma tracheiphila</i>), <i>Hemicycliophora arenaria</i>,</p>	<p>1. Phytosanitary certificate with additional certification on freedom of the regulated pests. (e.g. Pest Free Area in accordance with ISPM or</p>

	Morocco, Russia, Spain, Turkey, Tunisia, USA	<i>Hoplolaimus indicus</i> , <i>Xiphinema index</i> , <i>Meloidogyne exigua</i> and <i>Meloidogyne indica</i> , <i>Anastrepha spp.</i> , <i>Ceratitis capitata</i> , <i>C. rosa</i> , <i>Chrysomphalns aonidium</i> and <i>Bactrocera tryoni</i>	Symptoms & Laboratory Confirmation) 2. To endorse the following pre-departure treatment into the Phytosanitary certificate : Treatment : Dipping Chemical : 0.1%a.i. cypermethrin + 0.1% a.i. fenamiphos (Other equivalence may also be acceptable) Duration : 15 – 20 min 3. Post-entry Inspection & Quarantine- At premises pre-approved by AVA
	All other countries		1. Phytosanitary certificate 2. To endorse the following pre-departure treatment into the Phytosanitary certificate.- Treatment : Spraying Chemical : 0.1%a.i. cypermethrin + 0.1% a.i. fenamiphos (Other equivalence may also be acceptable) 3. Post-entry Inspection - At premises pre-approved by AVA

Conditions For The Importation Of **ECONOMIC CROPS** Into Singapore

<p>COCONUT (Cocos nucifera) (For planting material only)</p>	<p>Cameroon, Dominican Republic, Ecuador, Ghana, Haiti, India, Mexico, New Hebrides, Nigeria, Sri Lanka, Tanzania, Togo and West Indies</p>		<p>Import Risk Analysis required. Please contact AVA.</p>
	<p>Anguilla, Antigua, Aruba, Barbados, Belize, Bolivia, Bonaire, Brazil, Cayman Island, Colombia, Costa Rica, Cuba, Curacao, Dominica, Ecuador, El Salvador, French Guyana, Grenada, Guadeloupe, Guatemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Nevis, Nicaragua, Panama, Paraguay, Peru, Puerto Rico, St. Kitts, St Lucia, St Maarten, St Vincent and The Grenadines, Suriname, Turks and Caicos Islands,</p>	<p><i>Microcyclus ulei</i>, <i>Marasmiellus cocophilus</i>, <i>Rhadinaphelenchus cocophilus</i> and Lethal Yellowing (MLO)</p>	<p>1. Phytosanitary certificate with additional certification on freedom of the regulated pests.</p> <p>2. To endorse the following pre-departure treatment into the Phytosanitary certificate :</p> <p>Treatment : Spraying and /or Dipping (Nuts only)</p> <p>Chemical : 0.1% a.i. cypermethrin + 0.1% a.i. fenamiphos +0.1% a.i. chlorothalonil + 0.1% benomyl</p> <p>(Other equivalence may also be acceptable)</p> <p>Duration : 20 min</p> <p>3. Post-entry Inspection & Quarantine- At premises pre-approved by AVA</p>

	Venezuela, Virgin Islands.		
	All other countries (For planting only)		<p>1. Phytosanitary certificate</p> <p>2. To endorse the following pre-departure treatment into the Phytosanitary certificate :</p> <p>Treatment : Spraying and /or Dipping (Nuts only)</p> <p>Chemical : 0.1% a.i. cypermethrin + 0.1% a.i. fenamiphos</p> <p>(Other equivalence may also be acceptable)</p> <p>Duration : 20 min</p> <p>3. Post-entry Inspection - At premises pre-approved by AVA</p>

Conditions For The Importation Of **ECONOMIC CROPS** Into Singapore

<p>COFFEE (<i>Coffea</i> spp)</p>	<p>Anguilla, Antigua, Aruba, Barbados, Belize, Bolivia, Bonaire, Brazil, Cayman Island, Colombia, Costa Rica, Cuba, Curacao, Dominica, Dominica Rep., Ecuador, El Salvador, French Guyana, Grenada, Guadeloupe, Gutaemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Nevis, Nicaragua, Panama, Paraguay, Peru, Puerto Rico*St. Kitts, St Lucia, St Maarten, St Vincent and The Grenadines, Suriname, Tobago, Turks and Caicos Islands, Trinidad, Venezuela, Virgin Islands.</p>	<p><i>Microcyclus ulei</i>, <i>Pseudomonas garcae</i>, <i>Colletotrichum coffeanum</i>, <i>Fusarium xylarioides</i> (<i>Gibberella xylarioides</i>), <i>Hemileia coffeicola</i>, <i>Mycena citricolor</i> (<i>Omphalia flavida</i>), <i>Trachysphaera fructigena</i>, Blister spot virus, <i>Hoplolaimus pararobustus</i> and <i>Meloidogyne spp</i></p>	<p>1. Phytosanitary certificate with additional certification on freedom of the regulated pests.</p> <p>2. To endorse the following pre-departure treatment into the Phytosanitary certificate :</p> <p>Treatment : Remove all leaves and Dipping</p> <p>Chemical : 0.1% a.i. cypermethrin + 0.1% a.i. fenamiphos + 0.1% a.i. chlorothalonil + 0.1% a.i. benomyl</p> <p>Duration : 20 min</p> <p>(Other equivalence may also be acceptable)</p> <p>3. Post-entry Inspection & Quarantine- At premises pre-approved by AVA</p>
	<p>Algeria, Angola, Ascension Island, Bahamas, Bermuda, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central</p>	<p><i>Pseudomonas garcae</i>, <i>Colletotrichum coffeanum</i>, <i>Fusarium xylarioides</i> (<i>Gibberella xylarioides</i>), <i>Hemileia coffeicola</i>,</p>	<p>1. Phytosanitary certificate with additional certification on freedom of the regulated pests.</p> <p>2. To endorse the following pre-departure treatment into the Phytosanitary certificate :</p>

	<p>Cape Verde, Central African Republic, Chad, Comoros, Congo (Brazzaville), Congo, Democratic Republic of Cote d'Ivoire, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, Gabon, Gambia, The, Ghana, Guinea, Guinea-Bissau, Kenya, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Morocco, Mozambique, Namibia, Niger, Nigeria, Reunion, Rwanda, Saint Helena Island, Sao Tome and Principe, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Sudan, Swaziland, Tanzania, Togo, Tunisia, Uganda, Western Sahara, Zambia, Zimbabwe</p>	<p><i>Mycena citricolor</i> (<i>Omphalia flavida</i>), <i>Trachysphaera fructigena</i>, <i>Blister spot virus</i>, <i>Hoplolaimus pararobustus</i> and <i>Meloidogyne spp</i></p>	<p>Treatment : Remove all leaves and Dipping</p> <p>Chemical : 0.1% a.i. cypermethrin + 0.1% a.i. fenamiphos + 0.1% a.i. benomyl</p> <p>Duration : 20 min</p> <p>(Other equivalence may also be acceptable)</p> <p>3. Post-entry Inspection & Quarantine- At premises pre-approved by AVA</p>
--	--	---	--

	All other countries		<p>1. Phytosanitary certificate</p> <p>2. To endorse the following pre-departure treatment into the Phytosanitary certificate :</p> <p>Treatment : Spraying</p> <p>Chemical : 0.1% a.i. cypermethrin + 0.4 % a.i. TMTD</p> <p>(Other equivalence may also be acceptable)</p> <p>3. Post-entry Inspection - At premises pre-approved by AVA</p>
--	---------------------	--	--

Conditions For The Importation Of **ECONOMIC CROPS** Into Singapore

OIL PALM (<i>Elaeis guineensis</i>)	Colombia, Ecuador, Guyana, Peru, Surinam, Trinidad and Tobago		Import Risk Analysis Required. Please contact AVA.
	Anguilla, Antigua, Aruba, Barbados, Belize, Bolivia, Bonaire, Brazil, Cayman Island, Costa Rica, Cuba, Curacao, Dominica, Dominican Rep., El Salvador, French Guyana, Grenada, Guadeloupe, Guatemala, Haiti, Honduras, Jamaica, Martinique, Mexico, Nevis, Nicaragua, Panama, Paraguay, Puerto Rico, St. Kitts, St Lucia, St Maarten, St Vincent and The Grenadines, Turks and Caicos Islands, Venezuela, Virgin Islands.	<i>Microcyclus ulei</i> , <i>Cercospora elaeidis</i> , <i>Fusarium oxysporum</i> sp <i>elaedis</i> , <i>Hoplolaimus pararobustus</i> , <i>Rhadinaphelenchus cocophilus</i> , <i>Scutellonema bradys</i> and leaf mottle (MLO)	1. Phytosanitary certificate with additional certification on freedom of the regulated pests. 2. To endorse the following pre- departure treatment into the Phytosanitary certificate : Treatment : Seed Dressing Chemical : 0.2% a.i. benomyl or 0.4% a.i. TMTD or 0.2% a.i. carbendazim (Other equivalence may also be acceptable) 3. Post-entry Inspection & Quarantine- At premises pre-approved by AVA
	Benin, Burkina Faso, Cape Verde, Cote d'Ivoire, Gambia, Ghana, guinea,	<i>Cercospora elaeidis</i> , <i>Fusarium oxysporum</i> f. sp. <i>elaedis</i> , <i>Hoplolaimus</i>	1. Phytosanitary certificate with additional certification on freedom of regulated pests. 2. To endorse the following

	<p>guinea Bissau, Liberia, Mali, Mauritania, Niger, Nigeria, Senegal, Sierra Leone and Togo</p>	<p><i>pararobustus</i>, <i>Rhadinaphelenchus</i> <i>cocophilus</i>, <i>Scutellonema</i> <i>bradys</i> and leaf mottle (MLO)</p>	<p>pre-departure treatment into the Phytosanitary certificate:</p> <p>Treatment : Seed Dressing</p> <p>Chemical : 0.2% a.i. benomyl or 0.4% a.i. TMTD or 0.2% a.i. carbendazim</p> <p>(Other equivalence may also be acceptable)</p> <p>3. Post-entry Inspection & Quarantine- At premises pre-approved by AVA</p>
	<p>All other countries</p>		<p>1. Phytosanitary certificate</p> <p>2. To endorse the following pre-departure treatment into the Phytosanitary certificate :</p> <p>Treatment : Seed Treatment</p> <p>Chemical: 0.2% a.i. benomyl or 0.2% a.i. carbendazim or 0.4% a.i. TMTD</p> <p>(Other equivalence may also be acceptable)</p> <p>3. Post-entry Inspection - At premises pre-approved by AVA</p>

Conditions For The Importation Of ECONOMIC CROPS Into Singapore

<p>COTTON (<i>Gossypium</i> spp)</p>	<p>Anguilla, Antigua, Aruba, Barbados, Belize, Bolivia, Bonaire, Brazil, Cayman Island, Colombia, Costa Rica, Cuba, Curacao, Dominica, Dominica Rep., Ecuador, El Salvador, French Guyana, Grenada, Guadeloupe, Guatemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Nevis, Nicaragua, Panama, Paraguay, Peru, Puerto Rico, St. Kitts, St Lucia, St Maarten, St Vincent and The Grenadines, Suriname, Tobago, Turks and Caicos Islands, Trinidad, Venezuela, Virgin Islands.</p>	<p><i>Microcyclus ulei</i>, <i>Ascochyta gossypii</i> (<i>A. phaseolorum</i>), <i>Phymatotrichopsis omnivorum</i> and foliar viruses</p>	<p>1. Phytosanitary certificate with additional certification on freedom of the regulated pests.</p> <p>2. To endorse the following pre-departure treatment into the Phytosanitary certificate :</p> <p>Treatment : Dipping or seed treatment</p> <p>Chemical: 0.1% a.i. cypermethrin +0.1% a.i. chlorothalonil + 0.1% a.i. benomyl</p> <p>For seed treatment: the seeds are to be delinted and dressed with 0.4% a.i. TMTD</p> <p>Duration : 20 min</p> <p>(Other equivalence may also be acceptable)</p> <p>3. Post-entry Inspection & Quarantine- At premises pre-approved by AVA</p>
	<p>China, India, Pakistan, Sudan, USA</p>	<p><i>Ascochyta gossypii</i> (<i>A. phaseolorum</i>), <i>Phymatotrichopsis omnivorum</i> and foliar viruses</p>	<p>1. Phytosanitary certificate with additional certification on freedom of the regulated pests.</p> <p>2. To endorse the following pre-departure treatment into the Phytosanitary</p>

			<p>certificate :</p> <p>Treatment : Dipping or seed treatment</p> <p>Chemical : 0.1% a.i. cypermethrin + 0.4 % a.i. TMTD</p> <p>For seed treatment: dressed with 0.4% a.i. TMTD</p> <p>Duration : 20 min (Other equivalence may also be acceptable)</p> <p>3. Post-entry Inspection & Quarantine- At premises pre-approved by AVA</p>
	All other countries		<p>1. Phytosanitary certificate</p> <p>2. To endorse the following pre-departure treatment into the Phytosanitary certificate :</p> <p>Treatment : Spraying or seed Treatment</p> <p>Chemical : 0.1% a.i. cypermethrin + 0.4% a.i. TMTD</p> <p>For seed treatment : the seeds are to delinted and dressed with 0.4% a.i. TMTD</p> <p>(Other equivalence may also be acceptable)</p> <p>3. Post-entry Inspection - At premises pre-approved by AVA</p>

Conditions For The Importation Of ECONOMIC CROPS Into Singapore

<p>RUBBER (<i>Hevea brazilensis</i>) and including fresh or dried herbarium specimen</p>	<p>Anguilla, Antigua, Aruba, Barbados, Belize, Bolivia, Bonaire, Brazil, Cayman Island, Colombia, Costa Rica, Cuba, Curacao, Dominica, Dominica Rep., Ecuador, El Salvador, French Guyana, Grenada, Guadeloupe, Guatemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Nevis, Nicaragua, Panama, Paraguay, Peru, Puerto Rico, St. Kitts, St Lucia, St Maarten, St Vincent and The Grenadines, Suriname, Tobago, Turks and Caicos Islands, Trinidad, Venezuela, Virgin Islands.</p>	<p><i>Microcyclus ulei</i></p>	<p>Import Risk Analysis Required. Please contact AVA.</p>
	<p>All other countries</p>	<p><i>Scutellonema bradys</i>, <i>Microcyclus ulei</i> and Mosaic virus</p>	<p>1. Phytosanitary certificate with additional certification on freedom of the regulated pests.</p> <p>2. To endorse the following pre-departure treatment into the Phytosanitary certificate :</p>

			<p>Treatment : Spraying or Seed Dressing (for seed materials)</p> <p>Chemical : 0.1% a.i. fenamiphos + 0.5% a.i. chlorothalonil or 0.2% a.i. benomyl</p> <p>(Other equivalence may also be acceptable)</p> <p>3. Post-entry Inspection & Quarantine- At premises pre-approved by AVA</p>
--	--	--	--

Conditions For The Importation Of **ECONOMIC CROPS** Into Singapore

<p>CASSAVA (Manihot esculenta): all planting materials except parts for consumption</p>	<p>Anguilla, Antigua, Aruba, Barbados, Belize, Bolivia, Bonaire, Brazil, Cayman Island, Colombia, Costa Rica, Cuba, Curacao, Dominica Rep., Ecuador, El Salvador, French Guyana, Grenada, Guadeloupe, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Nevis, Nicaragua, Panama, Paraguay, Peru, Puerto Rico, St Kitts, St. Lucia, St Maarten, St Vincent and The Grenadines, Suriname, Tobago, Turks and Caicos Islands, Trinidad, Venezuela, Virgin Islands.</p>	<p><i>Microcyclus ulei</i>, Cassava mosaic, brown streak. brown streak and witches broom viruses, <i>Xanthomonas campestris pv cassavae</i>, <i>Phaeolus manihotis</i>, <i>Sphaceloma manihoticola</i>, <i>Scutellonema bradys</i>, <i>Aonidomytilus albus</i>, <i>Caliothrips masculinus</i>, <i>Monochellus tanajoa</i> (<i>Ononychelia tanajoe</i>) and <i>Oligonychus peruvianus</i> (<i>Homonychus peruvianus</i>)</p>	<p>1. Phytosanitary certificate with additional certification on freedom of the regulated pests.</p> <p>2. To endorse the following pre-departure treatment into the Phytosanitary certificate :</p> <p>Treatment : Dipping</p> <p>Chemical : 0.1%a.i. chlorpyrifos + 0.1% a.i. fenamiphos + 0.1% chlorothalonil + 0.1%a.i. benomyl</p> <p>(Other equivalence may also be acceptable)</p> <p>Duration : 20 min</p> <p>3. Post-entry Inspection & Quarantine - At premises pre-approved by AVA</p>
	<p>Benin, Burkina, Cape Verde, Comoros,</p>	<p><i>Microcyclus ulei</i>, Cassava Mosaic virus, Cassava</p>	<p>1. Phytosanitary certificate with additional certification on</p>

	<p>Cote d'Ivoire, Djibouti, Eritrea, Ethiopia, Faro, Gambia, Ghana, Guinea, Guinea</p> <hr/> <p>Bissau, India, Kenya, Liberia, Madagascar, Mali, Mauritania, Niger, Nigeria, Senegal, Sierra Leone, Seychelles, Somalia, Sudan, Togo, Uganda, USA, Zimbabwe</p>	<p>brown streak virus and Cassava witches broom viruses, <i>Xanthomonas campestris</i>, <i>Xanthomonas campestris</i> <i>pv cassavae</i>, <i>Phaeolus</i> <i>manihotis</i>, <i>Sphaceloma</i> <i>manihoticola</i>, <i>Scutellonema bradys</i>, <i>Aonidomytilus albus</i>, <i>Caliothrips masculinus</i>, <i>Monochellus tanajoa</i> (= <i>Ononychelie tanajoe</i>) and <i>Oligonychus peruvianus</i> (=<i>Homonychus</i> <i>peruvianus</i>)</p>	<p>freedom of regulated pests.</p> <p>2. To endorse the following pre- departure treatment into the Phytosanitary certificate:</p> <p>Treatment : Dipping Chemical : 0.1% a.i. chlorpyrifos + 0.1% a.i. fenamiphos + 0.1% a.i. chlorothalonil + 0.1% a.i. benomyl</p> <p>(Other equivalence may also be acceptable)</p> <p>3. Post-entry Inspection & Quarantine- At premises pre-approved by AVA</p>
	<p>All other countries</p>		<p>1. Phytosanitary certificate</p> <p>2. To endorse the following pre- departure treatment into the Phytosanitary certificate:</p> <p>Treatment : Spraying Chemical: 0.1% a.i. chlorpyrifos + 0.1% a.i. fenamiphos + 0.1% a.i. benomyl</p> <p>(Other equivalence may also be acceptable)</p> <p>3. Post-entry Inspection - At premises pre-approved by AVA</p>

Conditions For The Importation Of **ECONOMIC CROPS** Into Singapore

<u>Name of Regulated Plants & Parts</u>	<u>Country of Origin</u>	<u>Regulated Pests</u>	<u>Import Requirements</u>
<p>BANANA (Musa Spp): all planting materials except parts for consumption</p>	<p>Anguilla, Antigua and Barbuda, Aruba, Barbados, Belize, Bolivia, Bonaire, Brazil, Cayman Island, Colombia, Costa Rica, Cuba, Curacao, Dominica, Dominica Rep., Ecuador, El Salvador, French Guyana, Grenada, Guadeloupe, Guatemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Nevis, Nicaragua, Panama, Paraguay, Peru, Puerto Rico, St. Kitts, St. Lucia, St. Maarten, St. Vincent and The Grenadines, Suriname, Tobago, Turks and Caicos Islands, Trinidad, Venezuela, Virgin Islands.</p>	<p><i>Microcyclus ulei</i>, <i>Mycosphaerella fijiensis</i> var. <i>difformis</i>, Cameroon Marbling Disease (MLO), <i>Heterodera indicus</i>, <i>Heterodera pararobustus</i>, <i>Hoplolaimus pararobustus</i>. <i>Hoplolaimus indicus</i>, <i>Merlinius brevidens</i> and <i>Scutellonema bradys</i>.</p>	<p>1. Phytosanitary certificate with additional certification on freedom of regulated pests.</p> <p>2. To endorse the following pre- departure treatment into the Phytosanitary certificate:</p> <p>Treatment : Dipping</p> <p>Chemical : 0.1% a.i. Fenamiphos + 0.1% a.i. benomyl + 0.1% a.i. chlorothalonil</p> <p>(Other equivalence may also be acceptable)</p> <p>Duration : 20 min</p> <p>3. Post-entry Inspection & Quarantine- at premises pre-approved by AVA</p>

	Cameroon and Ivory Coast	<p><i>Mycosphaerella fijiensis</i> var. <i>difformis</i>, Cameroon Marbling Disease (MLO), <i>Heterodera indicus</i>, <i>Heterodera pararobustus</i>, <i>Hoplolaimus pararobustus</i>, <i>Hoplolaimus indicus</i>, <i>Merlinius brevidens</i> and <i>Scutellonema bradys</i>.</p>	<p>1. Phytosanitary certificate with additional certification on freedom of the regulated pests.</p> <p>2. To endorse the following pre-departure treatment into the Phytosanitary certificate:</p> <p>Treatment : Dipping</p> <p>Chemical : 0.1% a.i. Fenamiphos +0.1%a.i. benomyl</p> <p>(Other equivalence may also be acceptable)</p> <p>Duration : 20 min</p> <p>3. Post-entry Inspection & Quarantine- At premises pre-approved by AVA</p>
	All other countries		<p>1. Phytosanitary certificate</p> <p>2. To endorse the following pre-departure treatment into the Phytosanitary certificate:</p> <p>Treatment : Dipping</p> <p>Chemical : 0.1% a.i. fenamiphos + 0.1% a.i. benomyl</p> <p>(Other equivalence may also be acceptable)</p> <p>Duration : 20 min</p> <p>3. Post-entry Inspection- At premises pre-approved by AVA</p>

Conditions For The Importation of ECONOMIC CROPS Into Singapore

<p>ORCHIDACEAE</p>	<p>Anguilla, Antigua, Aruba, Barbados, Belize, Bolivia, Bonaire, Brazil, Cayman Island, Colombia, Costa Rica, Cuba, Curacao, Dominica, Dominica Rep, Ecuador, El Salvador, French Guyana, Grenada, Guadeloupe, Guatemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Nevis, Nicaragua, Panama, Paraguay, Peru, Puerto Rico, St Kitts, St. Lucia, St Vincent and The Grenadines, Suriname, Tobago, Turks and Caicos Islands, Trinidad, Venezuela, Virgin Islands</p>	<p>Microcyclus ulei</p>	<p>Bare-rooted</p> <p>1 . Phytosanitary certificate with additional certification on freedom of the regulated pests.</p> <p>2. To endorse the following pre-departure treatment into the Phytosanitary certificate:</p> <p>Treatment: dipping</p> <p>Chemical: 0.1% a.i. cypermethrin + 0.1% a.i. fenamiphos + 0.1% a.i. chlorothalonil + 0.1% a.i. benomyl</p> <p>(or other equivalent measures)</p> <p>Duration: 20 min</p> <p>3. Post-entry inspection & quarantine at approved premises approved by AVA</p>
	<p>All other countries</p>		<p>Bare-rooted</p> <p>1 . Phytosanitary certificate</p> <p>2. To endorse the following pre-departure treatment into the Phytosanitary certificate:</p>

			<p>Treatment: dipping Chemical: 0.1% a.i. cypermethrin + 0.1% a.i. benomyl</p> <p>(or other equivalent measures)</p> <p>Duration: 20 min</p> <p>Or</p> <p>Treatment: Spraying: Chemical: 0.1% a.i. cypermethrin + 0.1% a.i. benomyl</p> <p>(or other equivalent measures)</p> <p>3. Post-entry inspection at approved premises approved by AVA</p> <p>Rooted with medium</p> <p>1 . Phytosanitary certificate with additional certification that the medium is free from plant parasitic nematodes or the medium is treated with appropriate nematicides e.g carbofuran or other equivalent nematicides prior to export (or other equivalent measures)</p> <p>2. To endorse the following pre-departure treatment (foliar) into the</p>
--	--	--	---

			<p>Phytosanitary certificate:</p> <p>Treatment: Spraying: Chemical: 0.1% a.i. cypermethrin + 0.1% a.i. benomyl</p> <p>(or other equivalent measures)</p> <p>3. Post-entry inspection at approved premises approved by AVA</p>
--	--	--	---

Conditions For The Importation Of **ECONOMIC CROPS** Into Singapore

<p>RICE (<i>Oryza sativa</i>)</p>	<p>Anguilla, Antigua, Aruba, Barbados, Belize, Bolivia, Bonaire, Brazil, Cayman Island, Colombia, Costa Rica, Cuba, Curacao, Dominica, Dominica Rep., Ecuador, El Salvador, French Guyana, Grenada, Guadeloupe, Guatemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Nevis, Nicaragua, Panama, Paraguay, Peru, Puerto Rico, St. Kitts, St Lucia, St Maarten, St Vincent and The Grenadines, Suriname, Tobago, Turks and Caicos Islands, Trinidad, Venezuela, Virgin Islands.</p>	<p><i>Microcyclus ulei</i>, Rice Dwarf virus, Hoja blanca virus. Rice transitory yellowing virus, Rice yellow mottle virus, wrinkled stunt and witehe's broom virus and <i>Hoplolaimus spp</i></p>	<p>1. Phytosanitary certificate with additional certification on freedom of the regulated pests.</p> <p>2. To endorse the following pre-departure treatment into the Phytosanitary certificate :</p> <p>Treatment: Dipping or Seed Dressing</p> <p>Chemical : 0.1% a.i. fenamiphos + 0.2% a.i. benomyl</p> <p>(Other equivalence may also be acceptable)</p> <p>Duration : 20 min</p> <p>3. Post-entry Inspection & Quarantine- At premises pre-approved by AVA</p>
	<p>All other countries</p>	<p>Rice Dwarf virus, Hoja blanca virus, Rice transitory yellowing virus, Rice yellow mottle virus, wrinkled stunt and witehe's</p>	<p>1. Phytosanitary certificate with additional certification on freedom of the regulated pests.</p> <p>2. To endorse the following pre-departure treatment</p>

		witches' broom virus and <i>Hoplolaimus spp.</i>	into the Phytosanitary certificate: Treatment : Dipping or Seed Dressing Chemical : 0.1% a.i. fenamiphos + 0.2% a.i. benomyl (Other equivalence may also be acceptable) Duration : 20 min 3. Post-entry Inspection & Quarantine- At premises pre-approved by AVA
--	--	--	--

Conditions For The Importation Of **ECONOMIC CROPS** Into Singapore

<p>SUGAR CANE (<i>Saccharum officinarum</i>)</p>	<p>Anguilla, Antigua, Aruba, Barbados, Belize, Bolivia, Bonaire, Brazil, Cayman Island, Colombia, Costa Rica, Cuba, Curacao, Dominica, Dominica Rep., Ecuador, El Salvador, French Guyana, Grenada, Guadeloupe, Guatemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Nevis, Nicaragua, Panama, Paraguay, Peru, Puerto Rico, St. Kitts, St Lucia, St Maarten, St Vincent and The Grenadines, Suriname, Tobago, Turks and Caicos Islands, Trinidad, Venezuela, Virgin Islands.</p>	<p><i>Microcyclus ulei</i>, Dwarf virus, <i>Spiroplasma kunkelii</i>, <i>Heterodera sacchari</i>, <i>Hoplolaimus indicus</i>, <i>Merlinius brevidens</i>, <i>Diatrea abbreviatus</i> and <i>Pratylenchus thornei</i></p>	<p>1. Phytosanitary certificate with additional certification on freedom of the regulated pests.</p> <p>2. To endorse the following pre-departure treatment into the Phytosanitary certificate :</p> <p>Treatment : Hot water treatment</p> <p>Temperature: 52 °C</p> <p>Duration : 2 hours</p> <p>3. Post-entry Inspection & Quarantine- At premises pre-approved by AVA</p>
	<p>Australia, Bahamas, Bermuda, Congo, Jamaica, India, Ivory Coast, Nigeria, Puerto Rico, West Indies, USA</p>	<p>Dwarf virus, <i>Spiroplasma kunkelii</i>, <i>Heterodera sacchari</i>, <i>Hoplolaimus indicus</i>, <i>Merlinius brevidens</i>, <i>Diatrea abbreviatus</i> and</p>	<p>1. Phytosanitary certificate with additional certification on freedom of the regulated pests.</p> <p>2. To endorse the following pre-departure treatment into the Phytosanitary certificate :</p>

	USA	<i>Pratylenchus thornei</i>	Treatment : Hot water treatment Temperature : 52°C Duration : 2 hours 3. Post-entry Inspection & Quarantine- At premises pre-approved by AVA
	All Other Countries		1. Phytosanitary Certificate 2. Post-entry Inspection - At premises pre-approved by AVA

Conditions For The Importation Of **ECONOMIC CROPS** Into Singapore

CACAO (Theobroma spp)	Trinidad and Tobago		Import Risk Analysis Required. Please contact AVA.
	Anguilla, Antigua, Aruba, Barbados, Belize, Bolivia, Bonaire, Brazil, Cayman Island, Colombia, Costa Rica, Cuba, Curacao, Dominica, Dominica Rep., Ecuador, El Salvador, French Guyana, Grenada, Guadeloupe, Guatemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Nevis, Nicaragua, Panama, Paraguay, Peru, Puerto Rico, St. Kitts, St Lucia, St Maarten, St Vincent and The Grenadines, Suriname, Turks and Caicos Islands, Venezuela, Virgin Islands.	<i>Microcyclus ulei</i> , <i>Crinipellis perniciososa</i> (= <i>Marasmius perniciosus</i>), <i>Moniliophthora roreri</i> (= <i>Monilia roreri</i>), <i>Trachysphaera fructigena</i> , Red mottle virus and Yellow vein banding virus	1. Phytosanitary certificate with additional certification on freedom of the regulated pests. 2. To endorse the following pre-departure treatment into the Phytosanitary certificate: Treatment : Dipping Chemical : 0.1% a.i. monocrotophos + 0.1% a.i. benomyl + 0.1% a.i. chlorothalonil (Other equivalence may also be acceptable) Duration : 20min 3. Post-entry Inspection & Quarantine- At premises pre-approved by AVA
	Algeria, Angola, Ascension Island, Bahamas, Bermuda, Benin, Botswana,	<i>Crinipellis perniciososa</i> (= <i>Marasmius perniciosus</i>), <i>Moniliophthora roreri</i> (= <i>Monilia roreri</i>),	1. Phytosanitary certificate with additional certification on freedom of the regulated pests.

	<p>Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Congo (Brazzaville), Congo, Democratic Republic of Cote d'Ivoire, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, Gabon, Gambia, The, Ghana, Guinea, Guinea-Bissau, Kenya, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Morocco, Mozambique, Namibia, Niger, Nigeria, Reunion, Rwanda, Saint Helena Island, Sao Tome and Principe, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Sudan, Swaziland, Tanzania, Togo, Tunisia, Tanzania, Togo, Tunisia, Uganda,</p>	<p><i>Trachysphaera fructigena</i>, Red mottle virus and Yellow vein banding virus</p>	<p>2. To endorse the following pre-departure treatment into the Phytosanitary certificate</p> <p>Treatment : Dipping</p> <p>Chemical: 0.1% a.i. monocrotophos + 0.1% a.i. benomyl</p> <p>(Other equivalence may also be acceptable)</p> <p>Duration : 20 min</p> <p>3. Post-entry Inspection & Quarantine- At premises pre-approved by AVA</p>
--	---	---	---

	Western Sahara, Zambia, Zimbabwe		
	All other countries		<p>1. Phytosanitary certificate</p> <p>2. To endorse the following pre-departure treatment into the Phytosanitary certificate</p> <p>Treatment : Spraying</p> <p>Chemical : 0.1% a.i. monocrotophos + 0.1% a.i. benomyl</p> <p>(Other equivalence may also be acceptable)</p> <p>3. Post-entry Inspection - At premises pre-approved by AVA</p>

Conditions For The Importation Of **ECONOMIC CROPS** Into Singapore

<p>MAIZE (<i>Zea mays</i>) (For planting material only)</p>	<p>Anguilla, Antigua, Aruba, Barbados, Belize, Bolivia, Bonaire, Brazil, Cayman Island, Colombia, Costa Rica, Cuba, Curacao, Dominica, Dominica Rep., Ecuador, El Salvador, French Guyana, Grenada, Guadeloupe, Guatemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Nevis, Nicaragua, Panama, Paraguay, Peru, Puerto Rico, St. Kitts, St Lucia, St Maarten, St Vincent and The Grenadines, Suriname, Tobago, Turks and Caicos Islands, Trinidad, Venezuela, Virgin Islands.</p>	<p><i>Microcyclus ulei</i>, <i>Claviceps gigantea</i>, Maize stripe virus, <i>Corynebacterium nebraskense</i>, <i>Pseudomonas syringae</i>, <i>Cochliobolus carbonum</i> (<i>Drechslera zeicola</i>), <i>Heterodera zaeae</i>, <i>Hoplolaimus colombus</i> and <i>Merlinius brevidens</i></p>	<p>1. Phytosanitary certificate with additional certification on freedom from regulated pests.</p> <p>2. To endorse the following pre- departure treatment into the Phytosanitary certificate:</p> <p>Treatment : Seed Treatment</p> <p>Chemical : 0.4% a.i. TMTD</p> <p>(Other equivalence may also be acceptable)</p> <p>3. Post-entry Inspection & Quarantine- At premises pre-approved by AVA</p>
	<p>Algeria, Angola, Ascension Island, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic,</p>	<p><i>Claviceps gigantea</i>, <i>Maize stripe virus</i>, <i>Corynebacterium nebraskense</i>, <i>Pseudomonas syringae</i>, <i>Cochliobolus</i></p>	<p>1. Phytosanitary certificate with additional certification on freedom from regulated pests.</p> <p>2. To endorse the following pre-departure treatment into the Phytosanitary certificate:</p>

	<p>African Republic, Chad, Comoros, Congo (Brazzaville), Congo, Democratic Republic of Cote d'Ivoire, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, Gabon, Gambia, The Ghana, Guinea, Guinea-Bissau, India, Kenya, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Morocco, Mozambique, Namibia, Niger, Nigeria, Reunion, Rwanda, Saint Helena Island, Sao Tome and Principe, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Sudan, Swaziland, Tanzania, Togo, Tunisia, Uganda, Western Sahara, Zambia and Zimbabwe</p>	<p><i>carbonum (Drechslera zeicola), Heterodera zeae, Hoplolaimus colombus and Merlinius brevidens</i></p>	<p>Treatment : Seed Treatment</p> <p>Chemical : 0.4% a.i. TMTD</p> <p>(Other equivalence may also be acceptable)</p> <p>3. Post-entry Inspection & Quarantine- At premises pre-approved by AVA</p>
--	---	--	--

	All other countries		<ol style="list-style-type: none">1. Phytosanitary certificate2. Post-entry Inspection - At premises pre-approved by AVA
--	---------------------	--	---