

Quelle: <http://ecfr.gpoaccess.gov>

Last amended: Jan 7 2015

e-CFR Data is current as of January 1, 2015

Title 7: Agriculture

PART 361—IMPORTATION OF SEED AND SCREENINGS UNDER THE FEDERAL SEED ACT

Section Contents

- § 361.1 Definitions.
- § 361.2 General restrictions on the importation of seed and screenings.
- § 361.3 Declarations and labeling.
- § 361.4 Inspection at the port of first arrival.
- § 361.5 Sampling of seeds.
- § 361.6 Noxious weed seeds.
- § 361.7 Special provisions for Canadian-origin seed and screenings.
- § 361.8 Cleaning of imported seed and processing of certain Canadian-origin screenings.
- § 361.9 Recordkeeping.
- § 361.10 Costs and charges.

Authority: 7 U.S.C. 1581–1610; 7 CFR 2.22, 2.80, and 371.3.

Source: 62 FR 48460, Sept. 16, 1997, unless otherwise noted.

§ 361.1 Definitions.

Terms used in the singular form in this part shall be construed as the plural, and vice versa, as the case may demand. The following terms, when used in this part, shall be construed, respectively, to mean:

Administrator. The Administrator of the Animal and Plant Health Inspection Service, U.S. Department of Agriculture, or any other individual to whom the Administrator delegates authority to act in his or her stead.

Agricultural seed. The following kinds and varieties of grass, forage, and field crop seed that are used for seeding purposes in the United States:

Agrotricum—x *Agrotriticum* Ciferri and Giacom.

Alfalfa—*Medicago sativa* L.

Alfilaria—*Erodium cicutarium* (L.) L'Her.

Alyceclover—*Alysicarpus vaginalis* (L.) DC.

Bahiagrass—*Paspalum notatum* Fluegge

Barley—*Hordeum vulgare* L.

Barrelclover—*Medicago truncatula* Gaertn.

Bean, adzuki—*Vigna angularis* (Willd.) Ohwi and Ohashi

Bean, field—*Phaseolus vulgaris* L.

Bean, mung—*Vigna radiata* (L.) Wilczek
 Beet, field—*Beta vulgaris* L. subsp. *vulgaris*
 Beet, sugar—*Beta vulgaris* L. subsp. *vulgaris*
 Beggarweed, Florida—*Desmodium tortuosum* (Sw.) DC.
 Bentgrass, colonial—*Agrostis capillaris* L.
 Bentgrass, creeping—*Agrostis stolonifera* L. var. *palustris* (Huds.) Farw.
 Bentgrass, velvet—*Agrostis canina* L.
 Bermudagrass—*Cynodon dactylon* (L.) Pers. var. *dactylon*
 Bermudagrass, giant—*Cynodon dactylon* (L.) Pers. var. *aridus* Harlan and de Wet
 Bluegrass, annual—*Poa annua* L.
 Bluegrass, bulbous—*Poa bulbosa* L.
 Bluegrass, Canada—*Poa compressa* L.
 Bluegrass, glaucantha—*Poa glauca* Vahl
 Bluegrass, Kentucky—*Poa pratensis* L.
 Bluegrass, Nevada—*Poa secunda* J.S. Presl
 Bluegrass, rough—*Poa trivialis* L.
 Bluegrass, Texas—*Poa arachnifera* Torr.
 Bluegrass, wood—*Poa nemoralis* L.
 Bluejoint—*Calamagrostis canadensis* (Michx.) P. Beauv.
 Bluestem, big—*Andropogon gerardii* Vitm. var. *gerardii*
 Bluestem, little—*Schizachyrium scoparium* (Michx.) Nash
 Bluestem, sand—*Andropogon hallii* Hack.
 Bluestem, yellow—*Bothriochloa ischaemum* (L.) Keng
 Bottlebrush-squirreltail—*Elymus elymoides* (Raf.) Swezey
 Brome, field—*Bromus arvensis* L.
 Brome, meadow—*Bromus biebersteinii* Roem. and Schult.
 Brome, mountain—*Bromus marginatus* Steud.
 Brome, smooth—*Bromus inermis* Leyss.
 Broomcorn—*Sorghum bicolor* (L.) Moench
 Buckwheat—*Fagopyrum esculentum* Moench
 Buffalograss—*Buchloe dactyloides* (Nutt.) Engelm.
 Buffelgrass—*Cenchrus ciliaris* L.
 Burclover, California—*Medicago polymorpha* L.
 Burclover, spotted—*Medicago arabica* (L.) Huds.

Burnet, little—*Sanguisorba minor* Scop.
 Buttonclover—*Medicago orbicularis* (L.) Bartal.
 Canarygrass—*Phalaris canariensis* L.
 Canarygrass, reed—*Phalaris arundinacea* L.
 Carpetgrass—*Axonopus fissifolius* (Raddi) Kuhlmann.
 Castorbean—*Ricinus communis* L.
 Chess, soft—*Bromus hordeaceus* L.
 Chickpea—*Cicer arietinum* L.
 Clover, alsike—*Trifolium hybridum* L.
 Clover, arrowleaf—*Trifolium vesiculosum* Savi
 Clover, berseem—*Trifolium alexandrinum* L.
 Clover, cluster—*Trifolium glomeratum* L.
 Clover, crimson—*Trifolium incarnatum* L.
 Clover, Kenya—*Trifolium semipilosum* Fresen.
 Clover, ladino—*Trifolium repens* L.
 Clover, lappa—*Trifolium lappaceum* L.
 Clover, large hop—*Trifolium campestre* Schreb.
 Clover, Persian—*Trifolium resupinatum* L.
 Clover, red or
 Red clover, mammoth—*Trifolium pratense* L.
 Red clover, medium—*Trifolium pratense* L.
 Clover, rose—*Trifolium hirtum* All.
 Clover, small hop or suckling—*Trifolium dubium* Sibth.
 Clover, strawberry—*Trifolium fragiferum* L.
 Clover, sub or subterranean—*Trifolium subterraneum* L.
 Clover, white—*Trifolium repens* L. (also see Clover, ladino)
 Clover—(also see Alyceclover, Burclover, Buttonclover, Sourclover,
 Sweetclover)
 Corn, field—*Zea mays* L.
 Corn, pop—*Zea mays* L.
 Cotton—*Gossypium* spp.
 Cowpea—*Vigna unguiculata* (L.) Walp. subsp. *unguiculata*
 Crambe—*Crambe abyssinica* R.E. Fries
 Crested dogtail—*Cynosurus cristatus* L.

Crotalaria, lance—*Crotalaria lanceolata* E. Mey.
 Crotalaria, showy—*Crotalaria spectabilis* Roth
 Crotalaria, slenderleaf—*Crotalaria brevidens* Benth. var. *intermedia* (Kotschy) Polh.
 Crotalaria, striped or smooth—*Crotalaria pallida* Ait.
 Crotalaria, sunn—*Crotalaria juncea* L.
 Crownvetch—*Coronilla varia* L.
 Dallisgrass—*Paspalum dilatatum* Poir.
 Dichondra—*Dichondra repens* Forst. and Forst. f.
 Dropseed, sand—*Sporobolus cryptandrus* (Torr.) A. Gray
 Emmer—*Triticum dicoccon* Schrank
 Fescue, chewings—*Festuca rubra* L. subsp. *commutata* Gaud.
 Fescue, hair—*Festuca tenuifolia* Sibth.
 Fescue, hard—*Festuca brevipila* Tracey
 Fescue, meadow—*Festuca pratensis* Huds.
 Fescue, red—*Festuca rubra* L. subsp. *rubra*
 Fescue, sheep—*Festuca ovina* L. var. *ovina*
 Fescue, tall—*Festuca arundinacea* Schreb.
 Flax—*Linum usitatissimum* L.
 Galletagrass—*Hilaria jamesii* (Torr.) Benth.
 Grama, blue—*Bouteloua gracilis* (Kunth) Steud.
 Grama, side-oats—*Bouteloua curtipendula* (Michx.) Torr.
 Guar—*Cyamopsis tetragonoloba* (L.) Taub.
 Guineagrass—*Panicum maximum* Jacq. var. *maximum*
 Hardinggrass—*Phalaris stenoptera* Hack.
 Hemp—*Cannabis sativa* L.
 Indiangrass, yellow—*Sorghastrum nutans* (L.) Nash
 Indigo, hairy—*Indigofera hirsuta* L.
 Japanese lawngrass—*Zoysia japonica* Steud.
 Johnsongrass—*Sorghum halepense* (L.) Pers.
 Kenaf—*Hibiscus cannabinus* L.
 Kochia, forage—*Kochia prostrata* (L.) Schrad.
 Kudzu—*Pueraria montana* (Lour.) Merr. var. *lobata* (Willd.) Maesen and S. Almeida
 Lentil—*Lens culinaris* Medik.
 Lespedeza, Korean—*Kummerowia stipulacea* (Maxim.) Makino

Lespedeza, sericea or Chinese—*Lespedeza cuneata* (Dum.-Cours.) G. Don
 Lespedeza, Siberian—*Lespedeza juncea* (L. f.) Pers.
 Lespedeza, striate—*Kummerowia striata* (Thunb.) Schindler
 Lovegrass, sand—*Eragrostis trichodes* (Nutt.) Wood
 Lovegrass, weeping—*Eragrostis curvula* (Schrad.) Nees
 Lupine, blue—*Lupinus angustifolius* L.
 Lupine, white—*Lupinus albus* L.
 Lupine, yellow—*Lupinus luteus* L.
 Manilagrass—*Zoysia matrella* (L.) Merr.
 Meadow foxtail—*Alopecurus pratensis* L.
 Medic, black—*Medicago lupulina* L.
 Milkvetch or cicer milkvetch—*Astragalus cicer* L.
 Millet, browntop—*Brachiaria ramosa* (L.) Stapf
 Millet, foxtail—*Setaria italica* (L.) Beauv.
 Millet, Japanese—*Echinochloa frumentacea* Link
 Millet, pearl—*Pennisetum glaucum* (L.) R. Br.
 Millet, proso—*Panicum miliaceum* L.
 Molassesgrass—*Melinis minutiflora* Beauv.
 Mustard, black—*Brassica nigra* (L.) Koch
 Mustard, India—*Brassica juncea* (L.) Czernj. and Coss.
 Mustard, white—*Sinapis alba* L.
 Napiergrass—*Pennisetum purpureum* Schumach.
 Needlegrass, green—*Stipa viridula* Trin.
 Oat—*Avena byzantina* C. Koch, *A. sativa* L., *A. nuda* L.
 Oatgrass, tall—*Arrhenatherum elatius* (L.) J.S. Presl and K.B. Presl
 Orchardgrass—*Dactylis glomerata* L.
 Panicgrass, blue—*Panicum antidotale* Retz.
 Panicgrass, green—*Panicum maximum* Jacq. var. *trichoglume* Robyns
 Pea, field—*Pisum sativum* L.
 Peanut—*Arachis hypogaea* L.
 Poa trivialis—(see Bluegrass, rough)
 Rape, annual—*Brassica napus* L. var. *annua* Koch
 Rape, bird—*Brassica rapa* L. subsp. *rapa*
 Rape, turnip—*Brassica rapa* L. subsp. *silvestris* (Lam.) Janchen

- Rape, winter—*Brassica napus* L. var. *biennis* (Schubl. and Mart.) Reichb.
- Redtop—*Agrostis gigantea* Roth
- Rescuegrass—*Bromus catharticus* Vahl
- Rhodesgrass—*Chloris gayana* Kunth
- Rice—*Oryza sativa* L.
- Ricegrass, Indian—*Oryzopsis hymenoides* (Roem. and Schult.) Ricker
- Roughpea—*Lathyrus hirsutus* L.
- Rye—*Secale cereale* L.
- Rye, mountain—*Secale strictum* (K.B. Presl) K.B. Presl subsp. *strictum*
- Ryegrass, annual or Italian—*Lolium multiflorum* Lam.
- Ryegrass, intermediate—*Lolium*×*hybridum* Hausskn.
- Ryegrass, perennial—*Lolium perenne* L.
- Ryegrass, Wimmera—*Lolium rigidum* Gaud.
- Safflower—*Carthamus tinctorius* L.
- Sagewort, Louisiana—*Artemisia ludoviciana* Nutt.
- Sainfoin—*Onobrychis viciifolia* Scop.
- Saltbush, fourwing—*Atriplex canescens* (Pursh) Nutt.
- Sesame—*Sesamum indicum* L.
- Sesbania—*Sesbania exaltata* (Raf.) A.W. Hill
- Smilo—*Piptatherum miliaceum* (L.) Coss.
- Sorghum—*Sorghum bicolor* (L.) Moench
- Sorghum alnum—*Sorghum*×*almum* L. Parodi
- Sorghum-sudangrass—*Sorghum*×*drummondii* (Steud.) Millsp. and Chase
- Sorghgrass—*Rhizomatous* derivatives of a johnsongrass×sorghum cross or a johnsongrass×sudangrass cross Southernpea—(See Cowpea)
- Sourclover—*Melilotus indicus* (L.) All.
- Soybean—*Glycine max* (L.) Merr.
- Spelt—*Triticum spelta* L.
- Sudangrass—*Sorghum*×*drummondii* (Steud.) Millsp. and Chase
- Sunflower—*Helianthus annuus* L.
- Sweetclover, white—*Melilotus albus* Medik.
- Sweetclover, yellow—*Melilotus officinalis* Lam.
- Sweet vernalgrass—*Anthoxanthum odoratum* L.
- Sweetvetch, northern—*Hedysarum boreale* Nutt.

Switchgrass—*Panicum virgatum* L.

Timothy—*Phleum pratense* L.

Timothy, turf—*Phleum bertolonii* DC.

Tobacco—*Nicotiana tabacum* L.

Trefoil, big—*Lotus uliginosus* Schk.

Trefoil, birdsfoot—*Lotus corniculatus* L.

Triticale—x *Triticosecale* Wittm. (Secale x Triticum)

Vaseygrass—*Paspalum urvillei* Steud.

Veldtgrass—*Ehrharta calycina* J.E. Smith

Velvetbean—*Mucuna pruriens* (L.) DC. var. *utilis* (Wight) Burck

Velvetgrass—*Holcus lanatus* L.

Vetch, common—*Vicia sativa* L. subsp. *sativa*

Vetch, hairy—*Vicia villosa* Roth subsp. *villosa*

Vetch, Hungarian—*Vicia pannonica* Crantz

Vetch, monantha—*Vicia articulata* Hornem.

Vetch, narrowleaf or blackpod—*Vicia sativa* L. subsp. *nigra* (L.) Ehrh.

Vetch, purple—*Vicia benghalensis* L.

Vetch, woollypod or winter—*Vicia villosa* Roth subsp. *varia* (Host) Corb.

Wheat, common—*Triticum aestivum* L.

Wheat, club—*Triticum compactum* Host

Wheat, durum—*Triticum durum* Desf.

Wheat, Polish—*Triticum polonicum* L.

Wheat, poulard—*Triticum turgidum* L.

Wheat x Agroticum—*Triticum* x *Agroticum*

Wheatgrass, beardless—*Pseudoroegneria spicata* (Pursh) A. Love

Wheatgrass, crested or fairway crested—*Agropyron cristatum* (L.) Gaertn.

Wheatgrass, crested or standard crested—*Agropyron desertorum* (Link) Schult.

Wheatgrass, intermediate—*Elytrigia intermedia* (Host) Nevski subsp. *intermedia*

Wheatgrass, pubescent—*Elytrigia intermedia* (Host) Nevski subsp. *intermedia*

Wheatgrass, Siberian—*Agropyron fragile* (Roth) Candargy subsp. *sibiricum* (Willd.) Meld.

Wheatgrass, slender—*Elymus trachycaulus* (Link) Shinn.

Wheatgrass, streambank—*Elymus lanceolatus* (Scribn. and J.G. Smith) Gould subsp. *lanceolatus*

Wheatgrass, tall—*Elytrigia elongata* (Host) Nevski

Wheatgrass, western—*Pascopyrum smithii* (Rydb.) A. Love

Wildrye, basin—*Leymus cinereus* (Scribn. and Merr.) A. Love

Wildrye, Canada—*Elymus canadensis* L.

Wildrye, Russian—*Psathyrostachys juncea* (Fisch.) Nevski

Zoysia japonica—(see Japanese lawngrass)

Zoysia matrella—(see Manilagrass)

Animal and Plant Health Inspection Service (APHIS). The Animal and Plant Health Inspection Service of the U.S. Department of Agriculture.

APHIS inspector. Any employee of the Animal and Plant Health Inspection Service or any other individual authorized by the Administrator to enforce this part.

Coated Seed. Any seed unit covered with any substance that changes the size, shape, or weight of the original seed. Seeds coated with ingredients such as, but not limited to, rhizobia, dyes, and pesticides are excluded.

Declaration. A written statement of a grower, shipper, processor, dealer, or importer giving for any lot of seed the kind, variety, type, origin, or the use for which the seed is intended.

Hybrid. When applied to kinds or varieties of seed means the first generation seed of a cross produced by controlling the pollination and by combining two or more inbred lines; one inbred or a single cross with an open-pollinated variety; or two selected clones, seed lines, varieties, or species. "Controlling the pollination" means to use a method of hybridization that will produce pure seed that is at least 75 percent hybrid seed. Hybrid designations shall be treated as variety names.

Import/importation. To bring into the territorial limits of the United States.

Kind. One or more related species or subspecies that singly or collectively is known by one common name, e.g., soybean, flax, or carrot.

Lot of seed. A definite quantity of seed identified by a lot number, every portion or bag of which is uniform, within permitted tolerances, for the factors that appear in the labeling.

Mixture. Seeds consisting of more than one kind or variety, each present in excess of 5 percent of the whole.

Official seed laboratory. An official laboratory member of the Association of Official Seed Analysts.

Pelleted seed. Any seed unit covered with a substance that changes the size, shape, or weight of the original seed in order to improve the plantability or singulation of the seed.

Person. Any individual, partnership, corporation, company, society, association, receiver, trustee, or other legal entity or organized group.

Port of first arrival. The land area (such as a seaport, airport, or land border station) where a person, or a land, water, or air vehicle, first arrives after entering the territorial limits of the United States, and where inspection of articles is carried out by APHIS inspectors.

Registered seed technologist. A registered member of the Society of Commercial Seed Technologists.

Screenings. Chaff, sterile florets, immature seed, weed seed, inert matter, and any other materials removed in any way from any seeds in any kind of cleaning or processing and which contains less than 25 percent of live agricultural or vegetable seeds.

State. Any State, the District of Columbia, American Samoa, Guam, the Northern Mariana Islands, Puerto Rico, the Virgin Islands of the United States, and any other territory or possession of the United States.

United States. All of the States.

Variety. A subdivision of a kind which is characterized by growth, plant, fruit, seed, or other characteristics by which it can be differentiated from other sorts of the same kind.

Vegetable seed. The seed of the following kinds and varieties that are or may be grown in gardens or on truck farms and are or may be generally known and sold under the name of vegetable seed:

Artichoke—*Cynara cardunculus* L. subsp. *cardunculus*

Asparagus—*Asparagus officinalis* Baker

Asparagusbean or yard-long bean—*Vigna unguiculata* (L.) Walp. subsp. *sesquipedalis* (L.) Verdc.

Bean, garden—*Phaseolus vulgaris* L.

Bean, lima—*Phaseolus lunatus* L.

Bean, runner or scarlet runner—*Phaseolus coccineus* L.

Beet—*Beta vulgaris* L. subsp. *vulgaris*

Broadbean—*Vicia faba* L.

Broccoli—*Brassica oleracea* L. var. *botrytis* L.

Brussels sprouts—*Brassica oleracea* L. var. *gemmifera* DC.

Burdock, great—*Arctium lappa* L.

Cabbage—*Brassica oleracea* L. var. *capitata* L.

Cabbage, Chinese—*Brassica rapa* L. subsp. *pekinensis* (Lour.) Hanelt

Cabbage, tronchuda—*Brassica oleracea* L. var. *costata* DC.

Cantaloupe—(see Melon)

Cardoon—*Cynara cardunculus* L. subsp. *cardunculus*

Carrot—*Daucus carota* L. subsp. *sativus* (Hoffm.) Arcang.

Cauliflower—*Brassica oleracea* L. var. *botrytis* L.

Celeriac—*Apium graveolens* L. var. *rapaceum* (Mill.) Gaud.

Celery—*Apium graveolens* L. var. *dulce* (Mill.) Pers.

Chard, Swiss—*Beta vulgaris* L. subsp. *cicla* (L.) Koch

Chicory—*Cichorium intybus* L.

Chives—*Allium schoenoprasum* L.

Citron—*Citrullus lanatus* (Thunb.) Matsum. and Nakai var. *citroides* (Bailey) Mansf.

Collards—*Brassica oleracea* L. var. *acephala* DC.

Corn, sweet—*Zea mays* L.

Cornsalad—*Valerianella locusta* (L.) Laterrade

Cowpea—*Vigna unguiculata* (L.) Walp. subsp. *unguiculata*
 Cress, garden—*Lepidium sativum* L.
 Cress, upland—*Barbarea verna* (Mill.) Asch.
 Cress, water—*Rorippa nasturtium-aquaticum* (L.) Hayek
 Cucumber—*Cucumis sativus* L.
 Dandelion—*Taraxacum officinale* Wigg.
 Dill—*Anethum graveolens* L.
 Eggplant—*Solanum melongena* L.
 Endive—*Cichorium endivia* L.
 Gherkin, West India—*Cucumis anguria* L.
 Kale—*Brassica oleracea* L. var. *acephala* DC.
 Kale, Chinese—*Brassica oleracea* L. var. *alboglabra* (Bailey) Musil
 Kale, Siberian—*Brassica napus* L. var. *pabularia* (DC.) Reichb.
 Kohlrabi—*Brassica oleracea* L. var. *gongylodes* L.
 Leek—*Allium porrum* L.
 Lettuce—*Lactuca sativa* L.
 Melon—*Cucumis melo* L.
 Muskmelon—(see Melon).
 Mustard, India—*Brassica juncea* (L.) Czernj. and Coss.
 Mustard, spinach—*Brassica perviridis* (Bailey) Bailey
 Okra—*Abelmoschus esculentus* (L.) Moench
 Onion—*Allium cepa* L.
 Onion, Welsh—*Allium fistulosum* L.
 Pak-choi—*Brassica rapa* L. subsp. *chinensis* (L.) Hanelt
 Parsley—*Petroselinum crispum* (Mill.) A.W. Hill
 Parsnip—*Pastinaca sativa* L.
 Pea—*Pisum sativum* L.
 Pepper—*Capsicum* spp.
 Pe-tsai—(see Chinese cabbage).
 Pumpkin—*Cucurbita pepo* L., *C. moschata* (Duchesne) Poiret, and *C. maxima* Duchesne
 Radish—*Raphanus sativus* L.
 Rhubarb—*Rheum rhabarbarum* L.
 Rutabaga—*Brassica napus* L. var. *napobrassica* (L.) Reichb.
 Sage—*Salvia officinalis* L.

Salsify—*Tragopogon porrifolius* L.

Savory, summer—*Satureja hortensis* L.

Sorrel—*Rumex acetosa* L.

Southernpea—(see Cowpea).

Soybean—*Glycine max* (L.) Merr.

Spinach—*Spinacia oleracea* L.

Spinach, New Zealand—*Tetragonia tetragonioides* (Pall.) Ktze.

Squash—*Cucurbita pepo* L., *C. moschata* (Duchesne) Poiret, and *C. maxima* Duchesne

Tomato—*Lycopersicon esculentum* Mill.

Tomato, husk—*Physalis pubescens* L.

Turnip—*Brassica rapa* L. subsp. *rapa*

Watermelon—*Citrullus lanatus* (Thunb.) Matsum. and Nakai var. *lanatus*

§ 361.2 General restrictions on the importation of seed and screenings.

(a) The regulations in this part preempt State and local laws regarding seed and screenings imported into the United States while the seed and screenings are in foreign commerce. Seed and screenings imported for immediate distribution and sale to the consuming public remain in foreign commerce until sold to the ultimate consumer. The question of when foreign commerce ceases in other cases must be considered on a case-by-case basis.

(b) No person shall import any agricultural seed, vegetable seed, or screenings into the United States unless the importation is in compliance with this part.

(c) Any agricultural seed, vegetable seed, or screenings imported into the United States not in compliance with this part shall be subject to exportation, destruction, disposal, or any remedial measures that the Administrator determines are necessary to prevent the dissemination into the United States of noxious weeds.

(d) Except as provided in §361.7(b), **and in addition to the restrictions of § 319.37–3(a)(7)**, coated or pelleted seed, **or seed that is embedded in a substrate that obscures visibility** may enter the United States only if each lot of seed is accompanied by an officially drawn and sealed sample of seed drawn from the lot before the seed was coated or pelleted. The sample must be drawn in a manner consistent with that described in §361.5 of this part.

(e) Except as provided in §§361.4(a)(3) and 361.7(c), screenings of all agricultural seed and vegetable seed are prohibited entry into the United States.

[62 FR 48460, Sept. 16, 1997, as amended at 74 FR 53400, Oct. 19, 2009; 79 FR 74594 December 16, 2014]

§ 361.3 Declarations and labeling.

(a) All lots of agricultural seed, vegetable seed, and screenings imported into the United States must be accompanied by a declaration from the importer of the seed or screenings. The declaration must state the kind, variety, and origin of each lot of seed or screenings and the use for which the seed or screenings are being imported.

(b) Each container of agricultural seed and vegetable seed imported into the United States for seeding (planting) purposes must be labeled to indicate the identification code or designation for the lot of seed; the name of each kind or kind and variety of agricultural seed or the name of each kind and variety of vegetable seed present in the lot in excess of 5 percent of the whole; and the designation "hybrid" when the lot contains hybrid seed. Kind and variety names used on the label shall conform to the kind and variety names used in the definitions of "agricultural seed" and "vegetable seed" in §361.1. If any seed in the lot has been treated, each container must be further labeled, in type no smaller than 8 point, as follows:

(1) The label must indicate that the seed has been treated and provide the name of the substance or process used to treat the seed. Substance names used on the label shall be the commonly accepted coined, chemical (generic), or abbreviated chemical name.

(i) Commonly accepted coined names are commonly recognized as names of particular substances, e.g., thiram, captan, lindane, and dichlone.

(ii) Examples of commonly accepted chemical (generic) names are blue-stone, calcium carbonate, cuprous oxide, zinc hydroxide, hexachlorobenzene, and ethyl mercury acetate. The terms "mercury" or "mercurial" may be used in labeling all types of mercurials.

(iii) Examples of commonly accepted abbreviated chemical names are BHC (1,2,3,4,5,6-Hexachlorocyclohexane) and DDT (dichloro diphenyl trichloroethane).

(2) If the seed has been treated with a mercurial or similarly toxic substance harmful to humans and vertebrate animals, the label must include a representation of a skull and crossbones and a statement indicating that the seed has been treated with poison. The skull and crossbones must be at least twice the size of the type used for the information provided on the label, and the poison warning statement must be written in red letters on a background of distinctly contrasting color. Mercurials and similarly toxic substances include the following:

Aldrin, technical

Demeton

Dieldrin

p-Dimethylaminobenzenediazo sodium sulfonate

Endrin

Ethion

Heptachlor

Mercurials, all types

Parathion

Phorate

Toxaphene

O-O-Diethyl-O-(isopropyl-4-methyl-6-pyrimidyl) thiophosphate

O,O-Diethyl-S-2-(ethylthio) ethyl phosphorodithioate

(3) If the seed has been treated with a substance other than one classified as a mercurial or similarly toxic substance under paragraph (b)(2) of this section, and the amount remaining with the seed is harmful to humans or other vertebrate animals, the label must indicate that the seed is not to be used

for food, feed, or oil purposes. Any amount of any substance used to treat the seed that remains with the seed will be considered harmful when the seed is in containers of more than 4 ounces, except that the following substances will not be deemed harmful when present at a rate less than the number of parts per million (p/m) indicated:

Allethrin—2 p/m

Malathion—8 p/m

Methoxychlor—2 p/m

Piperonyl butoxide—20 p/m (8 p/m on oat and sorghum)

Pyrethrins—3 p/m (1 p/m on oat and sorghum)

(c) In the case of seed in bulk, the information required under paragraph (b) of this section shall appear in the invoice or other records accompanying and pertaining to such seed. If the seed is in containers and in quantities of 20,000 pounds or more, regardless of the number of lots included, the information required on each container under paragraph (b) of this section need not be shown on each container if each container has stenciled upon it or bears a label containing a lot designation and the invoice or other records accompanying and pertaining to such seed bear the various statements required for the respective seeds.

(d) Each container of agricultural seed and vegetable seed imported into the United States for cleaning need not be labeled to show the information required under paragraph (b) of this section if:

(1) The seed is in bulk;

(2) The seed is in containers and in quantities of 20,000 pounds or more, regardless of the number of lots involved, and the invoice or other records accompanying and pertaining to the seed show that the seed is for cleaning; or

(3) The seed is in containers and in quantities of less than 20,000 pounds, and each container carries a label that bears the words "Seed for cleaning."

§ 361.4 Inspection at the port of first arrival.

(a) All agricultural seed, vegetable seed, and screenings imported into the United States shall be made available for examination by an APHIS inspector at the port of first arrival and shall remain at the port of first arrival until released by an APHIS inspector. Lots of agricultural seed, vegetable seed, or screenings may enter the United States without meeting the sampling requirements of paragraph (b) of this section if the lot is:

(1) Seed that is not being imported for seeding (planting) purposes and the declaration required by §361.3(a) states the purpose for which the seed is being imported;

(2) Seed that is being shipped in bond through the United States;

(3) Screenings from seeds of wheat, oats, barley, rye, buckwheat, field corn, sorghum, broomcorn, flax, millet, proso, soybeans, cowpeas, field peas, or field beans that are not being imported for seeding (planting) purposes and the declaration accompanying the screenings as required under §361.2(a) indicates that the screenings are being imported for processing or manufacturing purposes;

(4) Seed that is being imported for sowing for experimental or breeding purposes, is not for sale, is limited in quantity to the amount indicated in column 3 of table 1 of §361.5, and is accompanied by a

declaration stating the purpose for which it is being imported (seed imported for increase purposes only will not be considered as being imported for experimental or breeding purposes); or

(5) Seed that was grown in the United States, exported, and is now returning to the United States, provided that the person importing the seed into the United States furnishes APHIS with the following documentation:

(i) Export documents indicating the quantity of seed and number of containers, the date of exportation from the United States, the distinguishing marks on the containers at the time of exportation, and the name and address of the United States exporter;

(ii) A document issued by a Customs or other government official of the country to which the seed was exported indicating that the seed was not admitted into the commerce of that country; and

(iii) A document issued by a Customs or other government official of the country to which the seed was exported indicating that the seed was not commingled with other seed after being exported to that country.

(b) Except as provided in §§361.5(a)(2) and 361.7, samples will be taken from all agricultural seed and vegetable seed imported into the United States for seeding (planting) purposes prior to being released into the commerce of the United States.

(1) Samples of seed will be taken from each lot of seed in accordance with §361.5 to determine whether any seeds of noxious weeds listed in §361.6(a) are present. If seeds of noxious weeds are present at a level higher than the tolerances set forth in §361.6(b), the lot of seed will be deemed to be adulterated and will be rejected for entry into the United States for seeding (planting) purposes. Once deemed adulterated, the lot of seed must be:

(i) Exported from the United States;

(ii) Destroyed under the monitoring of an APHIS inspector;

(iii) Cleaned under APHIS monitoring at a seed-cleaning facility that is operated in accordance with §361.8(a); or

(iv) If the lot of seed is adulterated with the seeds of a noxious weed listed in §361.6(a)(2), the seed may be allowed entry into the United States for feeding or manufacturing purposes, provided the importer withdraws the original declaration and files a new declaration stating that the seed is being imported for feeding or manufacturing purposes and that no part of the seed will be used for seeding (planting) purposes.

(2) Seed deemed adulterated may not be mixed with any other seed unless the Administrator determines that two or more lots of seed deemed adulterated are of substantially the same quality and origin. In such cases, the Administrator may allow the adulterated lots of seed to be mixed for cleaning as provided in paragraph (b)(1)(iii) of this section.

(3) If the labeling of a lot of seed is false or misleading in any respect, the seed will be rejected for entry into the United States. A falsely labeled lot of seed must be:

(i) Exported from the United States;

(ii) Destroyed under the monitoring of an APHIS inspector; or

(iii) The seed may be allowed entry into the United States if the labeling is corrected under the monitoring of an APHIS inspector to accurately reflect the character of the lot of seed.

§ 361.5 Sampling of seeds.

(a) *Sample sizes.* As provided in §361.4(b), samples of seed will be taken from each lot of seed being imported for seeding (planting) purposes to determine whether any seeds of noxious weeds listed in §361.6(a) are present. The samples shall be drawn in the manner described in paragraphs (b) and (c) of this section. Unused portions of samples of rare or expensive seeds will be returned by APHIS upon request of the importer.

(1) A minimum sample of not less than 1 quart shall be drawn from each lot of agricultural seed; a minimum sample of not less than 1 pint shall be drawn from each lot of vegetable seed, except that a sample of 1/4 pint will be sufficient for a vegetable seed importation of 5 pounds or less. The minimum sample shall be divided repeatedly until a working sample of proper weight has been obtained. If a mechanical divider cannot be used or is not available, the sample shall be thoroughly mixed, then placed in a pile; the pile shall be divided repeatedly into halves until a working sample of the proper weight remains. The weights of the working samples for noxious weed examination for each lot of seed are shown in column 1 of table 1 of this section. If the lot of seed is a mixture, the following methods shall be used to determine the weight of the working sample:

(i) If the lot of seed is a mixture consisting of one predominant kind of seed or a group of kinds of similar size, the weight of the working sample shall be the weight shown in column 1 of table 1 of this section for the kind or group of kinds that comprises more than 50 percent of the sample.

(ii) If the lot of seed is a mixture consisting of two or more kinds or groups of kinds of different sizes, none of which comprises over 50 percent of the sample, the weight of the working sample shall be the weighted average (to the nearest half gram) of the weight shown in column 1 of table 1 of this section for each of the kinds that comprise the sample, as determined by the following method:

(A) Multiply the percentage of each component of the mixture (rounded off to the nearest whole number) by the sample sizes shown in column 1 of table 1 of this section;

(B) Add all these products;

(C) Total the percentages of all components of the mixtures; and

(D) Divide the sum in paragraph (a)(1)(ii)(B) of this section by the total in paragraph (a)(1)(ii)(C) of this section.

(2) It is not ordinarily practical to sample and test small lots of seed offered for entry. The maximum sizes of lots of each kind of seed not ordinarily sampled are shown in column 2 of table 1 of this section.

(3) The maximum sizes of lots of each kind of seed allowed entry without sampling for sowing for experimental or breeding purposes as provided in §361.4(a)(4) are shown in column 3 of table 1 of this section.

Table 1

Name of seed	Working weight for noxious weed examination(grams) (1)	Maximum weight of seed lot not ordinarily sampled (pounds) (2)	Maximum weight of seed lot permitted entry for experimental or breeding purposes without sampling (pounds) (3)
VEGETABLE SEED:			
Artichoke.....	500	25	50
Asparagus.....	500	25	50
Asparagusbean.....	500	25	50
Bean.....		25	200
Garden.....	500	100	500
Lima.....	500	25	200
Runner.....	500	25	200
Beet.....	300	25	50
Broadbean.....	500	25	200
Broccoli.....	50	5	10
Brussels sprouts.....	50	5	10
Burdock, great.....	150	10	50
Cabbage.....	50	5	10
Cabbage, Chinese.....	50	5	10
Cabbage, tronchuda.....	100	5	10
Cantaloupe (see Melon).....			
Cardoon.....	500	25	50
Carrot.....	50	5	10
Cauliflower.....	50	5	10
Celeriac.....	25	5	10
Celery.....	25	5	10
Chard, Swiss.....	300	25	50
Chicory.....	50	5	10
Chives.....	50	5	10
Citron.....	500	25	50
Collards.....	50	5	10

Corn, sweet.....	500	25	200
Cornsalad.....	50	5	10
Cowpea.....	500	25	200
Cress, garden.....	50	5	10
Cress, upland.....	35	5	10
Cress, water.....	25	5	10
Cucumber.....	500	25	50
Dandelion.....	35	5	10
Dill.....	50	5	10
Eggplant.....	50	5	10
Endive.....	50	5	10
Gherkin, West India.....	160	25	50
Kale.....	50	5	10
Kale, Chinese.....	50	5	10
Kale, Siberian.....	80	5	10
Kohlrabi.....	50	5	10
Leek.....	50	5	10
Lettuce.....	50	5	10
Melon.....	500	25	50
Mustard, India.....	50	25	100
Mustard, spinach.....	50	5	10
Okra.....	500	25	50
Onion.....	50	5	10
Onion, Welsh.....	50	5	10
Pak-choi.....	50	5	10
Parsley.....	50	5	10
Parsnip.....	50	5	10
Pea.....	500	25	200
Pepper.....	150	5	10
Pumpkin.....	500	25	50
Radish.....	300	25	50
Rhubarb.....	300	5	10
Rutabaga.....	50	5	10

Sage.....	150	25	50
Salsify.....	300	25	50
Savory, summer.....	35	5	10
Sorrel.....	35	5	10
Soybean.....	500	25	200
Spinach.....	150	25	50
Spinach, New Zealand.....	500	25	50
Squash.....	500	25	50
Tomato.....	50	5	10
Tomato, husk.....	35	5	10
Turnip.....	50	5	10
Watermelon.....	500	25	50
AGRICULTURAL SEED:			
Agrotricum.....	500	100	500
Alfalfa.....	50	25	100
Alfilaria.....	50	25	100
Alyceclover.....	50	25	100
Bahiagrass.....	50	25	100
Barrelclover.....	100	25	100
Barley.....	500	100	500
Bean, adzuki.....	500	100	500
Bean, field.....	500	100	500
Bean, mung.....	500	100	500
Bean (see Velvetbean).....			
Beet, field.....	500	100	500
Beet, sugar.....	500	100	1,000
Beggarweed.....	50	25	100
Bentgrass, colonial.....	2.5	25	100
Bentgrass, creeping.....	2.5	25	100
Bentgrass, velvet.....	2.5	25	100
Bermudagrass.....	10	25	100
Bermudagrass, giant.....	10	25	100
Bluegrass, annual.....	10	25	100
Bluegrass, bulbous.....	40	25	100

Bluegrass, Canada.....	5	25	100
Bluegrass, glaucantha.....	10	25	100
Bluegrass, Kentucky.....	10	25	100
Bluegrass, Nevada.....	10	25	100
Bluegrass, rough.....	5	25	100
Bluegrass, Texas.....	10	25	100
Bluegrass, wood.....	5	25	100
Bluejoint.....	5	25	100
Bluestem, big.....	70	25	100
Bluestem, little.....	50	25	100
Bluestem, sand.....	100	25	100
Bluestem, yellow.....	10	25	100
Bottlebrush-squirreltail.....	90	25	100
Brome, field.....	50	25	100
Brome, meadow.....	130	25	100
Brome, mountain.....	200	25	100
Brome, smooth.....	70	25	100
Broomcorn.....	400	100	500
Buckwheat.....	500	100	500
Buffalograss:			
(Burs).....	200	25	100
(Caryopses).....	30	25	100
Buffelgrass:			
(Fascicles).....	66	25	100
(Caryopses).....	20	25	100
Burclover, California:			
(In bur).....	500	100	500
(Out of bur).....	70	25	100
Burclover, spotted:			
(In bur).....	500	100	500
(Out of bur).....	50	25	100
Burnet, little.....	250	25	100
Buttonclover.....	70	25	100
Canarygrass.....	200	25	100

Canarygrass, reed.....	20	25	100
Carpetgrass.....	10	25	100
Castorbean.....	500	100	500
Chess, soft.....	50	25	100
Chickpea.....	500	100	500
Clover, alsike.....	20	25	100
Clover, arrowleaf.....	40	25	100
Clover, berseem.....	50	25	100
Clover, cluster.....	10	25	100
Clover, crimson.....	100	25	100
Clover, Kenya.....	20	25	100
Clover, Ladino.....	20	25	100
Clover, Lappa.....	20	25	100
Clover, large hop.....	10	25	100
Clover, Persian.....	20	25	100
Clover, red.....	50	25	100
Clover, rose.....	70	25	100
Clover, small hop (suckling).....	20	25	100
Clover, strawberry.....	50	25	100
Clover, sub (subterranean).....	250	25	100
Clover, white.....	20	25	100
Corn, field.....	500	100	1,000
Corn, pop.....	500	100	1,000
Cotton.....	500	100	500
Cowpea.....	500	100	500
Crambe.....	250	25	100
Crested dogtail.....	20	25	100
Crotalaria, lance.....	70	25	100
Crotalaria, showy.....	250	25	100
Crotalaria, slenderleaf.....	100	25	100
Crotalaria, striped.....	100	25	100
Crotalaria, Sunn.....	500	25	100
Crownvetch.....	100	25	100
Dallisgrass.....	40	25	100

Dichondra.....	50	25	100
Dropseed, sand.....	2.5	25	100
Emmer.....	500	100	500
Fescue, Chewings.....	30	25	100
Fescue, hair.....	10	25	100
Fescue, hard.....	20	25	100
Fescue, meadow.....	50	25	100
Fescue, red.....	30	25	100
Fescue, sheep.....	20	25	100
Fescue, tall.....	50	25	100
Flax.....	150	25	100
Galletagrass:			
(Other than caryopses).....	100	25	100
(Caryopses).....	50	25	100
Grama, blue.....	20	25	100
Grama, side-oats:			
(Other than caryopses).....	60	25	100
(Caryopses).....	20	25	100
Guar.....	500	25	100
Guineagrass.....	20	25	100
Hardinggrass.....	30	25	100
Hemp.....	500	100	500
Indiangrass, yellow.....	70	25	100
Indigo, hairy.....	70	25	100
Japanese lawnglass.....	20	25	100
Johnsongrass.....	100	25	100
Kenaf.....	500	100	500
Kochia, forage.....	20	25	100
Kudzu.....	250	25	100
Lentil.....	500	25	100
Lespedeza, Korean.....	50	25	100
Lespedeza, sericea or Chinese.....	30	25	100
Lespedeza, Siberian.....	30	25	100
Lespedeza, striate.....	50	25	100

Lovegrass, sand.....	10	25	100
Lovegrass, weeping.....	10	25	100
Lupine, blue.....	500	100	500
Lupine, white.....	500	100	500
Lupine, yellow.....	500	100	500
Manilagrass.....	20	25	100
Meadow foxtail.....	30	25	100
Medick, black.....	50	25	100
Milkvetch.....	90	25	100
Millet, browntop.....	80	25	100
Millet, foxtail.....	50	25	100
Millet, Japanese.....	90	25	100
Millet, pearl.....	150	25	100
Millet, proso.....	150	25	100
Molassesgrass.....	5	25	100
Mustard, black.....	20	25	100
Mustard, India.....	50	25	100
Mustard, white.....	150	25	100
Napiergrass.....	50	25	100
Needlegrass, green.....	70	25	100
Oat.....	500	100	500
Oatgrass, tall.....	60	25	100
Orchardgrass.....	30	25	100
Panicgrass, blue.....	20	25	100
Panicgrass, green.....	20	25	100
Pea, field.....	500	100	500
Peanut.....	500	100	500
Poa trivialis (see bluegrass, rough)			
Rape, annual.....	70	25	100
Rape, bird.....	70	25	100
Rape, turnip.....	50	25	100
Rape, winter.....	100	25	100
Redtop.....	2.5	25	100
Rescuegrass.....	200	25	100

Rhodesgrass.....	10	25	100
Rice.....	500	100	500
Ricegrass, Indian.....	70	25	100
Roughpea.....	500	100	500
Rye.....	500	100	500
Rye, mountain.....	280	25	100
Ryegrass, annual.....	50	25	100
Ryegrass, intermediate.....	80	25	100
Ryegrass, perennial.....	50	25	100
Ryegrass, Wimmera.....	50	25	100
Safflower.....	500	100	500
Sagewort, Louisiana.....	5	25	100
Sainfoin.....	500	100	500
Saltbush, fourwing.....	150	25	100
Seasame.....	70	25	100
Sesbania.....	250	25	100
Smilo.....	20	25	100
Sorghum.....	500	100	1,000
Sorghum alnum.....	150	25	100
Sorghum-sudangrass hybrid.....	500	100	1,000
Sorghum.....	150	25	100
Sourclover.....	50	25	100
Soybean.....	500	100	500
Spelt.....	500	100	500
Sudangrass.....	250	25	100
Sunflower.....	500	100	500
Sweetclover, white.....	50	25	100
Sweetclover, yellow.....	50	25	100
Sweet vernalgrass.....	20	25	100
Sweetvetch, northern.....	190	25	100
Switchgrass.....	40	25	100
Timothy.....	10	25	100
Timothy, turf.....	10	25	100
Tobacco.....	5	1	1

Trefoil, big.....	20	25	100
Trefoil, birdsfoot.....	30	25	100
Triticale.....	500	100	500
Vaseygrass.....	30	25	100
Veldtgrass.....	40	25	100
Velvetbean.....	500	100	500
Velvetgrass.....	10	25	100
Vetch, common.....	500	100	500
Vetch, hairy.....	500	100	500
Vetch, Hungarian.....	500	100	500
Vetch, Monantha.....	500	100	500
Vetch, narrowleaf.....	500	100	500
Vetch, purple.....	500	100	500
Vetch, woolypod.....	500	100	500
Wheat, common.....	500	100	500
Wheat, club.....	500	100	500
Wheat, durum.....	500	100	500
Wheat, Polish.....	500	100	500
Wheat, poulard.....	500	100	500
WheatxAgrotricum.....	500	100	500
Wheatgrass, beardless.....	80	25	100
Wheatgrass, fairway crested.....	40	25	100
Wheatgrass, standard crested.....	50	25	100
Wheatgrass, intermediate.....	150	25	100
Wheatgrass, pubescent.....	150	25	100
Wheatgrass, Siberian.....	50	25	100
Wheatgrass, slender.....	70	25	100
Wheatgrass, streambank.....	50	25	100
Wheatgrass, tall.....	150	25	100
Wheatgrass, western.....	100	25	100
Wildrye, basin.....	80	25	100
Wild-rye, Canada.....	110	25	100
Wild-rye, Russian.....	60	25	100
Zoysia Japonica (see Japanese lawngrass)			

Zoysia matrella (see Manilagrass)

(b) *Method of sampling.* (1) When an importation consists of more than one lot, each lot shall be sampled separately.

(2) For lots of six or fewer bags, each bag shall be sampled. A total of at least five trierfuls shall be taken from the lot.

(3) For lots of more than six bags, five bags plus at least 10 percent of the number of bags in the lot shall be sampled. (Round off numbers with decimals to the nearest whole number, raising 0.5 to the next whole number.) Regardless of the lot size, it is not necessary to sample more than 30 bags.

(4) When the lot of seed to be sampled is comprised of seed in small containers that cannot practically be sampled as described in paragraph (b)(2) or (b)(3) of this section, entire unopened containers may be taken in sufficient number to supply a sample that meets the minimum size requirements of paragraph (a)(1) of this section.

(c) *Drawing samples.* Samples will not be drawn unless each container is labeled to show the lot designation and the name of the kind and variety of each agricultural seed, or kind and variety of each vegetable seed, appearing on the invoice and other entry papers, and a declaration has been filed by the importer as required under §361.2(a). In order to secure a representative sample, an APHIS inspector will draw equal portions from evenly distributed parts of the quantity of seed to be sampled; the APHIS inspector, therefore, must be given access to all parts of that quantity.

(1) For free-flowing seed in bags or in bulk, a probe or trier shall be used. For small free-flowing seed in bags, a probe or trier long enough to sample all portions of the bag shall be used. When drawing more than one trierful of seed from a bag, a different path through the seed shall be used when drawing each sample.

(2) For non-free-flowing seed in bags or bulk that may be difficult to sample with a probe or trier, samples shall be obtained by thrusting one's hand into the seed and withdrawing representative portions. The hand shall be inserted in an open position with the fingers held closely together while the hand is being inserted and the portion withdrawn. When more than one handful is taken from a bag, the handfuls shall be taken from well-separated points.

(3) When more than one sample is drawn from a single lot, the samples may be combined into a composite sample unless it appears that the quantity of seed represented as a lot is not of uniform quality, in which case the separate samples shall be forwarded together, but without being combined into a composite sample.

(d) In most cases, samples will be drawn and examined by an APHIS inspector at the port of first arrival. The APHIS inspector may release a shipment if no contaminants are found and the labeling is sufficient. If contaminants are found or the labeling of the seed is insufficient, the APHIS inspector may forward the sample to the USDA Seed Examination Facility (SEF), Beltsville, MD, for analysis, testing, or examination. APHIS will notify the owner or consignee of the seed that samples have been drawn and forwarded to the SEF and that the shipment must be held intact pending a decision by APHIS as to whether the seed is within the noxious weed seed tolerances of §361.6 and is accurately labeled. If the decision pending is with regard to the noxious weed seed content of the seed and the seed has been determined to be accurately labeled, the seed may be released for delivery to the owner or consignee under the following conditions:

- (1) The owner or consignee executes with Customs either a Customs single-entry bond or a Customs term bond, as appropriate, in such amount as is prescribed by applicable Customs regulations;
- (2) The bond must contain a condition for the redelivery of the seed or any part thereof upon demand of the Port Director of Customs at any time;
- (3) Until the seed is approved for entry upon completion of APHIS' examination, the seed must be kept intact and not tampered with in any way, or removed from the containers except under the monitoring of an APHIS inspector; and
- (4) The owner or consignee must keep APHIS informed as to the location of the seed until it is finally entered into the commerce of the United States.

§ 361.6 Noxious weed seeds.

(a) Seeds of the plants listed in paragraphs (a)(1) and (a)(2) of this section shall be considered noxious weed seeds.

(1) Seeds with no tolerances applicable to their introduction:

Acacia nilotica (Linnaeus) Wildenow ex Delile *Aeginetia* spp.

Arctotheca calendula (Linnaeus) Levyns

Ageratina adenophora (Sprengel) King & Robinson

Ageratina riparia (Regel) R.M. King and H. Robinson *Alectra* spp.

Alternanthera sessilis (L.) R. Brown ex de Candolle

Asphodelus fistulosus L.

Avena sterilis L. (including *Avena ludoviciana* Durieu)

Azolla pinnata R. Brown

Carthamus oxyacantha M. Bieberstein

Chrysopogon aciculatus (Retzius) Trinius

Commelina benghalensis L.

Crupina vulgaris Cassini

Cuscuta spp.

Digitaria abyssinica (Hochstetter ex A. Richard) Stapf

Digitaria velutina (Forsskal) Palisot de Beauvois

Drymaria arenarioides Humboldt & Bonpland ex J.A. Schultes

Eichhornia azurea (Swartz) Kunth

Emex australis Steinheil

Emex spinosa (L.) Campdera

Euphorbia terracina Linnaeus

Galega officinalis L.

Heracleum mantegazzianum Sommier & Levier

Hydrilla verticillata (Linnaeus f.) Royle
Hygrophila polysperma T. Anderson
Imperata brasiliensis Trinius
Imperata cylindrica (Linnaeus) Palisot de Beauvois
Inula britannica Linnaeus
Ipomoea aquatica Forsskal
Ischaemum rugosum Salisbury
Lagarosiphon major (Ridley) Moss
Leptochloa chinensis (L.) Nees
Limnophila sessiliflora (Vahl) Blume
Lycium ferocissimum Miers
Melaleuca quinquenervia (Cav.) Blake
Melastoma malabathricum L.
Mikania cordata (Burman f.) B. L. Robinson
Mikania micrantha Kunth
Mimosa diplotricha C. Wright
Mimosa pigra L. var. *pigra*
Monochoria hastata (L.) Solms-Laubach
Monochoria vaginalis (Burman f.) C. Presl
Moraea collina Thunberg
Moraea flaccida (Sweet) Steudel
Moraea miniata Andrews
Moraea ochroleuca (Salisbury) Drapiez
Moraea pallida (Baker) Goldblatt
Nassella trichotoma (Nees) Hackel ex Arechavaleta
Onopordum acaulon Linnaeus
Onopordum illyricum Linnaeus
Opuntia aurantiaca Lindley
Orobanche spp.
Oryza longistaminata A. Chevalier & Roehrich
Oryza punctata Kotschy ex Steudel
Oryza rufipogon Griffith
Ottelia alismoides (L.) Pers.
Paspalum scrobiculatum L.

Pennisetum clandestinum Hochstetter ex Chiovenda
Pennisetum macrourum Trinius
Pennisetum pedicellatum Trinius
Pennisetum polystachion (L.) Schultes
Prosopis alapataco R. A. Philippi
Prosopis argentina Burkart
Prosopis articulata S. Watson
Prosopis burkartii Munoz
Prosopis caldenia Burkart
Prosopis calingastana Burkart
Prosopis campestris Grisebach
Prosopis castellanosi Burkart
Prosopis denudans Benth
Prosopis elata (Burkart) Burkart
Prosopis farcta (Banks & Solander) J.F. Macbride
Prosopis ferox Grisebach
Prosopis fiebrigii Harms
Prosopis hassleri Harms
Prosopis humilis Gillies ex Hooker & Arnott
Prosopis kuntzei Harms
Prosopis pallida (Humboldt & Bonpland ex Willdenow) Kunth
Prosopis palmeri S. Watson
Prosopis reptans Benth var. *reptans*
Prosopis rojasiana Burkart
Prosopis ruizlealii Burkart
Prosopis ruscifolia Grisebach
Prosopis sericantha Gillies ex Hooker & Arnott
Prosopis strombulifera (Lamarck) Benth
Prosopis torquata (Cavanilles ex Lagasca y Segura) de Candolle
Rottboellia cochinchinensis (Lour.) W. Clayton
Rubus fruticosus L. (complex)
Rubus moluccanus L.
Saccharum spontaneum L.
Sagittaria sagittifolia L.

Salsola vermiculata L.

Salvinia auriculata Aublet

Salvinia biloba Raddi

Salvinia herzogii de la Sota

Salvinia molesta D.S. Mitchell

Senecio inaequidens DC.

Senecio madagascariensis Poir.

Setaria pumila (Poir.) Roem. & Schult. subsp. *pallidifusca* (Schumach.) B.K. Simon

Solanum tampicense Dunal (wetland nightshade)

Solanum torvum Swartz

Solanum viarum Dunal

Sparganium erectum L.

Spermacoce alata Aublet

Striga spp.

Tridax procumbens L.

Urochloa panicoides Beauvois

(2) Seeds with tolerances applicable to their introduction:

Acroptilon repens (L.) DC. (= *Centaurea repens* L.) (= *Centaurea picris*)

Cardaria draba (L.) Desv.

Cardaria pubescens (C. A. Mey.) Jarmol.

Convolvulus arvensis L.

Cirsium arvense (L.) Scop.

Elytrigia repens (L.) Desv. (= *Agropyron repens* (L.) Beauv.)

Euphorbia esula L.

Sonchus arvensis L.

Sorghum halepense (L.) Pers.

(b) The tolerance applicable to the prohibition of the noxious weed seeds listed in paragraph (a)(2) of this section shall be two seeds in the minimum amount required to be examined as shown in column 1 of table 1 of §361.5. If fewer than two seeds are found in an initial examination, the shipment from which the sample was drawn may be entered. If two seeds are found in an initial examination, a second sample must be examined. If two or fewer seeds are found in the second examination, the shipment from which the samples were drawn may be entered. If three or more seeds are found in the second examination, the shipment from which the samples were drawn may not be entered. If three or more seeds are found in an initial examination, the shipment from which the sample was drawn may not be entered.

(c) Any seed of any noxious weed that can be determined by visual inspection (including the use of transmitted light or dissection) to be within one of the following categories shall be considered inert matter and not counted as a weed seed:

- (1) Damaged seed (other than grasses) with over one half of the embryo missing;
- (2) Grass florets and caryopses classed as inert:
 - (i) Glumes and empty florets of weedy grasses;
 - (ii) Damaged caryopses, including free caryopses, with over one-half the root-shoot axis missing (the scutellum excluded);
 - (iii) Immature free caryopses devoid of embryo or endosperm;
 - (iv) Free caryopses of quackgrass (*Elytrigia repens*) that are 2 mm or less in length; or
 - (v) Immature florets of quackgrass (*Elytrigia repens*) in which the caryopses are less than one-third the length of the palea. The caryopsis is measured from the base of the rachilla.
- (3) Seeds of legumes (*Fabaceae*) with the seed coats entirely removed.
- (4) Immature seed units, devoid of both embryo and endosperm, such as occur in (but not limited to) the following plant families: buckwheat (*Polygonaceae*), morning glory (*Convolvulaceae*), nightshade (*Solanaceae*), and sunflower (*Asteraceae*).
- (5) Dodder (*Cuscuta* spp.) seeds devoid of embryos and seeds that are ashy gray to creamy white in color are inert matter. Dodder seeds should be sectioned when necessary to determine if an embryo is present, as when the seeds have a normal color but are slightly swollen, dimpled, or have minute holes.

[62 FR 48460, Sept. 16, 1997, as amended at 64 FR 12884, Mar. 16, 1999; 65 FR 33743, May 25, 2000; 71 FR 35381, June 20, 2006; 74 FR 53400, Oct. 19, 2009; 75 FR 68956, Nov. 10, 2010]

§ 361.7 Special provisions for Canadian-origin seed and screenings.

(a) In addition to meeting the declaration and labeling requirements of §361.2 and all other applicable provisions of this part, all Canadian-origin agricultural seed and Canadian-origin vegetable seed imported into the United States from Canada for seeding (planting) purposes or cleaning must be accompanied by a certificate of analysis issued by the Canadian Food Inspection Agency or by a private seed laboratory accredited by the Canadian Food Inspection Agency. Samples of seed shall be drawn using sampling methods comparable to those detailed in §361.5 of this part. The seed analyst who examines the seed at the laboratory must be accredited to analyze the kind of seed covered by the certificate.

(1) If the seed is being imported for seeding (planting) purposes, the certificate of analysis must verify that the seed meets the noxious weed seed tolerances of §361.6. Such seed will not be subject to the sampling requirements of §361.3(b).

(2) If the seed is being imported for cleaning, the certificate of analysis must name the kinds of noxious weed seeds that are to be removed from the lot of seed. Seed being imported for cleaning must be consigned to a facility operated in accordance with §361.8(a).

(b) Coated or pelleted agricultural seed and coated or pelleted vegetable seed of Canadian origin may be imported into the United States if the seed was analyzed prior to being coated or pelleted and is accompanied by a certificate of analysis issued in accordance with paragraph (a) of this section.

(c) Screenings otherwise prohibited under this part may be imported from Canada if the screenings are imported for processing or manufacture and are consigned to a facility operating under a compliance agreement as provided by §361.8(b).

(Approved by the Office of Management and Budget under control number 0579–0124)

§ 361.8 Cleaning of imported seed and processing of certain Canadian-origin screenings.

(a) Imported seed that is found to contain noxious weed seeds at a level higher than the tolerances set forth in §361.6(b) may be cleaned under the monitoring of an APHIS inspector. The cleaning will be at the expense of the owner or consignee.

(1) At the location where the seed is being cleaned, the identity of the seed must be maintained at all times to the satisfaction of the Administrator. The refuse from the cleaning must be placed in containers and securely sealed and identified. Upon completion of the cleaning, a representative sample of the seed will be analyzed by a registered seed technologist, an official seed laboratory, or by APHIS; if the seed is found to be within the noxious weed tolerances set forth in §361.6(b), the seed may be allowed entry into the United States;

(2) The refuse from the cleaning must be destroyed under the monitoring of an APHIS inspector at the expense of the owner or consignee of the seed.

(3) Any person engaged in the business of cleaning imported seed may enter into a compliance agreement under paragraph (c) of this section to facilitate the cleaning of seed imported into the United States under this part.

(b) Any person engaged in the business of processing screenings who wishes to process screenings imported from Canada under §361.7(c) that are otherwise prohibited under this part must enter into a compliance agreement under paragraph (c) of this section.

(c) A compliance agreement for the cleaning of imported seed or processing of otherwise prohibited screenings from Canada shall be a written agreement¹ between a person engaged in such a business, the State in which the business operates, and APHIS, wherein the person agrees to comply with the provisions of this part and any conditions imposed pursuant thereto. Any compliance agreement may be canceled orally or in writing by the APHIS inspector who is monitoring its enforcement whenever the inspector finds that the person who entered into the compliance agreement has failed to comply with the provisions of this part or any conditions imposed pursuant thereto. If the cancellation is oral, the decision and the reasons for the decision shall be confirmed in writing, as promptly as circumstances permit. Any person whose compliance agreement has been canceled may appeal the decision to the Administrator, in writing, within 10 days after receiving written notification of the cancellation. The appeal shall state all of the facts and reasons upon which the person relies to show that the compliance agreement was wrongfully canceled. The Administrator shall grant or deny the appeal, in writing, stating the reasons for such decision, as promptly as circumstances permit. If there is a conflict as to any material fact, a hearing shall be held to resolve such conflict. Rules of practice concerning such a hearing will be adopted by the Administrator.

¹ Compliance Agreement forms are available without charge from Permit Unit, PPQ, APHIS, 4700 River Road Unit 136, Riverdale, MD 20737–1236, and from local offices of the Plant Protection and Quarantine. (Local offices are listed in telephone directories).

§ 361.9 Recordkeeping.

(a) Each person importing agricultural seed or vegetable seed under this part must maintain a complete record, including copies of the declaration and labeling required under this part and a sample of seed, for each lot of seed imported. Except for the seed sample, which may be discarded 1 year after the entire lot represented by the sample has been disposed of by the person who imported the seed, the records must be maintained for 3 years following the importation.

(b) Each sample of vegetable seed and each sample of agricultural seed must be at least equal in weight to the sample size prescribed for noxious weed seed examination in table 1 of §361.5.

(c) An APHIS inspector shall, during normal business hours, be allowed to inspect and copy the records.

(Approved by the Office of Management and Budget under control number 0579-0124)

§ 361.10 Costs and charges.

Unless a user fee is payable under §354.3 of this chapter, the services of an APHIS inspector during regularly assigned hours of duty and at the usual places of duty will be furnished without cost. The U.S. Department of Agriculture's provisions relating to overtime charges for an APHIS inspector's services are set forth in part 354 of this chapter. The U.S. Department of Agriculture will not be responsible for any costs or charges incident to inspections or compliance with this part, other than for the services of the APHIS inspector during regularly assigned hours of duty and at the usual places of duty. All expenses incurred by the U.S. Department of Agriculture (including travel, per diem or subsistence, and salaries of officers or employees of the Department) in connection with the monitoring of cleaning, labeling, other reconditioning, or destruction of seed, screenings, or refuse under this part shall be reimbursed by the owner or consignee of the seed or screenings.