

LISTADO DE PLAGAS REGLAMENTADAS PARA ARGENTINA

A- PLAGAS CUARENTENARIAS AUSENTES

ACARINA

| |
|-----------------------------------|
| <i>Aceria mangiferae</i> |
| <i>Brevipalpus californicus</i> |
| <i>Brevipalpus lewisi</i> |
| <i>Brevipalpus russulus</i> |
| <i>Ditrymacus athiasellus</i> |
| <i>Eotetranychus carpini</i> |
| <i>Eotetranychus sexmaculatus</i> |
| <i>Eutetranychus orientalis</i> |
| <i>Phyllocoptes unguiculatus</i> |
| <i>Phytonemus pallidus</i> |
| <i>Raoiella indica</i> |
| <i>Tetranychus mcdanieli</i> |
| <i>Tetranychus pacificus</i> |
| <i>Tetranychus turkestanii</i> |
| <i>Tetranychus viennensis</i> |
| <i>Tuckerella flabellifera</i> |

INSECTOS

COLEOPTERA

| |
|------------------------------|
| <i>Aegorhinus phaleratus</i> |
| <i>Agriotes obscurus</i> |
| <i>Agrypnus variabilis</i> |
| <i>Amphicerus cornutus</i> |
| <i>Amphicranus rasilis</i> |
| <i>Anisandrus dispar</i> |
| <i>Anoplophora spp.</i> |
| <i>Anoxia villosa</i> |
| <i>Anthonomus bisignifer</i> |
| <i>Anthonomus eugenii</i> |
| <i>Anthonomus musculus</i> |
| <i>Anthonomus pomorum</i> |
| <i>Anthonomus pyri</i> |
| <i>Anthonomus signatus</i> |
| <i>Anthonomus vestitus</i> |

| |
|--|
| <i>Apate monachus</i> |
| <i>Astylus antis</i> |
| <i>Bostrichopsis uncinata</i> |
| <i>Bostrichus vitis</i> |
| <i>Brachycerus spp.</i> |
| <i>Bruchidius spp.</i> |
| <i>Callipogon armillatus</i> |
| <i>Callosobruchus analis</i> |
| <i>Callosobruchus chinensis</i> |
| <i>Callosobruchus maculatus</i> |
| <i>Callosobruchus phaseoli</i> |
| <i>Carpophilus humeralis</i> |
| <i>Chaetocnema confinis</i> |
| <i>Colaspis hypochlora</i> |
| <i>Conotrachelus aguacatae</i> |
| <i>Conotrachelus nenuphar</i> |
| <i>Conotrachelus perseae</i> |
| <i>Copturus aguacatae</i> |
| <i>Corthylocurus vernaculus</i> |
| <i>Corthylus convexicauda</i> |
| <i>Costelytra zealandica</i> |
| <i>Crioceris spp.</i> |
| <i>Cryptocarenum diadematus</i> |
| <i>Cryptocarenum schaufussi</i> |
| <i>Cryptocarenum seriatus</i> |
| <i>Cryptorhynchus lapathi</i> |
| <i>Dendroctonus spp.</i> |
| <i>Dexicrates robustus</i> |
| <i>Diabrotica balteata</i> |
| <i>Diabrotica virgifera virgifera</i> |
| <i>Epicaerus cognatus</i> |
| <i>Euchroma gigantea goliath</i> |
| <i>Geniocremanus chilensis</i> |
| <i>Heilipus albopictus</i> |
| <i>Heilipus lauri</i> |
| <i>Heilipus pittieri</i> |
| <i>Heilipus trifasciatus</i> |
| <i>Heterobostrychus aequalis</i> |
| <i>Heteronychus arator</i> |
| <i>Hylesinus antipodus</i> |
| <i>Hylobius abietis</i> |
| <i>Hylobius pales</i> |
| <i>Hypothenemus bolivianus</i> |
| <i>Ips spp.</i> |
| <i>Leptinotarsa decemlineata</i> |
| <i>Melanophila picta</i> |
| <i>Metanastes vulgivagus</i> |
| <i>Micrapate brasiliensis</i> |

| |
|--|
| <i>Micrapate scabrata</i> |
| <i>Monarthrum minutum</i> |
| <i>Monochamus</i> spp. |
| <i>Myllocerus undecimpustulatus undatus</i> |
| <i>Odoiporus longicollis</i> |
| <i>Oryctes rhinoceros</i> |
| <i>Otiorhynchus cribricollis</i> |
| <i>Otiorhynchus ovatus</i> |
| <i>Otiorhynchus rugosostriatus</i> |
| <i>Otiorhynchus sulcatus</i> |
| <i>Phloeotribus scarabaeoides (= oleae)</i> |
| <i>Pissodes nemorensis</i> |
| <i>Platypus linearis</i> |
| <i>Platypus schaumii</i> |
| <i>Plocaederus ferrugineus</i> |
| <i>Popillia japonica</i> |
| <i>Premnotypes</i> spp. (exc. <i>P. latithorax</i>) |
| <i>Prostephanus truncatus</i> |
| <i>Psiloptera hirtomaculata</i> |
| <i>Rhabdoscelus obscurus</i> |
| <i>Rhyparida dimidiata</i> |
| <i>Rhyparida morosa</i> |
| <i>Sampsonius damfi</i> |
| <i>Sampsonius pedrosai</i> |
| <i>Saperda</i> spp. |
| <i>Scolytus intricatus</i> |
| <i>Scolytus scolytus</i> |
| <i>Sinoxylon</i> spp. |
| <i>Sophronica ventralis</i> |
| <i>Sternochetus mangiferae</i> |
| <i>Tetropium castaneum</i> |
| <i>Tomicus piniperda</i> |
| <i>Tricolus perdiligens</i> |
| <i>Tricolus subincisuralis</i> |
| <i>Trogoderma</i> spp. |
| <i>Xyleborinus saxesenii</i> |
| <i>Xyleborus affinis</i> |
| <i>Xyleborus gracilis</i> |
| <i>Xyleborus hagedorni</i> |
| <i>Xyleborus linearicollis</i> |
| <i>Xyleborus neivai</i> |
| <i>Xyleborus obliquus</i> |
| <i>Xyleborus spinosulus</i> |
| <i>Xylosandrus germanus</i> |

DIPTERA

| |
|---|
| <i>Anastrepha</i> spp. (excepto <i>A. fraterculus</i>) |
| <i>Bactrocera</i> spp. |
| <i>Ceratitis</i> spp. (excepto <i>C. capitata</i>) |
| <i>Chromatomyia syngenesiae</i> |
| <i>Dacus</i> spp. |
| <i>Helicomyia saliciperda</i> |
| <i>Inopus flavus</i> |
| <i>Inopus rubriceps</i> |
| <i>Liriomyza trifolii</i> |
| <i>Lonchaea pendula</i> |
| <i>Mayetiola destructor</i> |
| <i>Phytomyza gymnostoma</i> |
| <i>Prodiplosis longifolia</i> |
| <i>Rhagoletis</i> spp. |
| <i>Thomasiniana oleisuga</i> |
| <i>Toxotrypana curvicauda</i> |

HEMIPTERA

| |
|---------------------------------|
| <i>Acutaspis albopicta</i> |
| <i>Acutaspis perseae</i> |
| <i>Aleurocanthus spiniferus</i> |
| <i>Aonidiella citrina</i> |
| <i>Aonidiella orientalis</i> |
| <i>Aspidiotus destructor</i> |
| <i>Bactericera cockerelli</i> |
| <i>Ceroplastes albolineatus</i> |
| <i>Ceroplastes destructor</i> |
| <i>Ceroplastes feltyi</i> |
| <i>Ceroplastes floridensis</i> |
| <i>Ceroplastes japonicus</i> |
| <i>Ceroplastes rubens</i> |
| <i>Ceroplastes stellifer</i> |
| <i>Coccus viridis</i> |
| <i>Duplachionaspis</i> spp. |
| <i>Empoasca decipiens</i> |
| <i>Eumargarodes laingi</i> |
| <i>Euphyllura olivina</i> |
| <i>Froggattia olivinia</i> |
| <i>Halyomorpha halys</i> |
| <i>Homalodisca coagulata</i> |
| <i>Hyalesthes obsoletus</i> |
| <i>Hyalopterus pruni</i> |

| |
|------------------------------------|
| <i>Icerya seychellarum</i> |
| <i>Leucaspis riccae</i> |
| <i>Lopholeucaspis japonica</i> |
| <i>Maconellicoccus hirsutus</i> |
| <i>Melanaphis sacchari</i> |
| <i>Metcalfa pruinosa</i> |
| <i>Myzus cerasi</i> |
| <i>Neoaliturus haematoceps</i> |
| <i>Parabemisia myricae</i> |
| <i>Perkinsiella saccharicida</i> |
| <i>Phenacoccus madeirensis</i> |
| <i>Philaenus spumarius</i> |
| <i>Phylloxera glabra</i> |
| <i>Planococcoides njalensis</i> |
| <i>Planococcus lilacinus</i> |
| <i>Promargarodes australis</i> |
| <i>Protopulvinaria pyriformis</i> |
| <i>Pseudaulacaspis cockerelli</i> |
| <i>Pseudococcus calceolariae</i> |
| <i>Pseudococcus citriculus</i> |
| <i>Pseudococcus jackbeardsleyi</i> |
| <i>Rhizoecus falcifer</i> |
| <i>Scaphoideus titanus</i> |
| <i>Scolypopa australis</i> |
| <i>Selenaspidus articulatus</i> |
| <i>Trioza erythrae</i> |

HYMENOPTERA

| |
|--|
| <i>Megastigmus</i> spp. |
| <i>Neodiprion</i> spp. |
| <i>Tremex</i> spp. (exc. <i>T. fuscicornis</i>) |

LEPIDOPTERA

| |
|------------------------------|
| <i>Adoxophyes orana</i> |
| <i>Agrilus convolvuli</i> |
| <i>Agrotis exclamationis</i> |
| <i>Agrotis segetum</i> |
| <i>Amorbia cuneana</i> |
| <i>Amorbia emigratella</i> |
| <i>Amorbia essigana</i> |
| <i>Anarsia lineatella</i> |
| <i>Archips argyrospilus</i> |

| |
|---|
| <i>Archips fuscocupreanus</i> |
| <i>Archips podana</i> |
| <i>Archips rosana</i> |
| <i>Argyresthia pruniella</i> |
| <i>Argyrotaenia franciscana (A. citrana)</i> |
| <i>Bathytricha truncata</i> |
| <i>Cacoecimorpha pronubana</i> |
| <i>Carposina sasakii</i> |
| <i>Chloridea subflexa</i> |
| <i>Choristoneura occidentalis</i> |
| <i>Choristoneura rosaceana</i> |
| <i>Cnephasia jactatana</i> |
| <i>Conogethes punctiferalis</i> |
| <i>Copitarsia consueta</i> |
| <i>Copitarsia decolora</i> |
| <i>Corcyra cephalonica</i> |
| <i>Cosmosoma auge</i> |
| <i>Cossus cossus</i> |
| <i>Ctenopseustis obliquana</i> |
| <i>Ctenopseustis serrana</i> |
| <i>Cydia spp.(exc. C.pomonella y C.molesta)</i> |
| <i>Diatraea rufescens</i> |
| <i>Dioryctria abiatella</i> |
| <i>Dioryctria amatella</i> |
| <i>Ditula angustiorana</i> |
| <i>Dyspessa ulula</i> |
| <i>Earias insulana</i> |
| <i>Enarmonia formosana</i> |
| <i>Ephysteris promptella</i> |
| <i>Epiphyas postvittana</i> |
| <i>Erionota thrax</i> |
| <i>Eudocima fullonia</i> |
| <i>Euproctis chrysorrhoea</i> |
| <i>Euzophera semifuneralis</i> |
| <i>Hyphantria cunea</i> |
| <i>Keiferia lycopersicella</i> |
| <i>Leucinodes orbonalis</i> |
| <i>Leucoptera malifoliella</i> |
| <i>Lymantria dispar</i> |
| <i>Lymantria monacha</i> |
| <i>Malacosoma spp.</i> |
| <i>Mamestra brassicae</i> |
| <i>Margaronia persimilis</i> |
| <i>Mythimna separata</i> |
| <i>Nacoleia octasema</i> |
| <i>Operophtera brumata</i> |
| <i>Opogona sacchari</i> |
| <i>Opsiphanes tamarindi</i> |

| |
|--|
| <i>Orgyia</i> spp. |
| <i>Orthosia</i> <i>cerasi</i> |
| <i>Ostrinia</i> <i>furnacalis</i> |
| <i>Ostrinia</i> <i>nubilalis</i> |
| <i>Oxydia</i> <i>vesulia</i> |
| <i>Palpita</i> <i>unionalis</i> |
| <i>Pammene</i> <i>rhediiella</i> |
| <i>Pandemis</i> <i>heparana</i> |
| <i>Paranthrene</i> <i>tabaniformis</i> |
| <i>Planotortrix</i> <i>excessana</i> |
| <i>Platynota</i> <i>idaeusalis</i> |
| <i>Platynota</i> <i>stultana</i> |
| <i>Prays</i> <i>citri</i> |
| <i>Prays</i> <i>oleae</i> |
| <i>Proeulia</i> spp. |
| <i>Rhyacionia</i> <i>adana</i> |
| <i>Rhyacionia</i> <i>aktita</i> |
| <i>Rhyacionia</i> <i>busckana</i> |
| <i>Rhyacionia</i> <i>bushnelli</i> |
| <i>Rhyacionia</i> <i>cristata</i> |
| <i>Rhyacionia</i> <i>dativa</i> |
| <i>Rhyacionia</i> <i>duplana</i> |
| <i>Rhyacionia</i> <i>frustrana</i> |
| <i>Rhyacionia</i> <i>logaea</i> |
| <i>Rhyacionia</i> <i>neumexicana</i> |
| <i>Rhyacionia</i> <i>pasadenana</i> |
| <i>Rhyacionia</i> <i>pinivorana</i> |
| <i>Sabulodes</i> <i>caberata</i> |
| <i>Spilonota</i> <i>ocellana</i> |
| <i>Spodoptera</i> <i>exempta</i> |
| <i>Spodoptera</i> <i>exigua</i> |
| <i>Spodoptera</i> <i>littoralis</i> |
| <i>Spodoptera</i> <i>litura</i> |
| <i>Spodoptera</i> <i>ochrea</i> |
| <i>Stathmopoda</i> <i>plumbiflua</i> |
| <i>Stathmopoda</i> <i>skelloni</i> |
| <i>Stenoma</i> <i>catenifer</i> |
| <i>Symmestriscema</i> <i>tangolias</i> |
| <i>Synanthedon</i> <i>myopaeformis</i> |
| <i>Synanthedon</i> <i>tipuliformis</i> |
| <i>Thaumetopoea</i> <i>pityocampa</i> |
| <i>Thaumetopoea</i> <i>processionea</i> |
| <i>Thaumatotibia</i> <i>leucotreta</i> |
| <i>Tortrix</i> <i>viridana</i> |
| <i>Zeuzera</i> <i>pyrina</i> |

THYSANOPTERA

| |
|----------------------------------|
| <i>Frankliniella bruneri</i> |
| <i>Frankliniella intonsa</i> |
| <i>Frankliniella parvula</i> |
| <i>Liothrips oleae</i> |
| <i>Liothrips perseae</i> |
| <i>Palleucothrips musae</i> |
| <i>Pseudophilothrips perseae</i> |
| <i>Scirtothrips aceri</i> |
| <i>Scirtothrips aguacatae</i> |
| <i>Scirtothrips aurantii</i> |
| <i>Scirtothrips kupandae</i> |
| <i>Scirtothrips perseae</i> |
| <i>Selenothrips rubrocinctus</i> |
| <i>Thrips obscuratus</i> |
| <i>Thrips palmi</i> |

HONGOS

| |
|--|
| <i>Alternaria mali</i> |
| <i>Alternaria steviae</i> |
| <i>Anthracocestis ehrenbergii</i> |
| <i>Apiosporina morbosa</i> |
| <i>Bipolaris cactivora</i> |
| <i>Boeremia foveata</i> |
| <i>Cercospora eucalypti</i> |
| <i>Chrysomyxa arctostaphyli</i> |
| <i>Chrysosporthe cubensis</i> |
| <i>Cladosporium cucumerinum</i> |
| <i>Coleosporium ipomoeae</i> |
| <i>Colletotrichum coffeanum</i> var. <i>virulans</i> |
| <i>Coniella fragariae</i> |
| <i>Cronartium</i> spp. |
| <i>Cryphonectria parasitica</i> |
| <i>Cylindrocarpon macrodidymum</i> |
| <i>Dactuliochaeta glycines</i> |
| <i>Diaporthe eres</i> |
| <i>Didymella applanata</i> |
| <i>Diplocarpon earlianum</i> |
| <i>Drepanopeziza populorum</i> |
| <i>Elsinoe rosarum</i> |
| <i>Endocronartium pini</i> |
| <i>Erythriconium salmonicolor</i> |
| <i>Fusarium oxysporum</i> f.sp. <i>cubense</i> |

| |
|---|
| <i>Fusarium oxysporum f. sp. fragariae</i> |
| <i>Gibberella circinata</i> |
| <i>Griphosphaeria corticola</i> |
| <i>Gymnosporangium spp.</i> |
| <i>Hemileia coffeicola</i> |
| <i>Heterobasidion annosum</i> |
| <i>Lecanosticta acicola</i> |
| <i>Monilinia fructigena</i> |
| <i>Monilinia vaccinii-corymbosi</i> |
| <i>Mycena citricolor</i> |
| <i>Mycosphaerella chrysanthemi</i> |
| <i>Mycosphaerella confusa</i> |
| <i>Mycosphaerella fijiensis (Cercospora fijiensis)</i> |
| <i>Mycosphaerella gibsonii (Cercoseptoria pini-densiflorae)</i> |
| <i>Oidium chrysanthemi</i> |
| <i>Pachymetra chaunorhiza</i> |
| <i>Peronospora hyoscyami</i> |
| <i>Phacidiopycnis padwickii (=Operculella padwickii)</i> |
| <i>Phaeocytostroma sacchari</i> |
| <i>Phialophora cinerescens</i> |
| <i>Phoma crocophyla</i> |
| <i>Phyllosticta imbe</i> |
| <i>Phyllosticta philodendra</i> |
| <i>Phyllosticta solitaria</i> |
| <i>Phymatotrichopsis omnivora</i> |
| <i>Phytophthora boehmeriae</i> |
| <i>Phytophthora erythroseptica</i> |
| <i>Phytophthora gonapodyides</i> |
| <i>Plasmopara halstedii</i> |
| <i>Plenodomus tracheiphilus</i> |
| <i>Polyscytalum pustulans</i> |
| <i>Pseudocercospora angolensis</i> |
| <i>Puccinia asparagi</i> |
| <i>Puccinia kuehnii</i> |
| <i>Pythium splendens</i> |
| <i>Rhizoctonia tuliparum</i> |
| <i>Sclerotinia bulborum</i> |
| <i>Septoria steviae</i> |
| <i>Sphaceloma fawcetti var. scabiosae</i> |
| <i>Sphaerulina paulistana</i> |
| <i>Sphaerulina rubi</i> |
| <i>Stenocarpella macrospora</i> |
| <i>Synchytrium endobioticum</i> |
| <i>Synchytrium vaccinii</i> |
| <i>Taphrina populina</i> |
| <i>Thecaphora solani (=Angiosorus solani)</i> |
| <i>Tilletia indica</i> |
| <i>Urocystis colchici</i> |

NEMATODOS

| |
|--|
| <i>Anguina agrostis</i> |
| <i>Anguina funesta</i> |
| <i>Anguina tritici</i> |
| <i>Aphelenchoides fragariae</i> |
| <i>Bursaphelenchus xylophilus</i> |
| <i>Cactodera cacti</i> |
| <i>Ditylenchus angustus</i> |
| <i>Ditylenchus destructor</i> |
| <i>Ditylenchus dipsaci</i> , raza papa |
| <i>Globodera pallida</i> |
| <i>Globodera rostochiensis</i> |
| <i>Gracilacus epacris</i> |
| <i>Heterodera avenae</i> |
| <i>Heterodera fici</i> |
| <i>Heterodera schachtii</i> |
| <i>Heterodera trifolii</i> |
| <i>Heterodera zeae</i> |
| <i>Hoplolaimus coronatus</i> |
| <i>Meloidogyne fallax</i> |
| <i>Meloidogyne hispanica</i> |
| <i>Paratrichodorus minor</i> |
| <i>Paratrichodorus porosus</i> |
| <i>Pratylenchus</i> spp. |
| <i>Pratylenchus coffeae</i> |
| <i>Pratylenchus crenatus</i> |
| <i>Pratylenchus fallax</i> |
| <i>Pratylenchus loosi</i> |
| <i>Pratylenchus scribneri</i> |
| <i>Radopholus citrophilus</i> |
| <i>Radopholus similis</i> |
| <i>Rotylenchulus reniformis</i> |
| <i>Tylenchorhynchus brevidens</i> |
| <i>Tylenchorhynchus claytoni</i> |
| <i>Tylenchorhynchus dubius</i> |
| <i>Xiphinema brevicolle</i> |
| <i>Xiphinema diversicaudatum</i> |
| <i>Xiphinema italiae</i> |

BACTERIAS

| |
|--|
| <i>Aplanobacter populi</i> |
| <i>Brenneria nigrifluens</i> |
| <i>Brenneria rubrifaciens</i> |
| <i>Brenneria salicis</i> |
| <i>Burkholderia glumae</i> |
| Candidatus <i>Liberibacter africanus</i> (Huanglongbing - greening disease) |
| Candidatus <i>Liberibacter americanus</i> (Huanglongbing - greening disease) |
| Candidatus <i>Liberibacter asiaticus</i> (Huanglongbing - greening disease) |
| Candidatus <i>Liberibacter solanacearum</i> (Zebra chip) |
| <i>Clavibacter michiganensis</i> subsp. <i>insidiosus</i> |
| <i>Clavibacter michiganensis</i> subsp. <i>sepedonicus</i> |
| <i>Curtobacterium flaccumfaciens</i> p.v. <i>flaccumfaciens</i> |
| <i>Dickeya dadantii</i> subsp. <i>dieffenbachiae</i> |
| <i>Dickeya zeae</i> |
| <i>Erwinia amylovora</i> |
| <i>Erwinia ixiae</i> |
| <i>Erwinia pyrifoliae</i> |
| <i>Erwinia tracheiphila</i> |
| <i>Pectobacterium atrosepticum</i> |
| <i>Pectobacterium wasabiae</i> |
| <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> |
| <i>Pseudomonas syringae</i> pv. <i>helianthi</i> |
| <i>Ralstonia solanacearum</i> raza 2 (<i>Pseudomonas solanacearum</i>) |
| <i>Rhodococcus fascians</i> |
| <i>Spiroplasma citri</i> |
| <i>Xanthomonas alfalfae</i> subsp. <i>citrumelonis</i> |
| <i>Xanthomonas axonopodis</i> pv <i>dieffenbachiae</i> |
| <i>Xanthomonas campestris</i> pv. <i>cassiae</i> |
| <i>Xanthomonas campestris</i> pv <i>gummisudans</i> |
| <i>Xanthomonas fuscans</i> subsp. <i>aurantifolii</i> (<i>Xanthomonas citri</i> pv. <i>aurantifolii</i>) |
| <i>Xanthomonas oryzae</i> pv <i>oryzae</i> |
| <i>Xanthomonas oryzae</i> pv <i>oryzicola</i> |
| <i>Xylella fastidiosa</i> subsp. <i>fastidiosa</i> |
| <i>Xylella fastidiosa</i> subsp. <i>multiplex</i> |
| <i>Xylella fastidiosa</i> subsp. <i>sandyi</i> |
| <i>Xylella fastidiosa</i> subsp. <i>tashke</i> |
| <i>Xylophilus ampelinus</i> |

FITOPLASMAS

| |
|--|
| Apple chat fruit phytoplasma |
| Apple rubbery wood phytoplasma |
| Aster yellows phytoplasma (16Srl) |
| Candidatus Phytoplasma aurantifolia |
| Candidatus Phytoplasma mali |
| Candidatus Phytoplasma pyri |
| Candidatus Phytoplasma solani |
| Grapevine flavescence dorée phytoplasma |
| Palm lethal yellowing phytoplasma |
| Peach rosette phytoplasma |
| Peach X-disease phytoplasma |
| Peach yellows phytoplasma |
| X-disease MLO |

VIRUS Y VIROIDES

| |
|--|
| Actinidia virus A (AcVA) |
| Actinidia virus B (AcVB) |
| African cassava mosaic virus |
| Andean potato latent virus |
| Andean potato mottle virus (APMoV) |
| Apple dimple fruit viroid |
| Apple green crinkle agent |
| Apple ringspot agent |
| Apple star crack agent |
| Apricot ringpox agent |
| Arracacha virus B oca strain (AVBO) |
| Banana bunchy top virus |
| Bean pod mottle virus |
| Blueberry leaf mottle virus |
| Blueberry scorch virus |
| Blueberry shock virus |
| Blueberry shoestring virus |
| Cactus virus X |
| Carnation necrotic fleck virus |
| Carnation ringspot virus |
| Cherry leaf roll virus |
| Cherry necrotic rusty mottle virus |
| Cherry rasp leaf virus |

| |
|--|
| Cherry rusty mottle virus |
| Citrus bent leaf viroid |
| Citrus dwarf viroid |
| Citrus impietratura agent |
| Citrus leaf blotch virus (CLRV) |
| Citrus leaf rugose virus (CiLRV) |
| Citrus tatter leaf virus (CTLV) |
| Citrus Tristeza Virus (CTV) razas severas |
| Citrus variegation virus (CVV) |
| Citrus vein enation virus (CVEV) |
| Citrus yellow mosaic virus (CiYMV) |
| Coconut cadang-cadang viroid |
| Cucumber necrosis virus (CNV) |
| Cymbidium mosaic virus |
| Fiji disease virus |
| Grapevine enation agent |
| Grapevine Rugose Wood complex disease (Rupestris Stem Pitting, Kober Stem Grooving, LN33 Stem Grooving, Corky bark) |
| Grapevine virus A (GVA) |
| Grapevine virus B (GVB) |
| Indian citrus ringspot virus |
| Iris severe mosaic virus |
| Iris yellow spot virus |
| Little cherry virus 1 |
| Odontoglossum ringspot virus |
| Pea early-browning virus |
| Pea false leaf roll virus |
| Pea seed-borne mosaic virus |
| Peanut stripe virus |
| Peanut stunt virus |
| Pepino mosaic virus (PEPMV) |
| Potato black ringspot virus (PBRSV) |
| Potato latent virus |
| Potato mop-top virus |
| Potato spindle tuber viroid (= Tomato bunchy top virus) |
| Potato virus T (PVT) |
| Potato virus U (PVU) |
| Potato virus V (PVV) |
| Potato yellow dwarf virus (PYDV) |
| Potato yellow vein virus |
| Potato yellowing virus |
| Raspberry bushy dwarf virus |
| Ribgrass mosaic virus (RMV) |
| Southern bean mosaic virus |
| Strawberry latent ringspot virus |
| Strawberry vein banding virus |
| Sugarcane bacilliform virus |
| Sugarcane chlorotic streak agent |

| |
|--|
| Sugarcane sereh agent |
| Sugarcane striate mosaic-associated virus |
| Tobacco necrosis virus (TNV) |
| Tobacco rattle virus (TRV) |
| Tobacco ringspot virus |
| Tobacco streak ilarvirus potato strain |
| Tomato black ring virus |
| Tomato chlorosis virus (ToCV) |
| Tomato infectious chlorosis virus (TICV) |
| Tomato ringspot virus |
| Turnip vein clearing virus (TVCV) |

MOLUSCOS

BRADYBAENIDAE

| |
|----------------------------|
| <i>Bradybaena despecta</i> |
|----------------------------|

COCHLICELLIDAE

| |
|--------------------------|
| <i>Cochlicella acuta</i> |
|--------------------------|

HELICIDAE

| |
|---------------------|
| <i>Theba pisana</i> |
|---------------------|

HYGROMIIDAE

| |
|---------------------------|
| <i>Cernuella neglecta</i> |
|---------------------------|

| |
|--------------------------|
| <i>Cernuella virgata</i> |
|--------------------------|

PHILOMYCIDAE

| |
|--------------------------|
| <i>Incilaria confusa</i> |
|--------------------------|

MALEZAS Y PLANTAS PARASITAS

| |
|---|
| <i>Amaranthus tuberculatus</i> (<i>Acnida altissima</i> , <i>Acnida altissima</i> var. <i>prostrata</i> , <i>Acnida altissima</i> var. <i>subnuda</i> , <i>Acnida concatenata</i> , <i>Acnida subnuda</i> , <i>Acnida tamariscina</i> , <i>Acnida tamariscina</i> var. <i>prostrata</i> , <i>Acnida tuberculata</i> , <i>Amaranthus altissimus</i> , <i>Amaranthus ambigens</i> , <i>Amaranthus rudis</i> , <i>Amaranthus tamariscinus</i> , <i>Amaranthus tuberculatus</i> var. <i>prostratus</i> , <i>Amaranthus tuberculatus</i> var. <i>subnudus</i>) |
|---|

| |
|-------------------------|
| Ambrosia trifida |
|-------------------------|

| |
|---|
| <i>Apera spica-venti</i> (<i>Agrostis spica-venti</i> L.) |
|---|

| |
|---------------------------------|
| <i>Arceuthobium</i> spp. |
|---------------------------------|

| |
|-------------------------------------|
| <i>Brassica tournefortii</i> |
|-------------------------------------|

| |
|--|
| Chenopodium polyspermum |
| <i>Chenopodium strictum</i> var. <i>glaucophyllum</i> (<i>Chenopodium album</i> L. var. <i>striatum</i> , <i>Chenopodium strictum</i> , <i>Chenopodium strictum</i> subsp. <i>glaucophyllum</i> , <i>Chenopodium strictum</i> var. <i>striatum</i>) |
| <i>Cirsium arvense</i> |
| <i>Conyza canadensis</i> |
| <i>Crepis tectorum</i> |
| <i>Cyperus difformis</i> (<i>Cyperus complanatus</i> , <i>Cyperus protractus</i>) |
| <i>Damasonium minus</i> |
| <i>Echinochloa phyllopogon</i> (= <i>Echinochloa crus-galli</i> var. <i>oryzicola</i> , <i>Echinochloa oryzicola</i> , <i>Echinochloa oryzicola</i> var. <i>mutic</i>) |
| <i>Emex australis</i> |
| <i>Epilobium tetragonum</i> |
| <i>Eragrostis plana</i> |
| <i>Euphorbia esula</i> |
| <i>Heliotropium europaeum</i> |
| <i>Hieracium pilosella</i> |
| <i>Lathyrus aphaca</i> |
| <i>Lolium persicum</i> (= <i>Lolium dorei</i> , <i>Lolium dorei</i> var. <i>laeve</i>) |
| <i>Myagrum perfoliatum</i> |
| <i>Orobanche</i> spp. |
| <i>Pentzia suffruticosa</i> |
| <i>Phalaris brachystachys</i> (= <i>Phalaris quadrivalvis</i>) |
| <i>Polygonum pensylvanicum</i> (= <i>Persicaria bicornis</i> , <i>Persicaria longistyla</i> , <i>Persicaria mississippiensis</i> , <i>Persicaria pensylvanica</i> , <i>Persicaria pensylvanica</i> var. <i>dura</i> , <i>Polygonum bicorne</i> , <i>Polygonum longistylum</i> , <i>Polygonum longistylum</i> var. <i>omissum</i> , <i>Polygonum mexicanu</i> , <i>Polygonum mississippiense</i> , <i>Polygonum mississippiense</i> var. <i>interius</i> , <i>Polygonum pensylvanicum</i> L. var. <i>durum</i> , <i>Polygonum pensylvanicum</i> L. var. <i>eglandulosum</i> , <i>Polygonum pensylvanicum</i> L. var. <i>genuinum</i> , <i>Polygonum pensylvanicum</i> L. var. <i>laevigatum</i> , <i>Polygonum pensylvanicum</i> L. var. <i>rosiflorum</i>) |
| <i>Schoenoplectus mucronatus</i> (= <i>Scirpus mucronatus</i>) |
| <i>Setaria faberi</i> (= <i>Setaria macrocarpa</i>) |
| <i>Sisymbrium thellungii</i> |
| <i>Solanum ptycanthum</i> (= <i>Solanum americanum</i>) |
| <i>Striga</i> spp. |
| <i>Taeniatherum caput-medusae</i> |

B. PLAGAS CUARENTENARIAS PRESENTES BAJO CONTROL OFICIAL

INSECTOS

COLEOPTERA

| |
|---------------------------|
| <i>Anthonomus grandis</i> |
|---------------------------|

DIPTERA

| |
|-------------------------------|
| <i>Anastrepha fraterculus</i> |
|-------------------------------|

| |
|---------------------------|
| <i>Ceratitis capitata</i> |
|---------------------------|

LEPIDOPTERA

| |
|------------------------|
| <i>Lobesia botrana</i> |
|------------------------|

VIRUS Y VIROIDES

| |
|----------------|
| Plum pox virus |
|----------------|

C. PLAGAS NO CUARENTENARIAS REGLAMENTADAS

NEMATODOS

| |
|------------------------|
| <i>Meloidogyne spp</i> |
|------------------------|

| |
|--------------------------|
| <i>Nacobbus aberrans</i> |
|--------------------------|

BACTERIAS

| |
|-------------------------------|
| <i>Ralstonia solanacearum</i> |
|-------------------------------|

| |
|-----------------------------------|
| <i>Xanthomonas citri pv citri</i> |
|-----------------------------------|

| |
|--|
| <i>Xylella fastidiosa subsp. pauca</i> |
|--|

VIRUS Y VIROIDES

| |
|--------------------------------|
| Citrus Exocortis Viroid (CEVd) |
|--------------------------------|

| |
|------------------------------|
| Citrus Psorosis Virus (CPsV) |
|------------------------------|

| |
|-----------------------------|
| Citrus Tristeza Virus (CTV) |
|-----------------------------|

| |
|-------------------------------|
| Potato Leaf Roll Virus (PLRV) |
|-------------------------------|

| |
|----------------------|
| Potato Virus X (PVX) |
|----------------------|

| |
|----------------------|
| Potato Virus Y (PVY) |
|----------------------|