

Pest Lists – Import Health Standard: 155.02.05 Importation of Seed for Sowing
--

Actinidia

REGULATED PESTS (actionable)	
Virus	
Capillovirus	
	<i>Apple stem grooving virus</i> [Actinidia infecting strain] -

Avena

REGULATED PESTS (actionable)	
Insect	
Insecta	
Blattodea	
Blattidae	
	<i>Blatta orientalis</i> Oriental cockroach
Coleoptera	
Bostrichidae	
	<i>Prostephanus truncatus</i> larger grain borer
Cryptophagidae	
	<i>Cryptophagus schmidti</i> -
Cucujidae	
	<i>Cathartus quadricollis</i> squarenecked grain beetle
Curculionidae	
	<i>Caulophilus oryzae</i> broadnosed grain weevil
Dermestidae	
	<i>Trogoderma granarium</i> khapra beetle
	<i>Trogoderma inclusum</i> trogoderma beetle
	<i>Trogoderma ornatum</i> trogoderma beetle
	<i>Trogoderma simplex</i> dermestid beetle
	<i>Trogoderma sternale</i> dermestid beetle
	<i>Trogoderma variabile</i> warehouse beetle
Mycetophagidae	
	<i>Mycetophagus quadriguttatus</i> spotted hairy fungus beetle
Nitidulidae	
	<i>Carpophilus obsoletus</i> dried fruit beetle
Ptinidae	
	<i>Gibbium psylloides</i> shiny spider beetle

	<i>Mezium americanum</i>	American spider beetle
	<i>Niptus hololeucus</i>	golden spider beetle
	<i>Pseudoeurostus hilleri</i>	spider beetle
	<i>Ptinus clavipes</i>	brown spider beetle
	<i>Ptinus fur</i>	whitemarked spider beetle
	<i>Ptinus villiger</i>	hairy spider beetle
	<i>Tipnus unicolor</i>	spider beetle
	<i>Trigonogenius globulus</i>	-
Tenebrionidae		
	<i>Alphitobius laevigatus</i>	black fungus beetle
	<i>Alphitophagus bifasciatus</i>	two-banded fungus beetle
	<i>Blaps mucronata</i>	cellar beetle
	<i>Gnatocerus maxillosus</i>	slenderhorned flour beetle
	<i>Latheticus oryzae</i>	longheaded flour beetle
	<i>Palorus ratzeburgi</i>	smalleyed flour beetle
	<i>Palorus subdepressus</i>	depressed flour beetle
	<i>Tribolium audax</i>	American black flour beetle
	<i>Tribolium destructor</i>	dark flour beetle
Trogossitidae		
	<i>Lophocateres pusillus</i>	Siamese grain beetle
Hemiptera		
Lygaeidae		
	<i>Elasmolomus sordidus</i>	seed bugs
Lepidoptera		
Cosmopterigidae		
	<i>Pyroderces rileyi</i>	pink scavenger caterpillar
Oecophoridae		
	<i>Anchonoma xeraula</i>	grain moth
Pyralidae		
	<i>Corcyra cephalonica</i>	rice moth
	<i>Ephestia figulilella</i>	raisin moth
	<i>Paralipsa gularis</i>	stored nut moth
Tineidae		
	<i>Nemapogon variatella</i>	corn moth
Mite		
Arachnida		
Acarina		
Eriophyidae		
	<i>Aceria tosichella</i>	wheat curl mite
	<i>Aceria tulipae</i> [vector]	wheat curl mite
Siteroptidae		
	<i>Siteroptes cerealium</i>	asparagus spider mite
Tarsonemidae		
	<i>Steneotarsonemus spirifex</i>	oat spiral mite
Nematode		
Secernentea		

Tylenchida		
Anguinidae		
	<i>Anguina tritici</i> [vector]	seed gall nematode
Fungus		
Hyphomycetales		
Moniliaceae		
	<i>Cephalosporium gramineum</i>	
Bacterium		
Pseudomonadaceae		
	<i>Xanthomonas campestris</i> pv. <i>undulosa</i>	leaf streak
Virus		
	<i>High plains virus</i>	-

Cannabis

REGULATED PESTS (actionable)		
Insect		
	<i>Pyrrhocoris apterus</i>	fire bug
	<i>Episyrphus balteatus</i>	
	<i>Ischiodon scutellaris</i>	syrphid fly
	<i>Metasyrphus latifasciatus</i>	syrphid fly
	<i>Sphaerophoria scripta</i>	hover fly
	<i>Syrirta pipiens</i>	hover fly
Mite		
	<i>Aculops cannabicola</i>	hemp russett mite
Fungus		
	<i>Curvularia cymbopogonis</i>	-
	<i>Leptosphaeria woroninii</i>	-
	<i>Septoria cannabis</i>	yellow leaf spot
Bacterium		
	<i>Pseudomonas syringae</i> pv. <i>cannabina</i>	
	<i>Xanthomonas campestris</i> pv. <i>cannabis</i>	
Virus		
	<i>Hemp mosaic virus</i>	-
	<i>Hemp streak virus</i>	-
Weed		
	<i>Orobanche ramosa</i>	branched broomrape

Cucurbitaceae

REGULATED PESTS (actionable)	
Virus	
<i>Cucumber green mottle mosaic virus</i>	CGMMV

Fragaria

REGULATED PESTS (actionable)	
Virus	
<i>Fragaria chiloensis latent virus</i>	-
<i>Raspberry ringspot virus</i>	-
<i>Strawberry latent ringspot virus</i> (Strains not in New Zealand)	-
Tobacco streak virus	-
<i>Tomato ringspot virus</i> (Strains not in New Zealand)	-
*For organisms intercepted that are not listed within this pest list refer to the Biosecurity Organisms Register for Imported Commodities (BORIC) to determine the regulatory status.	

Hordeum

REGULATED PESTS (actionable)	
Insect	
Insecta	
Blattodea	
Blattidae	
<i>Blatta orientalis</i>	oriental cockroach
Coleoptera	
Curculionidae	
<i>Caulophilus oryzae</i>	broadnosed grain weevil
Dermestidae	
<i>Trogoderma granarium</i>	khapra beetle
<i>Trogoderma grassmani</i>	trogoderma beetle
<i>Trogoderma inclusum</i>	trogoderma beetle
<i>Trogoderma irroratum</i>	trogoderma beetle
<i>Trogoderma ornatum</i>	trogoderma beetle
<i>Trogoderma simplex</i>	dermestid beetle
<i>Trogoderma sternale</i>	dermestid beetle
<i>Trogoderma variabile</i>	warehouse beetle
Languriidae	
<i>Pharaxonotha kirschii</i>	Mexican grain beetle
Tenebrionidae	

	<i>Embaphion muricatum</i>	false wireworm
	<i>Latheticus oryzae</i>	longheaded flour beetle
	<i>Palorus ratzeburgi</i>	smalleyed flour beetle
	<i>Palorus subdepressus</i>	depressed flour beetle
	<i>Tribolium audax</i>	American black flour beetle
	<i>Tribolium destructor</i>	dark flour beetle
Lepidoptera		
Tineidae		
	<i>Haplotinea insectella</i>	casemaking moth
	<i>Tinea fictrix</i>	casemaking moth
Mite		
Arachnida		
Acarina		
Acaridae		
	<i>Acarophenax tribolii</i> [Animals Biosecurity]	grain mite
Eriophyidae		
	<i>Aceria tosichella</i>	wheat curl mite
	<i>Aceria tulipae</i> [vector]	wheat curl mite
Pyemotidae		
	<i>Pyemotes herfsi</i>	straw itch mite
Fungus		
Basidiomycota: Ustomycetes		
Tilletiaceae		
	<i>Tilletia controversa</i>	dwarf bunt
mitosporic fungi (Hyphomycetes)		
Hyphomycetales		
Moniliaceae		
	<i>Cephalosporium gramineum</i>	stripe
Tuberculariales		
Tuberculariaceae		
	<i>Fusarium longipes</i>	fusarium head blight
Bacterium		
Corynebacteriaceae		
	<i>Rathayibacter tritici</i>	yellow ear rot
Pseudomonadaceae		
	<i>Pseudomonas syringae</i> pv. <i>striaefaciens</i>	bacterial stripe blight
	<i>Xanthomonas campestris</i> pv. <i>undulosa</i>	leaf streak
Virus		
	<i>Barley mosaic virus</i>	-
	<i>High plains virus</i>	-

Phaseolus

REGULATED PESTS (actionable)		
Insect		
Insecta		
Coleoptera		
Bostrichidae		
	<i>Prostephanus truncatus</i>	larger grain borer
Bruchidae		
	<i>Acanthoscelides argillaceus</i>	bean weevil
	<i>Acanthoscelides obvelatus</i>	bruchid beetle
	<i>Bruchidius atrolineatus</i>	seed beetle
	<i>Bruchidius incarnatus</i>	seed beetle
	<i>Bruchus pisorum</i>	pea weevil
	<i>Callosobruchus analis</i>	cowpea weevil
	<i>Callosobruchus maculatus</i>	cowpea weevil
	<i>Callosobruchus phaseoli</i>	cowpea weevil
	<i>Zabrotes subfasciatus</i>	Mexican bean weevil
Lepidoptera		
Pyralidae		
	<i>Etiella grisea</i>	pod borer
	<i>Etiella grisea drososcia</i>	pod borer
	<i>Etiella zinckenella</i>	limabean pod borer
Tortricidae		
	<i>Cydia fabivora</i>	pod moth
	<i>Matsumuraeses phaseoli</i>	Adzuki pod worm
Fungus		
Ascomycota		
Dothideales		
Elsinoaceae		
	<i>Elsinoe phaseoli</i>	scab
Pleosporaceae		
	<i>Cochliobolus miyabeanus</i> (anamorph <i>Bipolaris oryzae</i>)	-
mitosporic fungi (Coelomycetes)		
Sphaeropsidales		
Sphaerioidaceae		
	<i>Phoma exigua</i> var. <i>diversispora</i>	ascochyta leaf spot
SBacterium		
Corynebacteriaceae		
	<i>Curtobacterium flaccumfaciens</i> pv. <i>flaccumfaciens</i>	bacterium wilt
Virus		
	<i>Artichoke yellow ringspot virus</i>	-
	<i>Bean common mosaic virus</i> [blackeye cowpea mosaic strain]	-
	<i>Broad bean mottle virus</i>	-

	<i>Cowpea severe mosaic virus</i>	-
	<i>Pea early-browning virus</i>	-
	<i>Peanut mottle virus</i>	-
	<i>Peanut stunt virus</i>	-
	<i>Southern bean mosaic virus</i>	-

Pinus

REGULATED PESTS (actionable)	
Insect	
Insecta	
Coleoptera	
Anobiidae	
<i>Ernobius punctulatus</i>	borer
Cerambycidae	
<i>Xylotrechus schaefferi</i>	longhorn beetle
Curculionidae	
<i>Conotrachelus neomexicanus</i>	Cone borer, curculio
Scolytidae	
<i>Conophthorus coniperda</i>	white pine cone beetle
<i>Conophthorus ponderosae</i>	lodgepole cone beetle
<i>Conophthorus resinosae</i>	red pine cone beetle
Diptera	
Cecidomyiidae	
<i>Cecidomyia bisetosa</i>	gall midge
<i>Resseliella silvana</i>	gall midge
Heteroptera	
Coreidae	
<i>Lepispilus sulcicollis</i>	Seed eater
<i>Leptoglossus corculus</i>	leaffooted pine seed bug
<i>Leptoglossus occidentalis</i>	coreid bug
Scutelleridae	
<i>Tetyra bipunctata</i>	Shield backed pine seed bug
Hymenoptera	
Torymidae	
<i>Megastigmus albifrons</i>	seed chalcid
Lepidoptera	
Pyralidae	
<i>Dioryctria abietivorella</i>	fir coneworm, pine knothorn moth
<i>Dioryctria amatella</i>	Southern pine coneworm
<i>Dioryctria auranticella</i>	pyralid moth
<i>Dioryctria clarioralis</i>	Coneworm
<i>Dioryctria disclusa</i>	Webbing coneworm
<i>Dioryctria merkei</i>	Loblolly pine coneworm
<i>Dioryctria rossi</i>	Cone borer, pyralid moth
Tortricidae	
<i>Commophila fuscodorsana</i>	tortricid moth
<i>Cydia anaranjada</i>	Slash pine seedworm
<i>Cydia ingens</i>	Logleaf pine seed worm
<i>Cydia miscitata</i>	Cone borer, tortricid moth
<i>Cydia piperana</i>	Cone borer, ponderosa pine seed moth
<i>Cydia toreuta</i>	Cone borer, eastern pine seedworm

Fungus		
Ascomycota		
Diaporthales		
Melanconidaceae		
<i>Melanconis stilbostoma</i> (anamorph <i>Melanconium bicolor</i>)		mould
Dothideales		
Dothioraceae		
<i>Sydowia polyspora</i> (anamorph <i>Sclerophoma pythiophila</i>)		pine leaf blight, tip dieback
Mycosphaerellaceae		
<i>Mycosphaerella dearnessii</i> (anamorph <i>Lecanosticta acicola</i>)		brown needle spot
Pleosporaceae		
<i>Setosphaeria rostrata</i> (anamorph <i>Exserohilum rostratum</i>)		leaf blight, black mould
Hypocreales		
Hypocreaceae		
<i>Nectria inventa</i> (anamorph <i>Verticillium tenerum</i>)		verticillium rot
Pezizales		
Otideaceae		
<i>Caloscypha fulgens</i> (anamorph <i>Geniculodendron pyriforme</i>)		Cold fungus
Pyronemataceae		
<i>Pyronema omphalodes</i>		mould
Mitosporic fungi		
<i>Coniosporium aterrimum</i>		mould
<i>Lacellina graminicola</i>		mould
Mitosporic Fungi (Coelomycetes)		
Sphaeropsidales		
Sphaerioidaceae		
<i>Botryodiplodia acicola</i>		mould
<i>Coniothyrium quercinum</i>		mould
Unknown Coelomycetes		
<i>Melanconium apiocarpon</i>		mould
<i>Pestalotia breviseta</i>		mould
<i>Pestalotia foedans</i>		mould
<i>Pestalotiopsis glandicola</i>		mould
<i>Sirococcus conigenus</i>		shoot blight
Mitosporic Fungi (Hyphomycetes)		
Hyphomycetales		
Hyphomycetales		
<i>Cladosporium cucumerinum</i>		black mould
<i>Cladosporium naumovi</i>		black mould
<i>Curvularia inaequalis</i>		black mould
<i>Stemphylium piriforme</i>		leaf mould
Moniliaceae		

<i>Acremonium subverticillatum</i>	mould
<i>Aspergillus funiculosus</i>	mould
<i>Penicillium arenarium</i>	penicillium mould rot
<i>Penicillium aurantiogriseum</i>	penicillium mould rot
<i>Penicillium brevicompactum</i>	penicillium mould rot
<i>Penicillium canadense</i>	penicillium mould rot
<i>Penicillium chrysogenum</i>	penicillium mould rot
<i>Penicillium divergens</i>	penicillium mould rot
<i>Penicillium fuscum</i>	penicillium mould rot
<i>Penicillium gladioili</i>	penicillium mould rot
<i>Penicillium oxalicum</i>	penicillium mould rot
<i>Penicillium viridicatum</i>	penicillium mould rot
<i>Torula convoluta</i>	mould
<i>Verticillium albo-atrum</i> [severe strain]	mould
Tuberculariales	
Tuberculariaceae	
<i>Fusarium arthrosporooides</i>	dry rot
<i>Fusarium chlamydosporum</i>	root and stem rot
<i>Fusarium circinatum</i> (syn. <i>Fusarium subglutinans</i> f. sp. <i>pini</i>)	pine pitch canker
<i>Fusarium moniliforme</i> var. <i>intermedium</i>	mould
<i>Fusarium polyphialidicum</i>	fusarium mould
Unknown Hyphomycetes	
<i>Oidium verticilloides</i>	mould
Oomycota	
Pythiales	
Pythiaceae	
<i>Pythium aphanidermatum</i>	root and seed rot
Zygomycota: Zygomycetes	
Mucorales	
Mucoraceae	
<i>Mucor hiemalis</i>	mucor fruit rot
<i>Mucor mucedo</i>	mucor fruit rot
<i>Mucor plumbeus</i>	mould
<i>Mucor racemosus</i>	storage rot
<i>Mucor ramanianus</i>	mould
Syncephalastraceae	
<i>Syncephalastrum racemosum</i>	mould

Pisum

REGULATED PESTS (actionable)
Insect
Insecta
Coleoptera

Bruchidae		
	<i>Acanthoscelides zeteki</i>	bruchid beetle
	<i>Bruchidius atrolineatus</i>	seed beetle
	<i>Bruchidius incarnatus</i>	seed beetle
	<i>Bruchidius quinqueguttatus</i>	bruchid beetle
	<i>Bruchus affinis</i>	bruchid beetle
	<i>Bruchus emarginatus</i>	Mediterranean pulse beetle
	<i>Bruchus ervi</i>	bruchid beetle
	<i>Bruchus lentis</i>	bruchid beetle
	<i>Bruchus pisorum</i>	pea weevil
	<i>Bruchus rufimanus</i>	broad bean weevil
	<i>Bruchus tristis</i>	bruchid beetle
	<i>Callosobruchus analis</i>	cowpea weevil
	<i>Callosobruchus chinensis</i>	oriental cowpea weevil
	<i>Callosobruchus maculatus</i>	cowpea weevil
Dermestidae		
	<i>Trogoderma granarium</i>	khapra beetle
Lepidoptera		
Lycaenidae		
	<i>Euchrysops cnejus</i>	blue butterfly
Noctuidae		
	<i>Spodoptera praefica</i>	western yellowstriped armyworm
Pyralidae		
	<i>Etiella zinckenella</i>	limabean pod borer
Tortricidae		
	<i>Cydia nigricana</i>	pea moth
Fungus		
mitosporic fungi (Hyphomycetes)		
Hyphomycetales		
Dematiaceae		
	<i>Cladosporium cladosporioides f. sp. pisicola</i>	cladosporium blight
Virus		
	<i>Broad bean mottle virus</i>	-
	<i>Broad bean stain virus</i>	-
	<i>Clover yellow mosaic virus</i>	-
	<i>Pea early-browning virus</i>	-
	<i>Pea enation mosaic virus</i>	-
	<i>Peanut mottle virus</i>	-
	<i>Peanut stunt virus</i>	-

Pseudotsuga menziesii

REGULATED PESTS (actionable)

Insect
Insecta
Coleoptera
Anobiidae
<i>Ernobius punctulatus</i> borer
Curculionidae
<i>Lepesoma lecontei</i> weevil
Scarabaeidae
<i>Melolontha melolontha</i> cockchafer
Diptera
Cecidomyiidae
<i>Asynapta keeni</i> gall midge
<i>Contarinia constricta</i> gall midge
<i>Contarinia cuniculator</i> gall midge
<i>Contarinia oregonensis</i> Douglas fir cone gall midge
<i>Contarinia pseudotsugae</i> gall midge
<i>Contarinia washingtonensis</i> gall midge
Lonchaeidae
<i>Earomyia aquilonia</i> fir seed maggot
<i>Earomyia barbara</i> fir seed maggot
Hemiptera
Coreidae
<i>Leptoglossus occidentalis</i> coreid bug
Lepidoptera
Blastobasidae
<i>Holcocera augusti</i> blastobasid moth
Geometridae
<i>Eupithecia albicapitata</i> looper
<i>Eupithecia spermaphaga</i> looper
Pyralidae
<i>Dioryctria abietivorella</i> fir coneworm
Tortricidae
<i>Barbara colfaxiana</i> Douglas fir cone moth
<i>Chionodes periculella</i> gelechiid moth
<i>Commophila fuscodorsana</i> tortricid moth
<i>Endopiza piceana</i> tortricid moth
<i>Laspeyresia bracteatana</i> leafroller
<i>Zeiraphera diniana</i> Douglas fir cone moth
Fungus
Ascomycota
Pezizales
Otideaceae
<i>Caloscypha fulgens</i> Cold fungus
Mitosporic Fungi (Hyphomycetes)
Hyphomycetales
Moniliaceae

<i>Penicillium chrysogenum</i>	penicillium mould rot
Tuberculariales	
Tuberculariaceae	
<i>Fusarium circinatum</i> (syn. <i>Fusarium subglutinans</i> f. sp. <i>pini</i>)	pine pitch canker

Ribes

REGULATED PESTS (actionable)	
Virus	
<i>Raspberry ringspot virus</i>	
<i>Tobacco rattle virus</i> (srains not in New Zealand)	
*For organisms intercepted that are not listed within this pest list refer to the Biosecurity Organisms Register for Imported Commodities (BORIC) to determine the regulatory status.	

Triticum

REGULATED PESTS (actionable)	
Insect	
Insecta	
Blattodea	
Blattidae	
<i>Blatta orientalis</i>	oriental cockroach
Coleoptera	
Bostrichidae	
<i>Dinoderus distinctus</i>	bostrichid beetle
<i>Prostephanus truncatus</i>	larger grain borer
Bruchidae	
<i>Callosobruchus chinensis</i>	oriental cowpea weevil
Curculionidae	
<i>Caulophilus oryzae</i>	broadnosed grain weevil
Dermestidae	
<i>Trogoderma glabrum</i>	khapra beetle
<i>Trogoderma granarium</i>	khapra beetle
<i>Trogoderma grassmani</i>	trogoderma beetle
<i>Trogoderma inclusum</i>	trogoderma beetle
<i>Trogoderma ornatum</i>	trogoderma beetle
<i>Trogoderma simplex</i>	dermestid beetle
<i>Trogoderma sternale</i>	dermestid beetle
<i>Trogoderma variabile</i>	warehouse beetle
Languriidae	
<i>Pharaxonotha kirschii</i>	Mexican grain beetle
Tenebrionidae	
<i>Cynaesus angustus</i>	larger black flour beetle
<i>Latheticus oryzae</i>	longheaded flour beetle

	<i>Palorus ratzeburgi</i>	smalleyed flour beetle
	<i>Palorus subdepressus</i>	depressed flour beetle
	<i>Tribolium audax</i>	American black flour beetle
	<i>Tribolium freemani</i>	flour beetle
	<i>Ulomoides dermestoides</i>	darkling beetle
Diptera		
Cecidomyiidae		
	<i>Contarinia pisi</i>	pea midge
Lepidoptera		
Noctuidae		
	<i>Faronta albilinea</i>	wheat head armyworm
Pyralidae		
	<i>Corcyra cephalonica</i>	rice moth
	<i>Paralipsa gularis</i>	stored nut moth
Tineidae		
	<i>Cephitinea colonella</i>	grain moth
	<i>Haplotinea insectella</i>	casemaking moth
Psocoptera		
Liposcelidae		
	<i>Troctes minutus</i>	psocid
Mite		
Arachnida		
Acarina		
Acaridae		
	<i>Caloglyphus krameri</i>	-
	<i>Michaelopus macfarlanei</i>	-
Eriophyidae		
	<i>Aceria tulipae</i> (vector)	wheat curl mite
	<i>Aceria tosichella</i>	wheat curl mite
Tarsonemidae		
	<i>Tarsonemus granarius</i>	-
Tuckerellidae		
	<i>Tuckerella ablutus</i>	-
unknown Acarina		
	<i>Paratriophtydeus coineaurius</i>	-
Nematode		
Secernentea		
Tylenchida		
Anguinidae		
	<i>Anguina tritici</i> [vector]	seed gall nematode
Fungus		
Basidiomycota: Ustomycetes		
Ustilaginales		
Tilletiaceae		
	<i>Tilletia controversa</i>	dwarf bunt

	<i>Tilletia indica</i>	karnal bunt
mitosporic fungi (Hyphomycetes)		
Hyphomycetales		
Dematiaceae		
	<i>Alternaria triticina</i>	-
	<i>Curvularia verruculosa</i>	-
Moniliaceae		
	<i>Cephalosporium gramineum</i>	stripe
Corynebacteriaceae		
	<i>Rathayibacter tritici</i>	yellow ear rot
Pseudomonadaceae		
	<i>Xanthomonas campestris</i> pv. <i>undulosa</i>	leaf streak
Virus		
	<i>High plains virus</i>	-
	<i>Indian peanut clump virus</i>	-

Vaccinium

REGULATED PESTS (actionable)		
Fungus		
Ascomycota		
Diaporthales		
Valsaceae		
	<i>Diaporthe vaccinii</i> (anamorph <i>Phomopsis vaccinii</i>)	twig blight
Dothideales		
Botryosphaeriaceae		
	<i>Botryosphaeria vaccinii</i> (anamorph <i>Phyllosticta elongata</i>)	--
Leotiales		
Sclerotiniaceae		
	<i>Monilinia fructigena</i> (anamorph <i>Monilia fructigena</i>)	European brown rot
	<i>Monilinia vaccinii-corymbosi</i>	brown rot
Virus		
family Bromoviridae		
genus Ilarvirus		
	<i>Blueberry shock virus</i>	-
family Comoviridae		
genus Nepovirus		
	<i>Blueberry leaf mottle virus</i>	-
	<i>Peach rosette mosaic virus</i>	-
	<i>Tomato ringspot virus</i> [strains not in New Zealand]	-

Vicia

REGULATED PESTS (actionable)		
Insect		
Insecta		
Coleoptera		
Bruchidae		
	<i>Bruchidius incarnatus</i>	seed beetle
	<i>Bruchidius quinqueguttatus</i>	bruchid beetle
	<i>Bruchus atomarius</i>	bruchid beetle
	<i>Bruchus dentipes</i>	bruchid beetle
	<i>Bruchus pisorum</i>	pea weevil
	<i>Bruchus rufimanus</i>	broad bean weevil
	<i>Callosobruchus chinensis</i>	oriental cowpea weevil
	<i>Callosobruchus maculatus</i>	cowpea weevil
	<i>Callosobruchus phaseoli</i>	cowpea weevil
Dermestidae		
	<i>Trogoderma granarium</i>	khapra beetle
Tenebrionidae		
	<i>Tribolium destructor</i>	dark flour beetle
Diptera		
Cecidomyiidae		
	<i>Contarinia pisi</i>	pea midge
Lepidoptera		
Lycaenidae		
	<i>Virachola livia</i>	pomegranate butterfly
Virus		
	<i>Artichoke yellow ringspot virus</i>	-
	<i>Broad bean mottle virus</i>	-
	<i>Broad bean stain virus</i>	-
	<i>Broad bean true mosaic virus</i>	-
	<i>Clover yellow mosaic virus</i>	-
	<i>Pea early-browning virus</i>	-
	<i>Pea enation mosaic virus</i>	-
	<i>Peanut stunt virus</i>	-
	<i>Red clover vein mosaic virus</i>	-

Zea

REGULATED PESTS (actionable)		
Insect		
	<i>Alphitobius laevigatus</i>	black fungus beetle
	<i>Attagenus unicolor</i>	black carpet beetle
	<i>Carpophilus freemani</i>	dried fruit beetle
	<i>Carpophilus lugubris</i>	dusky sap beetle
	<i>Cathartus quadricollis</i>	squarenecked grain beetle

	<i>Caulophilus oryzae</i>	broadnosed grain weevil
	<i>Corcyra cephalonica</i>	rice moth
	<i>Cryptophlebia leucotreta</i>	false codling moth
	<i>Cynaesus angustus</i>	larger black flour beetle
	<i>Dinoderus distinctus</i>	bostrichid beetle
	<i>Dinoderus minutus</i>	bamboo powderpost beetle
	<i>Doloessa viridis</i>	-
	<i>Euxesta stigmatias</i>	-
	<i>Gibbium psylloides</i>	shiny spider beetle
	<i>Glischrochilus quadrisignatus</i>	four-spotted sap beetle
	<i>Gnatocerus maxillosus</i>	slenderhorned flour beetle
	<i>Latheticus oryzae</i>	longheaded flour beetle
	<i>Lepinotus reticulatus</i>	booklouse
	<i>Leptoglossus zonatus</i>	coreid bug
	<i>Liposcelis bostrychophilus</i>	booklouse
	<i>Liposcelis entomophilus</i>	grain psocid
	<i>Liposcelis paetus</i>	booklouse
	<i>Mussidia nigrivenella</i>	pyralid moth
	<i>Pagiocerus frontalis</i>	bark borer
	<i>Palorus ratzeburgi</i>	smalleyed flour beetle
	<i>Palorus subdepressus</i>	depressed flour beetle
	<i>Paralipsa gularis</i>	stored nut moth
	<i>Pharaxonotha kirschi</i>	Mexican grain beetle
	<i>Prostephanus truncatus</i>	larger grain borer
	<i>Pyroderces rileyi</i>	pink scavenger caterpillar
	<i>Sesamia calamistis</i>	pink stalk borer
	<i>Sesamia nonagrioides</i>	pink borer
	<i>Teretriosoma nigrescens</i>	-
	<i>Tribolium freemani</i>	flour beetle
	<i>Trogoderma glabrum</i>	khapra beetle
	<i>Trogoderma granarium</i>	khapra beetle
	<i>Trogoderma inclusum</i>	trogoderma beetle
	<i>Trogoderma variabile</i>	warehouse beetle
Mite		
	<i>Acaropsellina sollers</i>	-
Fungus		
	<i>Botryosphaeria zeae</i>	grey ear rot
	<i>Cephalosporium maydis</i>	-
	<i>Claviceps gigantea</i>	ergot
	<i>Cochliobolus pallescens</i>	maize leaf spot
	<i>Cochliobolus tuberculatus</i>	leaf spot
	<i>Gloeocercospora sorghi</i>	zonate leaf spot
	<i>Peronosclerospora heteropogoni</i>	-
	<i>Peronosclerospora maydis</i>	Java downy mildew
	<i>Peronosclerospora philippinensis</i>	Philippine downy mildew
	<i>Peronosclerospora sacchari</i>	-

	<i>Peronosclerospora sorghi</i>	sorghum downy mildew
	<i>Phaeocystostroma ambiguum</i>	-
	<i>Rhizopus maydis</i>	rhizopus seed rot
	<i>Sclerophthora rayssiae</i> var. <i>zeae</i>	-
	<i>Stenocarpella macrospora</i>	dry rot
	<i>Ustilago maydis</i>	boil smut
Bacterium		
	<i>Acidovorax avenae</i> subsp. <i>avenae</i>	bacterial blight
	<i>Clavibacter michiganensis</i> subsp. <i>nebraskensis</i>	Goss' bacterial wilt
	<i>Pantoea stewartii</i>	Stewart's bacterial wilt
Virus		
	<i>High plains virus</i>	-
	<i>Maize chlorotic mottle virus</i>	MCMV
	<i>Maize dwarf mosaic virus</i>	MDMV
	<i>Sugarcane mosaic virus</i>	SCMV
Weed		
	<i>Striga asiatica</i>	witch-weed
	<i>Striga hermonthica</i>	witch-weed