

Highest risk Xylella hosts

Coffee

Polygala myrtifolia

Lavandula

Nerium oleander

Rosmarinus officinalis

Prunus dulcis

Olea europaea

Table 1. Species or Genera* which have been found to be susceptible to more than one sub-species of Xylella in the EU

*Genera used where more than one susceptible species

	Fastidiosa	Multiplex	Pauca	Other risk factors
Acer	x	x		Anoplophora chinensis Anoplophora glabripennis
Acacia		x	x	
Ambrosia	x	x		
Asparagus acutifolius		x	x	
Calicotome	x	x		
Cercis	x	x		
Cistus	x	x	x	
Citrus	x		x	Anoplophora chinensis
Dimorphoteca		x	x	
Dodonaea viscosa		x	x	
Erigeron		x	x	
Genista	x	x		
Grevillea juniperina		x	x	
Hebe		x	x	
Laurus nobilis		x	x	
Lupinus	x	x		
Magnolia grandiflora	x	x		
Medicago	x	x		
Metrosideros	x	x		
Morus	x	x		
Myrtus		x	x	
Osteospermum		x	x	
Pelargonium		x	x	
Phillyrea		x	x	
Prunus	x	x	x	Anoplophora chinensis (Prunus laurocerasus) Aromia bungii

Rhamnus alaternus	x	x	x	
Rubus	x	x		
Sambucus	x	x		
Spartium	x	x	x	
Ulmus	x	x		Anoplophora chinensis Anoplophora glabripennis
Vinca	x	x	x	
Westringia		x	x	

Table 2. Specified plants susceptible to *Xylella fastidiosa* subspecies *fastidiosa*

Erysimum	Juglans regia L.	Malva parviflora L.	Pluchea odorata (L.) Cass.	Streptocarpus
Teucrium capitatum L.	Vitis			

Table 3. Specified plants susceptible to *Xylella fastidiosa* subspecies *multiplex* (those highlighted in yellow identified as at risk due to another pest)

Alnus rhombifolia Nutt.	Ampelopsis cordata Michx.	Anthyllis hermanniae L.	Artemisia	Baccharis halimifolia L.
Callistemon citrinus (Curtis) Skeels	Calluna vulgaris (L.) Hull	Carya	Celtis occidentalis L.	Chionanthus
Clematis cirrhosa L.	Convolvulus cneorum L.	Coprosma repens A. Rich.	Coronilla glauca (L.) Batt.	Coronilla valentina L.
Cytisus	Elaeagnus angustifolia L.	Encelia farinosa Gray ex Torr.	Euryops chrysanthemoides (DC.) B.Nord.	Euryops pectinatus (L.) Cass.
Fallopia japonica (Houtt.) Ronse Decr.	Ficus carica L.	Frangula alnus Mill.	Fraxinus	Ginkgo biloba L.
Gleditsia triacanthos L.	Helianthus	Helichrysum flex aquifolium L. Iva annua L.	Koelreuteria bipinnata Franch.	Lagerstroemia
Liquidambar styraciflua L.	Myrtus communis L.	Phagnalon saxatile (L.) Cass.	Phlomis fruticosa L.	Pistacia vera L.
Plantago lanceolata L.	Platanus	Polygala x grandiflora Nana	Pterospartum tridentatum (L.) Willk.	Quercus
Ratibida columnifera (Nutt.) Wooton & Standl.	Robinia pseudoacacia L.	Rosa	Salvia mellifera Greene	Santolina chamaecyparissus L.
Sapindus saponaria L.	Solidago virgaurea L.	Strelitzia reginae Aiton	Ulex	Vaccinium

Xanthium strumarium L.				
------------------------	--	--	--	--

Table 4. Specified plants susceptible to *Xylella fastidiosa* subspecies *pauca*

Amaranthus retroflexus L.	Catharanthus roseus (L.) G. Don	Chamaesyce canescens (L.) Prokh.	Chenopodium album L.	Eremophila maculata (Ker Gawler) F. von Müller.
Euphorbia chamaesyce L.	Euphorbia terracina L.	Heliotropium europaeum L.	Hibiscus	Myoporum insulare Br.
Myrtus communis L.				

Table 5. Host list of *Xylella fastidiosa* - summary

Acacia	Acer	Albizia julibrissin	Alnus rhombifolia	Amaranthus retroflexus
Ambrosia	Ampelopsis arborea	Ampelopsis brevipedunculata	Ampelopsis cordata	Anthyllis hermanniae
Artemisia	Asparagus acutifolius	Baccharis	Brassica	Calicotome spinosa
Calicotome villosa	Callicarpa americana	Callistemon citrinus	Calluna vulgaris	Carya
Catharanthus	Celtis occidentalis	Cercis canadensis	Cercis occidentalis	Cercis siliquastrum
Chamaecrista fasciculata	Chamaesyce canescens	Chenopodium album	Chionanthus	Chitalpa tashkentensis
Cistus	Citrus	Clematis cirrhosa	Coelorachis cylindrica	Coffea
Conium maculatum	Convolvulus cneorum	Coprosma repens	Coronilla glauca	Coronilla valentina
Cyperus eragrostis	Cytisus	Digitaria	Dimorphoteca	Diospyros kaki
Diplocyclos palmatus	Dodonaea viscosa	Elaeagnus angustifolia	Encelia farinose	Eremophila maculata
Erigeron	Erodium moschatum	Erysimum	Euphorbia chamaesyce	Euphorbia terracina
Euryops chrysanthemoides	Euryops pectinatus	Fagus crenata	Fallopia japonica	Fatsia japonica
Ficus carica	Frangula alnus	Fraxinus	Genista	Ginkgo biloba
Gleditsia triacanthos	Grevillea juniperina	Hebe	Helianthus	Heliotropium europaeum
Hemerocallis	Hevea brasiliensis	Helichrysum	Hibiscus	Humulus scandens

Ilex aquifolium	Ilex vomitoria	Iva annua	Jacaranda mimosifolia	Juglans
Juniperus ashei	Koelreuteria bipinnata	Lagerstroemia	Laurus nobilis	Lavandula
Ligustrum lucidum	Liquidambar styraciflua	Lonicera japonica	Lupinus	Magnolia grandiflora
Mallotus paniculatus	Malva parviflora	Medicago arborea	Medicago sativa	Metrosideros
Mimosa	Modiola caroliniana	Morus	Myoporum insulare	Myrtus communis
Nandina domestica	Neptunia lutea	Nerium oleander	Olea	Osteospermum ecklonis
Osteospermum fruticosum	Parthenocissus quinquefolia	Paspalum dilatatum	Pelargonium	Persea americana
Phagnalon saxatile	Phillyrea angustifolia	Phillyrea latifolia	Phlomis fruticosa	Phoenix reclinata
Phoenix roebelenii	Pinus taeda	Pistacia vera	Plantago lanceolata	Platanus
Pluchea odorata	Polygala myrtifolia	Polygala x grandiflora	Prunus	Pterospartum tridentatum
Pyrus	Quercus	Ratibida columnifera	Rhamnus alaternus	Rhus
Robinia pseudoacacia	Rosa	Rosmarinus officinalis	Rubus	Salvia mellifera
Sambucus	Santolina chamaecyparissus	Sapindus saponaria	Sassafras	Setaria magna
Solidago fistulosa	Solidago virgaurea	Sorghum halepense	Spartium	Stewartia pseudocamellia
Strelitzia reginae	Streptocarpus	Symphotrichum divaricatum	Teucrium capitatum	Trifolium repens
Ulex	Ulmus	Vaccinium	Vinca	Vitis
Westringia fruticosa	Westringia glabra	Xanthium strumarium		