

REGULATED PESTS FOR TRINIDAD AND TOBAGO

(Note: These pests are NOT present in Trinidad and Tobago)

Pest No.	Pest Type	Scientific Name	Common Name	Major Hosts
Mite				
1	1	<i>Aceria mangiferae</i> Sayed	Mango bud mite	<i>Mangifera indica</i> (mango)
2	2	<i>Oligonychus mangiferus</i> (Rahman & Sapra)	Mango spider mite	<i>Mangifera indica</i> (mango)
3	3	<i>Panonychus citri</i> McGregor	Citrus red mite	<i>Citrus</i> , <i>Citrus deliciosa</i> (mediterranean mandarin), <i>Citrus limon</i> (lemon), <i>Citrus reticulata</i> (mandarin), <i>Citrus sinensis</i> (navel orange), <i>Citrus unshiu</i> (satsuma), <i>Citrus x paradisi</i> (grapefruit)
4	4	<i>Siteroptes graminum</i> (Reuter)	Grass mite	Grass
5	5	<i>Steneotarsonemus ananas</i> (Tryon)	Pineapple tarsonemid	<i>Ananas comosus</i> (Pineapple)
6	6	<i>Steneotarsonemus furcatus</i> DeLeon	Taro tarsonemid mite	<i>Allium cepa</i> (onion)
7	7	<i>Tetranychus cinnabarinus</i> (Boisduval)	Carmine spider mite	<i>Abelmoschus esculentus</i> (okra), <i>Arachis hypogaea</i> (groundnut), <i>Carica papaya</i> (papaw), <i>Citrullus lanatus</i> (watermelon), <i>Citrus</i> , <i>Cucurbitaceae</i> (cucurbits), <i>Fragaria ananassa</i> (strawberry), <i>Gossypium</i> (cotton), <i>Ipomoea batatas</i> (sweet potato), <i>Lycopersicon esculentum</i> (tomato), <i>Malus domestica</i> (apple), <i>Manihot esculenta</i> (cassava), <i>Musa</i> (banana), <i>Phaseolus</i> (beans), <i>Prunus persica</i> (peach), <i>Ziziphus jujuba</i> (common jujube)

REGULATED PESTS FOR TRINIDAD AND TOBAGO

Pest No.	Pest Type	Scientific Name	Common Name	Major Hosts
8	8	<i>Tetranychus desertorum</i> Banks	Desert spider mite	<i>Gossypium</i> (cotton), <i>Manihot esculenta</i> (cassava)
9	9	<i>Tetranychus tumidus</i> Banks	Tumid spider mite	<i>Araceae</i> , <i>Ipomoea batatas</i> (sweet potato)
Insect				
10	1	<i>Anastrepha ludens</i> (Loew)	Mexican Fruit Fly	<i>Citrus</i> , <i>Mangifera indica</i> (mango), <i>Prunus persica</i> (peach)
11	2	<i>Anastrepha suspensa</i> Loew	Caribbean Fruit Fly	<i>Annona</i> , <i>Annona reticulata</i> (bullock's heart), <i>Eugenia</i> , <i>Fortunella margarita</i> (oval kumquat), <i>Manilkara zapota</i> (sapodilla), <i>Psidium</i> , <i>Psidium guajava</i> (guava), <i>Syzygium</i> , <i>Syzygium jambos</i> (rose apple), <i>Terminalia catappa</i> (Singapore almond)
12	3	<i>Anomala orientalis</i> Heyden, 1887. *Preferred SN: <i>Exomala orientalis</i> (Waterhouse, 1875)	Oriental beetle	<i>Agrostis stolonifera</i> (creeping bentgrass)
13	4	<i>Anoplophora glabripennis</i> (Motschulsky)	Asian long-horned beetle	<i>Acer</i> (maples), <i>Acer negundo</i> (box elder), <i>Aesculus hippocastanum</i> (buckeye), <i>Populus</i> (poplars), <i>Populus canadensis</i> (hybrid black poplar), <i>Populus dakuanensis</i> , <i>Populus deltoides</i> (poplar), <i>Populus nigra</i> (black poplar), <i>Robinia pseudoacacia</i> (black locust), <i>Salix</i> (willow), <i>Salix babylonica</i> (weeping willow), <i>Salix matsudana</i> (Peking willow), <i>Ulmus</i> (elms)
14	5	<i>Anthonomus eugenii</i> Cano	Pepper weevil	<i>Capsicum</i> (peppers), <i>Capsicum annuum</i> (bell pepper), <i>Capsicum frutescens</i> (chilli)
15	6	<i>Anthonomus grandis</i> Boheman, 1843	Boll weevil	<i>Gossypium barbadense</i> (Gallini cotton), <i>Gossypium hirsutum</i> (Bourbon

REGULATED PESTS FOR TRINIDAD AND TOBAGO

Pest No.	Pest Type	Scientific Name	Common Name	Major Hosts
				cotton)
16	7	<i>Ophiusa disjungens</i> (Walker, 1858)	guava moth	<i>Psidium guajava</i> (Guava)
17	8	<i>Bactrocera carambolae</i> Drew & Hancock	Carambola Fruit Fly	<i>Annona muricata</i> (sour sop), <i>Artocarpus integer</i> , <i>Averrhoa carambola</i> (carambola), <i>Carica papaya</i> (papaw), <i>Citrofortunella mitis</i> , <i>Citrus aurantiifolia</i> (lime), <i>Citrus limon</i> (lemon), <i>Fortunella margarita</i> (oval kumquat) and others
18	9	<i>Bactrocera caryae</i> (Kapoor)	A member of the Oriental fruit fly, <i>Bactrocera dorsalis</i> species complex	<i>Aegle marmelos</i> (golden apple), <i>Citrus maxima</i> (pummelo), <i>Citrus reticulata</i> (mandarin), <i>Malpighia glabra</i> (acerola), <i>Mangifera indica</i> (mango), <i>Pouteria sapota</i> , <i>Psidium guajava</i> (guava)
19	10	<i>Bactrocera cucurbitae</i> Coquillett	Melon Fly	<i>Cucumis melo</i> (melon), <i>Cucurbita maxima</i> (giant pumpkin), <i>Cucurbita pepo</i> (ornamental gourd), <i>Trichosanthes cucumerina</i> var. <i>anginea</i> (snakegourd)
20	11	<i>Bactrocera dorsalis</i> (Hendel, 1912)	Oriental Fruit Fly	<i>Aegle marmelos</i> (golden apple), <i>Anacardium occidentale</i> (cashew nut), <i>Annona reticulata</i> (bullock's heart), <i>Annona squamosa</i> (sugarapple), <i>Artocarpus altilis</i> (breadfruit), <i>Artocarpus heterophyllus</i> (jackfruit), <i>Averrhoa carambola</i> (carambola), <i>Capsicum annuum</i> (bell pepper), <i>Carica papaya</i> (papaw), <i>Chrysophyllum cainito</i> (caimito), <i>Citrus</i> , and others
21	12	<i>Bactrocera invadens</i> (Drew et al.,	New polyphagous	<i>Mangifera indica</i> (mango), <i>Psidium guajava</i> (guava), <i>Citrus</i> spp.,

REGULATED PESTS FOR TRINIDAD AND TOBAGO

Pest No.	Pest Type	Scientific Name	Common Name	Major Hosts
		2005)	fruit fly species (Central Africa) Asian fruit fly	<i>Carica papaya</i> (pawpaw), <i>Lycopersicon esculentum</i> (tomato)
22	13	<i>Bactrocera kandiensis</i> Drew & Hancock	A member of the Oriental fruit fly, <i>Bactrocera dorsalis</i> species complex	<i>Anacardium occidentale</i> (cashew nut), <i>Annona glabra</i> , <i>Areca catechu</i> (betelnut palm), <i>Artocarpus heterophyllus</i> (jackfruit), <i>Averrhoa carambola</i> (carambola), <i>Citrus maxima</i> (pummelo), <i>Mangifera indica</i> (mango), <i>Persea americana</i> (avocado), <i>Psidium guajava</i> (guava), <i>Punica granatum</i> (pomegranate) and others
23	14	<i>Bactrocera latifrons</i> (Hendel)	Malaysian fruit fly	<i>Capsicum</i> (peppers), <i>Capsicum annuum</i> (bell pepper), <i>Solanum nigrum</i> (black nightshade)
24	15	<i>Bactrocera minax</i> (Enderlein)	Chinese citrus fly	<i>Citrus aurantium</i> (sour orange), <i>Citrus maxima</i> (pummelo), <i>Citrus reticulata</i> (mandarin), <i>Citrus sinensis</i> (navel orange)
25	16	<i>Bactrocera occipitalis</i> (Bezzi)	A member of the Oriental fruit fly, <i>Bactrocera dorsalis</i> species complex	<i>Averrhoa carambola</i> (carambola), <i>Citrus reticulata</i> (mandarin), <i>Mangifera indica</i> (mango), <i>Manilkara zapota</i> (sapodilla), <i>Psidium guajava</i> (guava), <i>Spondias purpurea</i>
26	17	<i>Bactrocera papayae</i> Drew & Hancock	Asian papaya fruit fly	<i>Anacardium occidentale</i> (cashew nut), <i>Artocarpus altalis</i> (breadfruit), <i>Artocarpus integer</i> , <i>Averrhoa bilimbi</i> , <i>Borassus flabellifer</i> (toddy palm), <i>Carica papaya</i> (papaw), <i>Castanopsis</i> , <i>Chrysophyllum cainito</i> (caimito), <i>Citrofortunella mitis</i> , <i>Citrus aurantiifolia</i> (lime), <i>Citrus limon</i> (lemon),

REGULATED PESTS FOR TRINIDAD AND TOBAGO

Pest No.	Pest Type	Scientific Name	Common Name	Major Hosts
				<i>Citrus maxima</i> (pummelo), <i>Citrus reticulata</i> (mandarin), and others
27	18	<i>Bactrocera philippinensis</i> Drew and Hancock	A member of the Oriental fruit fly, <i>Bactrocera dorsalis</i> species complex	<i>Artocarpus altilis</i> (breadfruit), <i>Averrhoa carambola</i> (carambola), <i>Carica papaya</i> (papaw), <i>Citrus reticulata</i> (mandarin), <i>Mangifera indica</i> (mango), <i>Manilkara zapota</i> (sapodilla), <i>Psidium guajava</i> (guava), <i>Spondias purpurea</i> , <i>Syzygium malaccense</i> (malay-apple)
28	19	<i>Bactrocera pyrifoliae</i> Drew & Hancock	A member of the Oriental fruit fly, <i>Bactrocera dorsalis</i> species complex	<i>Prunus persica</i> (peach), <i>Psidium guajava</i> (guava)
29	20	<i>Bactrocera tsuneonis</i> (Miyake)	Japanese orange fruit fly	<i>Citrus aurantium</i> (sour orange), <i>Citrus reticulata</i> (mandarin), <i>Citrus sinensis</i> (navel orange), <i>Fortunella margarita</i> (oval kumquat), <i>Fortunella x crassifolia</i> (meiwa kumquat)
30	21	<i>Bactrocera tryoni</i> (Froggatt)	Queensland Fruit Fly	<i>Anacardium occidentale</i> (cashew nut), <i>Annona glabra</i> , <i>Annona muricata</i> (soursop), <i>Averrhoa carambola</i> (carambola), <i>Capsicum annuum</i> (bell pepper), <i>Carica papaya</i> (papaw), <i>Lycopersicon esculentum</i> (tomato), <i>Malus sylvestris</i> (crab-apple tree), <i>Mangifera indica</i> (mango), <i>Psidium guajava</i> (guava) and others
31	22	<i>Bactrocera zonata</i> (Saunders 1841)	Peach fruit fly	<i>Mangifera indica</i> (mango), <i>Prunus persica</i> (peach), <i>Psidium guajava</i> (guava)

REGULATED PESTS FOR TRINIDAD AND TOBAGO

Pest No.	Pest Type	Scientific Name	Common Name	Major Hosts
32	23	<i>Bedellia orchilella</i> Walsingham	Sweet potato leafminer	<i>Ipomoea batatas</i> (sweet potato)
33	24	<i>Caryedon serratus</i> (Olivier)	Tamarind seed weevil	<i>Arachis hypogaea</i> (groundnut), <i>stored products</i> (dried stored products)
34	25	<i>Caulophilus oryzae</i> (Gyllenhal, 1838)	Broadnosed grain weevil	<i>Cicer arietinum</i> (chickpea), <i>Panicum miliaceum</i> (millet), <i>Pennisetum</i> (feather grass), <i>Zea mays</i> (maize)
35	26	<i>Ceratitis capitata</i> (Wiedemann)	Mediterranean Fruit Fly	<i>Capsicum annum</i> (bell pepper), <i>Citrus</i> , <i>Coffea</i> (coffee), <i>Ficus carica</i> (fig), <i>Malus domestica</i> (apple), <i>Prunus</i> (stone fruit), <i>Psidium guajava</i> (guava), <i>Theobroma cacao</i> (cocoa)
36	27	<i>Ceratitis cosyra</i> (Walker)	Mango/marula fruit fly	<i>Mangifera indica</i> (mango), <i>Sclerocarya birrea</i> (marula)
37	28	<i>Ceratitis quinaria</i> (Bez.)	Rhodesian fruit fly	<i>Citrus</i> , <i>Prunus americana</i> (apricot), <i>Prunus persica</i> (peach), <i>Psidium guajava</i> (guava)
38	29	<i>Ceratitis rosa</i> Karsch	Natal Fruit Fly	<i>Citrus</i> , <i>Coffea</i> (coffee)
39	30	<i>Chaetocnema confinis</i> Crotch, 1873	Sweet potato flea beetle	<i>Beta vulgaris</i> (beetroot), <i>Calystegia sepium</i> (great bindweed), <i>Ipomoea aquatica</i> (swamp morning-glory), <i>Ipomoea batatas</i> (sweet potato), <i>Ipomoea pandurata</i> , <i>Lycopersicon esculentum</i> (tomato), <i>Pharbitis purpurea</i> (Tall morning glory), <i>Zea mays</i> (maize)
40	31	<i>Chaetococcus bambusae</i> (Maskell)	Bamboo mealybug	<i>Bambusa vulgaris</i> (Bamboo)

REGULATED PESTS FOR TRINIDAD AND TOBAGO

Pest No.	Pest Type	Scientific Name	Common Name	Major Hosts
41	32	<i>Contarinia maculipennis</i> Felt	Blossom midge	<i>Plumeria</i> (Frangipani), <i>Hibiscus</i> (Rosemallows), <i>pikake</i> (Jasmine), <i>Brassica rapa subsp. chinensis</i> (White mustard cabbage or <i>pak choi</i>), <i>Lycopersicon esculentum</i> (Tomato), <i>Solanum melongena</i> (Eggplant), <i>Capsicum</i> sp. Pepper), <i>Solanum tuberosum</i> (Potato) and others
42	33	<i>Cylas formicarius</i> Fabricius	Sweet potato weevil	<i>Ipomoea batatas</i> (sweet potato)
43	34	<i>Dacus oleae</i> Gmelin, 1790	Olive Fruit Fly	<i>Olea europaea</i> subsp. <i>europaea</i> (olive)
44	35	<i>Dasineura mangiferae</i> Felt *Preferred SN: <i>Erosomyia mangiferae</i> Felt	Mango flower midge	<i>Mangifera indica</i> (mango)
45	36	<i>Delia platura</i> (Meigen)	Seedcorn maggot	<i>Polyphagous</i> (polyphagous)
46	37	<i>Diaphorina citri</i> Kuwayama	Asian Citrus Psyllid	<i>Citrus</i> , <i>Citrus aurantiifolia</i> (lime), <i>Citrus limon</i> (lemon), <i>Murraya koenigii</i> (curry leaf tree)
47	38	<i>Elixothrips brevisetis</i> (Bangnall)	Banana rind thrips	<i>Musa</i> sp. (Banana), <i>Carica papaya</i> (Pawpaw), <i>Wedelia trilobata</i> (creeping daisy) <i>Canna</i> spp., <i>Ficus</i> spp., <i>Cestrum pallidum</i> , <i>Dioscorea</i> spp., <i>Ipomoea alba</i> , and <i>Morinda citrifolia</i> .
48	39	<i>Faustinus cubae</i> (Boheman)	Stem borer (Hot Pepper)	<i>Capsicum</i> sp. (pepper) and <i>Solanum</i> (nightshade)
49	40	<i>Frankliniella williamsi</i> Hood	Corn thrips	<i>Saccharum officinarum</i> (sugarcane), <i>Zea mays</i> (maize)
50	41	<i>Geococcus coffeae</i> Green	Coffee root	<i>Ananas comosus</i> (pineapple), <i>Citrus</i> , <i>Coffea</i> (coffee)

REGULATED PESTS FOR TRINIDAD AND TOBAGO

Pest No.	Pest Type	Scientific Name	Common Name	Major Hosts
			mealybug	
51	42	<i>Gynaikothrips ficorum</i> (Marchal, 1908)	Cuban laurel thrips	<i>Ficus benjamina</i> (Benjamina fig), <i>Ficus carica</i> (fig), <i>Ficus elastica</i> (rubber plant), <i>Ficus microcarpa</i> (Indian laurel tree)
52	43	<i>Heilipus lauri</i> Boheman	Avocado seed weevil	<i>Persea americana</i> (avocado)
53	44	<i>Hypothenemus hampei</i> (Ferrari, 1867)	Coffee Berry Borer	<i>Coffea</i> (coffee), <i>Coffea arabica</i> (arabica coffee)
54	45	<i>Omphisa anastomosalis</i> Guenée	Sweet potato vine borer	<i>Ipomoea batatas</i> (sweet potato)
55	46	<i>Orchidophilus aterrimus</i> (Waterhouse)	Orchid weevil	<i>Cattleya</i> , <i>Cymbidium</i> , <i>Dendrobium</i> , <i>Orchidaceae</i> (orchids), <i>Paphiopedilum</i> (lady's slipper orchid), <i>Phalaenopsis</i>
56	47	<i>Orchidophilus peregrinator</i> Buchanan 1935	Lesser orchid weevil	<i>Orchidaceae</i> (orchids: (Vanda, Phalaenopsis, Renanthera, Grammatophylum))
57	48	<i>Oryzaephilus surinamensis</i> (Linnaeus)	Saw toothed grain beetle	<i>Avena sativa</i> (oats), <i>Hordeum vulgare</i> (barley), <i>Myristica fragrans</i> (nutmeg), <i>Oryza sativa</i> (rice), <i>Panicum miliaceum</i> (millet), <i>Sorghum bicolor</i> (sorghum), <i>stored products</i> (dried stored products), <i>Triticum</i> (wheat), <i>Triticum aestivum</i> (wheat), <i>Zea mays</i> (maize)
58	49	<i>Othreis fullonia</i> Linnaeus *Preferred SN: <i>Eudocima fullonia</i> (Clerck, 1764)	Pacific fruit-piercing moth	<i>Averrhoa carambola</i> (carambola), <i>Capsicum annuum</i> (bell pepper), <i>Carica papaya</i> (papaw), <i>Citrus</i> , <i>Citrus reticulata</i> (mandarin), <i>Citrus sinensis</i> (navel orange), <i>Lycopersicon esculentum</i> (tomato), <i>Mangifera</i>

REGULATED PESTS FOR TRINIDAD AND TOBAGO

Pest No.	Pest Type	Scientific Name	Common Name	Major Hosts
				<i>indica</i> (mango), <i>Psidium guajava</i> (guava) and others
59	50	<i>Paracoccus marginatus</i> Williams & Granara de Willink, 1992	Papaya Mealy bug	<i>Annona squamosa</i> (sugarapple), <i>Carica papaya</i> (papaw), <i>Hibiscus</i> (rosemallows), <i>Hibiscus rosa-sinensis</i> (China-rose), <i>Hibiscus sabdariffa</i> (Jamaica sorrel), <i>Manihot esculenta</i> (cassava), <i>Persea americana</i> (avocado), <i>Plumeria</i> (frangipani), <i>Solanum melongena</i> (aubergine)
60	51	<i>Penicellaria jocosatrix</i> Guenee, 1852	Mango shoot caterpillar	<i>Mangifera indica</i> (mango)
61	52	<i>Phthorimaea operculella</i> (Zeller, 1873)	Potato tuber worm	<i>Solanum tuberosum</i> (potato)
62	53	<i>Pieris rapae</i> Linnaeus	Imported cabbage worm	<i>Brassica oleracea</i> var. <i>botrytis</i> (cauliflower), <i>Brassica oleracea</i> var. <i>capitata</i> (cabbage), <i>Brassica oleracea</i> var. <i>gemmifera</i> (Brussels sprouts), <i>Brassica oleracea</i> var. <i>viridis</i> (collards), <i>Brassicaceae</i> (cruciferous crops) and others
63	54	<i>Prodioplosis longifila</i> Gagné	Citrus gall midge	Citrus aurantifolia (Lime), <i>Lycopersicon esculentum</i> (tomato), <i>Solanum tuberosum</i> (potato), <i>Capsicum chinense</i> (hot pepper), <i>Gossypium</i> sp. (wild cotton) other-beans, tomato, white potato and alfalfa
64	55	<i>Pseudacysta perseae</i> (Heidemann)	Avocado lacebug	<i>Persea americana</i> (avocado)
65	56	<i>Phthorimaea operculella</i> (Zeller 1873)	Potato tuber moth	<i>Solanum tuberosum</i> (potato), <i>Solanum esculentum</i> (egg plant), <i>Lycopersicum esculentum</i> (tomato), <i>Nicotiana tabacum</i> (tobacco)

REGULATED PESTS FOR TRINIDAD AND TOBAGO

Pest No.	Pest Type	Scientific Name	Common Name	Major Hosts
66	57	<i>Rhagoletis cingulata</i> (Loew)	Cherry Fruit Fly	<i>Prunus avium</i> (sweet cherry), <i>Prunus cerasus</i> (sour cherry)
67	58	<i>Rhagoletis pomonella</i> Walsh	Apple Maggot	<i>Malus</i> (ornamental species apple), <i>Malus baccata</i> , <i>Prunus americana</i> (apricot), <i>Prunus angustifolia</i> (Mountain cherry tree), <i>Prunus armeniaca</i> (apricot), <i>Prunus avium</i> (sweet cherry), <i>Prunus cerasus</i> (sour cherry), <i>Prunus mahaleb</i> , <i>Prunus persica</i> (peach), <i>Prunus virginiana</i> (common chokecherrytree) and others
68	59	<i>Scirtothrips aurantii</i> Faure	South African citrus thrips	<i>Citrus</i> , <i>Citrus limon</i> (lemon), <i>Citrus sinensis</i> (navel orange)
69	60	<i>Scirtothrips citri</i> (Moulton, 1909)	California citrus thrips	<i>Citrus</i>
70	61	<i>Scirtothrips perseae</i> Nakahara, 1997	Avocado thrips	<i>Persea americana</i> (avocado)
71	62	<i>Sericothrips staphylinus</i> Haliday, 1836	Gorse thrips	<i>Ulex europaeus</i> (gorse)
72	63	<i>Siphoninus phillyreae</i> Haliday, 1835	Ash whitefly	<i>Malus</i> spp. , <i>Pyrus</i> spp.
73	64	<i>Sitophilus granarius</i> Linnaeus, 1785	Granary weevil	<i>Hordeum vulgare</i> (barley), stored products (dried stored products), <i>Triticum</i> (wheat), <i>Triticum aestivum</i> (wheat)
74	65	<i>Sitophilus linearis</i> (Herbst)	Tamarind weevil	<i>Tamarindus indica</i> (Indian tamarind)
75	66	<i>Sitophilus oryzae</i> (Linnaeus)	Rice weevil	<i>Manihot esculenta</i> (cassava), <i>Oryza sativa</i> (rice), <i>Sorghum bicolor</i> (sorghum), stored products (dried stored products), <i>Triticum</i> (wheat), <i>Triticum aestivum</i> (wheat), <i>Triticum spelta</i> (spelt), <i>Zea mays</i> (maize)

REGULATED PESTS FOR TRINIDAD AND TOBAGO

Pest No.	Pest Type	Scientific Name	Common Name	Major Hosts
76	67	<i>Spodoptera litura</i> (Fabricius)	Cluster caterpillar	<i>Abelmoschus esculentus</i> (okra), <i>Lycopersicon esculentum</i> (tomato), <i>Manihot esculenta</i> (cassava), <i>Musa</i> (banana), <i>Nicotiana tabacum</i> (tobacco), <i>Oryza sativa</i> (rice), <i>Papaver</i> (poppies), <i>Phaseolus</i> (beans), <i>Piper nigrum</i> (black pepper), <i>Solanum tuberosum</i> (potato), <i>Sorghum bicolor</i> (sorghum), <i>Theobroma cacao</i> (cocoa), <i>Vigna unguiculata</i> (cowpea), <i>Zea mays</i> (maize) and others
77	68	<i>Spoladea recurvali</i> (Fabricius)	Hawaiian beet webworm	<i>Amaranthus</i> (grain amaranth), <i>Arachis hypogaea</i> (groundnut), <i>Beta vulgaris</i> var. <i>saccharifera</i> (sugarbeet), <i>Citrullus lanatus</i> (watermelon), <i>Cucurbitaceae</i> (cucurbits), <i>Phaseolus</i> (beans), <i>Solanum melongena</i> (aubergine), <i>Spinacia oleracea</i> (spinach), <i>stored products</i> (dried stored products)
78	69	<i>Stictoptera cuculioides</i> Guenee	A noctuid moth	<i>Garcinia cambogia</i> , <i>Mammea americana</i> (mammee apple), <i>Calophyllum inophyllum</i> (kamani), <i>Clusia rosea</i> (autograph tree), <i>Ochrocarpus obovalis</i> , and <i>O. excelsus</i>
79	70	<i>Tarophagus proserpina</i> (Kirkaldy, 1907)	Taro leafhopper	<i>Colocasia esculenta</i> (taro)
80	71	<i>Tenebrio molitor</i> Linnaeus	Yellow mealworm	<i>Poaceae</i> (grasses), <i>stored products</i> (dried stored products), <i>Triticum</i> (wheat), <i>Triticum aestivum</i> (wheat), <i>wheat bran</i> , <i>wheat flour</i> , <i>Zea mays</i> (maize)
81	72	<i>Tenebrio obscurus</i> Fabricius	Dark mealworm	<i>stored products</i> (dried stored products)
82	73	<i>Tenomerga mucida</i> (Chevrolat,	A cupedid beetle	Timber

REGULATED PESTS FOR TRINIDAD AND TOBAGO

Pest No.	Pest Type	Scientific Name	Common Name	Major Hosts
		1829)		
83	74	<i>Thrips hawaiiensis</i> (Morgan, 1913)	Hawaiian flower thrips	<i>Abelmoschus esculentus</i> (okra), <i>Chrysanthemum vestitum</i> , <i>Citrus</i> , <i>Mangifera indica</i> (mango), <i>Musa</i> (banana), <i>Musa x paradisiaca</i> (plantain), <i>Rosa rugosa</i> (Rugosa rose), <i>Syzygium samarangense</i> (water apple), <i>Vitis vinifera</i> (grapevine), <i>Zea mays</i> (maize)
84	75	<i>Thrips tabaci</i> Lindeman, 1889	Onion thrips	<i>Allium</i> (onions, garlic, leek, etc.), <i>Allium cepa</i> (onion), <i>Allium porrum</i> (leek), <i>Brassica oleracea</i> var. <i>capitata</i> (cabbage), <i>Chrysanthemum</i> (daisy), <i>Cucumis sativus</i> (cucumber), <i>Cucurbitaceae</i> (cucurbits), <i>Gossypium</i> (cotton), <i>Nicotiana tabacum</i> (tobacco), <i>Piper nigrum</i> (black pepper)
85	76	<i>Trialeurodes abutilonea</i> Haldeman	Bandedwinged whitefly	<i>Capsicum annuum</i> (bell pepper), <i>Glycine max</i> (soyabean), <i>Gossypium</i> (cotton), <i>Lactuca sativa</i> (lettuce), <i>Manihot esculenta</i> (cassava)
86	77	<i>Trialeurodes vaporariorum</i> Westwood 1856	Greenhouse whitefly	<i>Brassica</i> , <i>Chrysanthemum</i> (daisy), <i>Cucumis melo</i> (melon), <i>Cucumis sativus</i> (cucumber), <i>Cucurbitaceae</i> (cucurbits), <i>Gossypium hirsutum</i> (Bourbon cotton), <i>Lycopersicon esculentum</i> (tomato), <i>Persea americana</i> (avocado), <i>Solanum melongena</i> (aubergine) and others
87	78	<i>Tribolium castaneum</i> Herbst	Red flour beetle	<i>Arachis hypogaea</i> (groundnut), <i>Avena sativa</i> (oats), <i>Bertholletia excelsa</i> (Brazil nut), <i>Hordeum vulgare</i> (barley), <i>Juglans</i> (walnuts), <i>Lens culinaris</i> ssp. <i>culinaris</i> (lentil), <i>Oryza sativa</i> (rice), <i>Phaseolus</i> (beans), <i>Phaseolus lunatus</i> (lima bean), <i>Pisum sativum</i> (pea), <i>Zea mays</i> (maize) and others

REGULATED PESTS FOR TRINIDAD AND TOBAGO

Pest No.	Pest Type	Scientific Name	Common Name	Major Hosts
88	79	<i>Tribolium confusum</i> Jacquelin du Val	Confused flour beetle	<i>Avena sativa</i> (oats), <i>Oryza sativa</i> (rice), <i>Pennisetum glaucum</i> (pearl millet), <i>Sorghum bicolor</i> (sorghum), stored products (dried stored products), <i>Triticum</i> (wheat), wheat flour, <i>Zea mays</i> (maize)
89	80	<i>Trogoderma granarium</i> Everts	Khapra beetle	<i>Arachis hypogaea</i> (groundnut), <i>Gossypium</i> (cotton), <i>Hordeum vulgare</i> (barley), <i>Oryza sativa</i> (rice), <i>Panicum miliaceum</i> (millet), <i>Sesamum indicum</i> (sesame), <i>Sorghum bicolor</i> (sorghum), stored products (dried stored products), <i>Triticum</i> (wheat), <i>Triticum aestivum</i> (wheat) <i>Zea mays</i> (maize)
Slugs				
90	1	<i>Vaginula plebeia</i> Fischer	Brown slug	<i>Lactuca sativa</i> (lettuce), <i>Phaseolus</i> (beans), <i>Solanum tuberosum</i> (potato)
91	2	<i>Veronicella cubensis</i> (Pfeiffer)	Two-striped slug	most species of melon, pumpkin, pepper, eggplant, cabbage, cassava, taro, sweet potato, yam, papaya, banana, star fruit, mango, noni, citrus, and coffee.
92	3	<i>Veronicella leydigi</i> (Simroth)	Black slug	stems, leaves, flowers and roots of many plant species. Besides plants, they can live on decaying vegetable matter, fungi, molds, earthworms, and dead or slow-moving insects.
Bacterium				
93	1	<i>Liberobacter condidotus asiaticus</i> Murray	Citrus greening, Huanglongbing of Citrus	Citrus

REGULATED PESTS FOR TRINIDAD AND TOBAGO

Pest No.	Pest Type	Scientific Name	Common Name	Major Hosts
94	2	<i>Xanthomonas axonopodis</i> pv. <i>Citri</i> (Hassee) Dye	Citrus Canker	Citrus
Phytoplasma				
95	1	Spiroplasmataceae	Lethal Yellowing of coconuts	Coconut
Fungus				
96	1	<i>Botryotinia squamosa</i> Viennot-Bourgin	Leaf blight, neck rot	<i>Allium</i> spp.
97	2	<i>Botrytis aclada</i> Fresenius	Grey mold, neck rot	<i>Allium</i> spp.
98	3	<i>Colletotrichum circinans</i> (Berk.) Voglino	Onion smudge, anthracnose	<i>Allium</i> spp.
99	4	<i>Guignardia bidwelli</i> (Ell.) Viala & Ravaz	Black rot	<i>Vitis</i> spp.
100	5	<i>Hemileia vastarix</i> Berk. & Br	Coffee leaf rust	Coffee
101	6	<i>Moniliophthora roreri</i> (Ciferri) H.C. Evans <i>et al</i>	Monilia Pod rot	Cocoa
102	7	<i>Mycocentrospora acerina</i> (Hartig) Deighton	Leaf spot, root rot, storage rot, crown	Anemone, carrot, celery, caraway, parsley, parsnip

REGULATED PESTS FOR TRINIDAD AND TOBAGO

Pest No.	Pest Type	Scientific Name	Common Name	Major Hosts
			rot, anthracnose	
103	8	<i>Puccinia allii</i> Rud., Linnaea	Rust	<i>Allium spp.</i>
104	9	<i>Sclerotium cepivorum</i> Berk.	White rot, bulb rot	<i>Allium spp.</i>
Nematode				
105	1	<i>Aphelenchoides besseyi</i> Christie	White tip nematode	Multiple
106	2	<i>Belonolaimus Longicaudatus</i> Steiner	Sting nematode	Multiple
107	3	<i>Ditylenchus dipsaci</i> (Kuhn) Filip' ev	Stem and bulb nematode	Multiple
108	4	<i>Globodera pallida</i> (Wollenweber) Behrens	White tip nematode Golden nematode- (G.p)	<i>Solanum spp.</i>
109	5	<i>Globodera rostochiensis</i> (Wollenweber) Behrens	Golden nematode- (G.r)	<i>Solanum spp.</i>
110	6	<i>Radopholus citrophilus</i> Huettel, Dickson and Kaplan, 1984	Burrowing nematode	Citrus, Anthurium, Bananas
Virus				
111	1	Bananas bunchy top virus	Bananas bunchy top virus	Bananas bunchy top virus

REGULATED PESTS FOR TRINIDAD AND TOBAGO

Pest No.	Pest Type	Scientific Name	Common Name	Major Hosts
112	2	African cassava mosaic virus (Begomovirus)	African cassava mosaic virus	Cassava
113	3	Yam mosaic virus (Potyvirus)	Yam mosaic virus	Yam (prabably present in Caribbean) in Guadeloupe Migliori and cadillac (1976) Ann's phytopath 8:73 1976
Viroid				
114	1	Avsunviroid	Avocado sunblotch Disease	Avocado