

VIET NAM

Source: www.spsvietnam.gov.vn

Unofficial translation

**MINISTRY OF AGRICULTURE
AND RURAL DEVELOPMENT**

SOCIALIST REPUBLIC OF VIETNAM
Independent – Freedom - Happiness

No: 35 /2014/TT-BNNPTNT

Hanoi, October 31, 2014

CIRCULAR

For publishing the list of quarantine pests of the Socialist Republic of Vietnam

Pursuant to Law of Plant Quarantine and Protection No 41/2013/QH13 dated 25th November 2014;

Pursuant to Decree No 199/2013/ND-CP dated 26th November 2014 of Government stipulating mission, power and structure for Ministry of Agriculture and Rural Development;

At the proposal of the Director General of Plant Protection Department;

Hereafter is the circular issued by the Minister of Agriculture and Rural Development for publishing the list of quarantine pests of the Socialist Republic of Vietnam:

Article 1. Publishing with this circular the list of quarantine pests of the Socialist Republic of Vietnam.

Article 2. Entry into force

1. This circular will come in to force since 1st January 2015.

2. This circular will fully replace the Decision No. 73/2005/QĐ-BNN on 14 November 2005 of Minister of Agriculture and Rural Development (MARD) for publishing the list of quarantine pests of the Socialist Republic of Vietnam.

Article 3. Implementation Responsibility

Head of the Ministry of Agriculture and Rural Development's Office, Director of Legal Department, Director General of Plant Protection Department, Heads of relevant MARD's offices, and departments and relevant organizations and individuals have responsibility to implement this circular./.

...

On behalf of MINISTER
Vice Minister
(Signed)
Le Quoc Doanh

PLANT QUARANTINE PESTS LIST OF VIETNAM
(Circular No 35/2014/TT-BNNPTNT dated 31 October 2014)

GROUP I: pests which have potential to cause significant damage to plant resources have not present in Vietnam.

A/ Insects

1	Wireworm	<i>Agriotes lineatus</i> Linnaeus
2	South America fruit fly	<i>Anastrepha fraterculus</i> (Wiedemann)
3	Mexican fruit fly	<i>Anastrepha ludens</i> (Loew)
4	West Indian fruit fly	<i>Anastrepha obliqua</i> (Macquart)
5	Sapodilla fruit fly	<i>Anastrepha serpentina</i> (Wiedemann)
6	Guava fruit fly	<i>Anastrepha striata</i> Schiner
7	Mexican cotton boll weevil	<i>Anthonomus grandis</i> Boheman
8	White striped fruit fly	<i>Bactrocera albistrigata</i> (de Meijere)
9	Pumkin fruit fly	<i>Bactrocera depressa</i> Shiraki
10	Queensland fruit fly	<i>Bactrocera tryoni</i> (Froggatt)
11	Japanese orange fly	<i>Bactrocera tsuneonis</i> (Miyake)
12	Bean thrips	<i>Caliothrips fasciatus</i> (Pergande)
13	Peach fruit moth	<i>Carposina sasakii</i> Matsumura
14	Groundnut bruchid	<i>Caryedon serratus</i> Olivier
15	Broad nosed grain weevil	<i>Caulophilus oryzae</i> (Gyllenhal)
16	Mediterranean fruit fly	<i>Ceratitis capitata</i> (Wiedemann)
17	Mango fruit fly	<i>Ceratitis cosyra</i> Karsch
18	Rhodesian fruit fly	<i>Ceratitis quinaria</i> (Bezzi)
19	Natal fruit fly	<i>Ceratitis rosa</i> Karsch
20	Plum curculio	<i>Conotrachelus nenuphar</i> (Herbst)
21	Filbert worm	<i>Cydia latiferreana</i> Walsingham
22	Walnut worm	<i>Cydia pomonella</i> Linnaeus
23	San José scale	<i>Diaspidiotus perniciosus</i> (Comstock) Danzig
24	Cucurbit beetle	<i>Diabrotica speciosa</i> Germar
25	Spotted wing drosophila	<i>Drosophila suzukii</i> Matsumura
26	Light brown apple moth	<i>Epiphyas postvittana</i> Walker
27	Onion bulb fly	<i>Eumerus strigatus</i> (Fallén)
28	White fringed weevil	<i>Graphognathus leucoloma</i> (Boheman)
29	Plum fruit moth	<i>Grapholita funebrana</i> Treitschke
30	Oriental fruit moth	<i>Grapholita molesta</i> Busck
31	Cherry fruit worm	<i>Grapholita packardi</i> Zeller
32	Plum moth	<i>Grapholita prunivora</i> Walsh
33	African black beetle	<i>Heteronychus arator</i> (Fabricius)
34	Mulberry moth	<i>Hyphantria cunea</i> Drury
35	Colorado potato beetle	<i>Leptinotarsa decemlineata</i> Say
36	Ross's black scale	<i>Lindingaspis rossi</i> (Maskell)

37	Mountain ring silk moth	<i>Malacosoma parallela</i> Staudinger
38	Cabbage moth	<i>Mamestra brassicae</i> Linnaeus
39	Mushroom phorid	<i>Megaselia halterata</i> (Wood)
40	White grub cockchafer	<i>Melolontha melolontha</i> Linnaeus
41	West Indian cane weevil	<i>Metamasius hemipterus</i> (Linnaeus)
42	Mushroom gall midge	<i>Mycophila speyeri</i> Barnes
43	Groundnut borer	<i>Pachymerus pallidus</i> Olivier
44	Vine calandra	<i>Phlyctinus callosus</i> (Schoenherr)
45	Omnivorous leaf roller	<i>Platynota stultana</i> Walsingham
46	Japanese beetle	<i>Popillia japonica</i> Newman
47	Larger grain borer	<i>Prostephanus truncatus</i> (Horn)
48	Apple maggot	<i>Rhagoletis pomonella</i> Walsh
49	Peach curculio	<i>Rhynchites heros</i> Roelofs
50	South African citrus thrips	<i>Scirtothrips aurantii</i> Faure
51	West Indian red scale	<i>Selenaspidus articulatus</i> (Morgan)
52	Greater sugarcane borer	<i>Sesamia cretica</i> Lederve
53	Grain weevil	<i>Sitophilus granarius</i> (Linnaeus)
54	Mango seed weevil	<i>Sternochetus mangiferae</i> (Fabricius)
55	Tomato stem borer	<i>Symmetrischema tangolias</i> Gyen
56	False codling moth	<i>Thaumatotibia leucotreta</i> Meyrick
57	Khapra beetle	<i>Trogoderma granarium</i> Everts
58	Larger cabinet beetle	<i>Trogoderma inclusum</i> LeConte
59	Grain dermestid	<i>Trogoderma variabile</i> Ballion
60	Mexican bean weevil	<i>Zabrotes subfaciatus</i> (Boheman)

B/ Mites

61	Chilean false red mite	<i>Brevipalpus chilensis</i> Baker
62	Cassava green mite	<i>Mononychellus tanajoa</i> Bondar
63	Pacific spider mite	<i>Tetranychus pacificus</i> McGregor

C/ Fungi

64	Udbatta disease	<i>Balansia oryzae - sativae</i> Hashioka
65	Potato gangrene	<i>Boeremia foveata</i> (Foister) Aveskamp, Gruyter & Verkley
66	Ergot	<i>Claviceps africana</i> Frederickson, Mantle & De Milliano
67	Flower blight	<i>Ciborinia camelliae</i> Kohn
68	Blight of chestnut	<i>Cryphonectria parasitica</i> (Murrill) Barr
69	Black rot	<i>Guignardia bidwellii</i> (Ellis) Viala & Ravaz
70	South American leaf blight of rubber	<i>Microcyclus ulei</i> (Henn.) Arx
71	American leaf spot of coffee	<i>Mycena citricolor</i> (Berk. & Curtis) Sacc.
72	Mal secco	<i>Phoma tracheiphila</i> (Petri) Kantachveli & Gikachvili

73	Cotton root rot	<i>Phymatotrichopsis omnivora</i> (Duggar) Hennebert
74	Cotton boll blight	<i>Phytophthora boehmeriae</i> Sawada
75	Skin spot of potato	<i>Polyscytalum pustulans</i> (M.N. Owen & Makef) M.B. Ellis
76	Eucalyptus rust	<i>Puccinia psidii</i> G. Winter
77	Wart disease of potato	<i>Synchytrium endobioticum</i> (Schilb.) Percival
78	Karnal bunt of wheat	<i>Tilletia indica</i> Mitra
79	Verticillium wilt of lucerne	<i>Verticillium albo-atrum</i> Reinke & Berthold

D/ Bacteria

80	Bacterial canker of tomato	<i>Clavibacter michiganensis</i> subsp. <i>michiganensis</i> (Smith) Davis
81	Bacterial wilt of maize & vector insect (Corn flea beetle <i>Chaetocnema</i> <i>pulicaria</i> Melsheimer)	<i>Pantoea stewartii</i> (Smith) Mergaert
82	Bacterial blight of coffee	<i>Pseudomonas syringae</i> pv. <i>garcae</i> Young et al.
83	Pierce's disease of grapevines	<i>Xylella fastidiosa</i> Wells et al.

E/ Virus, Viroid

84	Alfalfa yellow spot	<i>Alfalfa mosaic virus</i>
85	Coffee ringspot	<i>Coffee ringspot virus</i>
86	Sharka	<i>Plum pox virus</i>
87	Spindle tuber of potato	<i>Potato spindle tuber viroid</i>

F/ Nematodes

88	Chrysanthemum foliar eelworm	<i>Aphelenchoides ritzemabosi</i> (Schwartz) Steiner & Buhner
89	Pine wilt nematode & vector insects (Sawyer beetles <i>Monochamus</i> spp.)	<i>Bursaphelenchus xylophilus</i> (Steiner & Buhner) Nickle
90	Rice stem nematode	<i>Ditylenchus angustus</i> (Butler) Filipjev
91	Potato tuber nematode	<i>Ditylenchus destructor</i> Thorne
92	White potato cyst nematode	<i>Globodera pallida</i> (Stone) Behrens
93	Yellow potato cyst nematode	<i>Globodera rostochiensis</i> (Wollenweber) Behrens
94	Columbia root-knot nematode	<i>Meloidogyne chitwoodi</i> Golden, O'Bannon, Santo & Finley
95	Root-knot nematode	<i>Meloidogyne ethiopica</i> Whitehead
96	False Columbia root-knot nematode	<i>Meloidogyne fallax</i> Karssen
97	Root-knot nematode	<i>Meloidogyne hapla</i> Chitwood
98	False root-knot nematode	<i>Nacobbus aberrans</i> (Thorne) Thorne &

		Allen
99	Burrowing nematode	<i>Radopholus similis</i> (Cobb) Thorne
100	Red ring nematode & vector insect (South American palm weevil <i>Rinchochophorus palmarum</i>)	<i>Rhadinaphelenchus cocophilus</i> (Cobb) Goodey

G/ Weeds

101	Creeping thistle	<i>Cirsium arvense</i> (L.) Scop.
102	Egyptian broomrape	<i>Orobanche aegyptiaca</i> Pers.
103	Crenate broomrape	<i>Orobanche crenata</i> Forssk.
104	Nodding broomrape	<i>Orobanche cernua</i> Loefl.
105	Branched broomrape	<i>Orobanche ramosa</i> L.
106	Witch weed	<i>Striga densiflora</i> (Benth.) Benth.
107	Witch weed	<i>Striga hermonthica</i> (Del.) Benth.

GROUP II: pests which have potential to cause significant damage to plant resources, have been present in narrow distribution and officially controlled in Vietnam.

A/ Insect

108	Potato tuber moth	<i>Phthorimaea operculella</i> Zeller
-----	-------------------	---------------------------------------

B/ Virus

109	Groundnut stripe disease	<i>Peanut stripe virus</i>
-----	--------------------------	----------------------------

C/ Nematode

110	Stem nematode	<i>Ditylenchus dipsaci</i> (Kuhn) Filipjev
-----	---------------	--

D/ Weeds

111	Southern dodder	<i>Cuscuta australis</i> R. Br.
112	Chinese dodder	<i>Cuscuta chinensis</i> Lam.
113	Witch weed	<i>Striga angustifolia</i> (D. Don) C. J. Saldanha
114	Witch weed	<i>Striga asiatica</i> (L.) Kuntze