

REGULATED PESTS FOR TRINIDAD AND TOBAGO

(Note: These pests are NOT present in Trinidad and Tobago)

Pest No.	Pest Type	Scientific Name	Common Name	Major Hosts
Mite				
1	1	<i>Aceria mangiferae</i> Sayed	Mango bud mite	<i>Mangifera indica</i> (mango)
2	2	<i>Oligonychus mangiferus</i> (Rahman & Sapro)	Mango spider mite	<i>Mangifera indica</i> (mango)
3	3	<i>Panonychus citri</i> McGregor	Citrus red mite	<i>Citrus</i> , <i>Citrus deliciosa</i> (mediterranean mandarin), <i>Citrus limon</i> (lemon), <i>Citrus reticulata</i> (mandarin), <i>Citrus sinensis</i> (navel orange), <i>Citrus unshiu</i> (satsuma), <i>Citrus x paradisi</i> (grapefruit)
4	4	<i>Siteroptes graminum</i> (Reuter)	Grass mite	Grass
5	5	<i>Steneotarsonemus ananas</i> (Tryon)	Pineapple tarsonemid	<i>Ananas comosus</i> (Pineapple)
6	6	<i>Steneotarsonemus furcatus</i> DeLeon	Taro tarsonemid mite	<i>Allium cepa</i> (onion)
7	7	<i>Tetranychus cinnabarinus</i> (Boisduval)	Carmine spider mite	<i>Abelmoschus esculentus</i> (okra), <i>Arachis hypogaea</i> (groundnut), <i>Carica papaya</i> (papaw), <i>Citrullus lanatus</i> (watermelon), <i>Citrus</i> , <i>Cucurbitaceae</i> (cucurbits), <i>Fragaria ananassa</i> (strawberry), <i>Gossypium</i> (cotton), <i>Ipomoea batatas</i> (sweet potato),

REGULATED PESTS FOR TRINIDAD AND TOBAGO

Pest No.	Pest Type	Scientific Name	Common Name	Major Hosts
				<i>Lycopersicon esculentum</i> (tomato), <i>Malus domestica</i> (apple), <i>Manihot esculenta</i> (cassava), <i>Musa</i> (banana), <i>Phaseolus</i> (beans), <i>Prunus persica</i> (peach), <i>Ziziphus jujuba</i> (common jujube)
8	8	<i>Tetranychus desertorum</i> Banks	Desert spider mite	<i>Gossypium</i> (cotton), <i>Manihot esculenta</i> (cassava)
9	9	<i>Tetranychus tumidus</i> Banks	Tumid spider mite	<i>Araceae</i> , <i>Ipomoea batatas</i> (sweet potato)
Insect				
10	1	<i>Anastrepha ludens</i> (Loew)	Mexican Fruit Fly	<i>Citrus</i> , <i>Mangifera indica</i> (mango), <i>Prunus persica</i> (peach)
11	2	<i>Anastrepha suspensa</i> Loew	Caribbean Fruit Fly	<i>Annona</i> , <i>Annona reticulata</i> (bullock's heart), <i>Eugenia</i> , <i>Fortunella margarita</i> (oval kumquat), <i>Manilkara zapota</i> (sapodilla), <i>Psidium</i> , <i>Psidium guajava</i> (guava), <i>Syzygium</i> , <i>Syzygium jambos</i> (rose apple), <i>Terminalia catappa</i> (Singapore almond)
12	3	<i>Anomala orientalis</i> Heyden, 1887. *Preferred SN: <i>Exomala</i>	Oriental beetle	<i>Agrostis stolonifera</i> (creeping bentgrass)

REGULATED PESTS FOR TRINIDAD AND TOBAGO

Pest No.	Pest Type	Scientific Name	Common Name	Major Hosts
		<i>orientalis</i> (Waterhouse, 1875)		
13	4	<i>Anoplophora glabripennis</i> (Motschulsky)	Asian long-horned beetle	<i>Acer</i> (maples), <i>Acer negundo</i> (box elder), <i>Aesculus hippocastanum</i> (buckeye), <i>Populus</i> (poplars), <i>Populus canadensis</i> (hybrid black poplar), <i>Populus dakuanensis</i> , <i>Populus deltoides</i> (poplar), <i>Populus nigra</i> (black poplar), <i>Robinia pseudoacacia</i> (black locust), <i>Salix</i> (willow), <i>Salix babylonica</i> (weeping willow), <i>Salix matsudana</i> (Peking willow), <i>Ulmus</i> (elms)
14	5	<i>Anthonomus eugenii</i> Cano	Pepper weevil	<i>Capsicum</i> (peppers), <i>Capsicum annuum</i> (bell pepper), <i>Capsicum frutescens</i> (chilli)
15	6	<i>Anthonomus grandis</i> Boheman, 1843	Boll weevil	<i>Gossypium barbadense</i> (Gallini cotton), <i>Gossypium hirsutum</i> (Bourbon cotton)
16	7	<i>Ophiusa disjungens</i> (Walker, 1858)	guava moth	<i>Psidium guajava</i> (Guava)
17	8	<i>Bactrocera carambolae</i> Drew & Hancock	Carambola Fruit Fly	<i>Annona muricata</i> (soursop), <i>Artocarpus integer</i> , <i>Averrhoa carambola</i> (carambola), <i>Carica papaya</i> (papaw), <i>Citrofortunella mitis</i> , <i>Citrus aurantiifolia</i> (lime), <i>Citrus limon</i> (lemon),

REGULATED PESTS FOR TRINIDAD AND TOBAGO

Pest No.	Pest Type	Scientific Name	Common Name	Major Hosts
				<i>Fortunella margarita</i> (oval kumquat) and others
18	9	<i>Bactrocera caryae</i> (Kapoor)	A member of the Oriental fruit fly, <i>Bactrocera dorsalis</i> species complex	<i>Aegle marmelos</i> (golden apple), <i>Citrus maxima</i> (pummelo), <i>Citrus reticulata</i> (mandarin), <i>Malpighia glabra</i> (acerola), <i>Mangifera indica</i> (mango), <i>Pouteria sapota</i> , <i>Psidium guajava</i> (guava)
19	10	<i>Bactrocera cucurbitae</i> Coquillett	Melon Fly	<i>Cucumis melo</i> (melon), <i>Cucurbita maxima</i> (giant pumpkin), <i>Cucurbita pepo</i> (ornamental gourd), <i>Trichosanthes cucumerina</i> var. <i>anguinea</i> (snakegourd)
20	11	<i>Bactrocera dorsalis</i> (Hendel, 1912)	Oriental Fruit Fly	<i>Aegle marmelos</i> (golden apple), <i>Anacardium occidentale</i> (cashew nut), <i>Annona reticulata</i> (bullock's heart), <i>Annona squamosa</i> (sugarapple), <i>Artocarpus altilis</i> (breadfruit), <i>Artocarpus heterophyllus</i> (jackfruit), <i>Averrhoa carambola</i> (carambola), <i>Capsicum annum</i> (bell pepper), <i>Carica papaya</i> (papaw), <i>Chrysophyllum cainito</i> (caimito), <i>Citrus</i> , and others
21	12	<i>Bactrocera invadens</i> (Drew et al., 2005)	New polyphagous fruit fly species	<i>Mangifera indica</i> (mango), <i>Psidium guajava</i> (guava), <i>Citrus</i> spp., <i>Carica papaya</i> (pawpaw), <i>Lycopersicon esculentum</i> (tomato)

REGULATED PESTS FOR TRINIDAD AND TOBAGO

Pest No.	Pest Type	Scientific Name	Common Name	Major Hosts
			(Central Africa) Asian fruit fly	
22	13	<i>Bactrocera kandiensis</i> Drew & Hancock	A member of the Oriental fruit fly, <i>Bactrocera dorsalis</i> species complex	<i>Anacardium occidentale</i> (cashew nut), <i>Annona glabra</i> , <i>Areca catechu</i> (betelnut palm), <i>Artocarpus heterophyllus</i> (jackfruit), <i>Averrhoa carambola</i> (carambola), <i>Citrus maxima</i> (pummelo), <i>Mangifera indica</i> (mango), <i>Persea americana</i> (avocado), <i>Psidium guajava</i> (guava), <i>Punica granatum</i> (pomegranate) and others
23	14	<i>Bactrocera latifrons</i> (Hendel)	Malaysian fruit fly	<i>Capsicum</i> (peppers), <i>Capsicum annuum</i> (bell pepper), <i>Solanum nigrum</i> (black nightshade)
24	15	<i>Bactrocera minax</i> (Enderlein)	Chinese citrus fly	<i>Citrus aurantium</i> (sour orange), <i>Citrus maxima</i> (pummelo), <i>Citrus reticulata</i> (mandarin), <i>Citrus sinensis</i> (navel orange)
25	16	<i>Bactrocera occipitalis</i> (Bezzi)	A member of the Oriental fruit fly, <i>Bactrocera dorsalis</i> species complex	<i>Averrhoa carambola</i> (carambola), <i>Citrus reticulata</i> (mandarin), <i>Mangifera indica</i> (mango), <i>Manilkara zapota</i> (sapodilla), <i>Psidium guajava</i> (guava), <i>Spondias purpurea</i>

REGULATED PESTS FOR TRINIDAD AND TOBAGO

Pest No.	Pest Type	Scientific Name	Common Name	Major Hosts
26	17	<i>Bactrocera papayae</i> Drew & Hancock	Asian papaya fruit fly	<i>Anacardium occidentale</i> (cashew nut), <i>Artocarpus altilis</i> (breadfruit), <i>Artocarpus integer</i> , <i>Averrhoa bilimbi</i> , <i>Borassus flabellifer</i> (toddy palm), <i>Carica papaya</i> (papaw), <i>Castanopsis</i> , <i>Chrysophyllum cainito</i> (caimito), <i>Citrofortunella mitis</i> , <i>Citrus aurantiifolia</i> (lime), <i>Citrus limon</i> (lemon), <i>Citrus maxima</i> (pummelo), <i>Citrus reticulata</i> (mandarin), and others
27	18	<i>Bactrocera philippinensis</i> Drew and Hancock	A member of the Oriental fruit fly, <i>Bactrocera dorsalis</i> species complex	<i>Artocarpus altilis</i> (breadfruit), <i>Averrhoa carambola</i> (carambola), <i>Carica papaya</i> (papaw), <i>Citrus reticulata</i> (mandarin), <i>Mangifera indica</i> (mango), <i>Manilkara zapota</i> (sapodilla), <i>Psidium guajava</i> (guava), <i>Spondias purpurea</i> , <i>Syzygium malaccense</i> (malay-apple)
28	19	<i>Bactrocera pyrifoliae</i> Drew & Hancock	A member of the Oriental fruit fly, <i>Bactrocera dorsalis</i> species complex	<i>Prunus persica</i> (peach), <i>Psidium guajava</i> (guava)
29	20	<i>Bactrocera tsuneonis</i> (Miyake)	Japanese orange fruit fly	<i>Citrus aurantium</i> (sour orange), <i>Citrus reticulata</i> (mandarin), <i>Citrus sinensis</i> (navel orange), <i>Fortunella margarita</i> (oval

REGULATED PESTS FOR TRINIDAD AND TOBAGO

Pest No.	Pest Type	Scientific Name	Common Name	Major Hosts
				kumquat), <i>Fortunella x crassifolia</i> (meiwa kumquat)
30	21	<i>Bactrocera tryoni</i> (Froggatt)	Queensland Fruit Fly	<i>Anacardium occidentale</i> (cashew nut), <i>Annona glabra</i> , <i>Annona muricata</i> (soursop), <i>Averrhoa carambola</i> (carambola), <i>Capsicum annuum</i> (bell pepper), <i>Carica papaya</i> (papaw), <i>Lycopersicon esculentum</i> (tomato), <i>Malus sylvestris</i> (crab-apple tree), <i>Mangifera indica</i> (mango), <i>Psidium guajava</i> (guava) and others
31	22	<i>Bactrocera zonata</i> (Saunders 1841)	Peach fruit fly	<i>Mangifera indica</i> (mango), <i>Prunus persica</i> (peach), <i>Psidium guajava</i> (guava)
32	23	<i>Bedellia orchilella</i> Walsingham	Sweet potato leafminer	<i>Ipomoea batatas</i> (sweet potato)
33	24	<i>Caryedon serratus</i> (Olivier)	Tamarind seed weevil	<i>Arachis hypogaea</i> (groundnut), <i>stored products</i> (dried stored products)
34	25	<i>Caulophilus oryzae</i> (Gyllenhal, 1838)	Broadnosed grain weevil	<i>Cicer arietinum</i> (chickpea), <i>Panicum miliaceum</i> (millet), <i>Pennisetum</i> (feather grass), <i>Zea mays</i> (maize)
35	26	<i>Ceratitis capitata</i> (Wiedemann)	Mediterranean Fruit Fly	<i>Capsicum annuum</i> (bell pepper), <i>Citrus</i> , <i>Coffea</i> (coffee), <i>Ficus carica</i> (fig), <i>Malus domestica</i> (apple), <i>Prunus</i> (stone fruit), <i>Psidium guajava</i> (guava), <i>Theobroma cacao</i> (cocoa)

REGULATED PESTS FOR TRINIDAD AND TOBAGO

Pest No.	Pest Type	Scientific Name	Common Name	Major Hosts
36	27	<i>Ceratitis cosyra</i> (Walker)	Mango/marula fruit fly	<i>Mangifera indica</i> (mango), <i>Sclerocarya birrea</i> (marula)
37	28	<i>Ceratitis quinaria</i> (Bez.)	Rhodesian fruit fly	<i>Citrus</i> , <i>Prunus americana</i> (apricot), <i>Prunus persica</i> (peach), <i>Psidium guajava</i> (guava)
38	29	<i>Ceratitis rosa</i> Karsch	Natal Fruit Fly	<i>Citrus</i> , <i>Coffea</i> (coffee)
39	30	<i>Chaetocnema confinis</i> Crotch, 1873	Sweet potato flea beetle	<i>Beta vulgaris</i> (beetroot), <i>Calystegia sepium</i> (great bindweed), <i>Ipomoea aquatica</i> (swamp morning-glory), <i>Ipomoea batatas</i> (sweet potato), <i>Ipomoea pandurata</i> , <i>Lycopersicon esculentum</i> (tomato), <i>Pharbitis purpurea</i> (Tall morning glory), <i>Zea mays</i> (maize)
40	31	<i>Chaetococcus bambusae</i> (Maskell)	Bamboo mealybug	<i>Bambusa vulgaris</i> (Bamboo)
41	32	<i>Contarinia maculipennis</i> Felt	Blossom midge	<i>Plumeria</i> (Frangipani), <i>Hibiscus</i> (Rosemallows), <i>pikake</i> (Jasmine), <i>Brassica rapa subsp. chinensis</i> (White mustard cabbage or <i>pak choi</i>), <i>Lycopersicon esculentum</i> (Tomato), <i>Solanum melongena</i> (Eggplant), <i>Capsicum</i> sp. Pepper), <i>Solanum tuberosum</i> (Potato) and others

REGULATED PESTS FOR TRINIDAD AND TOBAGO

Pest No.	Pest Type	Scientific Name	Common Name	Major Hosts
42	33	<i>Dacus oleae</i> Gmelin, 1790	Olive Fruit Fly	<i>Olea europaea</i> subsp. <i>europaea</i> (olive)
43	34	<i>Dasineura mangiferae</i> Felt *Preferred SN: <i>Erosomyia mangiferae</i> Felt	Mango flower midge	<i>Mangifera indica</i> (mango)
44	35	<i>Delia platura</i> (Meigen)	Seedcorn maggot	<i>Polyphagous</i> (polyphagous)
45	36	<i>Elixothrips brevisetis</i> (Bangnall)	Banana rind thrips	<i>Musa</i> sp. (Banana), <i>Carica papaya</i> (Pawpaw), <i>Wedelia trilobata</i> (creeping daisy) <i>Canna</i> spp., <i>Ficus</i> spp., <i>Cestrum pallidum</i> , <i>Dioscorea</i> spp., <i>Ipomoea alba</i> , and <i>Morinda citrifolia</i> .
46	37	<i>Faustinus cubae</i> (Boheman)	Stem borer (Hot Pepper)	<i>Capsicum</i> sp. (pepper) and <i>Solanum</i> (nightshade)
47	38	<i>Frankliniella williamsi</i> Hood	Corn thrips	<i>Saccharum officinarum</i> (sugarcane), <i>Zea mays</i> (maize)
48	39	<i>Geococcus coffeae</i> Green	Coffee root mealybug	<i>Ananas comosus</i> (pineapple), <i>Citrus</i> , <i>Coffea</i> (coffee)
49	40	<i>Gynaikothrips ficorum</i> (Marchal, 1908)	Cuban laurel thrips	<i>Ficus benjamina</i> (Benjamina fig), <i>Ficus carica</i> (fig), <i>Ficus elastica</i> (rubber plant), <i>Ficus microcarpa</i> (Indian laurel tree)

REGULATED PESTS FOR TRINIDAD AND TOBAGO

Pest No.	Pest Type	Scientific Name	Common Name	Major Hosts
50	41	<i>Heilipus lauri</i> Boheman	Avocado seed weevil	<i>Persea americana</i> (avocado)
51	42	<i>Hypothenemus hampei</i> (Ferrari, 1867)	Coffee Berry Borer	<i>Coffea</i> (coffee), <i>Coffea arabica</i> (arabica coffee)
52	43	<i>Omphisa anastomosalis</i> Guenée	Sweet potato vine borer	<i>Ipomoea batatas</i> (sweet potato)
53	44	<i>Orchidophilus aterrimus</i> (Waterhouse)	Orchid weevil	<i>Cattleya</i> , <i>Cymbidium</i> , <i>Dendrobium</i> , <i>Orchidaceae</i> (orchids), <i>Paphiopedilum</i> (lady's slipper orchid), <i>Phalaenopsis</i>
54	45	<i>Orchidophilus peregrinator</i> Buchanan 1935	Lesser orchid weevil	<i>Orchidaceae</i> (orchids: (Vanda, Phalaenopsis, Renanthera, Grammatophylum))
55	46	<i>Othreis fullonia</i> Linnaeus *Preferred SN: <i>Eudocima fullonia</i> (Clerck, 1764)	Pacific fruit-piercing moth	<i>Averrhoa carambola</i> (carambola), <i>Capsicum annuum</i> (bell pepper), <i>Carica papaya</i> (papaw), <i>Citrus</i> , <i>Citrus reticulata</i> (mandarin), <i>Citrus sinensis</i> (navel orange), <i>Lycopersicon esculentum</i> (tomato), <i>Mangifera indica</i> (mango), <i>Psidium guajava</i> (guava) and others
56	47	<i>Paracoccus marginatus</i> Williams & Granara de Willink, 1992	Papaya Mealy bug	<i>Annona squamosa</i> (sugarapple), <i>Carica papaya</i> (papaw), <i>Hibiscus</i> (rosemallows), <i>Hibiscus rosa-sinensis</i> (China-rose),

REGULATED PESTS FOR TRINIDAD AND TOBAGO

Pest No.	Pest Type	Scientific Name	Common Name	Major Hosts
				<i>Hibiscus sabdariffa</i> (Jamaica sorrel), <i>Manihot esculenta</i> (cassava), <i>Persea americana</i> (avocado), <i>Plumeria</i> (frangipani), <i>Solanum melongena</i> (aubergine)
57	48	<i>Penicellaria jocosatrix</i> Guenee, 1852	Mango shoot caterpillar	<i>Mangifera indica</i> (mango)
58	49	<i>Phthorimaea operculella</i> (Zeller, 1873)	Potato tuber worm	<i>Solanum tuberosum</i> (potato)
59	50	<i>Pieris rapae</i> Linnaeus	Imported cabbage worm	<i>Brassica oleracea</i> var. <i>botrytis</i> (cauliflower), <i>Brassica oleracea</i> var. <i>capitata</i> (cabbage), <i>Brassica oleracea</i> var. <i>gemmifera</i> (Brussels sprouts), <i>Brassica oleracea</i> var. <i>viridis</i> (collards), <i>Brassicaceae</i> (cruciferous crops) and others
60	51	<i>Prodiplosis longifila</i> Gagné	Citrus gall midge	Citrus aurantifolia (Lime), <i>Lycopersicon esculentum</i> (tomato), <i>Solanum tuberosum</i> (potato), <i>Capsicum chinense</i> (hot pepper), <i>Gossypium</i> sp. (wild cotton) other-beans, tomato, white potato and alfalfa
61	52	<i>Phthorimaea operculella</i> (Zeller 1873)	Potato tuber moth	<i>Solanum tuberosum</i> (potato), <i>Solanum esculentum</i> (egg plant), <i>Lycopersicon esculentum</i> (tomato), <i>Nicotiana tabacum</i>

REGULATED PESTS FOR TRINIDAD AND TOBAGO

Pest No.	Pest Type	Scientific Name	Common Name	Major Hosts
				(tobacco)
62	53	<i>Rhagoletis cingulata</i> (Loew)	Cherry Fruit Fly	<i>Prunus avium</i> (sweet cherry), <i>Prunus cerasus</i> (sour cherry)
63	54	<i>Rhagoletis pomonella</i> Walsh	Apple Maggot	<i>Malus</i> (ornamental species apple), <i>Malus baccata</i> , <i>Prunus americana</i> (apricot), <i>Prunus angustifolia</i> (Mountain cherry tree), <i>Prunus armeniaca</i> (apricot), <i>Prunus avium</i> (sweet cherry), <i>Prunus cerasus</i> (sour cherry), <i>Prunus mahaleb</i> , <i>Prunus persica</i> (peach), <i>Prunus virginiana</i> (common chokecherrytree) and others
64	55	<i>Rhynchophorus ferrugineus</i>	Red palm Weevil	<i>Acreca Spp.</i> <i>Cocos nucifera</i> (coconut), <i>Roystonea regia</i> (royal palm)
65	56	<i>Oryctes rhinoceros</i>	coconut rhinoceros beetle	<i>Acreca Spp.</i> <i>Cocos nucifera</i> (coconut),
66	57	<i>Scirtothrips aurantii</i> Faure	South African citrus thrips	<i>Citrus</i> , <i>Citrus limon</i> (lemon), <i>Citrus sinensis</i> (navel orange)
67	58	<i>Scirtothrips citri</i> (Moulton, 1909)	California citrus thrips	<i>Citrus</i>

REGULATED PESTS FOR TRINIDAD AND TOBAGO

Pest No.	Pest Type	Scientific Name	Common Name	Major Hosts
68	59	<i>Scirtothrips perseae</i> Nakahara, 1997	Avocado thrips	<i>Persea americana</i> (avocado)
69	60	<i>Sericothrips staphylinus</i> Haliday, 1836	Gorse thrips	<i>Ulex europaeus</i> (gorse)
70	61	<i>Siphoninus phillyreae</i> Haliday, 1835	Ash whitefly	<i>Malus</i> spp. , <i>Pyrus</i> spp.
71	62	<i>Sitophilus granarius</i> Linnaeus, 1785	Granary weevil	<i>Hordeum vulgare</i> (barley), stored products (dried stored products), <i>Triticum</i> (wheat), <i>Triticum aestivum</i> (wheat)
72	63	<i>Sitophilus linearis</i> (Herbst)	Tamarind weevil	<i>Tamarindus indica</i> (Indian tamarind)
73	64	<i>Sitophilus oryzae</i> (Linnaeus)	Rice weevil	<i>Manihot esculenta</i> (cassava), <i>Oryza sativa</i> (rice), <i>Sorghum bicolor</i> (sorghum), stored products (dried stored products), <i>Triticum</i> (wheat), <i>Triticum aestivum</i> (wheat), <i>Triticum spelta</i> (spelt), <i>Zea mays</i> (maize)
74	65	<i>Spodoptera litura</i> (Fabricius)	Cluster caterpillar	<i>Abelmoschus esculentus</i> (okra), <i>Lycopersicon esculentum</i> (tomato), <i>Manihot esculenta</i> (cassava), <i>Musa</i> (banana), <i>Nicotiana tabacum</i> (tobacco), <i>Oryza sativa</i> (rice), <i>Papaver</i> (poppies), <i>Phaseolus</i> (beans), <i>Piper nigrum</i> (black pepper),

REGULATED PESTS FOR TRINIDAD AND TOBAGO

Pest No.	Pest Type	Scientific Name	Common Name	Major Hosts
				<i>Solanum tuberosum</i> (potato), <i>Sorghum bicolor</i> (sorghum), <i>Theobroma cacao</i> (cocoa), <i>Vigna unguiculata</i> (cowpea), <i>Zea mays</i> (maize) and others
75	66	<i>Spoladea recurvali</i> (Fabricius)	Hawaiian beet webworm	<i>Amaranthus</i> (grain amaranth), <i>Arachis hypogaea</i> (groundnut), <i>Beta vulgaris</i> var. <i>saccharifera</i> (sugarbeet), <i>Citrullus lanatus</i> (watermelon), <i>Cucurbitaceae</i> (cucurbits), <i>Phaseolus</i> (beans), <i>Solanum melongena</i> (aubergine), <i>Spinacia oleracea</i> (spinach), <i>stored products</i> (dried stored products)
76	67	<i>Stictoptera cuculioides</i> Guenee	A noctuid moth	<i>Garcinia cambogia</i> , <i>Mammea americana</i> (mammee apple), <i>Calophyllum inophyllum</i> (kamani), <i>Clusia rosea</i> (autograph tree), <i>Ochrocarpus obovalis</i> , and <i>O. excelsus</i>
77	68	<i>Tarophagus proserpina</i> (Kirkaldy, 1907)	Taro leafhopper	<i>Colocasia esculenta</i> (taro)
78	69	<i>Tenebrio molitor</i> Linnaeus	Yellow mealworm	<i>Poaceae</i> (grasses), <i>stored products</i> (dried stored products), <i>Triticum</i> (wheat), <i>Triticum aestivum</i> (wheat), <i>wheat bran</i> , <i>wheat flour</i> , <i>Zea mays</i> (maize)
79	70	<i>Tenebrio obscurus</i> Fabricius	Dark mealworm	<i>stored products</i> (dried stored products)

REGULATED PESTS FOR TRINIDAD AND TOBAGO

Pest No.	Pest Type	Scientific Name	Common Name	Major Hosts
80	71	<i>Tenomerga mucida</i> (Chevrolat, 1829)	A cupedid beetle	Timber
81	72	<i>Thrips hawaiiensis</i> (Morgan, 1913)	Hawaiian flower thrips	<i>Abelmoschus esculentus</i> (okra), <i>Chrysanthemum vestitum</i> , <i>Citrus</i> , <i>Mangifera indica</i> (mango), <i>Musa</i> (banana), <i>Musa x paradisiaca</i> (plantain), <i>Rosa rugosa</i> (Rugosa rose), <i>Syzygium samarangense</i> (water apple), <i>Vitis vinifera</i> (grapevine), <i>Zea mays</i> (maize)
82	73	<i>Trialeurodes abutilonea</i> Haldeman	Bandedwinged whitefly	<i>Capsicum annuum</i> (bell pepper), <i>Glycine max</i> (soyabean), <i>Gossypium</i> (cotton), <i>Lactuca sativa</i> (lettuce), <i>Manihot esculenta</i> (cassava)
83	74	<i>Trialeurodes vaporariorum</i> Westwood 1856	Greenhouse whitefly	<i>Brassica</i> , <i>Chrysanthemum</i> (daisy), <i>Cucumis melo</i> (melon), <i>Cucumis sativus</i> (cucumber), <i>Cucurbitaceae</i> (cucurbits), <i>Gossypium hirsutum</i> (Bourbon cotton), <i>Lycopersicon esculentum</i> (tomato), <i>Persea americana</i> (avocado), <i>Solanum melongena</i> (aubergine) and others
84	75	<i>Trogoderma granarium</i> Everts	Khapra beetle	<i>Arachis hypogaea</i> (groundnut), <i>Gossypium</i> (cotton), <i>Hordeum vulgare</i> (barley), <i>Oryza sativa</i> (rice), <i>Panicum miliaceum</i> (millet), <i>Sesamum indicum</i> (sesame), <i>Sorghum bicola</i> (sorghum),

REGULATED PESTS FOR TRINIDAD AND TOBAGO

Pest No.	Pest Type	Scientific Name	Common Name	Major Hosts
				<i>stored products (dried stored products), Triticum (wheat), Triticum aestivum (wheat) Zea mays (maize)</i>
Slugs				
85	1	<i>Vaginula plebeia</i> Fischer	Brown slug	<i>Lactuca sativa</i> (lettuce), <i>Phaseolus</i> (beans), <i>Solanum tuberosum</i> (potato)
86	2	<i>Veronicella cubensis</i> (Pfeiffer)	Two-striped slug	most species of melon, pumpkin, pepper, eggplant, cabbage, cassava, taro, sweet potato, yam, papaya, banana, star fruit, mango, noni, citrus, and coffee.
87	3	<i>Veronicella leydigi</i> (Simroth)	Black slug	stems, leaves, flowers and roots of many plant species. Besides plants, they can live on decaying vegetable matter, fungi, molds, earthworms, and dead or slow-moving insects.
Bacterium				
88	1	<i>Xanthomonas axonopodis</i> pv. <i>Citri</i> (Hassee) Dye	Citrus Canker	Citrus
Phytoplasma				
89	1	Spiroplasmataceae	Lethal	Coconut

REGULATED PESTS FOR TRINIDAD AND TOBAGO

Pest No.	Pest Type	Scientific Name	Common Name	Major Hosts
			Yellowing of coconuts	
Fungus				
90	1	<i>Fusarium oxysporum cubense</i> (race 4)	Panama disease	Bananas – all species
91	2	<i>Botryotinia squamosa</i> Viennot-Bourgin	Leaf blight, neck rot	<i>Allium spp.</i>
92	3	<i>Botrytis aclada</i> Fresenius	Grey mold, neck rot	<i>Allium spp.</i>
93	4	<i>Colletotrichum circinans</i> (Berk.) Voglino	Onion smudge, anthracnose	<i>Allium spp.</i>
94	5	<i>Guignardia bidwelli</i> (Ell.) Viala & Ravaz	Black rot	<i>Vitis spp.</i>
95	6	<i>Hemileia vastarix</i> Berk. & Br	Coffee leaf rust	Coffee
96	7	<i>Moniliophthora roreri</i> (Ciferri) H.C. Evans <i>et al</i>	Monilia Pod rot	Cocoa

REGULATED PESTS FOR TRINIDAD AND TOBAGO

Pest No.	Pest Type	Scientific Name	Common Name	Major Hosts
97	8	<i>Mycocentrospora acerina</i> (Hartig) Deighton	Leaf spot, root rot, storage rot, crown rot, anthracnose	Anemone, carrot, celery, caraway, parsley, parsnip
98	9	<i>Puccinia allii</i> Rud., Linnaea	Rust	<i>Allium spp.</i>
99	10	<i>Sclerotium cepivorum</i> Berk.	White rot, bulb rot	<i>Allium spp.</i>
Nematode				
100	1	<i>Aphelenchoides besseyi</i> Christie	White tip nematode	Multiple
101	2	<i>Belonolaimus Longicaudatus</i> Steiner	Sting nematode	Multiple
102	3	<i>Ditylenchus dipsaci</i> (Kuhn) Filip'ev	Stem and bulb nematode	Multiple
103	4	<i>Globodera pallida</i> (Wollenweber) Behrens	White tip nematode Golden	<i>Solanum spp.</i>

REGULATED PESTS FOR TRINIDAD AND TOBAGO

Pest No.	Pest Type	Scientific Name	Common Name	Major Hosts
			nematode- (G.p)	
104	5	<i>Globodera rostochiensis</i> (Wollenweber) Behrens	Golden nematode- (G.r)	<i>Solanum spp.</i>
105	6	<i>Radopholus citrophilus</i> Huettel, Dickson and Kaplan, 1984	Burrowing nematode	Citrus, Anthurium, Bananas
Virus				
106	1	Bananas bunchy top virus	Bananas bunchy top virus	Bananas bunchy top virus
107	2	African cassava mosaic virus (Begomovirus)	African cassava mosaic virus	Cassava
108	3	Yam mosaic virus (Potyvirus)	Yam mosaic virus	Yam (prabably present in Caribbean) in Guadeloupe Migliori and cadillac (1976) Ann's phytopath 8:73 1976
Viroid				
109	1	Avsunviroid	Avocado sunblotch Disease	Avocado