



## Sawn Wood from All Countries

SAWNWOOD.IHS

17 October 2018

## **TITLE**

Import Health Standard: Sawn Wood from All Countries

## **COMMENCEMENT**

This Import Health Standard comes into force on the 17<sup>th</sup> October 2018.

## **ISSUING AUTHORITY**

This Import Health Standard is issued under section 24A of the Biosecurity Act 1993.

Dated at Wellington, 17 October 2018

Director Plants and Pathways  
Ministry for Primary Industries  
(acting under delegated authority of the Director-General)

Contact for further information  
Ministry for Primary Industries  
Regulation & Assurance Branch  
Plant Imports  
PO Box 2526  
Wellington 6140  
Email: [plantimports@mpi.govt.nz](mailto:plantimports@mpi.govt.nz)

<b>Contents</b>	<b>Page</b>
<b>Introduction</b>	<b>3</b>
<b>Part 1: General</b>	<b>5</b>
1.1 Application	5
1.2 Incorporation by reference	5
1.3 Definitions	5
1.4 Biosecurity clearance	5
<b>Part 2: Specific Requirements</b>	<b>6</b>
2.1 Commodity description	6
2.2 Pest list	6
2.3 Basic requirements	6
2.4 Treatment	6
2.5 Treatment options	7
2.6 On-arrival verification	7
2.7 Actions undertaken on the interception/ detection of organisms/ contaminants	8
<b>Part 3: Documentation requirements</b>	<b>9</b>
3.1 Certificates	9
3.2 Certificate information	9
3.3 Transit	10
<b>Appendix 1(a): Regulated Pests Potentially Associated with Sawn Wood</b>	<b>11</b>
<b>Appendix 1(b): Non-Regulated Pests Potentially Associated with Sawn Wood</b>	<b>22</b>
<b>Appendix 2: Definitions</b>	<b>25</b>
<b>Appendix 3: Amendment record</b>	<b>27</b>

## Introduction

This introduction is not part of the import health standard (IHS), but is intended to indicate its general effect.

## Purpose

This IHS describes the phytosanitary requirements that must be met for imported sawn wood to be given biosecurity clearance into New Zealand.

## Background

This IHS has been developed under the requirements of the Biosecurity Act 1993 (the Act) and in regard to New Zealand's obligations under the International Plant Protection Convention (1997).

This amendment contains no change in content, but is issued in the new Ministry for Primary Industries (MPI) format for IHSs.

## Who should read this?

This IHS applies to all importers of sawn wood from all countries.

## Why is this important?

It is the importers responsibility to ensure the risk goods comply with the requirements of this IHS (section 16B of the Act). Risk goods that do not comply with the requirements of this IHS may not be cleared for entry into New Zealand.

Risk goods that do not comply with the requirements of this IHS may be directed for treatment, re-shipment, destruction or further action deemed appropriate by the Chief Technical Officer (CTO). The pathway may be suspended, if certain types of viable regulated pests are intercepted on the consignment.

Importers are liable for all associated expenses.

## Equivalence

A CTO may consider an equivalent phytosanitary measure, once that measure is proven to maintain at least the same level of protection assured by the current measures in this IHS.

Equivalence is determined in accordance with ISPM 24 (*Guidelines for the determination and recognition of equivalence of phytosanitary measures*).

## Document history

Refer to Appendix 3 for the amendment record for this IHS.

## Other information

Compliance with the provisions of this IHS does not absolve the importer of the need to comply with other laws relating to or prohibiting the importation of goods (e.g. Trade in Endangered Species Act 1989, Customs and Excise Act 1996).

As specified in the Hazardous Substances and New Organisms Act (1996), proposals for the deliberate introduction of new organisms (including genetically modified organisms) as defined by the Act should be referred to the [Environmental Protection Authority](#).

## Part 1: General

### 1.1 Application

- (1) This import health standard (IHS) describes the phytosanitary requirements that must be met for sawn wood to be given biosecurity clearance into New Zealand.

### 1.2 Incorporation by reference

- (1) This IHS has been developed under the requirements of the Biosecurity Act (1993) and in regard to New Zealand's obligations under the International Plant Protection Convention (1997)
- (2) This IHS refers to the following documents:

[MPI's Biosecurity Organisms Register for Imported Commodities \(BORIC\)](#)

[International Standard for Phytosanitary Measures](#)

- ISPM 5 (Glossary of Phytosanitary Terms)
- ISPM 12 (Guidelines for Phytosanitary Certificates)
- ISPM 24 (Guidelines for the determination and recognition of equivalence of phytosanitary measures).

### 1.3 Definitions

- (1) Definitions can be found in Appendix 2.

### 1.4 Biosecurity clearance

- (1) If the requirements of this IHS have been met, and regulated pests are not detected or are treated following interception/detection, biosecurity clearance may be given.

## Part 2: Specific Requirements

### 2.1 Commodity description

- (1) The commodity description of sawn wood is wood no larger than 300mm in thickness (any width is acceptable).
- (2) Sleepers of any thickness must be imported under the IHS: [Poles, piles, rounds and sleepers](#).

#### Guidance

- Examples of sawn wood covered by this IHS include timber, lumber, half rounds, mouldings, doweling and laminated beams (not produced with heat or pressure).
- Sawn wood larger than 300mm thickness can be imported under the IHS: [Poles, piles, rounds and sleepers](#).

### 2.2 Pest list

- (1) Pests are categorised into regulated and non-regulated pests.
- (2) A list of common pests associated with sawn wood are identified in Appendices 1 (a) and (b) to this IHS. Where a pest is detected and not listed, the regulatory status of this organism can be identified by referring to [BORIC](#).

### 2.3 Basic requirements

- (1) All consignments of sawn wood must be:
  - a) free of live regulated pests (see Appendix 1(a));
  - b) packed and/or shipped in a manner that prevents infestation and/or contamination by live regulated pests, if packaged prior to shipping;
  - c) free of contaminants (e.g. leaves, soil);
    - i) a contamination rate up to 0.01% weight/weight is acceptable.
  - d) bark-free wood.
- (2) All consignments of sawn wood from *Pinus* species originating from areas not considered by MPI to be [free of \*Fusarium circinatum\*](#) must be:
  - a) heat treated or kiln dried as stated in Part 2.5 (1)(b); or
  - b) chemically treated for fungicidal protection as stated in Part 2.5 (1)(c).
- (3) All consignments of sawn wood from Fiji, the Solomon Islands and Papua New Guinea will be 100% “break bundle” inspected, or tent-fumigated and inspected on arrival in New Zealand as prescribed by the options stated in Part 2.6 (5).

### 2.4 Treatment

- (1) All treatments completed prior to import must comply with the requirements of this IHS.
- (2) All consignments of sawn wood that are fumigated or heat-treated prior to export must be treated no more than twenty-one (21) days before packaging/loading/shipping to New Zealand.

## 2.5 Treatment options

(1) Treatment options are as follows:

- a) fumigation with methyl bromide or sulphuryl fluoride of filleted (separated vertically or horizontally by a minimum of 5mm of airspace in one dimension, every 200mm) at:
  - i) 80 g/m<sup>3</sup> for more than 24 continuous hours, and in a minimum temperature of 10°C;

OR

- b) heat treatment (or kiln drying) at one of the following minimum continuous core temperature and time combinations:

Core temperature (°C)	Time (minutes)
70	240
80	120
90	60
100	30
110	20
120	15

OR

- c) chemical preservation of sawn wood to full sapwood penetration using one of the chemicals as specified in the following table:

Chemical	Minimum Retention
Boron compounds ( <i>insecticidal and limited fungicidal protection</i> )	0.1% Boric Acid equivalent minimum loading in the sapwood core
Copper + didecyldimethyl ammonium chloride (DDAC) ( <i>insecticidal &amp; fungicidal protection</i> )	0.35% mass/mass <b>OR</b> 2.8 kg/m <sup>3</sup> in softwood timbers, 5.60 kg/m <sup>3</sup> in hardwood timbers.
Copper azole ( <i>insecticidal &amp; fungicidal protection</i> )	0.27% mass/mass <b>OR</b> 1.35 kg/m <sup>3</sup> in softwood timbers, 2.7 kg/m <sup>3</sup> in hardwood timbers.
Copper Chrome Arsenic (CCA) ( <i>insecticidal &amp; fungicidal protection</i> )	0.27% mass/mass <b>OR</b> 3kg/m <sup>3</sup> minimum preservative retention
Arsenic ( <i>insecticidal protection only</i> )	0.04% minimum preservation loading in sapwood core
Permethrin ( <i>insecticidal protection only</i> )	Minimum retention of not less than 0.06% mass/mass

## 2.6 On-arrival verification

- (1) Certificates accompanying a consignment and submitted as clearance documentation must include the wood species name and reconcile with the actual consignment.
- (2) If original and appropriate certification is not provided, the consignment will be considered untreated.



- (3) All consignments that are not packaged in a manner considered by MPI to adequately protect the goods from re-infestation after treatment, or were not shipped within the required time period after treatment, will be considered untreated.
- (4) All consignments of untreated sawn wood from *Pinus* spp. originating from areas not considered to be free of *Fusarium circinatum* must be heat treated as per the treatment specifications stated in Part 2.5 (1)(b), reshipped, or destroyed.
- (5) All consignments of sawn wood from Fiji, the Solomon Islands or Papua New Guinea must (within 12 hours of unloading for break-bulk consignments) be either:
  - a) 100% "break bundle" inspected for ants (each bundle broken sufficiently to detect a single ant colony); or
  - b) tent-fumigated and 100% inspection of the exterior of each stack of sawn wood and a 10% piece by piece (board by board) inspection of each lot.

**Note 1:** For the above option b), both break-bulk and containerised sawn wood requires tent-fumigation and inspection.

**Note 2:** For the above option b), kiln-dried (or heat treated) wood does not require a 10% piece by piece (board by board) inspection of each lot.
- (6) All consignments of untreated sawn wood (except as per (4) and (5) above) must be:
  - a) inspected by an inspector for evidence of pests, bark, or extraneous organic material (e.g. leaves, twigs, soil). Inspection includes a 100% inspection of the exterior of each stack of sawn wood and a 10% piece by piece (board by board) inspection of each lot; or
  - b) directed for treatment (heat or chemical treatment).
- (7) All consignments of treated sawn wood must be inspected to verify that the treatment was effective and free of contaminants.
- (8) All inspections completed on arrival in New Zealand must be carried out in a transitional facility approved for that purpose.

## 2.7 Actions undertaken on the interception/ detection of organisms/ contaminants

- (1) All live organisms detected on the sawn wood may be identified at the importers option and expense to determine the regulatory status of the organism.
- (2) If live regulated pests are intercepted/detected on the commodity, or associated packaging, the following actions will be undertaken as appropriate (depending on the pest identified, see Appendix 1(a)):
  - a) treatment as per Part 2.5;
  - b) reshipment;
  - c) destruction;
  - d) the suspension of trade until the cause of the non-compliance is investigated, identified and rectified to the satisfaction of a CTO.
- (3) Lots contaminated with bark or greater than 0.01% weight/weight soil or other extraneous organic material (e.g. leaves, twigs) must have the contaminating material removed (if possible), or be treated, re-shipped or destroyed.
- (4) All treatments must be carried out in a transitional facility approved for that purpose. Consignments treated under direct MPI supervision do not require further inspection under this IHS.

## Part 3: Documentation requirements

### 3.1 Certificates

- (1) An import permit is not required to import sawn wood into New Zealand.
- (2) The importer may use one of the following options for the purpose of providing certification of the treatment status of consignments to be imported into New Zealand:
  - a) Phytosanitary certificate issued by the NPPO and based on the model certificate included in ISPM 12 (*Guidelines for Phytosanitary Certificates*);

OR

  - b) Phytosanitary certificate issued by the NPPO other than the certificate specified in a) to which the following is to be included:
    - i) *"The sawn wood in this consignment has been inspected according to appropriate official procedures and are considered to be free from the regulated pests specified by MPI and to conform to New Zealand's current phytosanitary requirements";*

OR
  - c) Treatment certificate issued by the manufacturer or operator/manager of the treatment company.
- (3) All certification must be original, free of alterations and erasures, and printed in English.

### 3.2 Certificate information

- (1) If used, a certificate must contain the following information:
  - a) a full description of the consignment and wood component, including the scientific or common name of the wood type(s);
  - b) all relevant identification marks and brands;
  - c) the number and/or volume of items treated;
  - d) the container number (where applicable); and
  - e) the following additional declarations (where applicable).
- (2) Certificates for consignments that have been fumigated as per Part 2.5(1)a) may contain the following declaration:
  - a) **"The sawn wood has been fumigated with \_\_\_\_\_ (methyl bromide or sulphuryl fluoride) \_\_\_\_\_ at \_\_\_\_\_ (Fumigant concentration (g/m<sup>3</sup>)) \_\_\_\_\_ for \_\_\_\_\_ (Duration of treatment) \_\_\_\_\_ at a minimum temperature of \_\_\_\_\_ (Minimum temperature during treatment) \_\_\_\_\_ on the \_\_\_\_\_ (Date of treatment (dd/mm/yy)) \_\_\_\_\_."**
- (3) Certificates for consignments that have been heat-treated (or kiln dried) as per 2.5(1)b) may contain the following declarations:
  - a) **"The sawn wood has been heated for \_\_\_\_\_ (Duration of treatment) \_\_\_\_\_ at a minimum core temperature of \_\_\_\_\_ (Minimum core temperature during treatment) \_\_\_\_\_ on the \_\_\_\_\_ (Date of treatment (dd/mm/yy)) \_\_\_\_\_."**

OR

  - b) **"The sawn wood has been kiln dried to \_\_\_\_\_ (Moisture %) \_\_\_\_\_ percent moisture content at temperatures exceeding \_\_\_\_\_ (Temperature during treatment) \_\_\_\_\_ for \_\_\_\_\_ (Duration of treatment) \_\_\_\_\_ on the \_\_\_\_\_ (Date of treatment (dd/mm/yy)) \_\_\_\_\_."**
- (4) Certificates for consignments that have been chemically preserved as per 2.5(1)c) may contain the following declaration:
  - a) **"The sawn wood has undergone chemical preservation using \_\_\_\_\_ (active ingredients of preservative) \_\_\_\_\_ by \_\_\_\_\_ (method of preservative application) \_\_\_\_\_ achieving a preservative active ingredient loading of \_\_\_\_\_ (kg/m<sup>3</sup>, or weight/weight %, or net dry salt retention) \_\_\_\_\_."**

### 3.3 Transit

- (1) Where a consignment is under the direct control of the transit country NPPO and is either stored, split up or has its packaging changed while in transit through that country, *en route* to New Zealand, a "[Re-export Certificate](#)" is required.
- (2) Where a consignment is held under the official control as a result of the need to change conveyances and is kept in the original container, a "Re-export Certificate" is not required.

## Appendix 1(a): Regulated Pests Potentially Associated with Sawn Wood

Scientific Name	Organism Type	Common Name	Treatment Options (see Part 2.5)	Contingency for interception
<b>Micro-organisms</b>				
<i>Atropellis tingens</i>	Fungus	Canker	Heat, Chemical	Treatment, Reshipping or Destruction
<i>Caliciopsis pinea</i>	Fungus	Canker	Heat, Chemical	Treatment, Reshipping or Destruction
<i>Calonectria ilicicola</i>	Fungus	Collar rot	Heat, Chemical	Treatment, Reshipping or Destruction
<i>Calonectria indusiata</i>	Fungus	Root & stem rot	Heat, Chemical	Treatment, Reshipping or Destruction
<i>Cronartium quercuum</i>	Fungus	Pine blister rust	Heat, Chemical	Treatment, Reshipping or Destruction
<i>Cronartium quercuum</i> f.sp. <i>fusiforme</i>	Fungus	Stem rust	Heat, Chemical	Treatment, Reshipping or Destruction
<i>Cryphonectria cubensis</i>	Fungus	Basal / stem canker	Heat, Chemical	Treatment, Reshipping or Destruction
<i>Cryphonectria havanensis</i>	Fungus	Stem canker	Heat, Chemical	Treatment, Reshipping or Destruction
<i>Dermea pini</i>	Fungus	Shoot blight	Heat, Chemical	Treatment, Reshipping or Destruction
<i>Elytroderma deformans</i>	Fungus	Needle blight	Heat, Chemical	Treatment, Reshipping or Destruction
<i>Endocronartium pini</i>	Fungus	Stem rust	Heat, Chemical	Treatment, Reshipping or Destruction
<i>Fusarium circinatum</i>	Fungus	Pine pitch canker	Heat, Chemical	Treatment, Reshipping or Destruction
<i>Graphium</i> spp.	Fungus	Blue stain, wilt	Heat, Chemical	Treatment, Reshipping or Destruction
<i>Heterobasidion annosum</i>	Fungus	Root rot	Heat, Chemical	Treatment, Reshipping or Destruction
<i>Ischnoderma resinosum</i>	Fungus		Heat, Chemical	Treatment, Reshipping or Destruction
<i>Mucor spinosus</i>	Fungus		Heat, Chemical	Treatment, Reshipping or Destruction
<i>Ophiostoma leptographioides</i>	Fungus		Heat, Chemical	Treatment, Reshipping or Destruction
<i>Ophiostoma</i> spp.	Fungus	Blue stain, wilt	Heat, Chemical	Treatment, Reshipping or Destruction
<i>Phellinus noxius</i>	Fungus	Wood rot	Heat, Chemical	Treatment, Reshipping or Destruction
<i>Sparassis crispa</i>	Fungus	Root and butt rot	Heat, Chemical	Treatment, Reshipping or Destruction
<i>Trametes trogii</i>	Fungus	Wound parasite	Heat, Chemical	Treatment, Reshipping or Destruction

Scientific Name	Organism Type	Common Name	Treatment Options (see Part 2.5)	Contingency for interception
<i>Trichaptum abietinus</i>	Fungus	Butt rot	Heat, Chemical	Treatment, Reshipping or Destruction
<b>Arthropods</b>				
<i>Abantiades latipennis</i>	Hepialidae	Ghost moth	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Aenetus lignivorus</i>	Hepialidae	Common splendid ghost moth	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Aenetus paradiseus</i>	Hepialidae	Splendid ghost moth	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Agilus opulentus</i>	Buprestidae	Flat headed borer	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Agilus sexsignatus</i>	Buprestidae	Varicose borer	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Anaglyptus subfasciatus</i>	Cerambycidae	Cryptomeria twig borer	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Anoplolepis gracilipes</i>	Formicidae	Yellow crazy ant	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Anoplophora glabripennis</i>	Cerambycidae	Asian longhorned beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Antheraea helenae</i>	Saturniidae	Helena moth	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Arhopalus productus</i>	Cerambycidae	New house borer	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Arhopalus rusticus</i>	Cerambycidae	Rusty longhorned beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Asemum striatum</i>	Cerambycidae	Black spruce borer	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Austroplatypus incompertus</i>	Platypodidae	Ambrosia beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Bostrychoplites cornutus</i>	Bostrichidae	Bostrychid beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Buprestis aurulenta</i>	Buprestidae	Golden buprestid	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Buprestis lecontei</i>	Buprestidae	Flatheaded borer	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Buprestis maculativentris</i>	Buprestidae	Flatheaded borer	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Cacodacnus hebridanus</i>	Cerambycidae	Longhorn beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Callidium violaceum</i>	Cerambycidae	Longhorn beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Camponotus abdominalis</i>	Formicidae	Carpenter ant	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Camponotus herculeanus</i>	Formicidae	Carpenter ant	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Camponotus pennsylvanicus</i>	Formicidae	Carpenter ant	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction

Scientific Name	Organism Type	Common Name	Treatment Options (see Part 2.5)	Contingency for interception
<i>Cardiaspina squamula</i>	Psyllidae	Lerp psyllid	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Celosterna scabator</i>	Cerambycidae	Longhorn beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Ceresium declaratum</i>	Cerambycidae	Longhorn beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Ceresium flavipes</i>	Cerambycidae	Longhorn beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Ceresium guttaticolle</i>	Cerambycidae	Longhorn beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Ceresium holophaeum</i>	Cerambycidae	Longhorn beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Ceresium longicorne</i>	Cerambycidae	Longhorn beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Ceresium nilgiriensis</i>	Cerambycidae	Longhorn beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Ceresium sinicum</i>	Cerambycidae	Brown twig-girthing longhorn	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Ceresium sinicum ornatocolle</i>	Cerambycidae	Longhorn beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Ceresium sinicum sinicum</i>	Cerambycidae	Longhorn beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Chloridolum cinnyris</i>	Cerambycidae	Longhorn beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Chloridolum scytalicum</i>	Cerambycidae	Longhorn beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Chrysophtharta agricola</i>	Chrysomelidae	Southern eucalyptus leaf beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Chrysophtharta bimaculata</i>	Chrysomelidae	Tasmanian eucalyptus leaf beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Coptocercus vinicus</i>	Cerambycidae	Longhorn beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Coptotermes acinaciformis</i>	Rhinotermitidae	Subterranean termite	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Coptotermes curvignathus</i>	Rhinotermitidae	Subterranean termite	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Coptotermes formosanus</i>	Rhinotermitidae	Formosan subterranean termite	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Coptotermes frenchi</i>	Rhinotermitidae	Subterranean termite	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Coptotermes sjostedti</i>	Rhinotermitidae	Subterranean termite	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Cordylomera spinicornis</i>	Cerambycidae	Longhorn beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Crossotarsus externedentatus</i>	Platypodidae	Pinhole borer	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Cryphalus</i> spp.	Scolytidae	Bark beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction

Scientific Name	Organism Type	Common Name	Treatment Options (see Part 2.5)	Contingency for interception
<i>Cryptotermes brevis</i>	Kalotermitidae	West Indian drywood termite	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Cryptotermes buxtoni</i>	Kalotermitidae	Drywood termite	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Cryptotermes cynocephalus</i>	Kalotermitidae	Drywood termite	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Crypturgus borealis</i>	Scolytidae	Bark beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Cyclorhipidion sexspinaturn</i>	Scolytidae	Ambrosia beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Cyrtogenius fijianus</i>	Scolytidae	Bark beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Dendroctonus adjuncatus</i>	Scolytidae	Roundheaded pine beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Dendroctonus brevicornis</i>	Scolytidae	Western pine beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Dendroctonus frontalis</i>	Scolytidae	Southern pine beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Dendroctonus ponderosae</i>	Scolytidae	Mountain pine beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Dendroctonus pseudotsuga</i>	Scolytidae	Douglas fir beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Dendroctonus rufipennis</i>	Scolytidae	Spruce beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Dendroctonus terebrans</i>	Scolytidae	Black turpentine beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Dendroctonus valens</i>	Scolytidae	Red turpentine beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Diacavus diaphanus</i>	Platypodidae	Pinhole borer	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Diapus pusillimus</i>	Platypodidae	Walnut pinhole borer	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Diapus quinquespinatus</i>	Platypodidae	Pinhole borer	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Dicera homi</i>	Buprestidae	Flatheaded borer	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Didymuria virescens</i>	Phasmatidae	Spurlegged phasmatid	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Dinoderus bifoveolatus</i>	Bostrichidae	Bostrychid beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Dinoderus minutus</i>	Bostrichidae	Ghoon borer	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Diorthus cinereus</i>	Cerambycidae	Longhorn beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Doratifera vulnerans</i>	Limacodidae	Mottled cup moth	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Dryocoetes</i> spp.	Scolytidae	Bark beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction

Scientific Name	Organism Type	Common Name	Treatment Options (see Part 2.5)	Contingency for interception
<i>Elaphidion nanum</i>	Cerambycidae	Longhorn beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Epithora dorsalis</i>	Cerambycidae	Longhorn beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Ergates spiculatus</i>	Cerambycidae	Ponderous borer	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Eupogonius tomentosus</i>	Cerambycidae	Longhorn beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Glycaspis cameloides</i>	Spondyliaspidae	Lerp psyllid	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Glycaspis endasa</i>	Spondyliaspidae	Lerp psyllid	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Glycaspis nigrocincta</i>	Spondyliaspidae	Lerp psyllid	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Glycaspis particeps</i>	Spondyliaspidae	Lerp psyllid	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Gnathotrichus retusus</i>	Scolytidae	Spring gnathotrichus	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Gnathotrichus</i> spp.	Scolytidae	Ambrosia beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Gnathotrichus sulcatus</i>	Scolytidae	Scratched-face ambrosia beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Hadrobregmus destructor</i>	Anobiidae	Pacific powderpost beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Hemicoelus gibbicollis</i>	Anobiidae	Pacific powderpost beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Hesperophanes campestris</i>	Cerambycidae	Longhorn beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Hesperophanes fasciculatus</i>	Cerambycidae	Longhorn beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Hesperophanes griseus</i>	Cerambycidae	Longhorn beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Hesperophanes heydeni</i>	Cerambycidae	Longhorn beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Hesperophanes maculatus</i>	Cerambycidae	Longhorn beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Hesperophanes</i> spp.	Cerambycidae	Longhorn beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Hesthesis cingulata</i>	Cerambycidae	Longhorn beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Heterobostrychus aequalis</i>	Bostrichidae	Bostrychid beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Heterobostrychus brunneus</i>	Bostrichidae	Bostrychid beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Heteronyx crinitus</i>	Scarabaeidae	Scarab beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Heteronyx</i> n. sp. var. <i>comans</i>	Scarabaeidae	Scarab beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction



Scientific Name	Organism Type	Common Name	Treatment Options (see Part 2.5)	Contingency for interception
<i>Heteronyx striatipennis</i> var. <i>jabatus</i>	Scarabaeidae	Scarab beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Heterotermes</i> spp.	Rhinotermitidae	Subterranean termites	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Hoplocerambyx spinicornis</i>	Cerambycidae	Sal borer	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Hylastes ater</i>	Scolytidae	Black pine bark beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Hylastes gracilis</i>	Scolytidae	Bark beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Hylastes macer</i>	Scolytidae	Bark beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Hylastes nigrinus</i>	Scolytidae	Bark beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Hylastes ruber</i>	Scolytidae	Bark beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Hylastes</i> spp.	Scolytidae	Bark beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Hylesinus varius</i>	Scolytidae	Bark beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Hylobius abietis</i>	Curculionidae	Large pine weevil	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Hylobius pales</i>	Curculionidae	Pales weevil	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Hylobius radicis</i>	Curculionidae	Pine root collar weevil	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Hylobius warreni</i>	Curculionidae	Warren's collar weevil	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Hypertropha tortriciformis</i>	Hypertrophidae		Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Incisitermes</i> spp.	Kalotermitidae	Drywood termites	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Ips acuminatus</i>	Scolytidae	Bark beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Ips calligraphus</i>	Scolytidae	Eastern six-spined engraver	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Ips erosus</i>	Scolytidae	Mediterranean pine engraver	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Ips grandicollis</i>	Scolytidae	Eastern five-spined engraver	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Ips mexicanus</i>	Scolytidae	Monterey pine ips	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Ips paraconfusus</i>	Scolytidae	California five-spined ips	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Ips pini</i>	Scolytidae	Pine engraver	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Ips plastographus maritimus</i>	Scolytidae	Bark beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction

Scientific Name	Organism Type	Common Name	Treatment Options (see Part 2.5)	Contingency for interception
<i>Ips sexdentatus</i>	Scolytidae	Six-toothed bark beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Ips typographus</i>	Scolytidae	European spruce bark beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Kaloterms arizonensis</i>	Kalotermitidae	Drywood termite	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Kaloterms hilli</i>	Kalotermitidae	Drywood termite	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Lithurge scabrosus</i>	Megachilidae	Leaf cutting bee	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Lophyrotoma interrupta</i>	Pergidae	Cattle poisoning sawfly	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Lyctus africanus</i>	Lyctidae	Powderpost beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Lyctus planicollis</i>	Lyctidae	Powderpost beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Lyctus sinensis</i>	Lyctidae	Powderpost beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Macrones rufus</i>	Cerambycidae	Longhorn beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Mastotermes darwiniensis</i>	Mastotermitidae	Giant northern termite	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Megacyllene caryae</i>	Cerambycidae	Painted hickory borer	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Melanophila californica</i>	Buprestidae	California flatheaded borer	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Microcerotermes</i> spp.	Termitidae	Termite	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Minthea reticulata</i>	Lyctidae	Powderpost beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Minthea rugicollis</i>	Lyctidae	Powderpost beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Minthea squamigera</i>	Lyctidae	Powderpost beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Mnesampela privata</i>	Geometridae	Autumn gum moth	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Molorchus minor</i>	Cerambycidae	Longhorn beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Monarthrum</i> nr. <i>Hoegi</i>	Scolytidae	Ambrosia beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Monochamus alternatus</i>	Cerambycidae	Rusty pine longhorn	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Monochamus bimaculatus</i>	Cerambycidae	Sawyer beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Monochamus clamator</i>	Cerambycidae	Spotted pine sawyer	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Monochamus gravidus</i>	Cerambycidae	Sawyer beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction

Scientific Name	Organism Type	Common Name	Treatment Options (see Part 2.5)	Contingency for interception
<i>Monochamus guerryi</i>	Cerambycidae	Sawyer beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Monochamus guttatus</i>	Cerambycidae	Sawyer beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Monochamus impluviatus</i>	Cerambycidae	Sawyer beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Monochamus notatus</i>	Cerambycidae	Northeastern sawyer	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Monochamus obtusus</i>	Cerambycidae	Sawyer beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Monochamus saltuarius</i>	Cerambycidae	Sawyer beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Monochamus scutellatus</i>	Cerambycidae	White-spotted sawyer beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Monochamus sparsutus</i>	Cerambycidae	Sawyer beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Monochamus sutor</i>	Cerambycidae	Small white-marmorated longicorn	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Monochamus urusovi</i>	Cerambycidae	Sawyer beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Nacerdes melanura</i>	Oedemeridae	Wharf borer	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Nascio vetusta</i>	Buprestidae	Flatheaded borer	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Nascioides parryi</i>	Buprestidae	Flatheaded borer	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Nasutitermes exitiosis</i>	Termitidae	Subterranean termite	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Neoclytus acuminatus</i>	Cerambycidae	Redheaded ash borer	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Neotermes insularis</i>	Kalotermitidae	Ring ant termite	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Olethrius tyrannus</i>	Cerambycidae	Longhorn beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Opsimus quadrilinea</i>	Cerambycidae	Longhorn beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Orthotomicus caelatus</i>	Scolytidae	Bark beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Orthotomicus</i> spp.	Scolytidae	Bark beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Paralaea beggaria</i>	Geometridae	Peppermint looper	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Parisopalpus macleayi</i>	Oedemeridae	False blister beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Paropsis atomaria</i>	Chrysomelidae	Eucalyptus tortoise beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Paratrechina longicornis</i>	Formicidae	Crazy ant	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction

Scientific Name	Organism Type	Common Name	Treatment Options (see Part 2.5)	Contingency for interception
<i>Perga affinis insularis</i>	Pergidae	Large green sawfly	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Phaloeophagus brunneus</i>	Curculionidae	Weevil	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Phlyctaenodes pustulosus</i>	Cerambycidae	Longhorn beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Phoracantha recurva</i>	Cerambycidae	Yellow longicorn	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Phoracantha tricuspidis</i>	Cerambycidae	Common longicorn beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Phylacteophaga</i> spp.	Hymenoptera	Leafblister sawfly	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Phymatodes testaceus</i>	Cerambycidae	Tanbark borer	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Pissodes nemorensis</i>	Curculionidae	Deodar weevil	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Plagionotus arcuatus</i>	Cerambycidae	Longhorn beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Platypus bifurcus</i>	Platypodidae	Pinhole borer	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Platypus jansoni</i>	Platypodidae	Pinhole borer	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Platypus micrurus</i>	Platypodidae	Pinhole borer	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Platypus shoreanus</i>	Platypodidae	Pinhole borer	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Platypus subgranosus</i>	Platypodidae	Mountain pinhole borer	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Platypus wilsoni</i>	Scolytidae	Wilson's wide-headed ambrosia beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Podacanthus wilsoni</i>	Phasmatidae	Gregarious phasmatid	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Polygraphus rufipennis</i>	Scolytidae	Four-eyed spruce bark beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Popilius disjunctus</i>	Passalidae	Bess beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Psaltoda moerens</i>	Cicadidae	Red eye cicada	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Pseudoperge lewisii</i>	Pergidae	Pale brown sawfly	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Reticulitermes hesperus</i>	Rhinotermitidae	Western subterranean termite	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Reticulitermes</i> spp.	Rhinotermitidae	Subterranean termites	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Rhachiodes dentifer</i>	Curculionidae	Weevil	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Schedorhinotermes intermedius</i>	Rhinotermitidae	Subterranean termite	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction

Scientific Name	Organism Type	Common Name	Treatment Options (see Part 2.5)	Contingency for interception
<i>Schedotrioza marginata</i>	Triozidae	Psyllid	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Schedotrioza multitudinea</i>	Triozidae	Psyllid	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Scolecobrotus westwoodi</i>	Cerambycidae	Roughshouldered longicorn	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Scolytus intricatus</i>	Scolytidae	European oak bark beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Scolytus</i> spp.	Scolytidae	Engraver beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Semanotus amethystinus</i>	Cerambycidae	Amethyst cedar borer	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Semanotus ligneus ampla</i>	Cerambycidae	Cedar tree borer	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Semanotus litigiousus</i>	Cerambycidae	Long horn beetles	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Serropalpus barbatus</i>	Melandryidae	False darkling beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Shirahoshizo</i> spp.	Curculionidae	Pine weevil	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Sinoxylon anale</i>	Bostrichidae	Bostrychid beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Sirex areolatus</i>	Siricidae	Woodwasp	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Sirex cyaneus</i>	Siricidae	Blue horntail or woodwasp	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Sirex juvencus</i>	Siricidae	Woodwasp	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Sirex noctilio</i>	Siricidae	Steel blue wood wasp	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Stephanopachys rugosus</i>	Bostrichidae	Bostrychid beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Strictoleptura canadensis</i>	Cerambycidae	Longhorn beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Stromatium longicorne</i>	Cerambycidae	Tropical longicorne	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Strongylorhinus ochraceous</i>	Curculionidae	Weevil	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Syarbis alcyone</i>	Curculionidae	Weevil	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Tetropium cinnamopterum parvulum</i>	Cerambycidae	Northern spruce borer	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Tetropium fuscum</i>	Cerambycidae	Brown spruce longhorn beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Tetropium velutinum</i>	Cerambycidae	Western larch borer	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Tomicus piniperda</i>	Scolytidae	Pine shoot beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction

Scientific Name	Organism Type	Common Name	Treatment Options (see Part 2.5)	Contingency for interception
<i>Trachykele blondeli</i>	Buprestidae	Western cedar borer	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Trogoxylon parallelopipedum</i>	Lyctidae	Powderpost beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Tryphocaria mastersi</i>	Cerambycidae	Bulls-eye borer	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Trypodendron lineatum</i>	Scolytidae	Striped ambrosia beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Urocerus albicornis</i>	Siricidae	Banded horntail or woodwasp	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Urocerus gigas</i>	Siricidae	Greater horntail or woodwasp	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Xeris tarsalis</i>	Siricidae	Woodwasp	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Xyleborus affinis</i>	Scolytidae	Ambrosia beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Xyleborus ferrugineus</i>	Scolytidae	Ambrosia beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Xyleborus perforans</i>	Scolytidae	Island pinhole borer	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Xyleutes</i> spp.	Cossidae	Wood moth	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Xylion securifer</i>	Bostrichidae	Bostrychid beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Xyloperthala crinitarsis</i>	Bostrichidae	Bostrychid beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Xylopsocus capucinus</i>	Bostrichidae	Bostrychid beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Xylopsocus castanoptera</i>	Bostrichidae	Bostrychid beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Xylosandrus crassiusculus</i>	Scolytidae	Asian ambrosia beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Xylothrips religiosus</i>	Bostrichidae	Northern auger beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Xylotrechus undulatus</i>	Cerambycidae	Rustic borer	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Xystrocera globosa</i>	Cerambycidae	Green-striped albizzia longicorn	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Zootermopsis angusticollis</i>	Hodotermitidae	Pacific dampwood termite	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Zygocera canosa</i>	Cerambycidae	Longhorn beetle	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<b>Nematodes</b>				
<i>Bursaphelenchus</i> spp.	Nematode	Pine wood neamtode	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction
<i>Bursaphelenchus xylophilus</i>	Nematode	Pine wilt nematode	Fumigation, Heat, Chemical	Treatment, Reshipment or Destruction

## Appendix 1(b): Non-Regulated Pests Potentially Associated with Sawn Wood

Scientific Name	Organism Type	Common Name	Treatment Options	Contingency for interception
<b>Micro-organisms</b>				
<i>Acremonium strictum</i>	Fungus	Black bundle disease	None Required	None
<i>Epicoecum nigrum</i>	Fungus	Sooty mould, leaf spot	None Required	None
<i>Fusarium oxysporum</i>	Fungus	Root rot	None Required	None
<i>Gloeophyllum abietinum</i>	Fungus			
<i>Lasiodiplodia theobromae</i>	Fungus	Java black rot	None Required	None
<i>Nectria haematococca</i>	Fungus	Root rot	None Required	None
<i>Nigrospora sphaerica</i>	Fungus	Nigrospora rot	None Required	None
<i>Phacidium coniferarum</i>	Fungus			
<i>Phanerochaete gigantea</i>	Fungus	White rot	None Required	None
<i>Polyporus arcularius</i>	Fungus		None Required	None
<i>Schizophyllum commune</i>	Fungus		None Required	None
<i>Trametes hirsuta</i>	Fungus		None Required	None
<i>Trichoderma harzianum</i>	Fungus	Trichoderma rot	None Required	None
<b>Arthropods</b>				
<i>Acrocercops laciniella</i>	Gracillariidae	Blackbutt leaf miner	None required	None
<i>Agrypnus variabilis</i>	Elateridae	Sugarcane wireworm	None required	None
<i>Amasa truncatus</i>	Scolytidae	Keyhole ambrosia beetle	None required	None
<i>Ambrosiodmus compressus</i>	Scolytidae	Keyhole ambrosia beetle	None required	None
<i>Anobium punctatum</i>	Anobiidae	House borer	None required	None
<i>Apion ulicis</i>	Apionidae	Gorse seed weevil	None required	None

Scientific Name	Organism Type	Common Name	Treatment Options	Contingency for interception
<i>Araecerus palmaris</i>	Anthribidae	Dried apple beetle	None required	None
<i>Arhopalus tristis</i>	Cerambycidae	Burnt pine longhorn	None required	None
<i>Aridaeus thoracicus</i>	Cerambycidae	Tiger longhorn	None required	None
<i>Asynonychus cervinus</i>	Curculionidae	Fuller's rose weevil	None required	None
<i>Bethelium signiferum</i>	Cerambycidae	Wattle longhorn	None required	None
<i>Bruchidius villosus</i>	Chrysomelidae	Broom seed beetle	None required	None
<i>Callidiopsis scutellarius</i>	Cerambycidae	Longhorn beetle	None required	None
<i>Coptocercus rubripes</i>	Cerambycidae	Longhorn beetle	None required	None
<i>Coptodryas eucalyptica</i>	Scolytidae	Ambrosia beetle	None required	None
<i>Cryphalus wapleri</i>	Scolytidae	Bark beetle	None required	None
<i>Derophtinus granicollis</i>	Anobiidae	Furniture beetle	None required	None
<i>Didymocantha obliqua</i>	Cerambycidae	Longhorn beetle	None required	None
<i>Ernobius mollis</i>	Anobiidae	Pine bark anobiid	None required	None
<i>Gonipterus scutellatus</i>	Curculionidae	Gum tree weevil	None required	None
<i>Graphognathus leucoloma</i>	Curculionidae	Whitefringed weevil	None required	None
<i>Hadrobregmus australiensis</i>	Anobiidae	Furniture beetle	None required	None
<i>Heteronychus arator</i>	Scarabaeidae	Black beetle	None required	None
<i>Hylastes ater</i>	Scolytidae	Black pine bark beetle	None required	None
<i>Hylurgus ligniperda</i>	Scolytidae	Golden haired bark beetle	None required	None
<i>Lochmaea suturalis</i>	Chrysomelidae	Leaf beetle	None required	None
<i>Lyctus brunneus</i>	Bostrichidae	Powderpost beetle	None required	None
<i>Mesites pallidipennis</i>	Curculionidae	Weevil	None required	None
<i>Nathrius brevipennis</i>	Cerambycidae	Longhorn beetle	None required	None



Scientific Name	Organism Type	Common Name	Treatment Options	Contingency for interception
<i>Neolaemosaccus narinus</i>	Curculionidae	Weevil	None required	None
<i>Ocropsopsis subfasciata</i>	Chrysomelidae	Leaf beetle	None required	None
<i>Otiorhynchus ovatus</i>	Curculionidae	Strawberry root weevil	None required	None
<i>Otiorhynchus rugosostriatus</i>	Curculionidae	Rough strawberry root weevil	None required	None
<i>Otiorhynchus sulcatus</i>	Curculionidae	Black vine weevil	None required	None
<i>Paropsis charybdis</i>	Chrysomelidae	Eucalyptus tortoise beetle	None required	None
<i>Phloeosinus cupressi</i>	Scolytidae	Cypress bark beetle	None required	None
<i>Phlyctinus callosus</i>	Curculionidae	Garden weevil	None required	None
<i>Phoracantha semipunctata</i>	Cerambycidae	Common eucalypt longhorn	None required	None
<i>Porotermes adamsonii</i>	Termopsidae	Dampwood termite	None required	None
<i>Pselactus spadix</i>	Curculionidae	Weevil	None required	None
<i>Rhyssonotus nebulosus</i>	Lucanidae	Stag beetle	None required	None
<i>Scolytus multistriatus</i>	Scolytidae	Smaller European elm bark beetle	None required	None
<i>Stenoscelis hylastoides</i>	Curculionidae	Weevil	None required	None
<i>Steriphus diversipes lineata</i>	Curculionidae	Weevil	None required	None
<i>Storeus albosignatus</i>	Curculionidae	Weevil	None required	None
<i>Syndesus cornutus</i>	Lucanidae	Stag beetle	None required	None
<i>Tessaromma undatum</i>	Cerambycidae	Longhorn beetle	None required	None
<i>Trachymela catenata</i>	Chrysomelidae	Small eucalyptus tortoise beetle	None required	None
<i>Uraba lugens</i>	Noctuidae	Gum leak skeletoniser	None required	None
<i>Trachymela sloanei</i>	Chrysomelidae	Small eucalyptus tortoise beetle	None required	None
<i>Xyleborinus saxeseni</i>	Scolytidae	Keyhole ambrosia beetle	None required	None
<i>Xylosandrus solidus</i>	Scolytidae	Ambrosia beetle	None required	None

## Appendix 2: Definitions

Any terms defined in the Biosecurity Act (1993) or by the International Plant Protection Convention (1997) and used in but not otherwise defined in this IHS have the same meaning as in the Act, or as in ISPM Pub. No. 5.

**Bark**

The layer of a woody trunk, branch or root outside the cambium.

**Bark-free wood**

Wood from which all bark, except ingrown bark around knots, and bark pockets between rings of annual growth has been removed.

**Biosecurity clearance**

A clearance under section 26 of the Biosecurity Act (1993) for the entry of goods into New Zealand.

**Certificate**

A document or its electronic equivalent that attests to the phytosanitary status or treatment of a consignment.

**Commodity**

A type of plant, plant product or other regulated article being moved for trade or other purpose.

**Consignment**

A quantity of plants, plant products or other articles being moved from one country to another and covered, when required, by a single phytosanitary certificate (a consignment may be composed of one or more commodities or lots).

**Contamination**

Presence in a commodity, storage place, conveyance or container, of pests or other regulated articles, not constituting an infestation.

**Import health standard (IHS)**

Document with the meaning as per section 22 of the Biosecurity Act 1993.

**Infestation**

Presence in a commodity, storage place, conveyance or container, of a living pest.

**Inspection**

Official visual examination of plants, plant products or other regulated articles to determine if pests are present and/or to determine compliance with phytosanitary regulations.

**International Plant Protection Convention (IPPC)**

As deposited in 1951 with FAO in Rome and subsequently amended.

**International Standard for Phytosanitary Measures (ISPM)**

An international standard adopted by the Conference of FAO, the Interim Commission on Phytosanitary Measures or the Commission on Phytosanitary Measures, established under the IPPC.

**Lot**

A number of units of a single commodity, identifiable by its homogeneity of composition, origin etc., forming part of a consignment.

**MPI**

Ministry for Primary Industries (the NPPO of New Zealand).

**National Plant Protection Organisation (NPPO)**

Official service established by a government to discharge the functions specified by the IPPC.

**Packaging**

Appropriate packaging examples are plastic wrapping, 6 sided boxing, closed shipping containers.

**Pest**

Any species, strain or biotype of plant, animal or pathogenic agent, injurious to plants or animals (or their products) or human health or the environment.

**Pest free area**

An area in which a specific pest is absent as demonstrated by scientific evidence and in which, where appropriate, this condition is being officially maintained.

**Phytosanitary measure**

Any legislation, regulation or official procedure having the purpose to prevent the introduction and/or spread of quarantine pests, or to limit the economic impact of regulated non-quarantine pests.

**Quarantine pest**

A pest of potential economic importance to the area endangered thereby and not yet present there, or present but not widely distributed and being officially controlled.

**Regulated pest**

A quarantine pest or a regulated non-quarantine pest.

**Sawn wood**

Wood sawn longitudinally, with or without its natural rounded surface, with or without bark.

**Treatment**

Official procedure for the killing, inactivation or removal of pests or for rendering pests infertile or for devitalisation.

**Untreated**

A consignment where treatment before arrival in New Zealand has not been undertaken.

**Wood (as a commodity class)**

Commodities such as round wood, sawn wood, wood chips and wood residue, with or without bark, excluding wood packaging material, processed wood material and bamboo products.

## Appendix 3: Amendment record

The following table provides a summary of the amendments to this IHS.

Number:	Date:	Details:
1	17 October 2018	This amendment contains no change in content but is issued in the new Ministry for Primary Industries format for IHS.