

**List of quarantine organisms**  
**Liste des organismes de quarantaine**  
**لائحة الافات الحجرية**

Pest الإفة	Absence ( A1) غياب	Present في بعض في كل الانحاء	
		Widely في كل الانحاء	in some area في بعض
Apple rubbery wood MLO	✓		
Apricot chlorotic leafroll MLO	✓		
Arracacha B virus, oca strain nepovirus	✓		
Artichoke italian latent nepovirus	✓		
Avocado sun blotch viroid	✓		
Banana bract mosaic disease	✓		
Banana bunchy top virus	✓		
Barley stripe mosaic virus	✓		
Beet leaf curl rhabdovirus	✓		
Beet necrotic yellow vein furovirus	✓		
Blueberry leaf mottle nepovirus	✓		
Broccoli necrotic yellows rhabdovirus	✓		
Cherry little cherry disease	✓		
Citrus cristacortis disease	✓		
Citrus enation disease	✓		
Andean potato mottle comovirus	✓		
Citrus impietrature disease	✓		
Apple chat fruit diseases	✓		
Citrus leporosis rhabdovirus (Eppo A1)	✓		
Citrus lime witches broom MLO	✓		
Citrus tatter leaf capillovirus (Eppo A1)	✓		
Cowpea aphid-borne mosaic virus	✓		
Grapevine flavescence doree	✓		
Grapevine italian latent virus	✓		
Grapevine line pattern ilarvirus	✓		
Grapevine yellow speckle viroid	✓		
Lettuce infectious yellows virus (Eppo A1)	✓		
lucerne Australian latent nepovirus	✓		
Maize dwarf mozaic potyvirus	✓		
Maize streak geminivirus	✓		
Olive latent 2 ourmiavirus	✓		
Olive latent ringspot nepovirus	✓		
Olive vein yellowing associated virus	✓		

Onion yellow dwarf potyvirus	✓		
Palm lethal yellowing MLO	✓		
Papaya bunchy top MLO	✓		
Pea early browning tobnavirus	✓		
Peach phony rickettsia	✓		
Peach rosette MLO	✓		
Peach X disease MLO	✓		
Peach yellow MLO	✓		
Pear decline MLO	✓		
Pepper mild tiger gemivirus	✓		
Plum american line pattern ilavirus	✓		
Apple green crinkle disease	✓		
Potato purple-top wilt MLO	✓		
Potato splind tuber viroid	✓		
Potato T virus (Eppo A1)	✓		
Potato virus S carlavirus	✓		
Potato yellow dwarf rhabdovirus (Eppo A1)	✓		
Potato yellow vine disease (Eppo A1)	✓		
Rose wilt virus	✓		
Satsuma dwarf nepovirus (Eppo A2)	✓		
Southern bean mosaic sobemovirus	✓		
Strawberry crinkle rhabdovirus	✓		
Strawberry latent C rhabdovirus	✓		
Strawberry vein banding caulimovirus	✓		
Apple proliferation MLO	✓		
Strawberry witches broom MLO	✓		
Tobacco necrosis necrovirus	✓		
Tobacco streak ilavirus	✓		
Tomato streak virus	✓		
Wheat streak mosaic rynovirus	✓		
American plum line pattern virus	✓		
Andean potato latent tymovirus	✓		
Apple dimple fruit viroid	✓		
Apple scar skin viroid	✓		
Apple stem pitting virus	✓		
Apricot latent virus	✓		
Apricot ringpox disease	✓		
Arabis mosaic virus	✓		
Banana bunchy top virus	✓		
Banana streak badna virus	✓		
Banana streak badnavirus	✓		
Barley stripe mosaic virus	✓		

Barley yellow striate mosaic virus	✓		
Bean golden mosaic geminivirus	✓		
Bean yellow dwarf virus	✓		
Beet curl top virus	✓		
Beet leaf curl virus (A2)	✓		
Beet mild yellowing virus	✓		
Beet mosaic virus	✓		
Beet necrotic yellow vein virus (Eppo A2)	✓		
Beet soil-borne mosaic virus	✓		
Beet soil-borne virus	✓		
Beet western yellows virus	✓		
Beet yellows virus	✓		
Bermuda grass etched-line virus	✓		
Blue berry leaf mottle virus (Eppo A2)	✓		
Blue berryscortch (Eppo A2)	✓		
Broadbean true mosaic virus	✓		
Cauliflower mosaic virus	✓		
Cereal chlorotic mottle virus	✓		
Cereal yellow dwarf virus	✓		
Cherry green ring mottle virus	✓		
Cherry leaf roll virus	✓		
Cherry necrotic rusty mottle disease	✓		
Chickpea chlorotic dwarf virus	✓		
Citrus bent leaf viroid	✓		
Citrus concave gum disease	✓		
Citrus exocortis viroid	✓		
Citrus mosaic virus	✓		
Citrus psorosis virus	✓		
Citrus variegation virus	✓		
Citrus viroid III	✓		
Citrus viroid IV	✓		
cucumber leaf spot virus	✓		
cucumber soil-borne virus	✓		
Cucurbit aphid-borne yellows virus	✓		
Cynodon chlorotic streak virus	✓		
Fig leaf mottle associate virus 1	✓		
Fig leaf mottle associate virus 2	✓		
Grapevine asteriod mosaic-associated virus	✓		
Grapevine chrome mosaic nepovirus	✓		
Grapevine leafroll virus associate 4	✓		
Grapevine leafroll virus associate 5	✓		
Grapevine leafroll virus associate 6	✓		

Grapevine leafroll virus associate 8	✓		
Grapevine leafroll virus associate 9	✓		
Grapevine red globe virus	✓		
Grapevine rupestris stem pitting virus	✓		
Grapevine rupestris vein feathering virus	✓		
Grapevine Tnisian ringspot virus	✓		
Grapevine virus C	✓		
Grapevine virus D	✓		
Grapevine yellows disease	✓		
Hop stunt viroid	✓		
Ipomatiens necrotic spot virus (Eppo A2)	✓		
Maize dwarf mosaic virus	✓		
Maize mosaic virus	✓		
Maize rough dwarf virus	✓		
Maize streak virus	✓		
Maize yellow stripe virus	✓		
Melon necrotic spot virus	✓		
Melon rugose mosaic virus	✓		
Moroccan watermelon mosaic virus	✓		
Olive latent ringspot virus	✓		
Olive latent virus 1	✓		
Olive latent virus 2	✓		
Olive leaf yellowing-associated virus	✓		
Papaya mosaic virus	✓		
Pea early browning virus	✓		
Pea enation mosaic virus	✓		
Peach latent mosaic viroid	✓		
Peach rosette mosaic nepovirus (Eppo A1)	✓		
Potato aucuba mosaic virus	✓		
Potato spindle tuber viroid (Eppo A2)	✓		
Potato stolbur MLO	✓		
Potato virus M	✓		
Potato virus S	✓		
Potato yellow dwarf virus	✓		
Radish mosaic virus	✓		
Raspberry ringspot virus (Eppo A2)	✓		
Satsuma dwarf virus	✓		
Soybean dwarf virus	✓		
Strawberry latent ringspot virus	✓		
Strawberry ringspot virus (Eppo A2)	✓		
Strawberry vein banding virus (Eppo A2)	✓		
Sugarcane mosaic virus	✓		

Sugercane streak virus	✓		
Tomato apical stunt viroid	✓		
Tomato chlorosis virus	✓		
Tomato chlorosis virus (Eppo A2)	✓		
Tomato infectious chlorosis virus	✓		
Tomato infectious chlorosis virus (Eppo A2)	✓		
Turnip mosaic virus	✓		
Wheat streak mosaic virus	✓		
Zea mosaic virus	✓		
Zucchini yellow fleck virus	✓		
Alfalfa mosaic virus			
Apple chlorotic leafspot virus			
Apple mosaic virus			
Apple stem grooving virus			
Arabis mosaic virus			
Barley yellow dwarf virus			
Bean common mosaic virus			
Bean leafroll virus			
Bean yellow mosaic virus			
Broadbean mottle virus			
Broadbean stain virus			
Broadbean wilt virus			
Cherry raspe leaf virus (Eppo A2)			
Chickpea bushy stunt virus			
Chickpea westren yellows virus			
Citrus tristeza closterovirus (Eppo A2)			
Cowpea mild mottle virus			
Cucumber green mottle mosaic tobamovirus			
Cucumber mosaic virus			
Cucumber vein yellowing virus (Eppo A2)			
Cucurbit yellow stunting disorder virus (Eppo A2)			
eggplant mottle dwarf virus			
Fababeab necrotic yellows virus			
Grapevine fanleaf virus			
Grapevine fleck virus			
Grapevine leafroll associate7			
Grapevine leafroll virus associate 1			
Grapevine leafroll virus associate 2			
Grapevine leafroll virus associate 3			
Grapevine virus A			
Grapevine virus B			
Lettuce mosaic virus			

Papaya ringspot virus			
Pea seedborne mosaic virus			
Peach necrotic ringspot virus			
Pepper veinal mottle virus			
Plum Pox virus (Eppo A2)			
Potato leafroll virus			
Potato leafroll virus			
Potato virus A			
Potato virus X			
Potato virus Y			
Prune dwarf virus			
Prunus necrotic ringspot virus			
Squash leaf curl geminivirus (Eppo A1)			
Squash mosaic virus			
Strawberry latent ringspot virus			
Tobacco etch virus			
Tobacco mosaic virus			
Tobacco rattle virus			
Tobacco ringspot virus (Eppo A2)			
Tomato aspermy virus			
Tomato black ring virus			
Tomato bushy stunt virus			
Tomato mosaic virus			
Tomato ringspot virus			
Tomato ringspot virus (Eppo A2)			
Tomato spotted wilt tospovirus (Eppo A2)			
Tomato yellow leaf curl virus (Eppo A2)			
Turnip mosaic virus			
Watermelon chlorotic stunt virus			
Watermelon mosaic virus			
Zucchini yellow mosaic virus			















**List of quarantine organisms**  
**Liste des organismes de quarantaine**  
**لائحة الإفات الحجرية**

Pest الإفة
Acroptilon repens (= Centaurea picris, C. repens)
Ageratum conyzoides , A. Houstonianum( = A. mexicanum)
Ambrosia artimisiifolia
Alectra spp.
Ammophila arenaria
Amorpha fruticosa
Arceuthobium species
Argemone mexicana
Avena fatua
Axonopus compressus
Azolla filiculoides A. pinnata (mosquito fern, water velvet)
Bellis perennis
Berberis vulgaris (European barberry)
Bidens frondosa
Bidens pilosa
Brassica tournefortii
Brachiaria mutica(= Panicum purpurascens)
Bunias orientalis
Butomus umbellatus (aquatic plant)
All Cabomba spp
Campylopus introflexus
Caulerpa taxifolia. Mediterranean strain (killer algae)
Cenchrus echinatus... (= C. Pungens, C. Brevisetus, C. viridis, C. quinquecalivis), Cenchrus incertus, C. longispinus, C. ciliaris
Chromolaena odorata(= Eupatorium odoratum)
Chrysopogon aciculatus
Cirsium arvense
Cistanche species
Commelina benghalensis , C. diffusa (= C. nudiflora, Murdannia nudiflora, Aneilema nudiflorum, aneilema malabaricum)
Crassula helmsii
Cyperus difformis, C. iria, other Cyperus species
All Cuscuta spp
Digitaria scalarum ( D. chinensis, D. henryi, D. marginata)

Echinocystis lobata
Egeria densa
Eichhornia crassipes, E. azurea (anchored waterhyacinth, rooted waterhyacinth)
Elodea canadensis, E. mutellii
Emex australis
Epilobium ciliatum, Epilobium hirsutum
Equisetum arvense, E. palustre
Euphorbia hirta (= E. pilulifera)
Fimbristylis miliacea (= F. Littoralis, F. Annau, F. Dyphilla, F. Longispica, Scirpus annus, S. dichotomous)
Galinsoga parviflora, G. quadrariradiata
Glyceria maxima
Halophila stipulacea
Heliotropium inidcum
Helianthus ciliaris
Hydrilla verticillata (hydrilla)
Hydrocharis morsus-ranae
Hygrophila polysperma
Ipomoea aquatica (water-spinach, swamp morning-glory), I. Hederacea, I. Triloba, I. turbinata
Iris pseudocarus
Ischaemum ramosum
Iva ( Cyclachaena) xanthiifolia
Lagarosiphon major
Leptochloa panicea(= L.filiformis, L.chinensis)
Limnophila sessiliflora (ambulia)
Lythrum salicaria
Marsilea quadriflora
Mekania cordata, M.scandens, M. Micrantha
Melaleuca quinquenervia (broadleaf paper bark tree).
Mimosa invisa, M. pudica
Monochoria vaginales, M. Hastata, (= M. hostifolia)
Myriophyllum aquaticum, all Myrophyllum spp.
Myosotis scorpioides
Najas minor
Nymphoides peltata
All Orobanche spp.
Ottelia alismoides
Oxalis pes-carpi
Panicum maximum
Parthenium hysterophorus
Paspalum dilatatum, P. Paspalodes (=P. distichum), P. Conjugatum, P. scrobiculatum
Pennisetum clandestinum

Pennistum purpureum, P. Polystachyon, P. Pedicellatum
Pistia startiotes
Polygonum argyrocoleon, P. pennsylvanicum
Potamogeton crispus
Rorippa species
Rottboelia exaltata
Rhus radicans, (= Toxicodendron radicans), R. toxicodendron
Sagittaria japonica, S. sagittifolia (arrowhead)
Salvinea auriculata, Salvinia spp. (giant salvinias)
Senecio inaequidens
Setaria pallide-fusca
Sida acuta, S. spinosa
Solanum tampicense (wetland nightshade) , S. carolinense, S. sarrachoides, S. torvum
Solidago canadensis
Sparganium erectum (exotic bur-reed)
Sphenoclea zeylanica
All Striga lutea (= S. asiatica), Striga spp
Thevetia peruviana
Thesium humile
All Trapa species
Typha gracilis, T. laxmanii, T. Minima
Viscum album
Acacia longifolia, A. mearnsii, A. saligna
Aegilops triuncialis
Agropyron repens
Amaranthus hybridus, A. spinosus
Ammophila arenaria
Anagallis arvensis
Arundo donax
Bidens pilosa
Capsilla pursa pastoris
Ceratophyllum demersum
Chenopodium album
Convolvulus arvensis
Cyperus rotundus, C. esculentus
Cynodon dactylon
Dactyloctenium aegyptium
Dalbergia sissoo
Digitaria sanguinalis
Echinochloa crusgalli
Echinochloa colonum
Eclipta prostrata

Eleusine indica
Erodium cicutarium
Eupatorium cannabinum
Galium aparine
Hedera helix
Hypericum perforatum
Hypnea musciformis ( algae)
Imperata cylindrica
Iris pseudacorus
Landoltia punctata (aquatic plant)
Lantana camara
Lepidium latifolium
Leersia hexandra
Lolium temulentum
Lythrum salicaria (aquatic plant, herb)
Melilotus alba
Nicotiana glauca
Oxalis corniculata
Panicum repens
Phragmites australis (= P. communis), P. karka
Pittosporum undulatum
Plantago major, P. lanceolata
Polygonum convolvulus
Portulaca oleracea
All Prosopis spp.
Ranunculus ficaria
Rhamnus alaternus
Rumex crispus. R. obtusifolius
Sagittaria sagittifolia
Setaria viridis, S. Setaria verticillata
Solanum nigrum
Sonchus oleraceus
Spergula arvensis
Sorghum halepense
Stellaria media
Syzygium cumini
Tamarix parviflora
Teribulus terrestris, T. cistoides
Vulpia bromoides
Xanthium spinosum, X. strumarium
Ziziphus mauritiana











**List of quarantine organisms**  
**Liste des organismes de quarantaine**  
**لائحة الافات الحجرية**

Pest الافة	Absence ( A1) غير موجود	Present موجود		
		Widely في كل الانحاء	in some area في بعض الاماكن	but managed( A2) ولكن تحت المكافحة
<i>Aphelenchoides besseyi</i>	✓			
<i>Aphelenchoides fragariae</i>	✓			
<i>Aphelenchoides ritzemabosi</i>	✓			
<i>Belonolaimus longicaudatus</i>	✓			
<i>Bursaphelenchus xylophilus</i>	✓			
<i>Globodera pallida</i>	✓			
<i>Globodera rostochiensis</i>	✓			
<i>Heterodera spp.</i>	✓			
<i>Longidorus spp.</i>	✓			
<i>Meloidogyne spp</i>	✓			
<i>Nacobbus aberrans</i>	✓			
<i>Paralongidorus spp. 2</i>	✓			
<i>Paratrichodorus spp. 2</i>	✓			
<i>Pratylenchus spp. 4</i>	✓			
<i>Rhadinaphelenchus cocophilus</i>	✓			
<i>Radopholus citrophillus</i>	✓			
<i>Radopholus similis</i>	✓			
<i>Rotylenchulus reniformis</i>	✓			
<i>Scutellonema bradys</i>	✓			
<i>Trichodorus spp. 2</i>	✓			
<i>Xiphinema spp. 2</i>	✓			
<i>Anguina tritici</i>				✓
<i>Ditylenchus destructor</i>				✓
<i>Ditylenchus dipsaci</i>				✓
<i>Heterodera goettingiana</i>				✓
<i>Heterodera latipons</i>				✓
<i>Heterodera schachtii</i>				✓
<i>Longidorus africanus</i>				✓
<i>Longidorus laevicapitatus</i>				✓
<i>Longidorus siddiqi</i>				✓
<i>Longidorus vineacola</i>				✓
<i>Meloidogyne arenaria</i>				✓
<i>Meloidogyne incognita</i>				✓
<i>Meloidogyne javanica</i>				✓

<i>Paratrichodorus minor</i>				✓
<i>Pratylenchus neglectus</i>				✓
<i>Pratylenchus penetrans</i>				✓
<i>Pratylenchus thornei</i>				✓
<i>Trichodorus sparsus</i>				✓
<i>Tylenchulus semipenetrans</i>				✓
<i>Xiphinema index</i>				✓
<i>Xiphinema ingens</i>				✓
<i>Xiphinema insigne</i>				✓
<i>Xiphinema pachtaicum</i>				✓
<i>Xiphinema vuittenezi</i>				✓







**List of quarantine organisms**  
**Liste des organismes de quarantaine**  
**لائحة الافات الحجرية**

Pest الافة	Absence (A1) غير موجود	Widely في كل الانحاء
<i>Acleris variana</i>	✓	
<i>Acleris gloverana</i>	✓	
<i>Acrobasis pirivorella</i>	✓	
<i>Aculops fuchsiae</i>	✓	
<i>Adoxophyes orana</i>	✓	
<i>Aeolesthes sarta</i>	✓	
<i>Aleurocanthus spiniferus</i>	✓	
<i>Aleurocanthus destructor</i>	✓	
<i>Aleurodicus dispersus</i>	✓	
<i>Amauromyza maculosa</i>	✓	
<i>Anastrepha fraterculus</i>	✓	
<i>Anastrepha grandis</i>	✓	
<i>Anastrepha ludens</i>	✓	
<i>Anastrepha obliqua</i>	✓	
<i>Anastrepha serpentina</i>	✓	
<i>Anastrepha suspense</i>	✓	
<i>Anoplophora spp.</i>	✓	
<i>Anthonomus pyri</i>	✓	
<i>Anthonomus bisignifer</i>	✓	
<i>Anthonomus eugenii</i>	✓	
<i>Aonidiella citrina</i>	✓	
<i>Bactrocera aquillions</i>	✓	
<i>Bactrocera correcta</i>	✓	
<i>Bactrocera cucumis</i>	✓	
<i>Bactrocera cucurbitae</i>	✓	
<i>Bactrocera diversa</i>	✓	
<i>Bactrocera dorsalis (Dacus dorsalis)</i>	✓	
<i>Bactrocera minax</i>	✓	
<i>Bactrocera jarvisi</i>	✓	
<i>Bactrocera neoliumeralis</i>	✓	
<i>Bactrocera tau</i>	✓	
<i>Bactrocera musae (Dacus musae)</i>	✓	
<i>Bactrocera tryoni</i>	✓	
<i>Bactrocera tsuneonis</i>	✓	

<i>Bactrocera zonata</i>	✓	
<i>Carpophilus dimidiatus</i>	✓	
<i>Carposina niponesis</i>	✓	
<i>Castina licus</i>	✓	
<i>Ceratitis rosa</i>	✓	
<i>Ceratitis cosyra</i>	✓	
<i>Ceratitis quinaria</i>	✓	
<i>Chaetanaphothrips signipennis</i>	✓	
<i>Chilo</i> spp. (19/7/2012)	✓	
<i>Cicadulina mblia</i>	✓	
<i>Coccus viridis</i>	✓	
<i>Colapsis hypochlora</i>	✓	
<i>Colomerus vitis</i>	✓	
<i>Conotrachelus nenuphar</i>	✓	
<i>Corryra cephalonica</i>	✓	
<i>Cryptobalbes gnidiella</i>	✓	
<i>Cryptoteles ferrngineus</i>	✓	
<i>Cryptophlebia leucotreta</i>	✓	
<i>Cosmopolites minutus</i>	✓	
<i>Cosmopolites sordidus</i>	✓	
<i>Cydia funebrana</i>	✓	
<i>Cydia molesta</i>	✓	
<i>Cydia inopinata</i>	✓	
<i>Cydia packardi</i>	✓	
<i>Cydia prunivora</i>	✓	
<i>Dendroctonus frontalis</i>	✓	
<i>Diaphorina citri</i> (Vector of citrus greening)	✓	
<i>Diaprepes abbreviatus</i>	✓	
<i>Diatraea saccharalis</i>	✓	
<i>Drosophila suzukii</i>	✓	
<i>Eutetranychus lewisi</i> (mite)	✓	
<i>Epiphyas postvittana</i>	✓	
<i>Epichoristodes acerbella</i>	✓	
<i>Epitrix subcrinita</i> , <i>E. Tuberis</i> , <i>E. Cucumeris</i>	✓	
<i>Eupoecilia ambiguella</i>	✓	
<i>Frankliniella occidentalis</i>	✓	
<i>Gonipterus scutellatus</i> , <i>G. gibberus</i> .	✓	
<i>Gonterus gibberrus</i>	✓	
<i>Helicoverpa zea</i>	✓	
<i>Hyphantria cunea</i>	✓	
<i>Icerya aegyptica</i>	✓	
<i>Ips amitinus</i>	✓	

<i>Ips calligraphus</i>	✓	
<i>Ips cembrae</i>	✓	
<i>Ips confusus</i>	✓	
<i>Ips duplicatus</i>	✓	
<i>Ips grandicollis</i>	✓	
<i>Ips lecontei</i>	✓	
<i>Ips pini</i>	✓	
<i>Ips plastographus</i>	✓	
<i>Ips sexdentatus</i>	✓	
<i>Ipsn tryptographus</i>	✓	
<i>Leptinotarsa decemlineata</i>	✓	
<i>Leucinodes orbonalis</i>	✓	
<i>Limoniuss californicus</i>	✓	
<i>Malacosoma disstria</i> (forest tree leaf defoliater)	✓	
<i>Margarodes prieskaensis, M vitis, M vredendalensis</i>	✓	
<i>Melanotus communis</i>	✓	
<i>Metamasius spp.</i>	✓	
<i>Monochamus spp.</i> (vectors of <i>B. xylophilus</i> nematode)	✓	
<i>Myndus crudus</i> (vector of palm lethal yellowing phytoplasma)	✓	
<i>Nacoleia octasema</i>	✓	
<i>Naupactus leucoloma</i>	✓	
<i>Nemorimyza (Amauromyza) maculosa</i>	✓	
<i>Neoleucinodes elegantalis</i> (small tomato borer)	✓	
<i>Odioporus longicollis</i>	✓	
<i>Oligonychus perditus</i> (mite)	✓	
<i>Pissodes spp.</i> <i>P. nemoorensis P. strobe, P. terminalis</i>	✓	
<i>Planococcus (= Pseudococcus ) kenyae</i>	✓	
<i>Planococcus lilacinus</i>	✓	
<i>Planococcus minor</i>	✓	
<i>Popillia japonica</i>	✓	
<i>Prays endocarpa</i>	✓	
<i>Premnotrypes spp.</i> (Andean)	✓	
<i>Prostephanus truncatus</i>	✓	
<i>Pseudopityophthorus spp.</i> Vector of <i>Ceratocystis fagacearum</i>	✓	
<i>Quadraspidiotus perniciosus</i>	✓	
<i>Rhagoletis cerasi</i>	✓	
<i>Rhagoletis cingulata, R. indifferens</i>	✓	
<i>Rhagoletis completa, R. saavis</i>	✓	
<i>Rhagoletis fausta</i>	✓	
<i>Rhagoletis indifferens</i>	✓	
<i>Rhagoletis pomonella</i>	✓	
<i>Rhizoecus hibisc</i>	✓	

<i>Rhynchophorus ferrugineus</i>	✓	
<i>Rhynchophorus palmarum</i>	✓	
<i>Rhynchophorus phoenicis</i>	✓	
<i>Singhiella simplex</i> (fig whitefly)	✓	
<i>Scirtothrips aurantii</i>	✓	
<i>Spodoptera eridania</i>	✓	
<i>Spodoptera frugiperda</i>	✓	
<i>Sternochetus mangifera</i>	✓	
<i>Tecia solanivora</i>	✓	
<i>Tetranychus evansi</i>	✓	
<i>Tetropium gracilicorne</i>	✓	
<i>Thrips palmi</i>	✓	
<i>Toxoptera citricidus</i>	✓	
<i>Toxoptera odinae</i>	✓	
<i>Unaspis citri</i>	✓	
<i>Cacoecimorpha pronubana</i>		
<i>Ephestia vapidella</i>		
<i>Frankliniella occidentalis</i>		
<i>Icerya aegyptica</i>		
<i>Liriomyza huidobrensis</i>		
<i>Liriomyza sativae</i>		
<i>Liriomyza trifolii</i>		
<i>Opogona sacchari</i>		
<i>Parabemisia myricae</i>		
<i>Rhynchophorus ferrugineus</i>		











**List of quarantine organisms**  
**Liste des organismes de quarantaine**  
**لائحة الافات الحجرية**

Pest الافة	Absence ( A1) غير موجود	Present موجود		
		Widely في كل الانحاء	in some area في بعض الاماكن	but managed( A2) ولكن تحت المكافحة
<i>Apiosporina morbosa</i>	✓			
<i>Atropellis pinicola</i>	✓			
<i>Atropellis piniphila</i>	✓			
<i>Ceratocystis fagacearum</i>	✓			
<i>Guignardia citricarpa</i>	✓			
<i>Gymnosporangium clavipes</i>	✓			
<i>Gymnosporangium globosum</i>	✓			
<i>Gymnosporangium juniperi-virginianae</i>	✓			
<i>Gymnosporangium yamadae</i>	✓			
<i>Phaeoramularia angolensis</i>	✓			
<i>Phellinus weirii</i>	✓			
<i>Phoma andigena</i>	✓			
<i>Phyllosticta solitaria</i>	✓			
<i>Phymatotrichopsis omnivora</i>	✓			
<i>Puccinia hemerocallidis</i>	✓			
<i>Puccinia pittieriana</i>	✓			
<i>Septoria lycopersici var. malagutii</i>	✓			
<i>Thecaphora solani</i>	✓			
<i>Tilletia indica</i>	✓			
<i>Cryphonectria parasitica</i>				✓
<i>Didymella ligulicola</i>				✓
<i>Fusarium foetens</i>				✓
<i>Fusarium oxysporum f.sp. albedinis</i>				✓
<i>Gibberella circinata</i>				✓
<i>Melampsora medusae</i>				✓
<i>Monilinia fructicola</i>				✓
<i>Monilinia fructigena,</i>				✓
<i>Monilinia laxa</i>				✓
<i>Mycosphaerella dearnessii</i>				✓
<i>Mycosphaerella pini</i>				✓
<i>Phialophora cinerescens</i>				✓
<i>Phoma tracheiphila</i>				✓
<i>Deuterophoma tracheiphila</i>				✓
<i>Phytophthora fragariae var. fragariae</i>				✓

<i>Phytophthora fragariae</i> var. <i>rubi</i>				✓
<i>Phytophthora lateralis</i>				✓
<i>Puccinia horiana</i>				✓
<i>Stenocarpella macrospora</i>				✓
<i>Stenocarpella maydis</i>				✓
<i>Synchytrium endobioticum</i>				✓
<i>Verticillium albo-atrum</i>				✓
<i>Verticillium dahliae</i>				✓





**List of quarantine organisms**  
**Liste des organismes de quarantaine**  
**لائحة الافات الحجرية**

Pest الافة	Absence (A1) غير موجود	Present ود	
		Widely في كل الانحاء	in some area في بعض الاماكن
Citrus huanglongbing (citrus greening). Candidates Liberibacter asiaticus	✓		
Xanthomonas axonopodis pv. citri (Xanthomonas campestris pv. citri)	✓		
Xylella fastidiosa (and vectors Carneiocephala fulgida, Draeculacephala minerva)	✓		
Burkholderia caryophylli	✓		
Clavibacter michiganensis subsp. michiganensis (Corynebacterium michiganensis subsp. michiganensis)	✓		
Clavibacter michiganensis subsp. Sepedonicus (Corynebacterium michiganensis subsp. sepedonicum)	✓		
Curtobacterium flaccumfaciens pv. flaccumfaciens (Corynebacterium flaccumfaciens pv. flaccumfaciens )	✓		
Ralstonia solanacearum R. solanacearum race 1 R. solanacearum race 2 R. solanacearum race 3 (Pseudomonas solanacearum)	✓		
Xanthomonas arboricola pv. poinsettiicola (Xanthomonas campestris pv. Poinsettiicola)	✓		
Xylophilus ampelinus	✓		
Erwinia tracheiphila	✓		
Dickeya solani	✓		
Peach X-disease phytoplasma	✓		
Peach yellows phytoplasma	✓		
Phytoplasma solani (Stolbur), Aster yellow Potato stolbur phytoplasma Tomato stolbur MLO Classical stolbur MLO	✓		
Rhizobium rhizogenes (Agrobacterium rhizogenes)			
Rhizobium radiobacter (Agrobacterium tumefaciens)			
Rhizobium vitis (Agrobacterium vitis)			
Rhizobium rubi (Agrobacterium rubi)			
Burkholderia cepacia (Pseudomonas cepacia)			

Pseudomonas cichorii			
Pseudomonas syringae pv. tabaci			
Pantoea stewartii subsp. stewartii (Erwinia stewartii subsp. stewartii )			
Erwinia amylovora			
Pectobacterium carotovorum pv. carotovorum.(Erwinia carotovora pv. carotovora)			
Pectobacterium atrosepticum (Erwinia atroseptica			
Dickeya (Erwinia) chrysanthemi pv. Chrysanthemi			
Pseudomonas marginalis pv. marginalis (Pseudomonas marginalis)			
Pseudomonas syringae pv. Lachrymans			
Pseudomas syringae pv. pisi			
Pseudomonas syringae pv. tomato			
Pseudomonas savastoni pv. Phaseolicola (Pseudomas syringae pv. Phaseolicola)			
Pseudomonas syringae pv. Syringae			
Pseudomomas syringae pv. Morsprunorum			
Pseudomonas savastoni pv. savastoni (Pseudomas syringe pv. savastoni)			
Xanthomonas axonopodis pv. Phaseoli - Xanthomonas axonopodis pv. Fuscans - (Xanthomonas campestris pv. Phaseoli)			
Xanthomonas vesicatoria (Xanthomonas campestris pv. vesicatoria)			
Xanthomonas campestris pv. Campestris			
Xanthomonas hortorum pv. carotae (Xanthomonas campestris pv. carotae)			
Pseudomonas syringae pv. Persicae			
Xanthomonas arboricola pv. pruni (Xanthomonas campestris pv. pruni)			
Xanthomonas axonopodis pv. Dieffenbachiae (Xanthomonas campestris pv. dieffenbachiae)			
Xanthomonas arboricola pv. fragariae (Xanthomonas campestris pv. fragariae )			
Xanthomonas translucens pv. translucens (Xanthomonas campestris pv. translucens)			
Xanthomonas arboricola pv. juglandis (Xanthomonas campestris pv. juglandis)			
Xanthomonas hortorum pv. hederiae (Xanthomonas campestris pv. hederiae)			
Xanthomonas axonopodis pv. begonia (Xanthomonas campestris pv. begonia)			
Xanthomonas hortorum pv. pelargonii (Xanthomonas campestris pv. pelargonii)			

Burkholderia gladioli pv. gladioli (Pseudomonas gladioli pv. gladioli)			
Burkholderia gladioli pv. allicola (Pseudomonas gladioli pv. allicola )			
Streptomyces scabies - Streptomyces ipomoeae			







✓	
✓	
✓	