



Medium risk plants for use as nursery stock

Case Description

Effective: 27 July 2022

This case describes the requirements for the importation of nursery stock defined as "medium risk". This case does not cover the importation conditions for medium risk aquatic plants or plants that are susceptible to methyl bromide treatment.

Import Destination: Australia

Related Information:

- Work Instruction: Inspecting medium-risk nursery stock undergoing post-entry quarantine growth

Alerts

There are no current alerts applicable to this import case. Users should be aware that alerts can have significant impact on import conditions and, as such, should check this import case on the BICON website regularly.

Table of Contents

Medium risk plants for use as nursery stock	1
Case Description.....	1
Alerts.....	1
Table of Contents.....	2
Change Notices	3
Import Scenario Definition.....	4
1. Applicable species — Tissue culture	4
1.1. Import Requirements	4
2. Applicable species — Other than tissue culture.....	7
2.1. Import Requirements	7
Appendix 1: Requirement: Medium risk nursery stock of biosecurity concern	12
Appendix 2: Information: Materials for the packaging of plants.....	13
Appendix 3: Treatment: Use of methyl bromide as a fumigant.....	14
Appendix 4: Requirement: Post-entry requirements for growth of imported medium risk nursery stock plant material	15
Appendix 5: Department contact details: Client Contact Group Canberra	17
Appendix 6: Scientific Names.....	18
Appendix 7: Documentation Requirements.....	104
Appendix 8: Document Options.....	117

Change Notices

Addition of *Philodendron nangaritense* to Medium risk plants for use as nursery stock

The Department of Agriculture, Fisheries and Forestry (the department) has completed a Weed Risk Assessment for *Philodendron nangaritense* and has determined that this species does not pose a weed risk to Australia. As a result, this species has been added as a permitted species of the BICON case 'Medium risk plants for use as nursery stock'.

Who does this notice affect:

Importers (and their customs brokers) who wish to import these species for an end use of nursery stock, and department staff.

Background:

The Weed Risk Assessment and Disease Risk Assessment systems are science-based quarantine risk analysis tools for determining the weed potential of a species and the disease risks of a genus. All plants proposed for importation into Australian territory and not currently permitted on BICON are assessed for their potential to introduce disease or become weed species in Australia. Further information on the assessment process is available on the department's website.

Import permits:

Current import permits will not be updated to reflect this change, any permit holders intending to import this species will have to apply for a variation to include this additional species.

Further information:

Please contact Plant Import Operations on 1800 900 090 or by email at imports@agriculture.gov.au.

Import Scenario Definition

The following import scenarios are applicable to this import case:

Import Scenarios		Section
Applicable species	Tissue culture	1
	Other than tissue culture	2

1. Applicable species — Tissue culture



Further information on importing live plants can be found on the [department's website](#).

Import of nursery stock from Pacific community countries is under review and currently not permitted. This case contains genera which are possible hosts of Banana Bunchy Top Virus. For enquiries regarding the import for this commodity from Pacific community countries, please contact the department at imports@agriculture.gov.au.



Pacific community (SPC) countries are:

American Samoa; Cook Islands; Fiji; French Polynesia; Guam; Kiribati; Marshall Islands; Micronesia, Federated States of; Nauru; New Caledonia; Niue; Northern Mariana Islands; Palau; Papua New Guinea; Pitcairn Islands; Samoa; Solomon Islands; Tokelau; Tonga; Tuvalu; Vanuatu and Wallis and Futuna.

1.1. Import Requirements

- a. Only the following [scientific names \(see Appendix 6\)](#) may be imported



All subordinate taxa (e.g. varieties, subspecies, forms and subforms) of listed species are also permitted.

Hybrids are permitted if all parents used for the hybridisation are listed as permitted. Imported hybrids must be clearly labelled with their full parentage for identification by the department.

Import conditions prior to arrival in Australian territory

- b. Prior to the importation of goods into Australian territory, a valid import permit issued by the Department of Agriculture, Fisheries and Forestry is required.
An import permit may be obtained by submitting an import permit application to the department (use the 'Apply Now' button at the bottom of this page).
To apply you must logon to BICON and complete an application for Nursery stock



Important reminder to importers

Goods that require a valid import permit, but arrive without one, including where an import permit application is currently under consideration, will be directed for export from Australian territory or required to be destroyed in an approved manner.

- c. The tissue culture must be free from any bacteria, fungal infection, live insects, nematodes, disease symptoms, viroids or other extraneous contamination of quarantine concern.

To demonstrate compliance with this requirement you must present the following on a Phytosanitary certificate:

- i. For tissue cultures with culture media, the additional declaration:

"Tissue cultures in this consignment were visually inspected immediately prior to export and found to be free from any symptoms of disease or microbial infection."

OR

- ii. For tissue cultures without culture media, the additional declaration:

"Prior to the removal of the plant tissue from media, the tissue cultures were inspected and found to be free of contamination. The plant tissue was aseptically transferred under supervision to sterile containers which were then sealed and not subsequently re-opened"

Tissue cultures without culture media must be from a [department approved source](#).

- d. The species of the plant/s must be identified.

To demonstrate compliance with this requirement you must present the following on a Phytosanitary certificate, Manufacturer's declaration, Invoice or Packing declaration:

The full botanical name.

- e. The containers/culture bags must be labelled with the full botanical name of the plant including genus and species.

The department permits the use of abbreviations on the labelling of the container/culture bags provided that the accompanying documentation (e.g. packing list, phytosanitary certificates, CITES certificates, invoices, etc.) and labels on the consignments correspond and that the documentation clearly identifies the plants by their botanical names.

If the documentation does not match the consignment, or if the documentation does not clearly provide the botanical name, then the consignment is to be held and the importer advised to supply further information or details to verify the identification of the plants.

- f. The tissue cultures must be contained in sterile and sealed containers/culture bags that prevent the passage of contaminating organisms into and out of the containers/culture bags.

g. Tissue cultures with culture media

1. Containers/culture bags must be visually clear in construction so as to allow inspection of the culture and media by a biosecurity officer. Opaque containers and broken containers will not be accepted.
2. The culture media must be clear, solid and sterile and placed in the container/culture bag prior to plant tissue implantation.
3. The tissue cultures must have been established and grown in the container/culture bag in which they are imported. The plantlets must show evidence of root or callus development.
4. The tissue culture media may contain charcoal. Importers must note that tissue cultures containing excess charcoal are both difficult and time consuming to inspect for contamination. It is the importer's responsibility to ensure the level of charcoal in the media does not prevent visual inspection by the biosecurity officer.



The department reserves the right, if considered necessary to check for the presence of pathogens, assay for the presence of antibiotics and other anti-microbial agents, or to check the identity of plants being imported at the importer's expense.

h. **Tissue cultures without culture media**

1. Containers/culture bags must be visually clear in construction to allow inspection of the cultures by a biosecurity officer. Opaque containers and broken containers will not be accepted. Plantlets should not be wrapped in paper or other material that impedes or prevents their inspection by the biosecurity officer.
2. The plantlets must show evidence of root or callus development.

i. In order to facilitate clearance, airfreight or mail shipments should have all documentation securely attached to the outside of the package, and clearly marked 'Attention Quarantine'.

j. Airfreight and mail shipments must be addressed in the following manner:

Importer's Name

Importer's Address

C/- Inspections Group

[Department of Agriculture, Fisheries and Forestry regional office](#)

k. For shipments arriving by commercial air or mail, plant material packed into boxes or secondary containers must weigh less than or equal to 20 kg in total weight.

l. The importer must complete and submit a [Notice of Importation \(NOI\)](#) to the Department of Agriculture, Fisheries and Forestry regional office in the port of arrival. Full container load (FCL) shipments must have the NOI completed and faxed or emailed to the relevant regional nursery stock office prior to shipment of the container.

Shipments other than FCL must have the NOI completed and faxed or emailed to the relevant regional nursery stock office at least seven working days prior to the arrival of the consignment. Failure to do so may result in a delayed inspection of the consignment.

Import conditions on arrival in Australian territory

- m. All plant material must be declared on arrival and presented to a biosecurity officer for inspection.
- n. All consignments must be visually inspected by a biosecurity officer on arrival for freedom from bacterial and fungal infection, disease symptoms, live insects and other extraneous contamination of biosecurity concern. Tissue cultures must have 100% of plants inspected.
- o. If the above requirements are met, the material may be released to the importer with no further quarantine impediment.
- p. If there is a problem with the consignment of tissue culture, a range of outcomes can apply ([Appendix 1](#)).
- q. If material arrives direct to the importer without the correct biosecurity direction it is their responsibility to secure the material and contact the department to ensure all requirements are met (e.g. inspection, treatments and growth in approved arrangement sites).

Additional information

- r. Under the [Biosecurity Charges Imposition \(General\) Regulation 2016](#) and Chapter 9, Part 2 of the [Biosecurity Regulation 2016](#), fees are payable to the Department of Agriculture,

Fisheries and Forestry for all services. Detail on how the department applies fees and levies may be found in the [Charging guidelines](#).

- s. In addition to the conditions for the goods being imported, non-commodity concerns must be assessed including container cleanliness, packaging and destination concerns, and may be subject to inspection and treatment on arrival. Please refer to the Non-Commodity Cargo Clearance BICON case for further information.

2. Applicable species — Other than tissue culture



Further information on importing live plants can be found on the [department's website](#).

Import of nursery stock from Pacific community countries is under review and currently not permitted. This case contains genera which are possible hosts of Banana Bunchy Top Virus. For enquiries regarding the import for this commodity from Pacific community countries, please contact the department at imports@agriculture.gov.au.



Pacific community (SPC) countries are:

American Samoa; Cook Islands; Fiji; French Polynesia; Guam; Kiribati; Marshall Islands; Micronesia, Federated States of; Nauru; New Caledonia; Niue; Northern Mariana Islands; Palau; Papua New Guinea; Pitcairn Islands; Samoa; Solomon Islands; Tokelau; Tonga; Tuvalu; Vanuatu and Wallis and Futuna.

2.1. Import Requirements

- a. Only the following [scientific names \(see Appendix 6\)](#) may be imported



All subordinate taxa (e.g. varieties, subspecies, forms and subforms) of listed species are also permitted.

Hybrids are permitted if all parents used for the hybridisation are listed as permitted. Imported hybrids must be clearly labelled with their full parentage for identification by the department.

Import conditions prior to arrival in Australian territory

- b. Prior to the importation of goods into Australian territory, a valid import permit issued by the Department of Agriculture, Fisheries and Forestry is required.
An import permit may be obtained by submitting an import permit application to the department (use the 'Apply Now' button at the bottom of this page).
To apply you must logon to BICON and complete an application for Nursery stock



Important reminder to importers

Goods that require a valid import permit, but arrive without one, including where an import permit application is currently under consideration, will be directed for export from Australian territory or required to be destroyed in an approved manner.

- c. The species of the plant/s must be identified.
To demonstrate compliance with this requirement you must present the following on a Phytosanitary certificate, Manufacturer's declaration, Invoice or Packing declaration:
The full botanical name.
- d. Prior to export, the plants or plant products must be inspected or tested by the National Plant Protection Organisation (NPPO) according to appropriate procedures and be considered free from biosecurity pests.
To demonstrate compliance with this requirement you must present the following on a Phytosanitary certificate:
The declaration "This is to certify that the plants, plant products or other regulated articles described herein have been inspected and/or tested according to appropriate official procedures and are considered to be free from the quarantine pests specified by the importing contracting party and to conform with the current phytosanitary requirements of the importing contracting party, including those for regulated non-quarantine pests."
If the phytosanitary certificate is issued after dispatch the date of inspection must be identified as an additional declaration.
- e. All plant material must be free from soil, disease symptoms and other extraneous contamination of biosecurity concern.
- f. Nursery stock with stems/trunks greater than 10 cm in diameter or more than 1.5 m in length may be subject to additional quarantine measures to ensure that the biosecurity risks are addressed.
- g. Plant material must be packed in clean, new packaging. For non-FCL consignments the packaging must be secure, rigid and insect proof. Sealed cardboard cartons in a sound undamaged state are acceptable.
- h. Packing material can be used to help reduce the risk of damage to the plant during transport. For a list of acceptable packaging material which may be used for transport of plants please refer to packing materials for the packaging of plants (Appendix 2).
 - i. For shipments arriving by commercial air or mail, plant material packed into boxes or secondary containers must weigh less than or equal to 20 kg in total weight.
 - j. Plant material must be labelled with botanical names including both genus and species. Unidentified nursery stock is subject to export or disposal at cost to the importer.
 - k. Airfreight and mail shipments must be addressed in the following manner:
Importer's Name
Importer's Address
C/- Inspections Group
[Department of Agriculture, Fisheries and Forestry regional office](#)
- l. In order to facilitate clearance, airfreight or mail shipments should have all documentation securely attached to the outside of the package, and clearly marked 'Attention Quarantine'.
- m. The importer must complete and submit a [Notice of Importation \(NOI\)](#) to the Department of Agriculture, Fisheries and Forestry regional office in the port of arrival. Full container load (FCL) shipments must have the NOI completed and faxed or emailed to the relevant regional nursery stock office prior to shipment of the container.

Shipments other than FCL must have the NOI completed and faxed or emailed to the relevant regional nursery stock office at least seven working days prior to the arrival of the consignment. Failure to do so may result in a delayed inspection of the consignment.

- n. If material arrives direct to the importer without the correct biosecurity direction it is their responsibility to secure the material and contact the department to ensure all requirements are met (e.g. inspection, treatments and growth in approved arrangement sites).

Import conditions on arrival in Australian territory

- o. All plant material must be declared on arrival and presented to a biosecurity officer for inspection.
- p. All consignments must be unloaded for inspection by a biosecurity officer. If correctly certified, full container load consignments will be directed to an appropriate approved arrangement site with seals intact for unpacking under departmental supervision, followed by inspection.
- q. All consignments must be inspected by the biosecurity officer for freedom from live insects, live snails, soil, disease symptoms and any other extraneous contamination of biosecurity concern. This includes the removal of all packaging material around the plants. Part of the packaging material may be kept temporarily as loose packaging around the roots of the plants to help prevent desiccation of roots during fumigation. Packaging must be distributed so as not to prevent penetration of the fumigant. Any packaging retained for the fumigation treatment must be removed and disposed of prior to plants being established in post entry quarantine.
- r. Seedlings may be imported established in growth plugs made of compressed peat or an inert material such as Oasis® or Rock Wool.

Note: The importation of nursery stock in growth plugs is at the importer's risk. The Department of Agriculture, Fisheries and Forestry takes no responsibility if any of the plants are destroyed during the treatment process.

Upon fumigation, peat may cause the methyl bromide to become phytotoxic and may lead to the destruction of the plants.

A random sample of the growth plugs will be inspected to ensure that:

1. the plugs are 100% peat or an inert material
2. the media is not contaminated or infested.

Note: The random sample should equate to 5% of the sample size for inspection.

The plug is to be removed from the plant for inspection. Provided that the plugs pass the inspection, the goods must be directed for fumigation.

There is no requirement for the growth plug to be removed prior to establishment in post entry quarantine once it has been fumigated. All other waste should be disposed of in the appropriate waste bin at the Department of Agriculture, Fisheries and Forestry-approved post entry quarantine facility and does not need to be returned to the department for disposal.

- s. If disease symptoms or nematodes are detected, the consignment will be placed on hold. An assessment of the biosecurity risk will be made by a plant pathologist to determine the options that may be available to the importer. These options may include any one of the following:

1. appropriate risk mitigation measures (at the importer's expense and risk) which may include further identification by the department or external service providers, treatment or growth in post entry quarantine, or
2. exportation, or
3. disposal.

Further identification may not result in the release of goods and may incur substantial additional costs and time delays for the importer. Further identification will only be offered if it is deemed feasible and the importer agrees in writing to accept all costs and risks involved.

- t. Following inspection by a biosecurity officer, all plant material must be contained and securely packaged to the satisfaction of a biosecurity officer and forwarded directly to the approved arrangement site for treatment.
- u. All plant material must be fumigated with methyl bromide at an approved arrangement site (class 4.6) as outlined below:
 1. For actively growing plants fumigate at 32 g/m³ for 2 hours at 21 °C.
 2. For dormant non-rooted plants, dormant hardwood cuttings without foliage and dormant budwood without foliage fumigate at 32 g/m³ for 2.5 hours at 21 °C.
 3. For bulb, corms, tubers or rhizomes, fumigate at 32 g/m³ for 3 hours at 21 °C.



Material will be treated bare-rooted and this may affect plants which are established in potting media. Importers are urged to consider this when arranging importation.

- v. Following treatment, all plant material must be contained and securely packaged and forwarded in an enclosed vehicle, directly to the nominated post entry quarantine facility.
- w. All plants must be grown in closed quarantine at either an Australian Government post-entry quarantine facility, or at a class 5.14, 5.24 or 6.1 approved arrangement site.



The importer is responsible for confirming the post entry quarantine facility is approved for growing the species to be imported, and for confirming all arrangements (including space availability and number of plants) prior to the plant material arriving in Australian territory. Importers must clearly nominate on the import permit applications the facility that their material is to be sent to.

- x. There are scheduled fees associated with the growth of nursery stock in an Australian Government Department of Agriculture, Fisheries and Forestry post entry quarantine facility, which must be met by the importer. Refer to the department's [Charging guidelines](#) for further information.
State/territory government post entry quarantine facilities may have different fee schedules and importers are advised to contact the relevant state/territory department for details.
- y. The plants must be grown for a minimum of three months (and until sufficient new growth has occurred to enable them to be screened for any disease symptoms), during which time they must be visually screened by a biosecurity officer for any disease symptoms.
For further details refer to the post entry requirements for growth of imported medium risk nursery stock plant material (Appendix 4) in an approved arrangement site.

- z. Plants that have been screened and found to be free of any disease symptoms may be released from biosecurity control by a biosecurity officer.

Additional information

- aa. Under the [Biosecurity Charges Imposition \(General\) Regulation 2016](#) and Chapter 9, Part 2 of the [Biosecurity Regulation 2016](#), fees are payable to the Department of Agriculture, Fisheries and Forestry for all services. Detail on how the department applies fees and levies may be found in the [Charging guidelines](#).
- ab. In addition to the conditions for the goods being imported, non-commodity concerns must be assessed including container cleanliness, packaging and destination concerns, and may be subject to inspection and treatment on arrival. Please refer to the Non-Commodity Cargo Clearance BICON case for further information.

Appendix 1: Requirement: Medium risk nursery stock of biosecurity concern

Tissue cultures not meeting import requirements must be:

1. deflasked and grown in a quarantine approved post-entry quarantine facility (provided inspection of the plantlets is possible and no obvious pest and disease symptoms are present) for a minimum of three months with two disease inspections, or
2. exported or disposed of at the importer's expense.

If live insects are detected in the tissue culture containers/bags, the cultures shall be rejected and the importer given the option of export or disposal at their expense.

Infected cultures:

Infected cultures are not to be released. All consignments containing infected cultures must be handled as follows:

1. In situations where it is possible to identify that only a certain line/lot or a variety appears to contain infected cultures, then those lines/lots or varieties not containing infected cultures may be released from biosecurity control.
2. The importer must be notified that the consignment is infected and given the option to export or dispose of the goods, or have the infection immediately risk assessed by the biosecurity plant pathologist at their expense.
3. Where the importer elects to have the infection risk assessed by the plant pathologist procedures below are to be followed:

Samples of cultures with contaminated media must be immediately referred to the plant pathologist for assessment.

If the plant pathologist assesses the contamination as low biosecurity risk, all uninfected cultures may be released and the remaining infected cultures are to be:

1. exported or disposed of at the importer's expense, or
2. deflasked and grown in an approved post-entry quarantine facility for three months with two disease inspections.

Note:

The importer is responsible for making all arrangements for the post entry quarantine growth of plants and ensuring that adequate space is available, prior to any movements.

If the plant pathologist deems the contamination to be of biosecurity concern or it cannot be identified in an appropriate timeframe all affected lines are to be exported or disposed of at the importer's expense.

Samples of cultures with disease symptoms on plants must be immediately referred to the plant pathologist for assessment and advice on the action to be taken.

Appendix 2: Information: Materials for the packaging of plants

The following information relates to material used as packaging around live plants, corms, bulbs, tubers and plant cuttings.

The department prefers that plants are imported bare rooted; however packing material can be used to help decrease the risk of damage to the plant during transport to Australia

The following packaging materials are acceptable media for transport of plant material to Australia as long as they are not contaminated with live insects, soil, faeces, contaminant seed, other plant material, animal debris or other biosecurity risk material:

Buckwheat hulls (<i>Fagopyrum esculentum</i>)	Plastic foam
Cardboard	Sawdust*
Cellulose wadding	Shredded clean paper
Charcoal	Synthetic material
Damp paper	Wood shavings*
Granulated cork	Wood wool*
Perlite	Vermiculite
Peat moss	Sphagnum moss

(*Note: Leaching of tannins from these materials during transit may be detrimental to the health and survival of plants.)

Plants should not arrive established in the packaging media as this may cause severe damage to the plants when packaging is removed on inspection.

All packing material must be removed at time of inspection.

Part of the packaging material may be kept temporarily as loose packaging and be placed back around the roots of the plants after inspection. This material may remain around the plant to help prevent desiccation of roots during fumigation. Packaging must not prevent penetration of the fumigant. Packaging can only be kept to protect the plant during fumigation if there is no contamination or biosecurity risk material present on inspection.

Any packaging retained for the fumigation treatment must be removed and disposed of prior to plants being established in post entry quarantine.

Appendix 3: Treatment: Use of methyl bromide as a fumigant

Methyl bromide is widely used as a fumigant for timber, agricultural products, empty containers, foodstuffs, seeds, plants, and fresh fruit and vegetables. It is favoured due to its high toxicity to a wide range of insects coupled with its good penetrating ability and speed of action.

The gas is regarded as a safe fumigant for seeds providing the moisture content is not excessively high and fumigation is not repeated.

Methyl bromide is odourless so small concentrations of chloropicrin (tear gas) are sometimes added as a warning agent. However, chloropicrin is very phytotoxic and must not be used for the fumigation of live plants, fruits, vegetables and seeds.

Residues are likely to be greater in commodities with high oil contents such as nuts.

Highly painted, varnished or glazed timber products are believed to inhibit the penetration of the fumigant.

Plastic wrapping does inhibit the penetration of the fumigant.

Methyl bromide is also known to react with materials containing sulphur to produce objectionable odours which may persist even after prolonged aeration.

Products not ordinarily fumigated with methyl bromide are:

- butter, lard and fats unless in airtight cans
- nuts with high oil content
- avocado fruit
- soybean flour, whole wheat flour, other high protein flours; and baking powders
- bone meal
- charcoal and cinder blocks
- furs, felts, horsehair articles, feather pillows, rug pads
- high rag content writing papers and other high sulphur papers
- iodized salt; salt blocks containing sulphur or its compounds
- leather goods, particularly kid
- photographic chemicals (not camera film or X-ray film), photographic prints and blueprints
- silver polishing papers
- rubber goods, particularly sponge rubber, foam rubber and reclaimed rubber including pillows, mattresses, rubber stamps and upholstered furniture
- woollen, especially angora; soft yarns and sweaters; viscose rayon fabrics
- sulphur-based paint and oil artworks.

Appendix 4: Requirement: Post-entry requirements for growth of imported medium risk nursery stock plant material

1. During growth in quarantine, all plants must be inspected by a biosecurity officer for disease symptoms, twice:
 - 1.1. Once during the active growing period.
 - 1.2. A final inspection must occur no more than seven days prior to release.

(Note: Plants must be grown under conditions conducive to new leaf growth and must show signs of ‘active growth’ prior to inspection to facilitate the identification of any disease symptoms. In the event that an exotic pest or disease is detected, Plant Import Operations, Canberra office must be contacted for further advice.)

 2. The importer or approved arrangement site operator is responsible for notifying the Department of Agriculture, Fisheries and Forestry regional office of the plant material reaching the inspection stages in point one above.
 3. All imported plant material must be clearly labelled with the relevant entry number and import permit number and date of arrival in the facility.
 4. All imported plant material must be clearly segregated within the facility by date of importation.
 5. All plants in the facility must be held on a single-tiered mesh platform raised off the floor to allow for drainage and maintenance.
 6. Benches and plants must be separated to allow access for biosecurity inspection. Plants are not to be over-crowded so as to impede their inspection by a biosecurity officer.
 7. The approved arrangement site must have an integrated pest management and weed management program effective for controlling insect pests and weeds. The integrated pest management program must include the following:
 - 7.1. The importer or the approved arrangement site operator must inspect the imported plants at regular intervals (e.g. at least weekly) for any insects or disease symptoms. A logbook must be maintained, detailing the date and nature of these inspections. This logbook must be made available to the biosecurity officer during the mandatory department inspections. If any pest or disease symptoms are detected, the Department of Agriculture, Fisheries and Forestry regional office must be contacted immediately and the plants must be retained for inspection by the biosecurity officer.
 - 7.2. Monitoring of imported material for insects using sticky traps (yellow), one trap must be used for every 15 m² of growing area in closed quarantine. Sticky traps must be hung just above the plants.
 - 7.3. One trap must be placed by vents and by doors to detect populations migrating into the quarantine facility.
 - 7.4. Traps must be replaced if they get dirty or crowded with insects. Sticky traps must be retained for inspection by the biosecurity officer.
 8. All weeds within and surrounding the quarantine facility must be managed.

9. Detailed records of all plant material held in the quarantine facility must be maintained to such an extent that the department is able to accurately trace the fate of consignments. These records must be presented to the biosecurity officer at the time of inspection. Records must include:
 - 9.1. Import permit number.
 - 9.2. Entry number.
 - 9.3. Date of arrival.
 - 9.4. Number and species/variety of plants imported.
 - 9.5. Number of deaths in post entry quarantine.
 - 9.6. Numbers of plants disposed of, with reason for their disposal.
 - 9.7. Numbers of plants released from biosecurity control by the biosecurity officer.
10. During growth in quarantine, imported plant material shall not to be pruned or propagated or multiplied without prior written permission from a biosecurity officer.
(Note: Generally permission will only be granted for propagations/cuttings to be taken after the imported plants have had their first inspection by a biosecurity officer and no disease concerns have been identified.)
 - 10.1. Records must be maintained of all additional propagations/multiplications undertaken including dates cuttings were taken.
 - 10.2. Any propagations/multiplications/cuttings are also subject to the conditions outlined here and must remain in the facility until released from biosecurity control by a biosecurity officer.
 - 10.3. All propagations/multiplications must be clearly labelled so that they can be linked back to the parent plant from which they originated from.
 - 10.4. All cutting implements used must remain in the quarantine facility and must be sterilised prior to and after their use.
11. Any plant that dies or fails to establish while in quarantine must be retained and referred to the biosecurity officer.
12. All spent and unwanted plant material must be disposed of by a department approved method.
13. The quarantine facility must be maintained in a hygienic condition e.g. leaf litter, plant debris, algae, moss, etc. must not be allowed to build up to an extent whereby it impedes inspection of plants or creates an environment conducive for pest or disease establishment and spread.
14. Fungicides are not to be used on plants without prior approval from a biosecurity officer.
15. If further imports are expected or there are other plants still undergoing growth in quarantine, all plants that have been released from biosecurity control shall be removed from the facility.

Appendix 5: Department contact details: Client Contact Group Canberra

Client Contact Group Canberra

Phone: 1800 900 090

Email: imports@awe.gov.au

Appendix 6: Scientific Names

This appendix provides a list of Scientific Names that are covered by, or excluded from, this case.

Included Scientific Names

<i>Acantholimon armenum</i>	<i>Acantholimon glumaceum</i>	<i>Acantholimon hohenackeri</i>
<i>Acantholimon jarmilae</i>	<i>Aceriphyllum rossii</i>	<i>Acidanthera bicolor</i>
<i>Acidanthera capensis</i>	<i>Acidanthera platypetala</i>	<i>Ackama rosifolia</i>
<i>Acorus calamus</i>	<i>Acorus gramineus</i>	<i>Acrodon bellidiflorus</i>
<i>Acrostichum aureum</i>	<i>Acrostichum digitatum</i>	<i>Acrostichum heteroclitum</i>
<i>Acrostichum lingua</i>	<i>Acrostichum punctatum</i>	<i>Acrostichum speciosum</i>
<i>Acrostichum thalictroides</i>	<i>Actinostachys boninensis</i>	<i>Actinostachys digitata</i>
<i>Adenophora bulleyana</i>	<i>Adenophora confusa</i>	<i>Adenophora divaricata</i>
<i>Adenophora forrestii</i>	<i>Adenophora hakusanensis</i>	<i>Adenophora insularis</i>
<i>Adenophora khasiana</i>	<i>Adenophora kurilensis</i>	<i>Adenophora liliifolia</i>
<i>Adenophora morrisonensis</i>	<i>Adenophora nikoensis</i>	<i>Adenophora obtusifolia</i>
<i>Adenophora pereskiafolia</i>	<i>Adenophora polyantha</i>	<i>Adenophora polymorpha</i>
<i>Adenophora potaninii</i>	<i>Adenophora puellaris</i>	<i>Adenophora radiatifolia</i>
<i>Adenophora remotiflora</i>	<i>Adenophora stricta</i>	<i>Adenophora takedae</i> var. <i>howozana</i>
<i>Adenophora taquetii</i>	<i>Adenophora tashiroi</i>	<i>Adenophora tetraphylla</i>
<i>Adenophora thunbergiana</i>	<i>Adenophora triphylla</i>	<i>Adenophora triphylla</i> var. <i>hakusanensis</i>
<i>Adenophora verticillata</i>	<i>Adenophora verticillata</i> var. <i>angustifolia</i>	<i>Adenophora verticillata</i> var. <i>princeps</i>
<i>Adenophora verticilliata</i>	<i>Adlumia fungosa</i>	<i>Adromischus alstonii</i>
<i>Adromischus alveolatus</i>	<i>Adromischus antidorcatus</i>	<i>Adromischus bicolor</i>
<i>Adromischus blosianus</i>	<i>Adromischus caryophyllaceus</i>	<i>Adromischus cooperi</i>
<i>Adromischus cristatus</i>	<i>Adromischus diabolicus</i>	<i>Adromischus fallax</i>
<i>Adromischus filicaulis</i>	<i>Adromischus geyeri</i>	<i>Adromischus hallii</i>
<i>Adromischus hemisphaericus</i>	<i>Adromischus inamoenus</i>	<i>Adromischus leucophyllus</i>
<i>Adromischus liebenbergii</i>	<i>Adromischus maculatus</i>	<i>Adromischus mammillaris</i>
<i>Adromischus mammillaris</i> var. <i>marlothii</i>	<i>Adromischus marianae</i>	<i>Adromischus montium-</i> <i>klinghardtii</i>
<i>Adromischus nanus</i>	<i>Adromischus phillipsiae</i>	<i>Adromischus poellnitzianus</i>
<i>Adromischus schuldtianus</i>	<i>Adromischus sphenophyllus</i>	<i>Adromischus subdistichus</i>
<i>Adromischus subviridis</i>	<i>Adromischus triflorus</i>	<i>Adromischus trigynus</i>

<i>Adromischus umbraticola</i>	<i>Aegiceras corniculatum</i>	<i>Aeoniopsis cabulica</i>
<i>Aeonium arboreum</i>	<i>Aeonium aureum</i>	<i>Aeonium canariense</i>
<i>Aeonium castello-paivae</i>	<i>Aeonium ciliatum</i>	<i>Aeonium decorum</i>
<i>Aeonium frutescens</i>	<i>Aeonium gomerense</i>	<i>Aeonium haworthii</i>
<i>Aeonium holochrysum</i>	<i>Aeonium lancerottense</i>	<i>Aeonium lindleyi</i>
<i>Aeonium rubrolineatum</i>	<i>Aeonium smithii</i>	<i>Aeonium spathulatum</i>
<i>Aeonium tabuliforme</i>	<i>Aeonium tortuosum</i>	<i>Aeonium undulatum</i>
<i>Aeonium x domesticum</i>	<i>Aeonium x floribundum</i>	<i>Aeonium x velutinum</i>
<i>Aframomum melegueta</i>	<i>Aframomum meleguetella</i>	<i>Afrocarpus falcatus</i>
<i>Afrolimon peregrinum</i>	<i>Aglaomorpha coronans</i>	<i>Aglaomorpha heraclea</i>
<i>Aglaomorpha meyeniana</i>	<i>Aglaomorpha novoguineensis</i>	<i>Aglaonema commutatum</i>
<i>Aglaonema commutatum</i> var. <i>warburgii</i>	<i>Aglaonema costatum</i>	<i>Aglaonema costatum</i> f. <i>virescens</i>
<i>Aglaonema crispum</i>	<i>Aglaonema densinervium</i>	<i>Aglaonema helferi</i>
<i>Aglaonema integrifolium</i>	<i>Aglaonema marantifolium</i>	<i>Aglaonema modestum</i>
<i>Aglaonema nebulosum</i>	<i>Aglaonema nitidum</i>	<i>Aglaonema nitidum</i> var. <i>helferi</i>
<i>Aglaonema nitidum</i> var. <i>nitidum</i> f. <i>curtisii</i>	<i>Aglaonema nitidum</i> var. <i>nitidum</i> f. <i>nitidum</i>	<i>Aglaonema novoguineense</i>
<i>Aglaonema ob lanceolatum</i>	<i>Aglaonema oblongifolium</i>	<i>Aglaonema oblongifolium</i> var. <i>curtisii</i>
<i>Aglaonema pictum</i>	<i>Aglaonema roebelinii</i>	<i>Aglaonema rotundum</i>
<i>Aglaonema siamense</i>	<i>Aglaonema simplex</i>	<i>Aglaonema versicolor</i>
<i>Akebia lobata</i>	<i>Akebia lobata</i> var. <i>australis</i>	<i>Akebia longeracemosa</i>
<i>Akebia quinata</i>	<i>Akebia trifoliata</i>	<i>Akebia trifoliata</i> subsp. <i>australis</i>
<i>Akebia trifoliata</i> subsp. <i>trifoliata</i>	<i>Akebia x pentaphylla</i>	<i>Aldrovanda vesiculosa</i>
<i>Aletris farinosa</i>	<i>Aletris fragrans</i>	<i>Aletris japonica</i>
<i>Aletris sarmentosa</i>	<i>Alisma berteroanum</i>	<i>Alisma berteroii</i>
<i>Alisma boliviannum</i>	<i>Alisma cordifolium</i>	<i>Alisma floribundum</i>
<i>Alisma grandiflorum</i>	<i>Alisma lanceolatum</i>	<i>Alisma macrophyllum</i>
<i>Alisma plantago-aquaticum</i>	<i>Alisma rostratum</i>	<i>Alisma sprengeli</i>
<i>Alisma tenellum</i>	<i>Allopetalum punctatum</i>	<i>Alluaudia comosa</i>
<i>Alluaudia dumosa</i>	<i>Alluaudia humbertii</i>	<i>Alluaudia montagnacei</i>
<i>Alluaudia montagnacii</i>	<i>Alluaudia procera</i>	<i>Alluaudiopsis fiherenensis</i>

<i>Alluaudiopsis marnieriana</i>	<i>Alniphyllum fortunei</i>	<i>Aloinopsis acuta</i>
<i>Aloinopsis hilmarii</i>	<i>Aloinopsis luckhoffii</i>	<i>Aloinopsis malherbei</i>
<i>Aloinopsis orpenii</i>	<i>Aloinopsis peersii</i>	<i>Aloinopsis rosulata</i>
<i>Aloinopsis rubrolineata</i>	<i>Aloinopsis schooneesii</i>	<i>Aloinopsis setifera</i>
<i>Aloinopsis spathulata</i>	<i>Aloinopsis thudichumii</i>	<i>Aloinopsis villetii</i>
<i>Alpinia allughas</i>	<i>Alpinia breviligulata</i>	<i>Alpinia caerulea</i>
<i>Alpinia calcarata</i>	<i>Alpinia elatior</i>	<i>Alpinia formosana</i>
<i>Alpinia galanga</i>	<i>Alpinia havilandii</i>	<i>Alpinia intermedia</i>
<i>Alpinia japonica</i>	<i>Alpinia luteo-carpa</i>	<i>Alpinia magnifica</i>
<i>Alpinia malaccensis</i>	<i>Alpinia mutica</i>	<i>Alpinia nigra</i>
<i>Alpinia nutans</i>	<i>Alpinia officinarum</i>	<i>Alpinia purpurata</i>
<i>Alpinia romburghiana</i>	<i>Alpinia sanderae</i>	<i>Alpinia sichuanensis</i>
<i>Alpinia speciosa</i>	<i>Alpinia spicata</i>	<i>Alpinia vittata</i>
<i>Alpinia zerumbet</i>	<i>Alsophila australis</i>	<i>Alstroemeria achirae</i>
<i>Alstroemeria andina</i>	<i>Alstroemeria angustifolia</i>	<i>Alstroemeria aurantiaca</i>
<i>Alstroemeria aurea</i>	<i>Alstroemeria citrina</i>	<i>Alstroemeria crispata</i>
<i>Alstroemeria cummingiana</i>	<i>Alstroemeria diluta</i>	<i>Alstroemeria exserens</i>
<i>Alstroemeria garaventae</i>	<i>Alstroemeria gayana</i>	<i>Alstroemeria graminea</i>
<i>Alstroemeria haemantha</i>	<i>Alstroemeria hookeri</i>	<i>Alstroemeria hookeri</i> subsp. <i>cummingiana</i>
<i>Alstroemeria hookeri</i> subsp. <i>recumbens</i>	<i>Alstroemeria huemulina</i>	<i>Alstroemeria hybrida</i>
<i>Alstroemeria inodora</i>	<i>Alstroemeria kingii</i>	<i>Alstroemeria ligtu</i>
<i>Alstroemeria ligtu</i> subsp. <i>ligtu</i>	<i>Alstroemeria ligtu</i> subsp. <i>simsii</i>	<i>Alstroemeria ligtu</i> var. <i>pulchra</i>
<i>Alstroemeria magenta</i>	<i>Alstroemeria magnifica</i>	<i>Alstroemeria magnifica</i> subsp. <i>gayana</i>
<i>Alstroemeria magnifica</i> subsp. <i>magnifica</i>	<i>Alstroemeria magnifica</i> subsp. <i>maxima</i>	<i>Alstroemeria modesta</i>
<i>Alstroemeria pallida</i>	<i>Alstroemeria parvula</i>	<i>Alstroemeria patagonica</i>
<i>Alstroemeria paupercula</i>	<i>Alstroemeria pelegrina</i>	<i>Alstroemeria polyphylla</i>
<i>Alstroemeria presliana</i>	<i>Alstroemeria presliana</i> subsp. <i>australis</i>	<i>Alstroemeria pseudospathulata</i>
<i>Alstroemeria psittacina</i>	<i>Alstroemeria pulchella</i>	<i>Alstroemeria pulchra</i>
<i>Alstroemeria pulchra</i> subsp. <i>pulchra</i>	<i>Alstroemeria pulchra</i> var. <i>maxima</i>	<i>Alstroemeria recumbens</i>
<i>Alstroemeria revoluta</i>	<i>Alstroemeria schizanthoides</i>	<i>Alstroemeria sierrae</i>

<i>Alstroemeria simsii</i>	<i>Alstroemeria spathulata</i>	<i>Alstroemeria spectabilis</i>
<i>Alstroemeria tigrina</i>	<i>Alstroemeria timida</i>	<i>Alstroemeria umbellata</i>
<i>Alstroemeria versicolor</i>	<i>Alstroemeria versicolor</i> <i>var.cummingiana</i>	<i>Alstroemeria violacea</i>
<i>Alstroemeria werdermannii</i>	<i>Alstroemeria x aurea</i>	<i>Alstroemeria x ligtu</i>
<i>Alstroemeria zoellneri</i>	<i>Amianthium nuttallii</i>	<i>Amomum cardamomum</i>
<i>Amomum compactum</i>	<i>Amomum hemisphaericum</i>	<i>Amomum kepulaga</i>
<i>Amomum kravanh</i>	<i>Amomum magnificum</i>	<i>Amomum melegueta</i>
<i>Amomum montanum</i>	<i>Amomum subulatum</i>	<i>Amomum tsao-ko</i>
<i>Amomum villosum</i>	<i>Amomum zedoaria</i>	<i>Amomum zingiber</i>
<i>Amorphophallus abyssinicus</i>	<i>Amorphophallus albispatus</i>	<i>Amorphophallus albus</i>
<i>Amorphophallus angulatus</i>	<i>Amorphophallus ankarana</i>	<i>Amorphophallus asterostigmatus</i>
<i>Amorphophallus atrorubens</i>	<i>Amorphophallus atroviridis</i>	<i>Amorphophallus beccarii</i>
<i>Amorphophallus blumei</i>	<i>Amorphophallus borneensis</i>	<i>Amorphophallus boyceanus</i>
<i>Amorphophallus brachyphyllus</i>	<i>Amorphophallus brevispathus</i>	<i>Amorphophallus bulbifer</i>
<i>Amorphophallus campanulatus</i>	<i>Amorphophallus carneus</i>	<i>Amorphophallus cicatricifer</i>
<i>Amorphophallus cirrifer</i>	<i>Amorphophallus coaetaneus</i>	<i>Amorphophallus commutatus</i>
<i>Amorphophallus corrugatus</i>	<i>Amorphophallus cruddasianus</i>	<i>Amorphophallus curvistylis</i>
<i>Amorphophallus dactylifer</i>	<i>Amorphophallus decussilvae</i>	<i>Amorphophallus decus-silvae</i>
<i>Amorphophallus discophorus</i>	<i>Amorphophallus dunnii</i>	<i>Amorphophallus eburneus</i>
<i>Amorphophallus eichleri</i>	<i>Amorphophallus elatus</i>	<i>Amorphophallus elegans</i>
<i>Amorphophallus excentricus</i>	<i>Amorphophallus galbra</i>	<i>Amorphophallus giganteus</i>
<i>Amorphophallus gigas</i>	<i>Amorphophallus glossophyllus</i>	<i>Amorphophallus haematospadix</i>
<i>Amorphophallus henryi</i>	<i>Amorphophallus hewittii</i>	<i>Amorphophallus hildebrandtii</i>
<i>Amorphophallus hirsutus</i>	<i>Amorphophallus hirtus</i>	<i>Amorphophallus impressus</i>
<i>Amorphophallus infundibuliformis</i>	<i>Amorphophallus johnsonii</i>	<i>Amorphophallus kachinensis</i>
<i>Amorphophallus kiusianus</i>	<i>Amorphophallus konjac</i>	<i>Amorphophallus koratensis</i>
<i>Amorphophallus krausei</i>	<i>Amorphophallus lambii</i>	<i>Amorphophallus lewallei</i>
<i>Amorphophallus linearis</i>	<i>Amorphophallus longituberous</i>	<i>Amorphophallus macrorhizus</i>
<i>Amorphophallus manta</i>	<i>Amorphophallus maximus</i>	<i>Amorphophallus maxwellii</i>
<i>Amorphophallus mossambicensis</i>	<i>Amorphophallus muelleri</i>	<i>Amorphophallus myosuroides</i>

<i>Amorphophallus napalensis</i>	<i>Amorphophallus ochroleucus</i>	<i>Amorphophallus operatus</i>
<i>Amorphophallus paeoniifolius</i>	<i>Amorphophallus paeoniifolius</i> var. <i>campanulatus</i>	<i>Amorphophallus paeoniifolius</i> var. <i>paeoniifolius</i>
<i>Amorphophallus parvulus</i>	<i>Amorphophallus polyanthus</i>	<i>Amorphophallus prainii</i>
<i>Amorphophallus putii</i>	<i>Amorphophallus pygmaeus</i>	<i>Amorphophallus rivieri</i>
<i>Amorphophallus rivieri</i> var. <i>konjac</i>	<i>Amorphophallus rostratus</i>	<i>Amorphophallus salmoneus</i>
<i>Amorphophallus saraburiensis</i>	<i>Amorphophallus sizemoreae</i>	<i>Amorphophallus smithsonianus</i>
<i>Amorphophallus spectabilis</i>	<i>Amorphophallus sumawongii</i>	<i>Amorphophallus taurostigma</i>
<i>Amorphophallus tenuispadix</i>	<i>Amorphophallus tenuistylis</i>	<i>Amorphophallus thaiensis</i>
<i>Amorphophallus titanum</i>	<i>Amorphophallus tonkinensis</i>	<i>Amorphophallus variabilis</i>
<i>Amorphophallus yuloeensis</i>	<i>Amorphophallus yunnanensis</i>	<i>Amydrium medium</i>
<i>Anacampseros alstonii</i>	<i>Anacampseros arachnoides</i>	<i>Anacampseros baeseckeii</i>
<i>Anacampseros dinteri</i>	<i>Anacampseros filamentosa</i>	<i>Anacampseros karasmontana</i>
<i>Anacampseros lanceolata</i>	<i>Anacampseros marlothii</i>	<i>Anacampseros namaquensis</i>
<i>Anacampseros papyracea</i>	<i>Anacampseros quinaria</i>	<i>Anacampseros recurvata</i>
<i>Anacampseros retusa</i>	<i>Anacampseros rufescens</i>	<i>Anacampseros schoenlandii</i>
<i>Anacampseros starkiana</i>	<i>Anacampseros telephastrum</i>	<i>Anacampseros trigona</i>
<i>Anagallis arvensis</i>	<i>Anagallis arvensis</i> f. <i>caerulea</i>	<i>Anagallis arvensis</i> var. <i>caerulea</i>
<i>Anagallis collina</i>	<i>Anagallis foemina</i>	<i>Anagallis linifolia</i>
<i>Anagallis minima</i>	<i>Anagallis monelli</i>	<i>Anagallis monelli</i> f. <i>linifolia</i>
<i>Anagallis pumila</i>	<i>Anagallis serpens</i>	<i>Anagallis tenella</i>
<i>Anastrabe integerrima</i>	<i>Anchomanes dalzielii</i>	<i>Anchomanes difformis</i>
<i>Anchomanes nigritianus</i>	<i>Androcymbium asterooides</i>	<i>Androcymbium bellum</i>
<i>Androcymbium burchellii</i>	<i>Androcymbium capense</i>	<i>Androcymbium ciliolatum</i>
<i>Androcymbium crispum</i>	<i>Androcymbium cruciatum</i>	<i>Androcymbium cuspidatum</i>
<i>Androcymbium dregei</i>	<i>Androcymbium eucomoides</i>	<i>Androcymbium latifolium</i>
<i>Androcymbium longipes</i>	<i>Androcymbium melanthoides</i>	<i>Androcymbium rechingeri</i>
<i>Androcymbium striatum</i>	<i>Androcymbium volutare</i>	<i>Androsace adenocephala</i>
<i>Androsace akbajtalensis</i>	<i>Androsace alaica</i>	<i>Androsace albana</i>
<i>Androsace alchemilloides</i>	<i>Androsace alpina</i>	<i>Androsace armeniaca</i>
<i>Androsace armeniaca</i> var. <i>macrantha</i>	<i>Androsace bisulca</i>	<i>Androsace brachystegia</i>
<i>Androsace brevis</i>	<i>Androsace bryomorpha</i>	<i>Androsace bulleyana</i>

<i>Androsace bungeana</i>	<i>Androsace cantabrica</i>	<i>Androsace carnea</i>
<i>Androsace carnea</i> subsp. <i>Brigantiaca</i>	<i>Androsace chamaejasme</i>	<i>Androsace chamaejasme</i> subsp. <i>carinata</i>
<i>Androsace chumbyi</i>	<i>Androsace ciliata</i>	<i>Androsace cylindrica</i>
<i>Androsace cylindrica</i> subsp. <i>hirtella</i>	<i>Androsace delavayi</i>	<i>Androsace elatior</i>
<i>Androsace euryantha</i>	<i>Androsace foliosa</i>	<i>Androsace geraniifolia</i>
<i>Androsace globifera</i>	<i>Androsace gracieae</i>	<i>Androsace graminifolia</i>
<i>Androsace halleri</i>	<i>Androsace hausmannii</i>	<i>Androsace hedreantha</i>
<i>Androsace helvetica</i>	<i>Androsace henryi</i>	<i>Androsace himalaica</i>
<i>Androsace hirtella</i>	<i>Androsace idahoensis</i>	<i>Androsace imbricata</i>
<i>Androsace integra</i>	<i>Androsace jacquemontii</i>	<i>Androsace lactea</i>
<i>Androsace lacticlora</i>	<i>Androsace laevigata</i>	<i>Androsace laggeri</i>
<i>Androsace lanuginosa</i>	<i>Androsace lehmannii</i>	<i>Androsace mariae</i>
<i>Androsace mathildae</i>	<i>Androsace minor</i>	<i>Androsace mirabilis</i>
<i>Androsace montana</i>	<i>Androsace mucronifolia</i>	<i>Androsace muscoidea</i>
<i>Androsace nivalis</i>	<i>Androsace nortonii</i>	<i>Androsace obtusifolia</i>
<i>Androsace ovalifolia</i>	<i>Androsace paxiana</i>	<i>Androsace pubescens</i>
<i>Androsace pyrenaica</i>	<i>Androsace rigida</i>	<i>Androsace robusta</i>
<i>Androsace rotundifolia</i>	<i>Androsace runcinata</i>	<i>Androsace salicifolia</i>
<i>Androsace sarmentosa</i>	<i>Androsace selago</i>	<i>Androsace sempervivoides</i>
<i>Androsace septentrionalis</i>	<i>Androsace sericea</i>	<i>Androsace spinulifera</i>
<i>Androsace strigillosa</i>	<i>Androsace tanggulashanensis</i>	<i>Androsace tapete</i>
<i>Androsace vandellii</i>	<i>Androsace villosa</i>	<i>Androsace villosa</i> var. <i>congesta</i>
<i>Androsace wardii</i>	<i>Androsace wilsoniana</i>	<i>Androsace wulfeniana</i>
<i>Androsace x marpensis</i>	<i>Androsace yargongensis</i>	<i>Androsace zambalensis</i>
<i>Anemia dregeana</i>	<i>Anemia mexicana</i>	<i>Anemia phyllitidis</i>
<i>Anemopsis californica</i>	<i>Angiopteris evecta</i>	<i>Anigozanthos bicolor</i>
<i>Anigozanthos bicolor</i> x <i>humilis</i>	<i>Anigozanthos 'Big Red'</i>	<i>Anigozanthos 'Bush Ballad'</i>
<i>Anigozanthos 'Bush Blitz'</i>	<i>Anigozanthos 'Bush Bonanza'</i>	<i>Anigozanthos 'Bush Dance'</i>
<i>Anigozanthos 'Bush Diamond'</i>	<i>Anigozanthos 'Bush Elegance'</i>	<i>Anigozanthos 'Bush Ember'</i>
<i>Anigozanthos 'Bush Emerald'</i>	<i>Anigozanthos 'Bush Fury'</i>	<i>Anigozanthos 'Bush Games'</i>
<i>Anigozanthos 'Bush Garnet'</i>	<i>Anigozanthos 'Bush Gold'</i>	<i>Anigozanthos 'Bush Inferno'</i>
<i>Anigozanthos 'Bush Ochre'</i>	<i>Anigozanthos 'Bush Ranger'</i>	<i>Anigozanthos flavidus</i>

<i>Anigozanthos humilis</i>	<i>Anigozanthos 'Joey Calypso'</i>	<i>Anigozanthos 'Joey Circus'</i>
<i>Anigozanthos 'Joey Flame'</i>	<i>Anigozanthos 'Joey Lipstick'</i>	<i>Anigozanthos 'Joey Sprite'</i>
<i>Anigozanthos manglesii</i>	<i>Anigozanthos manglesii</i> subsp. <i>manglesii</i>	<i>Anigozanthos 'Orange Cross'</i>
<i>Anigozanthos preissii</i>	<i>Anigozanthos pulcherrimus</i>	<i>Anigozanthos 'Rampaging Roy Slaven'</i>
<i>Anigozanthos rufus</i>	<i>Anigozanthos rufus x manglesii</i> <i>x flavidus</i>	<i>Anigozanthos viridis</i>
<i>Anigozanthos 'Yellow Gem'</i>	<i>Anneslea acapulcensis</i>	<i>Anogramma chaerophylla</i>
<i>Anamatheca cruenta</i>	<i>Anamatheca grandiflora</i>	<i>Anamatheca laxa</i>
<i>Anamatheca viridis</i>	<i>Antegibbaeum fissoides</i>	<i>Anthurium acaule</i>
<i>Anthurium amnicola</i>	<i>Anthurium andicola</i>	<i>Anthurium andraeanum</i>
<i>Anthurium armeniense</i>	<i>Anthurium atropurpureum</i>	<i>Anthurium aureum</i>
<i>Anthurium bakeri</i>	<i>Anthurium barclayanum</i>	<i>Anthurium bogotense</i>
<i>Anthurium chamberlaini</i>	<i>Anthurium clarinervium</i>	<i>Anthurium clavigerum</i>
<i>Anthurium colonicum</i>	<i>Anthurium comatum</i>	<i>Anthurium consobrinum</i>
<i>Anthurium corallinum</i>	<i>Anthurium cordatum</i>	<i>Anthurium cordifolium</i>
<i>Anthurium coriaceum</i>	<i>Anthurium corrugatum</i>	<i>Anthurium croatii</i>
<i>Anthurium crystallinum</i>	<i>Anthurium cupulispathum</i>	<i>Anthurium curvispadix</i>
<i>Anthurium cuspidatum</i>	<i>Anthurium dombeyanum</i>	<i>Anthurium dressleri</i>
<i>Anthurium forgetii</i>	<i>Anthurium formosum</i>	<i>Anthurium friedrichsthalii</i>
<i>Anthurium giganteum</i>	<i>Anthurium gracile</i>	<i>Anthurium grande</i>
<i>Anthurium guildingii</i>	<i>Anthurium hacumense</i>	<i>Anthurium halmoorei</i>
<i>Anthurium hookeri</i>	<i>Anthurium hygrophilum</i>	<i>Anthurium jaramilloi</i>
<i>Anthurium jenmanii</i>	<i>Anthurium julianii</i>	<i>Anthurium kamemotoanum</i>
<i>Anthurium kunthii</i>	<i>Anthurium lappoanum</i>	<i>Anthurium lentii</i>
<i>Anthurium leuconeurm</i>	<i>Anthurium lilacinum</i>	<i>Anthurium longilaminatum</i>
<i>Anthurium loretense</i>	<i>Anthurium lucens</i>	<i>Anthurium luteynii</i>
<i>Anthurium macrolobum</i>	<i>Anthurium madisonianum</i>	<i>Anthurium magnificum</i>
<i>Anthurium nakamurae</i>	<i>Anthurium nymphaeifolium</i>	<i>Anthurium ovatifolium</i>
<i>Anthurium oxybelium</i>	<i>Anthurium oxycarpum</i>	<i>Anthurium pachylaminum</i>
<i>Anthurium pallidiflorum</i>	<i>Anthurium paraguayense</i>	<i>Anthurium parvispathum</i>
<i>Anthurium pedatoradiatum</i> subsp. <i>pedatoradiatum</i>	<i>Anthurium pentaphyllum</i> var. <i>bombacifolium</i>	<i>Anthurium pittieri</i>
<i>Anthurium plowmanii</i>	<i>Anthurium podophyllum</i>	<i>Anthurium polystichum</i>

<i>Anthurium propinquum</i>	<i>Anthurium pseudospectabile</i>	<i>Anthurium ptarianum</i>
<i>Anthurium radicans</i>	<i>Anthurium radicans x dressleri</i>	<i>Anthurium ramonense</i>
<i>Anthurium regale</i>	<i>Anthurium rivulare</i>	<i>Anthurium rubrinervium</i>
<i>Anthurium salvadorens</i>	<i>Anthurium salviniae</i>	<i>Anthurium sanguineum</i>
<i>Anthurium scandens</i>	<i>Anthurium scherzerianum</i>	<i>Anthurium schlechtendalii</i>
<i>Anthurium seleri</i>	<i>Anthurium silanchense</i>	<i>Anthurium subsignatum</i>
<i>Anthurium superbum</i>	<i>Anthurium tarapotense</i>	<i>Anthurium testaceum</i>
<i>Anthurium tetragonum</i>	<i>Anthurium trinerve</i>	<i>Anthurium truncicolum</i>
<i>Anthurium uleanum</i> var. <i>nanayense</i>	<i>Anthurium upalaense</i>	<i>Anthurium veitchii</i>
<i>Anthurium verapazense</i>	<i>Anthurium vittariifolium</i>	<i>Anthurium wagenerianum</i>
<i>Anthurium warocqueanum</i>	<i>Anthurium willdenowii</i>	<i>Anthurium x hortulanum</i>
<i>Anthurium yetlense</i>	<i>Anticlea alpina</i>	<i>Anticlea chlorantha</i>
<i>Anticlea coloradensis</i>	<i>Anticlea elegans</i>	<i>Anticlea glauca</i>
<i>Anticlea gracilenta</i>	<i>Anticlea longa</i>	<i>Anticlea mohinorensis</i>
<i>Antidesma bunius</i>	<i>Antimima alborubra</i>	<i>Antimima argentea</i>
<i>Antimima dualis</i>	<i>Antimima evoluta</i>	<i>Antimima fenestrata</i>
<i>Antimima herrei</i>	<i>Antimima pumila</i>	<i>Antimima solida</i>
<i>Antimima turneriana</i>	<i>Anubias afzelii</i>	<i>Apodytes dimidiata</i>
<i>Aponogeton distachyos</i>	<i>Aptenia cordifolia</i>	<i>Aquilaria agallocha</i>
<i>Aquilaria crassna</i>	<i>Aquilaria filaria</i>	<i>Aquilaria malaccensis</i>
<i>Argania spinosa</i>	<i>Argemone grandiflora</i>	<i>Argyroderma blandum</i>
<i>Argyroderma congregatum</i>	<i>Argyroderma crateriforme</i>	<i>Argyroderma delaetii</i>
<i>Argyroderma fissum</i>	<i>Argyroderma framesii</i>	<i>Argyroderma latipetalum</i>
<i>Argyroderma litorale</i>	<i>Argyroderma luckhoffii</i>	<i>Argyroderma patens</i>
<i>Argyroderma pearsonii</i>	<i>Argyroderma ringens</i>	<i>Argyroderma roseum</i>
<i>Argyroderma subalbum</i>	<i>Argyroderma testiculare</i>	<i>Argyroderma villetii</i>
<i>Aridaria noctiflora</i>	<i>Arisaema abbreviatum</i>	<i>Arisaema abei</i>
<i>Arisaema acuminatum</i>	<i>Arisaema addis-ababense</i>	<i>Arisaema agasthyanum</i>
<i>Arisaema album</i>	<i>Arisaema ambiguum</i>	<i>Arisaema amurense</i>
<i>Arisaema amurense</i> subsp. <i>robustum</i>	<i>Arisaema amurense</i> var. <i>serratum</i>	<i>Arisaema angustata</i> var. <i>peninsulae</i>
<i>Arisaema angustatum</i>	<i>Arisaema angustatum</i> var. <i>serratum</i>	<i>Arisaema angustatum</i> var. <i>amurense</i>
<i>Arisaema angustifoliatum</i>	<i>Arisaema anomalam</i>	<i>Arisaema aprile</i>

<i>Arisaema aridum</i>	<i>Arisaema arisanense</i>	<i>Arisaema asperatum</i>
<i>Arisaema atrorubens</i>	<i>Arisaema auriculatum</i>	<i>Arisaema balansae</i>
<i>Arisaema barbatum</i>	<i>Arisaema barnesii</i>	<i>Arisaema bathycoleum</i>
<i>Arisaema biauriculatum</i>	<i>Arisaema bockii</i>	<i>Arisaema bogneri</i>
<i>Arisaema brachyspathum</i>	<i>Arisaema brevipes</i>	<i>Arisaema candidissimum</i>
<i>Arisaema ciliatum</i>	<i>Arisaema ciliatum</i> subsp. <i>liubaense</i>	<i>Arisaema ciliatum</i> var. <i>liubaense</i>
<i>Arisaema clavatum</i>	<i>Arisaema coenobialis</i>	<i>Arisaema concinnum</i>
<i>Arisaema consanguineum</i>	<i>Arisaema consanguineum</i> subsp. <i>kelung-insularis</i>	<i>Arisaema cordatum</i>
<i>Arisaema costatum</i>	<i>Arisaema dahaiense</i>	<i>Arisaema daochengense</i>
<i>Arisaema decipiens</i>	<i>Arisaema deflexum</i>	<i>Arisaema dilatatum</i>
<i>Arisaema dracontium</i>	<i>Arisaema echinatum</i>	<i>Arisaema elephas</i>
<i>Arisaema engleri</i>	<i>Arisaema erubescens</i>	<i>Arisaema exappendiculatum</i>
<i>Arisaema fargesii</i>	<i>Arisaema filiforme</i>	<i>Arisaema fimbriatum</i>
<i>Arisaema flavum</i>	<i>Arisaema flavum</i> subsp. <i>abbreviatum</i>	<i>Arisaema flavum</i> subsp. <i>tibeticum</i>
<i>Arisaema formosanum</i>	<i>Arisaema franchetianum</i>	<i>Arisaema franchetianum</i> x <i>candidissimum</i>
<i>Arisaema fraternum</i>	<i>Arisaema galeatum</i>	<i>Arisaema garrettii</i>
<i>Arisaema grapsospadix</i>	<i>Arisaema griffithii</i>	<i>Arisaema griffithii</i> var. <i>pradhanii</i>
<i>Arisaema handelii</i>	<i>Arisaema harmandi</i>	<i>Arisaema hastatum</i>
<i>Arisaema hatizyoense</i>	<i>Arisaema helleborifolium</i>	<i>Arisaema heterophyllum</i>
<i>Arisaema hirsutum</i>	<i>Arisaema hunanense</i>	<i>Arisaema ilanense</i>
<i>Arisaema inkiangense</i>	<i>Arisaema inkiangense</i> var. <i>maculatum</i>	<i>Arisaema intermedium</i>
<i>Arisaema ishizuchiense</i>	<i>Arisaema iyoanum</i>	<i>Arisaema jacquemontii</i>
<i>Arisaema japonicum</i>	<i>Arisaema jinshajiangense</i>	<i>Arisaema kawashimae</i>
<i>Arisaema kishidae</i>	<i>Arisaema kiushianum</i>	<i>Arisaema komarovii</i>
<i>Arisaema koreanum</i>	<i>Arisaema kunstleri</i>	<i>Arisaema kuratae</i>
<i>Arisaema laminatum</i>	<i>Arisaema leschenaultii</i>	<i>Arisaema lichiangense</i>
<i>Arisaema limbatum</i>	<i>Arisaema lingyunense</i>	<i>Arisaema lobatum</i>
<i>Arisaema longilaminum</i>	<i>Arisaema longipedunculatum</i>	<i>Arisaema mairei</i>
<i>Arisaema matsudai</i>	<i>Arisaema maximowiczii</i>	<i>Arisaema meleagris</i>
<i>Arisaema monophyllum</i>	<i>Arisaema multisectum</i>	<i>Arisaema multisestum</i>

<i>Arisaema negishii</i>	<i>Arisaema nepenthoides</i>	<i>Arisaema nikoense</i>
<i>Arisaema odoratum</i>	<i>Arisaema omeiense</i>	<i>Arisaema onoticum</i>
<i>Arisaema ovale</i>	<i>Arisaema ovale</i> var. <i>sadoense</i>	<i>Arisaema penicillatum</i>
<i>Arisaema peninsulae</i>	<i>Arisaema pianmaense</i>	<i>Arisaema praecox</i>
<i>Arisaema propinquum</i>	<i>Arisaema purpureogaleatum</i>	<i>Arisaema pusillum</i>
<i>Arisaema quinatum</i>	<i>Arisaema rhizomatum</i>	<i>Arisaema rhombiforme</i>
<i>Arisaema ringens</i>	<i>Arisaema robustum</i>	<i>Arisaema sadoense</i>
<i>Arisaema sarracenoides</i>	<i>Arisaema saxatile</i>	<i>Arisaema sazensoo</i>
<i>Arisaema serratum</i>	<i>Arisaema serratum</i> f. <i>blumei</i>	<i>Arisaema serratum</i> var. <i>mayebarae</i>
<i>Arisaema shimienense</i>	<i>Arisaema sikokianum</i>	<i>Arisaema sikokianum</i> var. <i>serratum</i>
<i>Arisaema sikokianum</i> var. <i>takedae</i>	<i>Arisaema speciosum</i>	<i>Arisaema stewardsonii</i>
<i>Arisaema sukotaiense</i>	<i>Arisaema taiwanense</i>	<i>Arisaema tengstungense</i>
<i>Arisaema ternatipartitum</i>	<i>Arisaema thunbergii</i>	<i>Arisaema thunbergii</i> subsp. <i>urashima</i>
<i>Arisaema tortuosum</i>	<i>Arisaema tortuosum</i> var. <i>helleborifolium</i>	<i>Arisaema triphyllum</i>
<i>Arisaema triphyllum</i> subsp. <i>atrorubens</i>	<i>Arisaema triphyllum</i> subsp. <i>stewardsonii</i>	<i>Arisaema triphyllum</i> subsp. <i>triphyllum</i>
<i>Arisaema umbrinum</i>	<i>Arisaema undulatifolium</i>	<i>Arisaema urashima</i>
<i>Arisaema utile</i>	<i>Arisaema victoriae</i>	<i>Arisaema wallichianum</i>
<i>Arisaema wattii</i>	<i>Arisaema wilsonii</i>	<i>Arisaema wrayi</i>
<i>Arisaema xiangchengense</i>	<i>Arisaema yamatense</i>	<i>Arisaema yamatense</i> subsp. <i>sugimotoi</i>
<i>Arisaema yunnanense</i>	<i>Arisaema yunnanense</i> var. <i>aridum</i>	<i>Aristolochia albida</i>
<i>Aristolochia altissima</i>	<i>Aristolochia baetica</i>	<i>Aristolochia brasiliensis</i>
<i>Aristolochia brasiliensis</i> var. <i>galeata</i>	<i>Aristolochia brasiliensis</i> var. <i>macrophylla</i>	<i>Aristolochia californica</i>
<i>Aristolochia chapmaniana</i>	<i>Aristolochia chilensis</i>	<i>Aristolochia cymbifera</i>
<i>Aristolochia debilis</i>	<i>Aristolochia elegans</i>	<i>Aristolochia fimbriata</i>
<i>Aristolochia galeata</i>	<i>Aristolochia gigantea</i>	<i>Aristolochia glaziovii</i>
<i>Aristolochia grandiflora</i>	<i>Aristolochia kaempferi</i>	<i>Aristolochia labiata</i>
<i>Aristolochia littoralis</i>	<i>Aristolochia longa</i>	<i>Aristolochia macrophylla</i>
<i>Aristolochia odoratissima</i>	<i>Aristolochia passifloraefolia</i>	<i>Aristolochia pearcei</i>

<i>Aristolochia ringens</i>	<i>Aristolochia sempervirens</i>	<i>Aristolochia tagala</i>
<i>Aristolochia trilobata</i>	<i>Aristotelia australasica</i>	<i>Aristotelia chilensis</i>
<i>Aristotelia fruticosa</i>	<i>Aristotelia megalosperma</i>	<i>Aristotelia peduncularis</i>
<i>Aristotelia pubescens</i>	<i>Aristotelia serrata</i>	<i>Aristotelia trilocularis</i>
<i>Aristotelia x fruserrata</i>	<i>Armeria alliacea</i>	<i>Armeria allioides</i>
<i>Armeria alpina</i>	<i>Armeria andina</i>	<i>Armeria arenaria</i>
<i>Armeria berlengensis</i>	<i>Armeria bupleuroides</i>	<i>Armeria caespitosa</i>
<i>Armeria chilensis</i>	<i>Armeria chilensis</i> var. <i>magellanica</i>	<i>Armeria colorata</i>
<i>Armeria duriaeae</i>	<i>Armeria elongata</i>	<i>Armeria filicaulis</i>
<i>Armeria girardii</i>	<i>Armeria juniperifolia</i>	<i>Armeria leucocephala</i>
<i>Armeria macloviana</i>	<i>Armeria macrophylla</i>	<i>Armeria maritima</i>
<i>Armeria maritima</i> subsp. <i>alpina</i>	<i>Armeria maritima</i> subsp. <i>andina</i>	<i>Armeria maritima</i> subsp. <i>elongata</i>
<i>Armeria maritima</i> subsp. <i>maritima</i>	<i>Armeria maritima</i> subsp. <i>sibirica</i>	<i>Armeria maritima</i> var. <i>andina</i>
<i>Armeria morisii</i>	<i>Armeria nebrodensis</i>	<i>Armeria plantaginea</i>
<i>Armeria pseudarmeria</i>	<i>Armeria pungens</i>	<i>Armeria pungens</i> subsp. <i>pungens</i>
<i>Armeria ruscinonensis</i>	<i>Armeria scabra</i>	<i>Armeria sibirica</i>
<i>Armeria tweedyi</i>	<i>Armeria villosa</i>	<i>Armeria welwitschii</i>
<i>Arthrosolen polycephalus</i>	<i>Arum albispathum</i>	<i>Arum alpinum</i>
<i>Arum apulum</i>	<i>Arum atrorubens</i>	<i>Arum auritum</i>
<i>Arum balansanum</i>	<i>Arum bicolor</i>	<i>Arum bulbiferum</i>
<i>Arum byzantinum</i>	<i>Arum campanulatum</i>	<i>Arum concinnum</i>
<i>Arum creticum</i>	<i>Arum cucullatum</i>	<i>Arum cyrenaicum</i>
<i>Arum dioscoridis</i>	<i>Arum dioscoridis</i> var. <i>dioscoridis</i>	<i>Arum dracunculus</i>
<i>Arum elongatum</i>	<i>Arum euxinum</i>	<i>Arum helleborifolium</i>
<i>Arum hygrophilum</i>	<i>Arum idaeum</i>	<i>Arum integrifolium</i>
<i>Arum italicum</i>	<i>Arum italicum</i> subsp. <i>italicum</i>	<i>Arum jacquemontii</i>
<i>Arum korolkowii</i>	<i>Arum lacerum</i>	<i>Arum maculatum</i>
<i>Arum neglectum</i>	<i>Arum nickelii</i>	<i>Arum nigrum</i>
<i>Arum odorum</i>	<i>Arum orientale</i>	<i>Arum palaestinum</i>
<i>Arum petteri</i>	<i>Arum pictum</i>	<i>Arum purpureospathum</i>

<i>Arum ringens</i>	<i>Arum rupicola</i>	<i>Arum sagittifolium</i>
<i>Arum seguine</i>	<i>Arum speciosum</i>	<i>Arum tortuosum</i>
<i>Arum triphyllum</i>	<i>Asarum arifolium</i>	<i>Asarum asarooides</i>
<i>Asarum asperum</i>	<i>Asarum blumei</i>	<i>Asarum campaniforme</i>
<i>Asarum canadense</i>	<i>Asarum caudatum</i>	<i>Asarum caulescens</i>
<i>Asarum celsum</i>	<i>Asarum costatum</i>	<i>Asarum curvastigma</i>
<i>Asarum debile</i>	<i>Asarum delavayi</i>	<i>Asarum epigynum</i>
<i>Asarum europaeum</i>	<i>Asarum fudsinoi</i>	<i>Asarum geophilum</i>
<i>Asarum gusk</i>	<i>Asarum hartwegii</i>	<i>Asarum hatsushima</i>
<i>Asarum hexalobum</i>	<i>Asarum hirsutisepalum</i>	<i>Asarum ikegamii</i>
<i>Asarum insigne</i>	<i>Asarum kinoshitae</i>	<i>Asarum kiusianum</i>
<i>Asarum kumageanum</i>	<i>Asarum kurosawae</i>	<i>Asarum lemmontii</i>
<i>Asarum leucosepalum</i>	<i>Asarum longirhiz</i>	<i>Asarum magnificum</i>
<i>Asarum maximum</i>	<i>Asarum megacalyx</i>	<i>Asarum minamitanianum</i>
<i>Asarum minor</i>	<i>Asarum monodoniflorum</i>	<i>Asarum muramatsui</i>
<i>Asarum nankaiense</i>	<i>Asarum nipponicum</i>	<i>Asarum omatosum</i>
<i>Asarum pellucidum</i>	<i>Asarum petelotii</i>	<i>Asarum pulchellum</i>
<i>Asarum rigescens</i>	<i>Asarum sakawanum</i>	<i>Asarum satsumense</i>
<i>Asarum savatieri</i>	<i>Asarum senkaku-insulare</i>	<i>Asarum shuttleworthii</i>
<i>Asarum sieboldii</i>	<i>Asarum simile</i>	<i>Asarum speciosum</i>
<i>Asarum splendens</i>	<i>Asarum stellatum</i>	<i>Asarum subglobosum</i>
<i>Asarum takaoi</i>	<i>Asarum tamaense</i>	<i>Asarum trigynum</i>
<i>Asarum unzen</i>	<i>Asarum wulingense</i>	<i>Asarum yaeyamense</i>
<i>Asarum yakusimense</i>	<i>Asarum yoshikawai</i>	<i>Aspidotis californica</i>
<i>Asplenium adiantum-nigrum</i>	<i>Asplenium aethiopicum</i>	<i>Asplenium antiquum</i>
<i>Asplenium australasicum</i>	<i>Asplenium belangeri</i>	<i>Asplenium brachycarpum</i>
<i>Asplenium bulbiferum</i>	<i>Asplenium ceii</i>	<i>Asplenium ceterach</i>
<i>Asplenium daucifolium</i>	<i>Asplenium dimorphum</i>	<i>Asplenium exiguum</i>
<i>Asplenium falcatum</i>	<i>Asplenium flabellifolium</i>	<i>Asplenium flabellulatum</i>
<i>Asplenium flaccidum</i>	<i>Asplenium foresiense</i>	<i>Asplenium laserpitiiifolium</i>
<i>Asplenium lividum</i>	<i>Asplenium moritzianum</i>	<i>Asplenium multijugum</i>
<i>Asplenium nidus</i>	<i>Asplenium nidus</i> var. <i>plicatum</i>	<i>Asplenium niponicum</i>
<i>Asplenium normale</i>	<i>Asplenium oblongifolium</i>	<i>Asplenium opacum</i>
<i>Asplenium otophorum</i>	<i>Asplenium polyodon</i>	<i>Asplenium pteridoides</i>

<i>Asplenium rectangulare</i>	<i>Asplenium ruta-muraria</i>	<i>Asplenium scolopendrium</i>
<i>Asplenium scolopendrium</i> var. <i>americanum</i>	<i>Asplenium scolopendrium</i> var. <i>scolopendrium</i>	<i>Asplenium surrogatum</i>
<i>Asplenium tenerum</i>	<i>Asplenium thunbergii</i>	<i>Asplenium trichomanes</i>
<i>Asplenium trichomanes-</i> <i>ramosum</i>	<i>Asplenium trilobum</i>	<i>Asplenium viviparum</i>
<i>Astelia banksii</i>	<i>Astelia chathamica</i>	<i>Astelia fragrans</i>
<i>Astelia grandis</i>	<i>Astelia neocaledonica</i>	<i>Astelia nervosa</i>
<i>Astelia solandri</i>	<i>Astilbe biternata</i>	<i>Astilbe chinensis</i>
<i>Astilbe chinensis</i> var. <i>koreana</i>	<i>Astilbe chinensis</i> var. <i>pumila</i>	<i>Astilbe chinensis</i> var. <i>taguetii</i>
<i>Astilbe glaberrima</i>	<i>Astilbe grandis</i>	<i>Astilbe japonica</i>
<i>Astilbe koreana</i>	<i>Astilbe microphylla</i>	<i>Astilbe myriantha</i>
<i>Astilbe rivularis</i>	<i>Astilbe rubra</i>	<i>Astilbe simplicifolia</i>
<i>Astilbe taquetii</i>	<i>Astilbe thunbergii</i>	<i>Astilbe thunbergii</i> var. <i>aethusifolius</i>
<i>Astilbe x arendssii</i>	<i>Astilboides tabularis</i>	<i>Astridia alba</i>
<i>Astridia longifolia</i>	<i>Astridia speciosa</i>	<i>Asyneuma canescens</i>
<i>Atherosperma moschatum</i>	<i>Aucuba japonica</i>	<i>Aucuba japonica</i> var. <i>borealis</i>
<i>Aucuba japonica</i> var. <i>pygmaea</i>	<i>Aucuba japonica</i> var. <i>variegata</i>	<i>Austrotaxus spicata</i>
<i>Avonia albissima</i>	<i>Avonia alstonii</i>	<i>Avonia papyracea</i>
<i>Avonia quinaria</i> subsp. <i>alstonii</i>	<i>Avonia recurvata</i>	<i>Avonia ruschii</i>
<i>Azorina vidalii</i>	<i>Babiana angusta</i>	<i>Babiana angustifolia</i>
<i>Babiana disticha</i>	<i>Babiana dregei</i>	<i>Babiana fragrans</i>
<i>Babiana hybrid</i>	<i>Babiana maculata</i>	<i>Babiana nana</i>
<i>Babiana patersonia</i>	<i>Babiana plicata</i>	<i>Babiana pulchra</i>
<i>Babiana ringens</i>	<i>Babiana rubrocyannea</i>	<i>Babiana schlechteri</i>
<i>Babiana sinuata</i>	<i>Babiana stricta</i>	<i>Babiana tubulosa</i>
<i>Babiana villosa</i>	<i>Baeometra uniflora</i>	<i>Balbisia peduncularis</i>
<i>Balsamodendrum mukul</i>	<i>Balsamodendrum myrrha</i>	<i>Balsamodendrum wightii</i>
<i>Barringtonia acutangula</i>	<i>Barringtonia acutangula</i> subsp. <i>acutangula</i>	<i>Barringtonia acutangula</i> subsp. <i>spicata</i>
<i>Barringtonia asiatica</i>	<i>Barringtonia calyptrocalyx</i>	<i>Barringtonia calyptrocalyx</i>
<i>Barringtonia edulis</i>	<i>Barringtonia neocaledonica</i>	<i>Barringtonia novae-hiberniae</i>
<i>Barringtonia papuana</i>	<i>Barringtonia procera</i>	<i>Barringtonia racemosa</i>
<i>Barringtonia samoensis</i>	<i>Barringtonia speciosa</i>	<i>Barringtonia spicata</i>

<i>Basella alba</i>	<i>Basella rubra</i>	<i>Begonia acetosa</i>
<i>Begonia acida</i>	<i>Begonia aconitifolia</i>	<i>Begonia acutifolia</i>
<i>Begonia admirabilis</i>	<i>Begonia albopicta</i>	<i>Begonia albo-picta</i>
<i>Begonia albo-picta</i> var. <i>rosea</i>	<i>Begonia alnifolia</i>	<i>Begonia amphioxus</i>
<i>Begonia angularis</i>	<i>Begonia angulata</i>	<i>Begonia annulata</i>
<i>Begonia arborescens</i>	<i>Begonia arborescens</i> var. <i>oxyphylla</i>	<i>Begonia aridicaulis</i>
<i>Begonia aridicaulis</i> x <i>heracleifolia</i>	<i>Begonia atricha</i>	<i>Begonia attenuata</i>
<i>Begonia bakeri</i>	<i>Begonia balansana</i>	<i>Begonia barkeri</i>
<i>Begonia barsalouxiae</i>	<i>Begonia bartonea</i>	<i>Begonia beddomei</i>
<i>Begonia bipinnatifida</i>	<i>Begonia bogneri</i>	<i>Begonia boisiana</i>
<i>Begonia boliviensis</i>	<i>Begonia bombycina</i>	<i>Begonia bowerae</i>
<i>Begonia bowerae</i> var. <i>nigramarga</i>	<i>Begonia bowerae</i> x <i>heracleifolia</i>	<i>Begonia bowerae</i> x <i>mazae</i>
<i>Begonia bowerae</i> x <i>thiemei</i>	<i>Begonia bowringiana</i>	<i>Begonia brevirimosa</i>
<i>Begonia bufoderma</i>	<i>Begonia bulbifera</i>	<i>Begonia calabarica</i>
<i>Begonia cardiocarpa</i>	<i>Begonia carolineifolia</i>	<i>Begonia carrieae</i>
<i>Begonia carrieae</i> x <i>bowerae</i>	<i>Begonia carrieae</i> x <i>carolineifolia</i>	<i>Begonia cathayana</i>
<i>Begonia cavallyensis</i>	<i>Begonia chitoensis</i>	<i>Begonia chlorosticta</i>
<i>Begonia chuniana</i>	<i>Begonia cinnabrina</i>	<i>Begonia cirrosa</i>
<i>Begonia clarkei</i>	<i>Begonia coccinea</i>	<i>Begonia compta</i>
<i>Begonia conchifolia</i>	<i>Begonia conchifolia</i> var. <i>rubrimacula</i>	<i>Begonia convolvulacea</i>
<i>Begonia corallina</i>	<i>Begonia coriacea</i>	<i>Begonia crassicaulis</i>
<i>Begonia crispula</i>	<i>Begonia cristobalensis</i>	<i>Begonia cubensis</i>
<i>Begonia cucullata</i>	<i>Begonia cucullata</i> var. <i>arenosicola</i>	<i>Begonia cucullata</i> var. <i>cucullata</i>
<i>Begonia cucullata</i> var. <i>hookeri</i>	<i>Begonia cucullata</i> var. <i>spatulata</i>	<i>Begonia cyclophylla</i>
<i>Begonia darthvaderiana</i>	<i>Begonia davisii</i>	<i>Begonia dayi</i>
<i>Begonia decora</i>	<i>Begonia delavayi</i>	<i>Begonia deliciosa</i>
<i>Begonia diadema</i>	<i>Begonia dichotoma</i>	<i>Begonia dichroa</i>
<i>Begonia dichroa</i> x <i>maculata</i>	<i>Begonia dietrichiana</i>	<i>Begonia digyna</i>
<i>Begonia dipetala</i>	<i>Begonia domingensis</i>	<i>Begonia dominicalis</i>

<i>Begonia dregei</i>	<i>Begonia dregei</i> var. <i>dregei</i>	<i>Begonia dregei</i> var. <i>macbethii</i>
<i>Begonia echinosepala</i>	<i>Begonia echinosepala</i> var. <i>echinosepala</i>	<i>Begonia echinosepala</i> var. <i>elongatifolia</i>
<i>Begonia edmundoi</i>	<i>Begonia egregia</i>	<i>Begonia elatostematoidea</i>
<i>Begonia epiphytica</i>	<i>Begonia epipsila</i>	<i>Begonia evansiana</i>
<i>Begonia evansii</i>	<i>Begonia exotica</i>	<i>Begonia fagifolia</i>
<i>Begonia fenicis</i>	<i>Begonia fernando-costae</i>	<i>Begonia fernando-costae</i> var. <i>fernando-costae</i>
<i>Begonia fernandoi-costae</i>	<i>Begonia fischeri</i>	<i>Begonia fischeri</i> var. <i>parvifolia</i>
<i>Begonia flaviflora</i>	<i>Begonia fluminensis</i>	<i>Begonia foliosa</i>
<i>Begonia foliosa</i> var. <i>microphylla</i>	<i>Begonia foliosa</i> var. <i>miniata</i>	<i>Begonia foliosa</i> var. <i>putzeysiana</i>
<i>Begonia formosana</i>	<i>Begonia formosana</i> f. <i>albomaculata</i>	<i>Begonia fuchsoides</i>
<i>Begonia fusca</i>	<i>Begonia gehrtii</i>	<i>Begonia geniculata</i>
<i>Begonia geranioides</i>	<i>Begonia glabra</i>	<i>Begonia glandulosa</i>
<i>Begonia goegoensis</i>	<i>Begonia gracilis</i>	<i>Begonia gracilis</i> var. <i>martiana</i>
<i>Begonia grandis</i>	<i>Begonia grandis</i> subsp. <i>evansiana</i>	<i>Begonia grandis</i> subsp. <i>sinensis</i>
<i>Begonia guaduensis</i>	<i>Begonia haageana</i>	<i>Begonia handelii</i>
<i>Begonia hatacoa</i>	<i>Begonia hatacoa</i> var. <i>hatacoa</i>	<i>Begonia hatacoa</i> var. <i>meisneri</i>
<i>Begonia hederacea</i>	<i>Begonia hemsleyana</i>	<i>Begonia heracleifolia</i>
<i>Begonia heracleifolia</i> var. <i>sunderbruckii</i>	<i>Begonia heracleifolia</i> x <i>sandtii</i>	<i>Begonia heracleifolia</i> x <i>strigulosa</i>
<i>Begonia herbacea</i>	<i>Begonia hernandioidea</i>	<i>Begonia hirsuta</i>
<i>Begonia hirtella</i>	<i>Begonia hispida</i> var. <i>cucullifera</i>	<i>Begonia holtonis</i>
<i>Begonia holtonis</i> var. <i>holtonis</i>	<i>Begonia homonyma</i>	<i>Begonia hookeri</i>
<i>Begonia hookeriana</i>	<i>Begonia huegelii</i>	<i>Begonia hydrocotylifolia</i>
<i>Begonia hypolipara</i>	<i>Begonia imperialis</i>	<i>Begonia imperialis</i> var. <i>brunnea</i>
<i>Begonia imperialis</i> var. <i>imperialis</i>	<i>Begonia imperialis</i> var. <i>smaragdina</i>	<i>Begonia imperialis</i> x <i>heracleifolia</i>
<i>Begonia incana</i>	<i>Begonia incarnata</i>	<i>Begonia incisa</i>
<i>Begonia involucrata</i>	<i>Begonia itaguassuensis</i>	<i>Begonia jocelinoi</i>
<i>Begonia johnstonii</i>	<i>Begonia juliana</i>	<i>Begonia jussiaeicarpa</i>
<i>Begonia karwinskyana</i>	<i>Begonia kautskyana</i>	<i>Begonia kellermanii</i>

<i>Begonia kenworthya</i>	<i>Begonia komoensis</i>	<i>Begonia laciniata</i>
<i>Begonia lanceolata</i>	<i>Begonia leathermaniae</i>	<i>Begonia leptotricha</i>
<i>Begonia liebmanni</i>	<i>Begonia lindleyana</i>	<i>Begonia listada</i>
<i>Begonia lithophila</i>	<i>Begonia lobata</i>	<i>Begonia lobulata</i>
<i>Begonia lokobensis</i>	<i>Begonia longiciliata</i>	<i>Begonia loranthoides</i>
<i>Begonia lubbersii</i>	<i>Begonia ludwigii</i>	<i>Begonia luxurians</i>
<i>Begonia luxurians x scharffii</i>	<i>Begonia luzonensis</i>	<i>Begonia lyman-smithii</i>
<i>Begonia lyniceorum</i>	<i>Begonia macdougallii</i>	<i>Begonia macduffieana</i>
<i>Begonia macrocarpa</i>	<i>Begonia macrophylla</i>	<i>Begonia maculata</i>
<i>Begonia maculata</i> var. <i>maculata</i>	<i>Begonia maculata</i> var. <i>wightii</i>	<i>Begonia magnifica</i>
<i>Begonia malabarica</i>	<i>Begonia malachosticta</i>	<i>Begonia manicata</i>
<i>Begonia manicata</i> var. <i>aureomaculata</i>	<i>Begonia martiana</i>	<i>Begonia masoniana</i>
<i>Begonia masoniana</i> var. <i>maculata</i>	<i>Begonia masoniana</i> var. <i>masoniana</i>	<i>Begonia mazae</i>
<i>Begonia mazae f. nigricans</i>	<i>Begonia mazae f. viridis</i>	<i>Begonia mazae</i> var. <i>deminuta</i>
<i>Begonia mazae</i> var. <i>mazae</i>	<i>Begonia mazae x heracleifolia</i>	<i>Begonia megaphylla</i>
<i>Begonia megaptera</i>	<i>Begonia meridensis</i>	<i>Begonia metachroa</i>
<i>Begonia metallica</i>	<i>Begonia microphylla</i>	<i>Begonia microsperma</i>
<i>Begonia miniata</i>	<i>Begonia mollicaulis</i>	<i>Begonia multinervia</i>
<i>Begonia natalensis</i>	<i>Begonia naumoniensis</i>	<i>Begonia nelumbiifolia</i>
<i>Begonia nitida</i>	<i>Begonia oaxacana</i> var. <i>oaxacana</i>	<i>Begonia obliqua</i>
<i>Begonia obscura</i>	<i>Begonia octopetala</i>	<i>Begonia odeteiantha</i>
<i>Begonia odorata</i>	<i>Begonia olbia</i>	<i>Begonia olsoniae</i>
<i>Begonia oxyloba</i>	<i>Begonia oxyphylla</i>	<i>Begonia oxysperma</i>
<i>Begonia paleata</i>	<i>Begonia palmaris</i>	<i>Begonia palmata</i>
<i>Begonia paranaensis</i>	<i>Begonia parilis</i>	<i>Begonia parmata</i>
<i>Begonia partita</i>	<i>Begonia paulensis</i>	<i>Begonia paupercula</i>
<i>Begonia pearcei</i>	<i>Begonia pedatifida</i>	<i>Begonia peltata</i>
<i>Begonia peltata</i> var. <i>peltata</i>	<i>Begonia pentaphylla</i>	<i>Begonia philippinensis</i>
<i>Begonia philodendroides</i>	<i>Begonia pilifera</i>	<i>Begonia pinetorum</i>
<i>Begonia pittieri</i>	<i>Begonia platanifolia</i>	<i>Begonia polyantha</i>
<i>Begonia polygonoides</i>	<i>Begonia popenoei</i>	<i>Begonia populifolia</i>

<i>Begonia populnea</i>	<i>Begonia prieurii</i>	<i>Begonia prismatocarpa</i>
<i>Begonia prostrata</i>	<i>Begonia pruinata</i>	<i>Begonia pseudolubbersii</i>
<i>Begonia pustulata</i>	<i>Begonia pustulata</i> var. <i>argentea</i>	<i>Begonia quadrialata</i> subsp. <i>nimbaensis</i>
<i>Begonia quadrialata</i> var. <i>nimbaensis</i>	<i>Begonia quadrialata</i> var. <i>quadrialata</i>	<i>Begonia quadrilocularis</i>
<i>Begonia radicans</i>	<i>Begonia radicans</i> x <i>solanantha</i>	<i>Begonia rajah</i>
<i>Begonia reniformis</i>	<i>Begonia rex</i>	<i>Begonia rex-cultorum</i>
<i>Begonia rhopalocarpa</i>	<i>Begonia richardsiana</i>	<i>Begonia robusta</i>
<i>Begonia rockii</i>	<i>Begonia roezlii</i>	<i>Begonia rosacea</i>
<i>Begonia rotundifolia</i>	<i>Begonia roxburghii</i>	<i>Begonia rubronervia</i>
<i>Begonia rudatisii</i>	<i>Begonia rufa</i>	<i>Begonia rufosericea</i>
<i>Begonia salicifolia</i>	<i>Begonia sandtii</i>	<i>Begonia sanguinea</i>
<i>Begonia santos-limae</i>	<i>Begonia sarcophylla</i>	<i>Begonia sartorii</i>
<i>Begonia scapigera</i>	<i>Begonia sceptrum</i>	<i>Begonia scharffiana</i>
<i>Begonia scharffii</i>	<i>Begonia schmidtiana</i>	<i>Begonia scutifolia</i>
<i>Begonia semperflorens</i>	<i>Begonia semperflorens</i> var. <i>hookeri</i>	<i>Begonia sericoneura</i>
<i>Begonia serotina</i>	<i>Begonia serratipetala</i>	<i>Begonia setosa</i>
<i>Begonia silletensis</i>	<i>Begonia sinensis</i>	<i>Begonia sizemoreae</i>
<i>Begonia socotrana</i>	<i>Begonia solanantha</i>	<i>Begonia soli-mutata</i>
<i>Begonia soli-mutata</i> x <i>thelmae</i>	<i>Begonia sonderana</i> var. <i>transgrediens</i>	<i>Begonia spatulata</i>
<i>Begonia squamulosa</i>	<i>Begonia staudtii</i>	<i>Begonia stipulacea</i>
<i>Begonia strigillosa</i>	<i>Begonia strigulosa</i>	<i>Begonia subcucullata</i> var. <i>arenosicola</i>
<i>Begonia subvillosa</i>	<i>Begonia subvillosa</i> var. <i>leptotricha</i>	<i>Begonia subvillosa</i> var. <i>subvillosa</i>
<i>Begonia suffruticosa</i>	<i>Begonia sulcata</i>	<i>Begonia sunorchis</i>
<i>Begonia sutherlandii</i>	<i>Begonia sychnantha</i>	<i>Begonia taiwaniana</i>
<i>Begonia taliensis</i>	<i>Begonia tayabensis</i>	<i>Begonia teuscheri</i>
<i>Begonia thelmae</i>	<i>Begonia thiemei</i>	<i>Begonia thiemei</i> x <i>carolineifolia</i>
<i>Begonia tomentosa</i>	<i>Begonia tuberosa</i>	<i>Begonia ulmifolia</i>
<i>Begonia umbraculifera</i>	<i>Begonia undulata</i>	<i>Begonia urophylla</i>

<i>Begonia uvana</i>	<i>Begonia valida</i>	<i>Begonia veitchii</i>
<i>Begonia velloziana</i>	<i>Begonia vellozoana</i>	<i>Begonia venosa</i>
<i>Begonia versicolor</i>	<i>Begonia vitifolia</i>	<i>Begonia vitifolia</i> var. <i>grandis</i>
<i>Begonia wollnyi</i>	<i>Begonia wollnyi</i> x <i>mazae</i>	<i>Begonia x angularis</i>
<i>Begonia x elatior</i>	<i>Begonia x erythrophylla</i>	<i>Begonia x fuchsifolia</i>
<i>Begonia x hiemalis</i>	<i>Begonia x hybrida</i>	<i>Begonia x semperflorens-cultorum</i>
<i>Begonia xanthina</i>	<i>Begonia xinyiensis</i>	<i>Belvisia digitata</i>
<i>Bergenia ciliata</i>	<i>Bergenia cordifolia</i>	<i>Bergenia crassifolia</i>
<i>Bergenia delavayi</i>	<i>Bergenia ligulata</i>	<i>Bergenia purpurascens</i>
<i>Bergenia stracheyi</i>	<i>Bergenia x schmidtii</i>	<i>Bergeranthus artus</i>
<i>Bergeranthus caninus</i>	<i>Bergeranthus glenensis</i>	<i>Bergeranthus katbergensis</i>
<i>Bergeranthus multiceps</i>	<i>Bergeranthus scapiger</i>	<i>Bergeranthus vespertinus</i>
<i>Berneuxia thibetica</i>	<i>Berneuxia yunnanensis</i>	<i>Bersama lucans</i>
<i>Bersama lucens</i>	<i>Bertholletia excelsa</i>	<i>Bertolonia marmorata</i>
<i>Berzelia galpinii</i>	<i>Berzelia intermedia</i>	<i>Berzelia lanuginosa</i>
<i>Berzelia rubra</i>	<i>Biarum bovei</i>	<i>Biarum carduchorum</i>
<i>Biarum caratraccense</i>	<i>Biarum davisii</i>	<i>Biarum dispar</i>
<i>Biarum eximium</i>	<i>Biarum ochridense</i>	<i>Biarum spruneri</i>
<i>Biarum tenuifolium</i>	<i>Bijlia cana</i>	<i>Bijlia dilatata</i>
<i>Bijlia tugwelliae</i>	<i>Bixa orellana</i>	<i>Bixa orellana</i> var. <i>leiocarpa</i>
<i>Blackstonia utriculosa</i>	<i>Blakea gracilis</i>	<i>Blandfordia grandiflora</i>
<i>Blandfordia punicea</i>	<i>Blechnum appendiculatum</i>	<i>Blechnum articulatum</i>
<i>Blechnum australe</i>	<i>Blechnum brasiliense</i>	<i>Blechnum cartilagineum</i>
<i>Blechnum chambersii</i>	<i>Blechnum chilense</i>	<i>Blechnum christii</i>
<i>Blechnum cordatum</i>	<i>Blechnum discolor</i>	<i>Blechnum fluviale</i>
<i>Blechnum fragile</i>	<i>Blechnum gibbum</i>	<i>Blechnum indicum</i>
<i>Blechnum minus</i>	<i>Blechnum minus</i> x <i>wattsii</i>	<i>Blechnum moorei</i>
<i>Blechnum nudum</i>	<i>Blechnum obtusatum</i>	<i>Blechnum occidentale</i>
<i>Blechnum orientale</i>	<i>Blechnum patersonii</i>	<i>Blechnum penna-marina</i>
<i>Blechnum punctulatum</i>	<i>Blechnum radicans</i>	<i>Blechnum serrulatum</i>
<i>Blechnum spicant</i>	<i>Blechnum tabulare</i>	<i>Blechnum unilaterale</i>
<i>Blechnum wattsii</i>	<i>Blechnum x minus</i>	<i>Boesenbergia rotunda</i>
<i>Bolbitis heteroclita</i>	<i>Bolbitis heudelotii</i>	<i>Bomarea acutifolia</i>

<i>Bomarea caldasii</i>	<i>Bomarea incifolia</i>	<i>Bomarea lobbiana</i>
<i>Bomarea multiflora</i>	<i>Bomarea salsilla</i>	<i>Bomarea uncifolia</i>
<i>Boswellia bricchettii</i>	<i>Boswellia carteri</i>	<i>Boswellia hildebrandtii</i>
<i>Boswellia microphylla</i>	<i>Boswellia multifoliolata</i>	<i>Boswellia neglecta</i>
<i>Boswellia sacra</i>	<i>Boswellia serrata</i>	<i>Boswellia thurifera</i>
<i>Bowenia serrulata</i>	<i>Bowenia spectabilis</i>	<i>Bowenia spectabilis</i> var. <i>serrulata</i>
<i>Boykinia aconitifolia</i>	<i>Boykinia jamesii</i>	<i>Boykinia rotundifolia</i>
<i>Boykinia tellimoides</i>	<i>Braunsia apiculata</i>	<i>Braunsia geminata</i>
<i>Braunsia maximiliani</i>	<i>Breynia disticha</i>	<i>Breynia nivosa</i>
<i>Bridelia micrantha</i>	<i>Brighamia insignis</i>	<i>Bruguiera gymnorhiza</i>
<i>Brunia albiflora</i>	<i>Brunia alopecuroides</i>	<i>Brunia laevis</i>
<i>Brunia nodiflora</i>	<i>Brunia paleacea</i>	<i>Brunia stokoei</i>
<i>Bryophyllum ambrense</i>	<i>Bryophyllum beauverdii</i>	<i>Bryophyllum costantinii</i>
<i>Bryophyllum fedtschenkoi</i>	<i>Bryophyllum juelii</i>	<i>Bryophyllum manginii</i>
<i>Bryophyllum scandens</i>	<i>Bryophyllum uniflorum</i>	<i>Bucida spinosa</i>
<i>Bukiniczia cabulica</i>	<i>Bulbocodium vernum</i>	<i>Burbridgea schizocheila</i>
<i>Burchardia umbellata</i>	<i>Bursera fagaroides</i>	<i>Bursera hindsiana</i>
<i>Bursera microphylla</i>	<i>Bursera schlechtendalii</i>	<i>Butomus umbellatus</i>
<i>Buxus balearica</i>	<i>Buxus bodinieri</i>	<i>Buxus chinensis</i>
<i>Buxus colchica</i>	<i>Buxus hyrcana</i>	<i>Buxus japonica</i>
<i>Buxus longifolia</i>	<i>Buxus macowanii</i>	<i>Buxus microphylla</i>
<i>Buxus microphylla</i> subsp. <i>sinica</i>	<i>Buxus microphylla</i> var. <i>insularis</i>	<i>Buxus microphylla</i> var. <i>japonica</i>
<i>Buxus microphylla</i> var. <i>koreana</i>	<i>Buxus microphylla</i> var. <i>microphylla</i>	<i>Buxus microphylla</i> var. <i>sinica</i>
<i>Buxus myrtifolia</i>	<i>Buxus saligna</i>	<i>Buxus sempervirens</i>
<i>Buxus sempervirens</i> f. <i>myrtifolia</i>	<i>Buxus sempervirens</i> f. <i>pendula</i>	<i>Buxus sempervirens</i> f. <i>prostrata</i>
<i>Buxus sempervirens</i> var. <i>myrtifolia</i>	<i>Buxus sempervirens</i> var. <i>pendula</i>	<i>Buxus sempervirens</i> var. <i>prostrata</i>
<i>Buxus sinica</i>	<i>Buxus sinica</i> var. <i>insularis</i>	<i>Buxus wallichiana</i>
<i>Byblis aquatica</i>	<i>Byblis filifolia</i>	<i>Byblis gigantea</i>
<i>Byblis guehoi</i>	<i>Byblis liniflora</i>	<i>Byblis rorida</i>
<i>Caladium arboreum</i>	<i>Caladium bicolor</i>	<i>Caladium cucullatum</i>

<i>Caladium humboldtii</i>	<i>Caladium lindenii</i>	<i>Caladium maculatum</i>
<i>Caladium picturatum</i>	<i>Caladium praetermissum</i>	<i>Caladium sagittifolium</i>
<i>Caladium schomburgkii</i>	<i>Caladium sororium</i>	<i>Caladium x hortulanum</i>
<i>Calathea acuminata</i>	<i>Calathea aemula</i>	<i>Calathea albertii</i>
<i>Calathea bella</i>	<i>Calathea brenesii</i>	<i>Calathea burle-marxii</i>
<i>Calathea chimboracensis</i>	<i>Calathea crocata</i>	<i>Calathea crotalifera</i>
<i>Calathea ecuadoriana</i>	<i>Calathea elliptica</i>	<i>Calathea fasciata</i>
<i>Calathea 'Freddy'</i>	<i>Calathea hirsute</i>	<i>Calathea insignis</i>
<i>Calathea lancifolia</i>	<i>Calathea lasiostachya</i>	<i>Calathea leopardina</i>
<i>Calathea lietzei</i>	<i>Calathea loeseneri</i>	<i>Calathea louisae</i>
<i>Calathea lutea</i>	<i>Calathea macrosepala</i>	<i>Calathea majestica</i>
<i>Calathea makoyana</i>	<i>Calathea marantifolia</i>	<i>Calathea mediopicta</i>
<i>Calathea metallica</i>	<i>Calathea micans</i>	<i>Calathea microcephala</i>
<i>Calathea musaica</i>	<i>Calathea nigricans</i>	<i>Calathea orbifolia</i>
<i>Calathea ornata</i>	<i>Calathea pardina</i>	<i>Calathea picturata</i>
<i>Calathea princeps</i>	<i>Calathea roseopicta</i>	<i>Calathea rotundifolia</i>
<i>Calathea rufibarba</i>	<i>Calathea sanderiana</i>	<i>Calathea sciurooides</i>
<i>Calathea stromata</i>	<i>Calathea truncata</i>	<i>Calathea undulata</i>
<i>Calathea vaginata</i>	<i>Calathea varians</i>	<i>Calathea variegata</i>
<i>Calathea veitchiana</i>	<i>Calathea villosa</i>	<i>Calathea warscewiczii</i>
<i>Calathea zebra</i>	<i>Calathiana nivalis</i>	<i>Calathiana pumila</i>
<i>Calceolaria acutifolia</i>	<i>Calceolaria alba</i>	<i>Calceolaria arachnoidea</i>
<i>Calceolaria bicolor</i>	<i>Calceolaria biflora</i>	<i>Calceolaria chelidonioidea</i>
<i>Calceolaria corymbosa</i>	<i>Calceolaria crenatiflora</i>	<i>Calceolaria darwinii</i>
<i>Calceolaria diffusa</i>	<i>Calceolaria falklandica</i>	<i>Calceolaria fiebrigiana</i>
<i>Calceolaria fothergillii</i>	<i>Calceolaria gracilis</i>	<i>Calceolaria hirsuta</i>
<i>Calceolaria integrifolia</i>	<i>Calceolaria 'John Innes'</i>	<i>Calceolaria laete-virens</i>
<i>Calceolaria lanigera</i>	<i>Calceolaria mexicana</i>	<i>Calceolaria parviflora</i>
<i>Calceolaria parvifolia</i>	<i>Calceolaria pinifolia</i>	<i>Calceolaria polifolia</i>
<i>Calceolaria polyrrhiza</i>	<i>Calceolaria rugosa</i>	<i>Calceolaria tenella</i>
<i>Calceolaria tripartita</i>	<i>Calceolaria uniflora</i>	<i>Calceolaria x herbeohybrida</i>
<i>Calathea rosifolia</i>	<i>Calectasia cyanea</i>	<i>Calla elliottiana</i>
<i>Calla oculata</i>	<i>Calla palustris</i>	<i>Callopsis volkensii</i>
<i>Calophyllum antillanum</i>	<i>Calophyllum calaba</i>	<i>Calophyllum inophyllum</i>

<i>Calophyllum madruno</i>	<i>Calophyllum sil</i>	<i>Campanula abietina</i>
<i>Campanula acananica</i>	<i>Campanula acutiloba</i>	<i>Campanula albanica</i>
<i>Campanula albertii</i>	<i>Campanula albiflora</i>	<i>Campanula alliariifolia</i>
<i>Campanula allionii</i>	<i>Campanula alpestris</i>	<i>Campanula alpina</i>
<i>Campanula alpina</i> subsp. <i>orbelica</i>	<i>Campanula altaica</i>	<i>Campanula amana</i>
<i>Campanula anechusiflora</i>	<i>Campanula andrewsii</i>	<i>Campanula anomala</i>
<i>Campanula ardonensis</i>	<i>Campanula argaea</i>	<i>Campanula argentea</i>
<i>Campanula argyrotricha</i>	<i>Campanula aristata</i>	<i>Campanula armena</i>
<i>Campanula arvatica</i>	<i>Campanula athoa</i>	<i>Campanula atlantis</i>
<i>Campanula aucheri</i>	<i>Campanula autraniana</i>	<i>Campanula barbata</i>
<i>Campanula barbeyi</i>	<i>Campanula bayerniana</i>	<i>Campanula beauverdiana</i>
<i>Campanula bellardii</i>	<i>Campanula bellidifolia</i>	<i>Campanula besenginica</i>
<i>Campanula betonicifolia</i>	<i>Campanula betulifolia</i>	<i>Campanula bipinnatifida</i>
<i>Campanula bocconeи</i>	<i>Campanula bononiensis</i>	<i>Campanula bornmuelleri</i>
<i>Campanula brotheri</i>	<i>Campanula broussonetiana</i>	<i>Campanula buseri</i>
<i>Campanula caespitosa</i>	<i>Campanula calaminthifolia</i>	<i>Campanula cana</i>
<i>Campanula carpatha</i>	<i>Campanula carpatica</i>	<i>Campanula cashmeriana</i>
<i>Campanula cavolinii</i>	<i>Campanula celsii</i>	<i>Campanula cenisia</i>
<i>Campanula cephallenica</i>	<i>Campanula cephalotes</i>	<i>Campanula cervicaria</i>
<i>Campanula cervicarioides</i>	<i>Campanula cespitosa</i>	<i>Campanula chamissonis</i>
<i>Campanula choruhensis</i>	<i>Campanula choziatowskyi</i>	<i>Campanula ciliata</i>
<i>Campanula cochlearifolia</i>	<i>Campanula cochleariifolia</i>	<i>Campanula collina</i>
<i>Campanula colorata</i>	<i>Campanula colorata</i> var. <i>tibetica</i>	<i>Campanula conferta</i>
<i>Campanula corbariensis</i>	<i>Campanula cordifolia</i>	<i>Campanula coriacea</i>
<i>Campanula costae</i>	<i>Campanula cretica</i>	<i>Campanula crispa</i>
<i>Campanula cristallocalyx</i>	<i>Campanula cymbalaria</i>	<i>Campanula dasyantha</i>
<i>Campanula davisii</i>	<i>Campanula dichotoma</i>	<i>Campanula divaricata</i>
<i>Campanula dolomitica</i>	<i>Campanula drabifolia</i>	<i>Campanula dzaaku</i>
<i>Campanula elatines</i>	<i>Campanula elatines</i> var. <i>fenestrellata</i>	<i>Campanula elatines</i> var. <i>garganica</i>
<i>Campanula elatinoides</i>	<i>Campanula elatior</i>	<i>Campanula elliptica</i>
<i>Campanula eo-cervicaria</i>	<i>Campanula ephesia</i>	<i>Campanula epigaea</i>
<i>Campanula erinus</i>	<i>Campanula eriocarpa</i>	<i>Campanula excisa</i>

<i>Campanula farinosa</i>	<i>Campanula fenestrellata</i>	<i>Campanula filicaulis</i>
<i>Campanula formanekiana</i>	<i>Campanula fragilis</i>	<i>Campanula fragilis</i> subsp. <i>cavolinii</i>
<i>Campanula fruticulosa</i>	<i>Campanula garganica</i>	<i>Campanula garganica</i> subsp. <i>acarnanica</i>
<i>Campanula garganica</i> subsp. <i>cephallenica</i>	<i>Campanula garganica</i> var. <i>hirsuta</i>	<i>Campanula glauca</i>
<i>Campanula glomerata</i>	<i>Campanula glomerata</i> f. <i>hispida</i>	<i>Campanula glomerata</i> subsp. <i>cephalotes</i>
<i>Campanula glomerata</i> subsp. <i>cervicariooides</i>	<i>Campanula glomerata</i> subsp. <i>elliptica</i>	<i>Campanula glomerata</i> subsp. <i>farinosa</i>
<i>Campanula glomerata</i> subsp. <i>glomerata</i>	<i>Campanula glomerata</i> subsp. <i>hispida</i>	<i>Campanula glomerata</i> subsp. <i>serotina</i>
<i>Campanula glomerata</i> subsp. <i>subcapitata</i>	<i>Campanula glomerata</i> var. <i>acaulis</i>	<i>Campanula grandiflora</i>
<i>Campanula grossekii</i>	<i>Campanula hagielia</i>	<i>Campanula hakkiarica</i>
<i>Campanula hawkinsiana</i>	<i>Campanula hedgei</i>	<i>Campanula hercegovina</i>
<i>Campanula herminii</i>	<i>Campanula heterophylla</i>	<i>Campanula hierapetrae</i>
<i>Campanula hispida</i>	<i>Campanula hofmannii</i>	<i>Campanula hondoensis</i>
<i>Campanula hostii</i>	<i>Campanula incurva</i>	<i>Campanula involucrata</i>
<i>Campanula isaurica</i>	<i>Campanula isophylla</i>	<i>Campanula kemulariae</i>
<i>Campanula khasiana</i>	<i>Campanula kolenatiana</i>	<i>Campanula komarovii</i>
<i>Campanula laciniata</i>	<i>Campanula lactiflora</i>	<i>Campanula lamiifolia</i>
<i>Campanula lanata</i>	<i>Campanula lanuginosa</i>	<i>Campanula lasiocarpa</i>
<i>Campanula latifolia</i>	<i>Campanula latiloba</i>	<i>Campanula ledebouriana</i>
<i>Campanula leutweinii</i>	<i>Campanula liliifolia</i>	<i>Campanula lingulata</i>
<i>Campanula loeflingii</i>	<i>Campanula longistyla</i>	<i>Campanula lusitanica</i>
<i>Campanula lusitanica</i> subsp. <i>lusitanica</i>	<i>Campanula lusitanica</i> subsp. <i>transtagana</i>	<i>Campanula lyrata</i>
<i>Campanula macrantha</i>	<i>Campanula macrophylla</i>	<i>Campanula macrorhiza</i>
<i>Campanula macrostyla</i>	<i>Campanula mairei</i>	<i>Campanula makaschvili</i>
<i>Campanula malacitana</i>	<i>Campanula maleevii</i>	<i>Campanula marchesettii</i>
<i>Campanula mauritanica</i>	<i>Campanula medium</i>	<i>Campanula medium</i> var. <i>calycanthema</i>
<i>Campanula mirabilis</i>	<i>Campanula moesiaca</i>	<i>Campanula mollis</i>
<i>Campanula morettiana</i>	<i>Campanula mrkvickiana</i>	<i>Campanula muralis</i>
<i>Campanula myrtifolia</i>	<i>Campanula nitida</i>	<i>Campanula nobilis</i>

<i>Campanula notata</i>	<i>Campanula ochroleuca</i>	<i>Campanula oligosperma</i>
<i>Campanula oliveri</i>	<i>Campanula olympica</i>	<i>Campanula orbelica</i>
<i>Campanula oreadum</i>	<i>Campanula orphanidea</i>	<i>Campanula pallida</i>
<i>Campanula pallida</i> var. <i>pallida</i>	<i>Campanula pallida</i> var. <i>tibetica</i>	<i>Campanula parnassica</i>
<i>Campanula parryi</i>	<i>Campanula patula</i>	<i>Campanula patula</i> subsp. <i>abietina</i>
<i>Campanula patula</i> subsp. <i>abietina</i> var. <i>vajdae</i>	<i>Campanula patula</i> subsp. <i>costae</i>	<i>Campanula patula</i> subsp. <i>epigaea</i>
<i>Campanula patula</i> subsp. <i>jahorinae</i>	<i>Campanula patula</i> var. <i>jahorinae</i>	<i>Campanula pendula</i>
<i>Campanula pennina</i>	<i>Campanula peregrina</i>	<i>Campanula persica</i>
<i>Campanula persiciflora</i>	<i>Campanula persicifolia</i>	<i>Campanula persicifolia</i> subsp. <i>persicifolia</i>
<i>Campanula persicifolia</i> subsp. <i>sessiliflora</i>	<i>Campanula persicifolia</i> subsp. <i>subpyrenaica</i>	<i>Campanula persicifolia</i> var. <i>sessiliflora</i>
<i>Campanula petraea</i>	<i>Campanula petrophila</i>	<i>Campanula pilosa</i>
<i>Campanula pinnatifida</i>	<i>Campanula piperi</i>	<i>Campanula polymorpha</i>
<i>Campanula portenschlagiana</i>	<i>Campanula poscharskyana</i>	<i>Campanula postii</i>
<i>Campanula primulifolia</i>	<i>Campanula psilostachya</i>	<i>Campanula ptarmicifolia</i>
<i>Campanula pulla</i>	<i>Campanula pulvinaris</i>	<i>Campanula pumila</i>
<i>Campanula punctata</i>	<i>Campanula pusilla</i>	<i>Campanula pygmaea</i>
<i>Campanula pyramidalis</i>	<i>Campanula pyramidalis</i> var. <i>alba</i>	<i>Campanula pyramidalis</i> var. <i>compacta</i>
<i>Campanula quercetorum</i>	<i>Campanula raddeana</i>	<i>Campanula rainieri</i>
<i>Campanula ramosissima</i>	<i>Campanula rapunculoides</i>	<i>Campanula rapunculoides</i> subsp. <i>cordifolia</i>
<i>Campanula rapunculoides</i> subsp. <i>rapunculoides</i>	<i>Campanula rapunculus</i>	<i>Campanula recta</i>
<i>Campanula remotiflora</i>	<i>Campanula rhomboidalis</i>	<i>Campanula rigidipila</i>
<i>Campanula rotundifolia</i>	<i>Campanula rotundifolia</i> var. <i>alaskana</i>	<i>Campanula rupestris</i>
<i>Campanula rupicola</i>	<i>Campanula sarmatica</i>	<i>Campanula sartorii</i>
<i>Campanula saxatilis</i>	<i>Campanula saxifraga</i>	<i>Campanula scabrella</i>
<i>Campanula scheuchzeri</i>	<i>Campanula scouleri</i>	<i>Campanula seraglio</i>
<i>Campanula serotina</i>	<i>Campanula serrata</i>	<i>Campanula sessiliflora</i>
<i>Campanula shetleri</i>	<i>Campanula sibirica</i>	<i>Campanula spatulata</i>
<i>Campanula speciosa</i>	<i>Campanula speculum-veneris</i>	<i>Campanula spicata</i>

<i>Campanula stefanoffii</i>	<i>Campanula stevenii</i>	<i>Campanula stevenii</i> subsp. <i>altaica</i>
<i>Campanula stevenii</i> subsp. <i>beauverdiana</i>	<i>Campanula stevenii</i> subsp. <i>wolgensis</i>	<i>Campanula strigillosa</i>
<i>Campanula subcapitata</i>	<i>Campanula subpyrenaica</i>	<i>Campanula takesimana</i>
<i>Campanula tatrae</i>	<i>Campanula telephioides</i>	<i>Campanula tenella</i>
<i>Campanula tetraphylla</i>	<i>Campanula teucrioides</i>	<i>Campanula thessala</i>
<i>Campanula thrysoides</i>	<i>Campanula tomentosa</i>	<i>Campanula tommasiniana</i>
<i>Campanula topaliana</i>	<i>Campanula trachelioides</i>	<i>Campanula trachelium</i>
<i>Campanula trachelium</i> subsp. <i>athoa</i>	<i>Campanula trachelium</i> subsp. <i>mauritanica</i>	<i>Campanula trachelium</i> subsp. <i>trachelium</i>
<i>Campanula trachyphylla</i>	<i>Campanula transtagana</i>	<i>Campanula tridentata</i>
<i>Campanula triphylla</i>	<i>Campanula troegerae</i>	<i>Campanula turbinata</i>
<i>Campanula tymphaea</i>	<i>Campanula undulata</i>	<i>Campanula uniflora</i>
<i>Campanula urticifolia</i>	<i>Campanula vajdae</i>	<i>Campanula valdensis</i>
<i>Campanula van-houttei</i>	<i>Campanula velebitica</i>	<i>Campanula verruculosa</i>
<i>Campanula versicolor</i>	<i>Campanula vidalii</i>	<i>Campanula waldsteiniana</i>
<i>Campanula wanneri</i>	<i>Campanula witasekiana</i>	<i>Campanula wolgensis</i>
<i>Campanula x 'Birch Hybrid'</i>	<i>Campanula x 'G.F. Wilson'</i>	<i>Campanula x 'Hallii'</i>
<i>Campanula x haylodgensis</i>	<i>Campanula x 'Haylodgensis'</i>	<i>Campanula x innesii</i>
<i>Campanula x 'Joe Elliott'</i>	<i>Campanula x 'Kent Belle'</i>	<i>Campanula x 'Kewensis'</i>
<i>Campanula x 'Lynchmere'</i>	<i>Campanula x 'Pamela'</i>	<i>Campanula x pseudoraineri</i>
<i>Campanula x pulloides</i>	<i>Campanula x rotarvatica</i>	<i>Campanula x 'Stansfieldii'</i>
<i>Campanula x wockei</i>	<i>Campanula zangezura</i>	<i>Campanula zoysii</i>
<i>Campanumoea lanceolata</i>	<i>Canarina canariensis</i>	<i>Canarium balansae</i>
<i>Canarium indicum</i>	<i>Canarium odontophyllum</i>	<i>Canarium oleosum</i>
<i>Canarium ovatum</i>	<i>Capnoides sempervirens</i>	<i>Capparis arborea</i>
<i>Capparis canescens</i>	<i>Capparis frutescens</i>	<i>Capparis lanceolaris</i>
<i>Capparis lasiantha</i>	<i>Capparis loranthifolia</i>	<i>Capparis micrantha</i>
<i>Capparis mitchellii</i>	<i>Capparis rupestris</i>	<i>Capparis spinosa</i>
<i>Capparis umbonata</i>	<i>Capura spectabilis</i>	<i>Carallia brachiata</i>
<i>Carludovica crenifolia</i>	<i>Carludovica disticha</i>	<i>Carludovica drudei</i>
<i>Carludovica lancifolia</i>	<i>Carludovica palmata</i>	<i>Carludovica rotundifolia</i>
<i>Carpanthea pomeridiana</i>	<i>Carpodetus serratus</i>	<i>Carruanthus caninus</i>
<i>Carruanthus ringens</i>	<i>Caryocar brasiliense</i>	<i>Caryocar butyrosum</i>

<i>Caryocar glabrum</i>	<i>Caryocar microcarpum</i>	<i>Caryocar nuciferum</i>
<i>Caryocar tomentosum</i>	<i>Caryocar tuberculatum</i>	<i>Caryocar villosum</i>
<i>Cathcartia villosa</i>	<i>Centaurium erythraea</i>	<i>Centradenia floribunda</i>
<i>Centradenia inaequilateralis</i>	<i>Centunculus minimus</i>	<i>Cephalophyllum alstonii</i>
<i>Cephalophyllum apiculatum</i>	<i>Cephalophyllum aureorubrum</i>	<i>Cephalophyllum cedrimontanum</i>
<i>Cephalophyllum compactum</i>	<i>Cephalophyllum comptonii</i>	<i>Cephalophyllum crassum</i>
<i>Cephalophyllum decipiens</i>	<i>Cephalophyllum insigne</i>	<i>Cephalophyllum loereum</i>
<i>Cephalophyllum niveum</i>	<i>Cephalophyllum pillansii</i>	<i>Cephalophyllum primulinum</i>
<i>Cephalophyllum rigidum</i>	<i>Cephalophyllum spissum</i>	<i>Cephalophyllum spongiosum</i>
<i>Cephalophyllum tenuifolium</i>	<i>Cephalophyllum tricolorum</i>	<i>Cephalophyllum truncatum</i>
<i>Cephalotaxus drupacea</i>	<i>Cephalotaxus drupacea</i> var. <i>sinensis</i>	<i>Cephalotaxus fortunei</i>
<i>Cephalotaxus hainanensis</i>	<i>Cephalotaxus harringtonia</i>	<i>Cephalotaxus harringtonia</i> var. <i>harringtonia</i>
<i>Cephalotaxus harringtonia</i> var. <i>koreana</i>	<i>Cephalotaxus harringtonia</i> var. <i>nana</i>	<i>Cephalotaxus harringtonii</i>
<i>Cephalotaxus koreana</i>	<i>Cephalotaxus nana</i>	<i>Cephalotaxus sinensis</i>
<i>Cephalotus follicularis</i>	<i>Ceraria namaquensis</i>	<i>Ceraria pygmaea</i>
<i>Ceratopetalum gummiferum</i>	<i>Ceratopteris pteridoides</i>	<i>Ceratopteris thalictroides</i>
<i>Ceratostigma plumbaginoides</i>	<i>Ceratostigma willmottianum</i>	<i>Ceratotheca triloba</i>
<i>Ceratozamia alvarezii</i>	<i>Ceratozamia beccaruae</i>	<i>Ceratozamia boliviiana</i>
<i>Ceratozamia brevifrons</i>	<i>Ceratozamia chimalapensis</i>	<i>Ceratozamia decumbens</i>
<i>Ceratozamia euryphyllidia</i>	<i>Ceratozamia fuscoviridis</i>	<i>Ceratozamia hildae</i>
<i>Ceratozamia hondurensis</i>	<i>Ceratozamia huastecorum</i>	<i>Ceratozamia kuesteriana</i>
<i>Ceratozamia latifolia</i>	<i>Ceratozamia matudae</i>	<i>Ceratozamia mexicana</i>
<i>Ceratozamia mexicana</i> var. <i>longifolia</i>	<i>Ceratozamia microstrobila</i>	<i>Ceratozamia miqueliana</i>
<i>Ceratozamia mirandae</i>	<i>Ceratozamia mixeorum</i>	<i>Ceratozamia morettii</i>
<i>Ceratozamia norstogii</i>	<i>Ceratozamia robusta</i>	<i>Ceratozamia sabatoi</i>
<i>Ceratozamia santillanii</i>	<i>Ceratozamia vovidesii</i>	<i>Ceratozamia whitelockiana</i>
<i>Ceratozamia zaragozae</i>	<i>Ceratozamia zoquorum</i>	<i>Cercestis mirabilis</i>
<i>Cercestis taiensis</i>	<i>Cercidiphyllum japonicum</i>	<i>Cercidiphyllum japonicum</i> var. <i>sinense</i>
<i>Cercidiphyllum magnificum</i>	<i>Ceriops tagal</i>	<i>Cerochlamys pachyphylla</i>
<i>Ceterach officinarum</i>	<i>Chamaelirium luteum</i>	<i>Chasmanthe aethiopica</i>

<i>Chasmanthe bicolor</i>	<i>Chasmanthe floribunda</i>	<i>Chasmatophyllum braunsii</i>
<i>Chasmatophyllum braunsii</i> var. <i>majus</i>	<i>Chasmatophyllum musculinum</i>	<i>Cheilanthes argentea</i>
<i>Cheilanthes austrotenuifolia</i>	<i>Cheilanthes beitelii</i>	<i>Cheilanthes distans</i>
<i>Cheilanthes farinosa</i>	<i>Cheilanthes multifida</i> subsp. <i>lacerata</i>	<i>Cheilanthes myriophylla</i>
<i>Cheilanthes sieberi</i>	<i>Cheilanthes viridis</i> var. <i>glaуca</i>	<i>Cheiridopsis aurea</i>
<i>Cheiridopsis brownii</i>	<i>Cheiridopsis candidissima</i>	<i>Cheiridopsis comptonii</i>
<i>Cheiridopsis crassa</i>	<i>Cheiridopsis denticulata</i>	<i>Cheiridopsis denticulata</i> var. <i>glaуca</i>
<i>Cheiridopsis excavata</i>	<i>Cheiridopsis hilmarii</i>	<i>Cheiridopsis inconspicua</i>
<i>Cheiridopsis littlewoodii</i>	<i>Cheiridopsis macrophylla</i>	<i>Cheiridopsis meyeri</i>
<i>Cheiridopsis meyeri</i> var. <i>minor</i>	<i>Cheiridopsis minor</i>	<i>Cheiridopsis noctiflora</i>
<i>Cheiridopsis peculiaris</i>	<i>Cheiridopsis peersii</i>	<i>Cheiridopsis pillansii</i>
<i>Cheiridopsis robusta</i>	<i>Cheiridopsis speciosa</i>	<i>Cheiridopsis turbinata</i>
<i>Cheiridopsis vanheerdei</i>	<i>Cheiridopsis victoris</i>	<i>Chelidonium dahuricum</i>
<i>Chelidonium grandiflorum</i>	<i>Chelidonium haematosides</i>	<i>Chelidonium japonicum</i>
<i>Chelidonium laciniatum</i>	<i>Chelidonium luteum</i>	<i>Chelidonium majus</i>
<i>Chelidonium murale</i>	<i>Chelidonium quercifolium</i>	<i>Chelidonium rudorale</i>
<i>Chelidonium umbelliferum</i>	<i>Chiastophyllum oppositifolium</i>	<i>Chigua bernalii</i>
<i>Chigua restrepoi</i>	<i>Chimonanthus fragrans</i>	<i>Chimonanthus fragrans</i> var. <i>grandiflorus</i>
<i>Chimonanthus nitens</i>	<i>Chimonanthus praecox</i>	<i>Chimonanthus praecox</i> f. <i>grandiflorus</i>
<i>Chimonanthus praecox</i> var. <i>concolor</i>	<i>Chimonanthus salicifolius</i>	<i>Chimonanthus yunnanensis</i>
<i>Chimonanthus zhejiangensis</i>	<i>Chironia baccifera</i>	<i>Chironia linoides</i>
<i>Chloranthus fortunei</i>	<i>Chloranthus japonicus</i>	<i>Chloranthus mandshuricus</i>
<i>Chlorospatha atropurpurea</i>	<i>Chlorospatha croatiana</i>	<i>Chlorospatha hannoniae</i>
<i>Chlorospatha ilensis</i>	<i>Chlorospatha kolbii</i>	<i>Chlorospatha longipoda</i>
<i>Chlorospatha palaceanum</i>	<i>Chlorospatha pubescens</i>	<i>Chondropetalum deustum</i>
<i>Chondropetalum tectorum</i>	<i>Chrysophyllum cainito</i>	<i>Chrysosplenium alternifolium</i>
<i>Cibotium barometz</i>	<i>Cibotium chamissoi</i>	<i>Cibotium glaucum</i>
<i>Cibotium regale</i>	<i>Cibotium schiedei</i>	<i>Cleome aculeata</i>
<i>Cleome arborea</i>	<i>Cleome gynandra</i>	<i>Cleome hassleriana</i>
<i>Cleome integrifolia</i>	<i>Cleome monophylla</i>	<i>Cleome pentaphylla</i>

<i>Cleome pungens</i>	<i>Cleome speciosa</i>	<i>Cleome speciosissima</i>
<i>Cleome spinosa</i>	<i>Cleome uniglandulosa</i>	<i>Cleome viscosa</i>
<i>Clermontia montis-loa</i>	<i>Cleyera japonica</i>	<i>Clusia major</i>
<i>Clusia rosea</i>	<i>Cocculus cuneatus</i>	<i>Cocculus ferrandianus</i>
<i>Cocculus integer</i>	<i>Cocculus lonchophyllus</i>	<i>Cocculus mollis</i>
<i>Cocculus orbiculatus</i>	<i>Cocculus sarmentosus</i>	<i>Cocculus thunbergii</i>
<i>Cocculus trilobus</i>	<i>Cocculus virgatus</i>	<i>Cochlospermum codinae</i>
<i>Cochlospermum hibiscoides</i>	<i>Cochlospermum luetzelburgii</i>	<i>Cochlospermum religiosum</i>
<i>Cochlospermum serratifolium</i>	<i>Cochlospermum triphyllum</i>	<i>Cochlospermum vitifolium</i>
<i>Codonopsis bhutanica</i>	<i>Codonopsis bulleyana</i>	<i>Codonopsis cardiophylla</i>
<i>Codonopsis celebica</i>	<i>Codonopsis clematidea</i>	<i>Codonopsis convolvulacea</i>
<i>Codonopsis dicentrifolia</i>	<i>Codonopsis forrestii</i>	<i>Codonopsis grey-wilsonii</i>
<i>Codonopsis handeliana</i>	<i>Codonopsis lanceolata</i>	<i>Codonopsis meleagris</i>
<i>Codonopsis mollis</i>	<i>Codonopsis obtusa</i>	<i>Codonopsis ovata</i>
<i>Codonopsis pilosula</i>	<i>Codonopsis rotundifolia</i>	<i>Codonopsis rotundifolia</i> var. <i>angustifolia</i>
<i>Codonopsis tangshen</i>	<i>Codonopsis tubulosa</i>	<i>Codonopsis ussuriensis</i>
<i>Codonopsis vinciflora</i>	<i>Codonopsis viridiflora</i>	<i>Codonopsis viridis</i>
<i>Codonopsis x grey-wilson</i>	<i>Colchicum agrippinum</i>	<i>Colchicum alpinum</i>
<i>Colchicum arenarium</i>	<i>Colchicum asteranthum</i>	<i>Colchicum atropurpureum</i>
<i>Colchicum atticum</i>	<i>Colchicum autumnale</i>	<i>Colchicum balansae</i>
<i>Colchicum baytopiorum</i>	<i>Colchicum bivonae</i>	<i>Colchicum boissieri</i>
<i>Colchicum borisii</i>	<i>Colchicum bornmuelleri</i>	<i>Colchicum bowlesianum</i>
<i>Colchicum brachyphyllum</i>	<i>Colchicum burtii</i>	<i>Colchicum byzantinum</i>
<i>Colchicum callicymbium</i>	<i>Colchicum chalcedonicum</i>	<i>Colchicum cilicicum</i>
<i>Colchicum cilicium</i>	<i>Colchicum confusum</i>	<i>Colchicum corsicum</i>
<i>Colchicum cousturieri</i>	<i>Colchicum creticum</i>	<i>Colchicum cupanii</i>
<i>Colchicum davisii</i>	<i>Colchicum deserti-syriaci</i>	<i>Colchicum diampolis</i>
<i>Colchicum falcifolium</i>	<i>Colchicum feinbruniae</i>	<i>Colchicum filifolium</i>
<i>Colchicum fominii</i>	<i>Colchicum giganteum</i>	<i>Colchicum graecum</i>
<i>Colchicum haynaldii</i>	<i>Colchicum hierosolymitanum</i>	<i>Colchicum hirsutum</i>
<i>Colchicum hungaricum</i>	<i>Colchicum hydrophilum</i>	<i>Colchicum kesselringii</i>
<i>Colchicum kotschyii</i>	<i>Colchicum kurdicum</i>	<i>Colchicum laetum</i>
<i>Colchicum lingulatum</i>	<i>Colchicum longiflorum</i>	<i>Colchicum longifolium</i>

<i>Colchicum lusitanicum</i>	<i>Colchicum luteum</i>	<i>Colchicum macedonicum</i>
<i>Colchicum macrophyllum</i>	<i>Colchicum micranthum</i>	<i>Colchicum minutum</i>
<i>Colchicum montanum</i>	<i>Colchicum munzurense</i>	<i>Colchicum neapolitanum</i>
<i>Colchicum nivale</i>	<i>Colchicum parlatoris</i>	<i>Colchicum parnassicum</i>
<i>Colchicum paschei</i>	<i>Colchicum persicum</i>	<i>Colchicum polyphyllum</i>
<i>Colchicum psaridis</i>	<i>Colchicum pusillum</i>	<i>Colchicum rhodopaeum</i>
<i>Colchicum ritchii</i>	<i>Colchicum robustum</i>	<i>Colchicum sanguicolle</i>
<i>Colchicum schimperi</i>	<i>Colchicum serpentinum</i>	<i>Colchicum sfikasianum</i>
<i>Colchicum soboliferum</i>	<i>Colchicum speciosum</i>	<i>Colchicum speciosum</i> var. <i>bornmuelleri</i>
<i>Colchicum steveni</i>	<i>Colchicum szovitsii</i>	<i>Colchicum trigynum</i>
<i>Colchicum triphyllum</i>	<i>Colchicum troodii</i>	<i>Colchicum turcicum</i>
<i>Colchicum tuviae</i>	<i>Colchicum umbrosum</i>	<i>Colchicum variegatum</i>
<i>Colchicum wendelboi</i>	<i>Colchicum woronowii</i>	<i>Colysis pteropus</i>
<i>Commiphora africana</i>	<i>Commiphora capensis</i>	<i>Commiphora gileadensis</i>
<i>Commiphora merkeri</i>	<i>Commiphora molmol</i>	<i>Commiphora mukul</i>
<i>Commiphora myrrha</i>	<i>Commiphora myrrha</i> var. <i>molmol</i>	<i>Commiphora opobalsamum</i>
<i>Commiphora schimperi</i>	<i>Commiphora wightii</i>	<i>Comptonia aspleniifolia</i>
<i>Comptonia peregrina</i>	<i>Conanthera bifolia</i>	<i>Conanthera campanulata</i>
<i>Conanthera echeandia</i>	<i>Conanthera johowii</i>	<i>Conanthera simsii</i>
<i>Conicosia affinis</i>	<i>Conicosia bijliai</i>	<i>Conicosia elongata</i>
<i>Conicosia fusiformis</i>	<i>Conicosia pugioniformis</i> subsp. <i>muirii</i>	<i>Conicosia robusta</i>
<i>Conicosia roodiae</i>	<i>Coniogramme intermedia</i>	<i>Coniogramme japonica</i>
<i>Conophytum achabense</i>	<i>Conophytum acutum</i>	<i>Conophytum aequale</i>
<i>Conophytum albiflorum</i>	<i>Conophytum altum</i>	<i>Conophytum ampliatum</i>
<i>Conophytum angelicae</i>	<i>Conophytum antonii</i>	<i>Conophytum apertum</i>
<i>Conophytum apiatum</i>	<i>Conophytum armianum</i>	<i>Conophytum arthurolfago</i>
<i>Conophytum auriflorum</i>	<i>Conophytum australe</i>	<i>Conophytum bachelorum</i>
<i>Conophytum barbatum</i>	<i>Conophytum bicarinatum</i>	<i>Conophytum bilobum</i>
<i>Conophytum bilobum</i> subsp. <i>altum</i>	<i>Conophytum blandum</i>	<i>Conophytum bolusiae</i>
<i>Conophytum boreale</i>	<i>Conophytum breve</i>	<i>Conophytum brevisectum</i>
<i>Conophytum brevitubum</i>	<i>Conophytum brunneum</i>	<i>Conophytum bruynsii</i>

<i>Conophytum burgeri</i>	<i>Conophytum calculus</i>	<i>Conophytum candidum</i>
<i>Conophytum caroli</i>	<i>Conophytum carpianum</i>	<i>Conophytum ceresianum</i>
<i>Conophytum chauviniae</i>	<i>Conophytum christiansenianum</i>	<i>Conophytum clarum</i>
<i>Conophytum clavatum</i>	<i>Conophytum complanatum</i>	<i>Conophytum compressum</i>
<i>Conophytum concavum</i>	<i>Conophytum concordans</i>	<i>Conophytum connatum</i>
<i>Conophytum conradii</i>	<i>Conophytum corculum</i>	<i>Conophytum coriaceum</i>
<i>Conophytum corniferum</i>	<i>Conophytum cubicum</i>	<i>Conophytum cupreatum</i>
<i>Conophytum cupreiflorum</i>	<i>Conophytum cylindratum</i>	<i>Conophytum danielii</i>
<i>Conophytum declinatum</i>	<i>Conophytum decoratum</i>	<i>Conophytum devium</i>
<i>Conophytum ecarinatum</i>	<i>Conophytum ectypum</i>	<i>Conophytum ectypum</i> var. <i>brownii</i>
<i>Conophytum edwardii</i>	<i>Conophytum eenkokerense</i>	<i>Conophytum elishae</i>
<i>Conophytum ernianum</i>	<i>Conophytum ernstii</i>	<i>Conophytum ficiforme</i>
<i>Conophytum flavum</i>	<i>Conophytum fossulatum</i>	<i>Conophytum fragile</i>
<i>Conophytum francisci</i>	<i>Conophytum fraternum</i>	<i>Conophytum friedrichiae</i>
<i>Conophytum frutescens</i>	<i>Conophytum fulleri</i>	<i>Conophytum gifbergense</i>
<i>Conophytum globosum</i>	<i>Conophytum gracile</i>	<i>Conophytum gracilistylum</i>
<i>Conophytum gratum</i>	<i>Conophytum hammeri</i>	<i>Conophytum helenae</i>
<i>Conophytum helmutii</i>	<i>Conophytum herreanthus</i>	<i>Conophytum herrei</i>
<i>Conophytum hians</i>	<i>Conophytum hillii</i>	<i>Conophytum hirtum</i>
<i>Conophytum intrepidum</i>	<i>Conophytum johannis</i>	<i>Conophytum johannis-winkleri</i>
<i>Conophytum karamapoense</i>	<i>Conophytum kennedyi</i>	<i>Conophytum klinghardtense</i>
<i>Conophytum koubergense</i>	<i>Conophytum kubusanum</i>	<i>Conophytum lacteum</i>
<i>Conophytum lambertense</i>	<i>Conophytum latum</i>	<i>Conophytum lavisianum</i>
<i>Conophytum leipoldtii</i>	<i>Conophytum leopardinum</i>	<i>Conophytum leucanthum</i>
<i>Conophytum leviculum</i>	<i>Conophytum lilianum</i>	<i>Conophytum limbatum</i>
<i>Conophytum limpidum</i>	<i>Conophytum lindenianum</i>	<i>Conophytum linearilucidum</i>
<i>Conophytum lithopsoides</i>	<i>Conophytum littlewoodii</i>	<i>Conophytum loeschianum</i>
<i>Conophytum longibracteatum</i>	<i>Conophytum longum</i>	<i>Conophytum luckhoffii</i>
<i>Conophytum marginatum</i>	<i>Conophytum marlothii</i>	<i>Conophytum marnierianum</i>
<i>Conophytum maughanii</i>	<i>Conophytum meyerae</i>	<i>Conophytum meyeri</i>
<i>Conophytum microstoma</i>	<i>Conophytum minimum</i>	<i>Conophytum minusculum</i>
<i>Conophytum minutiflorum</i>	<i>Conophytum minutum</i>	<i>Conophytum misellum</i>
<i>Conophytum miserum</i>	<i>Conophytum multicolor</i>	<i>Conophytum mundum</i>

<i>Conophytum muscosipapillatum</i>	<i>Conophytum nevillei</i>	<i>Conophytum novicium</i>
<i>Conophytum nudum</i>	<i>Conophytum obcordellum</i>	<i>Conophytum obscurum</i>
<i>Conophytum obtusum</i>	<i>Conophytum orbicum</i>	<i>Conophytum ornatum</i>
<i>Conophytum ovatum</i>	<i>Conophytum ovigerum</i>	<i>Conophytum pageae</i>
<i>Conophytum pardicolor</i>	<i>Conophytum parvulum</i>	<i>Conophytum pearsonii</i>
<i>Conophytum pellucidum</i>	<i>Conophytum phoeniceum</i>	<i>Conophytum picturatum</i>
<i>Conophytum piluliforme</i>	<i>Conophytum piluliforme</i> subsp. <i>edwardii</i>	<i>Conophytum piriforme</i>
<i>Conophytum placitum</i>	<i>Conophytum pluriforme</i>	<i>Conophytum polyandrum</i>
<i>Conophytum praesectum</i>	<i>Conophytum puberulum</i>	<i>Conophytum pubicalyx</i>
<i>Conophytum pulchellum</i>	<i>Conophytum quaesitum</i>	<i>Conophytum ramosum</i>
<i>Conophytum ratum</i>	<i>Conophytum rauhii</i>	<i>Conophytum regale</i>
<i>Conophytum ricardianum</i>	<i>Conophytum rolffii</i>	<i>Conophytum roodiae</i>
<i>Conophytum rostratum</i>	<i>Conophytum rufescens</i>	<i>Conophytum ruschii</i>
<i>Conophytum saxetanum</i>	<i>Conophytum schlechteri</i>	<i>Conophytum scitulum</i>
<i>Conophytum simplum</i>	<i>Conophytum smorenskaduense</i>	<i>Conophytum speciosum</i>
<i>Conophytum spectabile</i>	<i>Conophytum springbokense</i>	<i>Conophytum stayneri</i>
<i>Conophytum stenandrum</i>	<i>Conophytum stephanii</i>	<i>Conophytum stipitatum</i>
<i>Conophytum subfenestratum</i>	<i>Conophytum subglobosum</i>	<i>Conophytum subincanum</i>
<i>Conophytum subrisum</i>	<i>Conophytum sulcatum</i>	<i>Conophytum supremum</i>
<i>Conophytum tantillum</i>	<i>Conophytum taylorianum</i>	<i>Conophytum terrestre</i>
<i>Conophytum terricolor</i>	<i>Conophytum tetracarpum</i>	<i>Conophytum tischleri</i>
<i>Conophytum triebneri</i>	<i>Conophytum truncatellum</i>	<i>Conophytum truncatum</i>
<i>Conophytum turbiniforme</i>	<i>Conophytum udabihense</i>	<i>Conophytum umdausense</i>
<i>Conophytum ursprungianum</i>	<i>Conophytum uvaeforme</i>	<i>Conophytum uviforme</i>
<i>Conophytum vanbredae</i>	<i>Conophytum vanheerdii</i>	<i>Conophytum vanzyliae</i>
<i>Conophytum variabile</i>	<i>Conophytum velutinum</i>	<i>Conophytum verrucosum</i>
<i>Conophytum violaciflorum</i>	<i>Conophytum viridicatum</i>	<i>Conophytum vitreopapillum</i>
<i>Conophytum vlakmynense</i>	<i>Conophytum wettsteinii</i>	<i>Conophytum wiggettae</i>
<i>Conophytum wittebergense</i>	<i>Conophytum youngii</i>	<i>Conostylis aculeata</i>
<i>Conostylis pauciflora</i>	<i>Corydalis adunca</i>	<i>Corydalis afghanica</i>
<i>Corydalis aitchisonii</i>	<i>Corydalis alaschanica</i>	<i>Corydalis albiflora</i>
<i>Corydalis alexeenkoana</i>	<i>Corydalis alpestris</i>	<i>Corydalis alpina</i>

<i>Corydalis ambigua</i>	<i>Corydalis angustifolia</i>	<i>Corydalis aurea</i>
<i>Corydalis benecincta</i>	<i>Corydalis blanda</i>	<i>Corydalis bracteata</i>
<i>Corydalis bulbosa</i>	<i>Corydalis buschii</i>	<i>Corydalis canadensis</i>
<i>Corydalis caucasica</i>	<i>Corydalis cava</i>	<i>Corydalis cheilanthifolia</i>
<i>Corydalis chionophila</i>	<i>Corydalis conorrhiza</i>	<i>Corydalis curviflora</i>
<i>Corydalis darwasica</i>	<i>Corydalis densiflora</i>	<i>Corydalis diphylla</i>
<i>Corydalis ecristata</i>	<i>Corydalis edulis</i>	<i>Corydalis elata</i>
<i>Corydalis elata x flexuosa</i>	<i>Corydalis elegans</i>	<i>Corydalis emanuelii</i>
<i>Corydalis erdelii</i>	<i>Corydalis fabacea</i>	<i>Corydalis firouzii</i>
<i>Corydalis flaccida</i>	<i>Corydalis flexuosa</i>	<i>Corydalis fumariifolia</i>
<i>Corydalis glauca</i>	<i>Corydalis glaucescens</i>	<i>Corydalis gorinensis</i>
<i>Corydalis gotlandica</i>	<i>Corydalis govaniana</i>	<i>Corydalis grandicalyx</i>
<i>Corydalis griffithii</i>	<i>Corydalis hallaisanensis</i>	<i>Corydalis haussknechtii</i>
<i>Corydalis hemidicentra</i>	<i>Corydalis henrikii</i>	<i>Corydalis heterocarpa</i>
<i>Corydalis incisa</i>	<i>Corydalis integra</i>	<i>Corydalis intermedia</i>
<i>Corydalis juncea</i>	<i>Corydalis kusnetzovii</i>	<i>Corydalis latiflora</i>
<i>Corydalis ledebouriana</i>	<i>Corydalis lineariloba</i>	<i>Corydalis linstowiana</i>
<i>Corydalis longipes</i>	<i>Corydalis lutea</i>	<i>Corydalis magadanica</i>
<i>Corydalis malkensis</i>	<i>Corydalis maracandica</i>	<i>Corydalis megacalyx</i>
<i>Corydalis meifolia</i>	<i>Corydalis melanochlora</i>	<i>Corydalis mildbraedii</i>
<i>Corydalis moorcroftiana</i>	<i>Corydalis nariniana</i>	<i>Corydalis nobilis</i>
<i>Corydalis nudicaulis</i>	<i>Corydalis ochotensis</i>	<i>Corydalis ochroleuca</i>
<i>Corydalis ophiocarpa</i>	<i>Corydalis oppositifolia</i>	<i>Corydalis ornata</i>
<i>Corydalis orthoceras</i>	<i>Corydalis oxypetala</i>	<i>Corydalis pachycentra</i>
<i>Corydalis paczoskii</i>	<i>Corydalis pallida</i>	<i>Corydalis papilligera</i>
<i>Corydalis parnassica</i>	<i>Corydalis paschei</i>	<i>Corydalis pauciflora</i>
<i>Corydalis persica</i>	<i>Corydalis petrophila</i>	<i>Corydalis polygalina</i>
<i>Corydalis popovii</i>	<i>Corydalis pseudoadoxa</i>	<i>Corydalis pumila</i>
<i>Corydalis rosea</i>	<i>Corydalis ruksansii</i>	<i>Corydalis rupestris</i>
<i>Corydalis rutifolia</i>	<i>Corydalis scaberula</i>	<i>Corydalis schanginii</i>
<i>Corydalis scouleri</i>	<i>Corydalis seisumsiana</i>	<i>Corydalis sempervirens</i>
<i>Corydalis sewerzowii</i>	<i>Corydalis smithiana</i>	<i>Corydalis solida</i>
<i>Corydalis taliensis</i>	<i>Corydalis tauricola</i>	<i>Corydalis thrysiflora</i>
<i>Corydalis tomentella</i>	<i>Corydalis triternata</i>	<i>Corydalis tuberosa</i>

<i>Corydalis ussuriensis</i>	<i>Corydalis verticillaris</i>	<i>Corydalis vittae</i>
<i>Corydalis wendelboi</i>	<i>Corydalis wilsonii</i>	<i>Corydalis x allenii</i>
<i>Corydalis zeaensis</i>	<i>Corydalis zetterlandii</i>	<i>Corydalis zetterlundii</i>
<i>Costus afer</i>	<i>Costus arabicus</i>	<i>Costus arrabidae</i>
<i>Costus barbatus</i>	<i>Costus brasiliensis</i>	<i>Costus comosus</i>
<i>Costus comosus x productus</i>	<i>Costus curvibracteatus</i>	<i>Costus cuspidatus</i>
<i>Costus cylindricus</i>	<i>Costus discolor</i>	<i>Costus dubius</i>
<i>Costus erythrocoreyne</i>	<i>Costus erythrophylloides</i>	<i>Costus glabratus</i>
<i>Costus gracilis</i>	<i>Costus guanaiensis</i>	<i>Costus igneus</i>
<i>Costus malortieanus</i>	<i>Costus megalobracteata</i>	<i>Costus niveo-purpureus</i>
<i>Costus niveus</i>	<i>Costus pictus</i>	<i>Costus pilgeri</i>
<i>Costus potierae</i>	<i>Costus productus</i>	<i>Costus pubescens</i>
<i>Costus pulverulentus</i>	<i>Costus ramosus</i>	<i>Costus ruber</i>
<i>Costus sericeus</i>	<i>Costus sextus</i>	<i>Costus speciosus</i>
<i>Costus spicatus</i>	<i>Costus spiralis</i>	<i>Costus subsessilis</i>
<i>Costus validus</i>	<i>Costus verschaffeltii</i>	<i>Costus woodsonii</i>
<i>Cotyledon arborescens</i>	<i>Cotyledon barbeyi</i>	<i>Cotyledon buchholziana</i>
<i>Cotyledon cristata</i>	<i>Cotyledon cuneata</i>	<i>Cotyledon dinteri</i>
<i>Cotyledon eliseae</i>	<i>Cotyledon eurychlamys</i>	<i>Cotyledon gibbiflora</i>
<i>Cotyledon glauca</i>	<i>Cotyledon integra</i>	<i>Cotyledon macrantha</i>
<i>Cotyledon muirii</i>	<i>Cotyledon nodulosa</i>	<i>Cotyledon oblonga</i>
<i>Cotyledon orbiculata</i>	<i>Cotyledon orbiculata</i> var. <i>oblonga</i>	<i>Cotyledon orbiculata</i> var. <i>orbiculata</i>
<i>Cotyledon ovata</i>	<i>Cotyledon paniculata</i>	<i>Cotyledon papillaris</i>
<i>Cotyledon paraguayensis</i>	<i>Cotyledon pendens</i>	<i>Cotyledon sinus-alexandri</i>
<i>Cotyledon tomentosa</i>	<i>Cotyledon umbilicus</i>	<i>Cotyledon undulata</i>
<i>Cotyledon velutina</i>	<i>Cotyledon wallichii</i>	<i>Couepia edulis</i>
<i>Couroupita guianensis</i>	<i>Crassula acutifolia</i>	<i>Crassula alata</i>
<i>Crassula alata</i> var. <i>alata</i>	<i>Crassula albiflora</i>	<i>Crassula anomala</i>
<i>Crassula aquatica</i>	<i>Crassula arborescens</i>	<i>Crassula argentea</i>
<i>Crassula arta</i>	<i>Crassula atropurpurea</i>	<i>Crassula atropurpurea</i> var. <i>anomala</i>
<i>Crassula atropurpurea</i> var. <i>atropurpurea</i>	<i>Crassula atropurpurea</i> var. <i>rubella</i>	<i>Crassula bakeri</i>
<i>Crassula barklyi</i>	<i>Crassula biplanata</i>	<i>Crassula brevifolia</i>

<i>Crassula capitella</i>	<i>Crassula capitella</i> subsp. <i>thyrsiflora</i>	<i>Crassula cephalophora</i>
<i>Crassula ciliata</i>	<i>Crassula coccinea</i>	<i>Crassula colorata</i>
<i>Crassula conjuncta</i>	<i>Crassula corymbulosa</i>	<i>Crassula deceptor</i>
<i>Crassula decumbens</i>	<i>Crassula decumbens</i> var. <i>decumbens</i>	<i>Crassula deltoidea</i>
<i>Crassula ericoides</i>	<i>Crassula ericoides</i> subsp. <i>ericoides</i>	<i>Crassula falcata</i>
<i>Crassula falcata</i> x <i>mesembryanthemopsis</i>	<i>Crassula globularioides</i> subsp. <i>argyrophylla</i>	<i>Crassula glomerata</i>
<i>Crassula grisea</i>	<i>Crassula helmsii</i>	<i>Crassula hemisphaerica</i>
<i>Crassula heterotricha</i>	<i>Crassula hirtipes</i>	<i>Crassula hystrix</i>
<i>Crassula lactea</i>	<i>Crassula lanuginosa</i>	<i>Crassula lanuginosa</i> var. <i>pachystemon</i>
<i>Crassula lycopodioides</i>	<i>Crassula macowaniana</i>	<i>Crassula</i> <i>mesembryanthemopsis</i>
<i>Crassula multicava</i>	<i>Crassula multicava</i> subsp. <i>multicava</i>	<i>Crassula muscosa</i>
<i>Crassula muscosa</i> var. <i>muscosa</i>	<i>Crassula natans</i>	<i>Crassula natans</i> var. <i>minus</i>
<i>Crassula nudicaulis</i>	<i>Crassula obliqua</i>	<i>Crassula obovata</i>
<i>Crassula ovallata</i>	<i>Crassula ovata</i>	<i>Crassula pachystemon</i>
<i>Crassula pellucida</i>	<i>Crassula perfoliata</i>	<i>Crassula perfoliata</i> var. <i>coccinea</i>
<i>Crassula perfoliata</i> var. <i>falcata</i>	<i>Crassula perfoliata</i> var. <i>heterotricha</i>	<i>Crassula perfoliata</i> var. <i>minor</i>
<i>Crassula perforata</i>	<i>Crassula perfossa</i>	<i>Crassula plegmatoides</i>
<i>Crassula portulacaria</i>	<i>Crassula portulacea</i>	<i>Crassula pyramidalis</i>
<i>Crassula quadrangularis</i>	<i>Crassula rotundifolia</i>	<i>Crassula rubella</i>
<i>Crassula rubricaulis</i>	<i>Crassula rupestris</i>	<i>Crassula rupestris</i> subsp. <i>marnieriana</i> x <i>quadrangularis</i>
<i>Crassula sarcocaulis</i> subsp. <i>sarcocaulis</i>	<i>Crassula sarmentosa</i>	<i>Crassula sarmentosa</i> var. <i>sarmentosa</i>
<i>Crassula schmidtii</i>	<i>Crassula sieberana</i>	<i>Crassula socialis</i>
<i>Crassula spathulata</i>	<i>Crassula susannae</i>	<i>Crassula tecta</i>
<i>Crassula tetragona</i>	<i>Crassula tetragona</i> subsp. <i>acutifolia</i>	<i>Crassula thunbergiana</i>
<i>Crassula thunbergiana</i> subsp. <i>thunbergiana</i>	<i>Crassula thyrsiflora</i>	<i>Crateva adansonii</i>

<i>Crepidomanes venosum</i>	<i>Crinodendron hookerianum</i>	<i>Crinodendron lanceolata</i>
<i>Crinodendron patagua</i>	<i>Crocosmia aurea</i>	<i>Crocosmia fucata</i>
<i>Crocosmia latifolia</i>	<i>Crocosmia masoniorum</i>	<i>Crocosmia paniculata</i>
<i>Crocosmia pottsii</i>	<i>Cryophytum crystallinum</i>	<i>Cryptocoryne beckettii</i>
<i>Ctenanthe burle-marxii</i> var. <i>obscura</i>	<i>Ctenanthe kummeriana</i>	<i>Ctenanthe lubbersiana</i>
<i>Ctenanthe oppenheimiana</i>	<i>Ctenanthe setosa</i>	<i>Ctenitis lepigera</i>
<i>Ctenitis sloanei</i>	<i>Ctenitis subglandulosa</i>	<i>Culcita dubia</i>
<i>Cunonia capensis</i>	<i>Curculigo capitulata</i>	<i>Curculigo ensifolia</i>
<i>Curculigo orchoides</i>	<i>Curculigo recurvata</i>	<i>Curculigo seychellensis</i>
<i>Curcuma alismatifolia</i>	<i>Curcuma amada</i>	<i>Curcuma aromatica</i>
<i>Curcuma australasica</i>	<i>Curcuma caesia</i>	<i>Curcuma cordata</i>
<i>Curcuma domestica</i>	<i>Curcuma elata</i>	<i>Curcuma gracillima</i>
<i>Curcuma inodora</i>	<i>Curcuma longa</i>	<i>Curcuma parviflora</i>
<i>Curcuma roscooeana</i>	<i>Curcuma rubescens</i>	<i>Curcuma zedoaria</i>
<i>Cyananthus argenteus</i>	<i>Cyananthus incanus</i>	<i>Cyananthus lobatus</i>
<i>Cyananthus longiflorus</i>	<i>Cyananthus microphyllus</i>	<i>Cyananthus neglectus</i>
<i>Cyananthus petiolatus</i>	<i>Cyananthus pilifolius</i>	<i>Cyanella alba</i>
<i>Cyanella hyacinthoides</i>	<i>Cyathea angustata</i>	<i>Cyathea anhriscifolia</i>
<i>Cyathea australis</i>	<i>Cyathea bicrenata</i>	<i>Cyathea brownii</i>
<i>Cyathea brunei</i>	<i>Cyathea celebica</i>	<i>Cyathea cooperi</i>
<i>Cyathea cunninghamii</i>	<i>Cyathea dealbata</i>	<i>Cyathea delgadii</i>
<i>Cyathea dentata</i>	<i>Cyathea dregei</i>	<i>Cyathea kermadecensis</i>
<i>Cyathea medullaris</i>	<i>Cyathea robusta</i>	<i>Cyathea smithii</i>
<i>Cyathea spinulosa</i>	<i>Cyathea tomentosa</i>	<i>Cyathea tomentosissima</i>
<i>Cyathea vieillardii</i>	<i>Cycas angulata</i>	<i>Cycas apoa</i>
<i>Cycas arenicola</i>	<i>Cycas armstrongii</i>	<i>Cycas arnhemica</i>
<i>Cycas badensis</i>	<i>Cycas baguanheensis</i>	<i>Cycas balansae</i>
<i>Cycas basaltica</i>	<i>Cycas beddomei</i>	<i>Cycas bifida</i>
<i>Cycas bougainvilleana</i>	<i>Cycas brunnea</i>	<i>Cycas caffer</i>
<i>Cycas cairnsiana</i>	<i>Cycas calcicola</i>	<i>Cycas campestris</i>
<i>Cycas canalis</i>	<i>Cycas candida</i>	<i>Cycas chamberlainii</i>
<i>Cycas circinalis</i>	<i>Cycas circinalis</i> var. <i>javana</i>	<i>Cycas conferta</i>
<i>Cycas couttsiana</i>	<i>Cycas curranii</i>	<i>Cycas debaoensis</i>

<i>Cycas desolata</i>	<i>Cycas diannanensis</i>	<i>Cycas edentata</i>
<i>Cycas elephantipes</i>	<i>Cycas foifuracea</i>	<i>Cycas guizhouensis</i>
<i>Cycas hainanensis</i>	<i>Cycas inermis</i>	<i>Cycas javana</i>
<i>Cycas jenkinsiana</i>	<i>Cycas kennedyana</i>	<i>Cycas lane-poolei</i>
<i>Cycas lindstromii</i>	<i>Cycas longipetiolula</i>	<i>Cycas maconochiei</i>
<i>Cycas media</i>	<i>Cycas megacarpa</i>	<i>Cycas micholitzii</i>
<i>Cycas micronesica</i>	<i>Cycas miquelii</i>	<i>Cycas multifrondis</i>
<i>Cycas multipinnata</i>	<i>Cycas nongnoochiae</i>	<i>Cycas normanbyana</i>
<i>Cycas ophiolitica</i>	<i>Cycas orientis</i>	<i>Cycas panzhihuaensis</i>
<i>Cycas papuana</i>	<i>Cycas pectinata</i>	<i>Cycas petraea</i>
<i>Cycas platyphylla</i>	<i>Cycas pruinosa</i>	<i>Cycas revoluta</i>
<i>Cycas riuminiana</i>	<i>Cycas rumphii</i>	<i>Cycas schumanniana</i>
<i>Cycas scratchleyana</i>	<i>Cycas seemannii</i>	<i>Cycas segmentifida</i>
<i>Cycas semota</i>	<i>Cycas siamensis</i>	<i>Cycas silvestris</i>
<i>Cycas simplicipinna</i>	<i>Cycas sphaerica</i>	<i>Cycas szechuanensis</i>
<i>Cycas taitungensis</i>	<i>Cycas taiwaniana</i>	<i>Cycas tanqingii</i>
<i>Cycas tansachana</i>	<i>Cycas thouarsii</i>	<i>Cycas tropophylla</i>
<i>Cycas tuckeri</i>	<i>Cycas undulata</i>	<i>Cycas wadei</i>
<i>Cycas xipholepis</i>	<i>Cycas yorkiana</i>	<i>Cycas zeylanica</i>
<i>Cyclobothra elegans</i>	<i>Cyclosorus aridus</i>	<i>Cyclosorus gongyloides</i>
<i>Cyclosorus parasiticus</i>	<i>Cylindrophyllum comptonii</i>	<i>Cylindrophyllum dyeri</i>
<i>Cyrilla racemiflora</i>	<i>Cyrtomium falcatum</i>	<i>Cyrtosperma afzelii</i>
<i>Cyrtosperma americanum</i>	<i>Cyrtosperma angustilobum</i>	<i>Cyrtosperma beccarianum</i>
<i>Cyrtosperma beccarianum x cuspidispatherm</i>	<i>Cyrtosperma bougainvillense</i>	<i>Cyrtosperma brassii</i>
<i>Cyrtosperma carrii</i>	<i>Cyrtosperma chamissonis</i>	<i>Cyrtosperma consobrinum</i>
<i>Cyrtosperma cuspidilobum</i>	<i>Cyrtosperma cuspidispatherm</i>	<i>Cyrtosperma dubium</i>
<i>Cyrtosperma edule</i>	<i>Cyrtosperma ferox</i>	<i>Cyrtosperma giganteum</i>
<i>Cyrtosperma gressittorum</i>	<i>Cyrtosperma hambalii</i>	<i>Cyrtosperma hastatum</i>
<i>Cyrtosperma intermedium</i>	<i>Cyrtosperma janowskyi</i>	<i>Cyrtosperma johnstonii</i>
<i>Cyrtosperma kokodense</i>	<i>Cyrtosperma lasioides</i>	<i>Cyrtosperma macrotum</i>
<i>Cyrtosperma matrieffianum</i>	<i>Cyrtosperma merkusii</i>	<i>Cyrtosperma nadeaudianum</i>
<i>Cyrtosperma senegalense</i>	<i>Cyrtosperma spruceanum</i>	<i>Cyrtosperma subulispathum</i>
<i>Cyrtosperma syapense</i>	<i>Cyrtosperma wurdackii</i>	<i>Cystea fragilis</i>

<i>Cystodium sorbifolium</i>	<i>Cystopteris acuta</i>	<i>Cystopteris baenitzii</i>
<i>Cystopteris canariensis</i>	<i>Cystopteris dentata</i>	<i>Cystopteris diaphana</i>
<i>Cystopteris dickieana</i>	<i>Cystopteris emarginatodenticulata</i>	<i>Cystopteris fragilis</i>
<i>Cystopteris fumariooides</i>	<i>Cystopteris orientalis</i>	<i>Cystopteris polymorpha</i>
<i>Cystopteris translucens</i>	<i>Cystopteris viridula</i>	<i>Dacrycarpus dacrydioides</i>
<i>Dacrydium araucariooides</i>	<i>Dacrydium balansae</i>	<i>Dacrydium cupressinum</i>
<i>Dacrydium franklinii</i>	<i>Dacrydium guillauminii</i>	<i>Dacrydium nausoriense</i>
<i>Dacrydium nidulum</i>	<i>Dacrydium plumosum</i>	<i>Dacryodes edulis</i>
<i>Dactylicapnos scandens</i>	<i>Dactylicapnos thalictrifolia</i>	<i>Dais cotinifolia</i>
<i>Daiswa delavayi</i>	<i>Daiswa forrestii</i>	<i>Daiswa yunnanensis</i>
<i>Dampiera alata</i>	<i>Dampiera altissima</i>	<i>Dampiera coronata</i>
<i>Dampiera cuneata</i>	<i>Dampiera discolor</i>	<i>Dampiera diversifolia</i>
<i>Dampiera eriocephala</i>	<i>Dampiera hederacea</i>	<i>Dampiera juncea</i>
<i>Dampiera lanceolata</i>	<i>Dampiera linearis</i>	<i>Dampiera maideniana</i>
<i>Dampiera pedunculata</i>	<i>Dampiera purpurea</i>	<i>Dampiera rosmarinifolia</i>
<i>Dampiera sacculata</i>	<i>Dampiera sericantha</i>	<i>Dampiera spicigera</i>
<i>Dampiera stenophylla</i>	<i>Dampiera stowardii</i>	<i>Dampiera stricta</i>
<i>Dampiera teres</i>	<i>Dampiera trigona</i>	<i>Dampiera wellsiana</i>
<i>Darlingtonia californica</i>	<i>Darmera peltata</i>	<i>Dasypogon bromeliifolius</i>
<i>Dasypogon hookeri</i>	<i>Dasypogon obliquifolius</i>	<i>Dasystephana porphyrio</i>
<i>Datisca cannabina</i>	<i>Datisca hirta</i>	<i>Davallia bullata</i>
<i>Davallia canariensis</i>	<i>Davallia divaricata</i>	<i>Davallia fejeensis</i>
<i>Davallia griffithiana</i>	<i>Davallia mariesii</i>	<i>Davallia pectinata</i>
<i>Davallia pentaphylla</i>	<i>Davallia pyxidata</i>	<i>Davallia repens</i>
<i>Davallia solida</i>	<i>Davallia tasmanii</i>	<i>Davallia trichomanoides</i>
<i>Davidia involucrata</i>	<i>Decaisnea fargesii</i>	<i>Decussocarpus falcatus</i>
<i>Deilanthe hilmarii</i>	<i>Deilanthe peersii</i>	<i>Deilanthe thudichumii</i>
<i>Delosperma aberdeenense</i>	<i>Delosperma algoense</i>	<i>Delosperma ashtonii</i>
<i>Delosperma cooperi</i>	<i>Delosperma echinatum</i>	<i>Delosperma ecklonis</i>
<i>Delosperma hirtum</i>	<i>Delosperma lehmannii</i>	<i>Delosperma litorale</i>
<i>Delosperma luteum</i>	<i>Delosperma steytlerae</i>	<i>Delosperma tradescantoides</i>
<i>Delosperma vinaceum</i>	<i>Dendromecon harfordii</i>	<i>Desfontainia spinosa</i>
<i>Diblemma samarensis</i>	<i>Dicentra 'Ivory hearts'</i>	<i>Dicentra canadensis</i>

<i>Dicentra chrysantha</i>	<i>Dicentra cucullaria</i>	<i>Dicentra eximia</i>
<i>Dicentra formosa</i>	<i>Dicentra formosa</i> subsp. <i>formosa</i>	<i>Dicentra lichiangensis</i>
<i>Dicentra macrantha</i>	<i>Dicentra macrocapnos</i>	<i>Dicentra nevadensis</i>
<i>Dicentra ochroleuca</i>	<i>Dicentra oregona</i>	<i>Dicentra pauciflora</i>
<i>Dicentra 'Percy Picton'</i>	<i>Dicentra peregrina</i>	<i>Dicentra peregrina x formosa</i>
<i>Dicentra peregrina x spectabilis</i>	<i>Dicentra pusilla</i>	<i>Dicentra scandens</i>
<i>Dicentra spectabilis</i>	<i>Dicentra torulosa</i>	<i>Dicentra uniflora</i>
<i>Dicksonia antarctica</i>	<i>Dicksonia fibrosa</i>	<i>Dicksonia gigantea</i>
<i>Dicksonia herbertii</i>	<i>Dicksonia karsteniana</i>	<i>Dicksonia lanata</i>
<i>Dicksonia sellowiana</i>	<i>Dicksonia squarrosa</i>	<i>Diclytra scandens</i>
<i>Dicranopygium lugonis</i>	<i>Dicranopygium yacu-sisa</i>	<i>Dicranostigma franchetianum</i>
<i>Dicrocaulon brevifolium</i>	<i>Dictylymon macrorrhabdos</i>	<i>Didierea comosa</i>
<i>Didierea dumosa</i>	<i>Didierea madagascariensis</i>	<i>Didierea mirabilis</i>
<i>Didierea procera</i>	<i>Didierea trollii</i>	<i>Didymochlaena lunulata</i>
<i>Didymochlaena truncatula</i>	<i>Dieffenbachia amoena</i>	<i>Dieffenbachia barquiniana</i>
<i>Dieffenbachia bowmannii</i>	<i>Dieffenbachia exotica</i>	<i>Dieffenbachia fournieri</i>
<i>Dieffenbachia gigantea</i>	<i>Dieffenbachia hoffmannii</i>	<i>Dieffenbachia maculata</i>
<i>Dieffenbachia picta</i>	<i>Dieffenbachia picta</i> var. <i>baraquiniana</i>	<i>Dieffenbachia pittieri</i>
<i>Dieffenbachia reginae</i>	<i>Dieffenbachia seguine</i>	<i>Dieffenbachia stenophylla</i>
<i>Dierama 'Puck'</i>	<i>Dierama ambiguum</i>	<i>Dierama argyreum</i>
<i>Dierama atrum</i>	<i>Dierama cooperi</i>	<i>Dierama cupuliflorum</i>
<i>Dierama dissimile</i>	<i>Dierama dracomontanum</i>	<i>Dierama erectum</i>
<i>Dierama floriferum</i>	<i>Dierama formosum</i>	<i>Dierama galpinii</i>
<i>Dierama grandiflorum</i>	<i>Dierama igneum</i>	<i>Dierama insigne</i>
<i>Dierama jucundum</i>	<i>Dierama latifolium</i>	<i>Dierama luteoalbidum</i>
<i>Dierama luteo-albidum</i>	<i>Dierama medium</i>	<i>Dierama mossii</i>
<i>Dierama nixonianum</i>	<i>Dierama pallidum</i>	<i>Dierama pauciflorum</i>
<i>Dierama pendulum</i>	<i>Dierama plowesii</i>	<i>Dierama pulcherrimum</i>
<i>Dierama pumilum</i>	<i>Dierama reynoldsii</i>	<i>Dierama robustum</i>
<i>Dierama sertum</i>	<i>Dierama trichorhizum</i>	<i>Dierama tyrium</i>
<i>Dites bicolor</i>	<i>Dites butcheriana</i>	<i>Dites flavidia</i>
<i>Dites grandiflora</i>	<i>Dites huttonii</i>	<i>Dites iridioides</i>

<i>Dietenia robinsoniana</i>	<i>Dietenia vegeta</i>	<i>Dilatris corymbosa</i>
<i>Dilatris ixiooides</i>	<i>Dilatris pillansii</i>	<i>Dilatris viscosa</i>
<i>Dillenia excelsa</i>	<i>Dillenia indica</i>	<i>Dinteranthus inexpectatus</i>
<i>Dinteranthus microspermus</i>	<i>Dinteranthus pole-evansii</i>	<i>Dinteranthus puberulus</i>
<i>Dinteranthus vanzylii</i>	<i>Dinteranthus wilmotianus</i>	<i>Dionaea muscipula</i>
<i>Dionysia archibaldii</i>	<i>Dionysia aretioides</i>	<i>Dionysia bazoftica</i>
<i>Dionysia bryoides</i>	<i>Dionysia caespitosa</i>	<i>Dionysia freitagii</i>
<i>Dionysia involucrata</i>	<i>Dionysia iranshariae</i>	<i>Dionysia lamingtonii</i>
<i>Dionysia lurorum</i>	<i>Dionysia microphylla</i>	<i>Dionysia mozaffarianii</i>
<i>Dionysia tapetodes</i>	<i>Dionysia teucrioides</i>	<i>Dionysia viscidula</i>
<i>Dioon angustifolium</i>	<i>Dioon argenteum</i>	<i>Dioon califanoi</i>
<i>Dioon caputoi</i>	<i>Dioon edule</i>	<i>Dioon edule</i> var. <i>angustifolium</i>
<i>Dioon holmgrenii</i>	<i>Dioon mejiae</i>	<i>Dioon merolae</i>
<i>Dioon purpusii</i>	<i>Dioon rzedowskii</i>	<i>Dioon sonorense</i>
<i>Dioon spinulosum</i>	<i>Dioon stevensonii</i>	<i>Dioon tomasellii</i>
<i>Dioon tomasellii</i> var. <i>sonorense</i>	<i>Dioscorea aculeata</i>	<i>Dioscorea alata</i>
<i>Dioscorea araucana</i>	<i>Dioscorea batatas</i>	<i>Dioscorea bulbifera</i>
<i>Dioscorea discolor</i>	<i>Dioscorea dregeana</i>	<i>Dioscorea dumetorum</i>
<i>Dioscorea elephantipes</i>	<i>Dioscorea esculenta</i>	<i>Dioscorea glabra</i>
<i>Dioscorea globosa</i>	<i>Dioscorea hemicrypta</i>	<i>Dioscorea hirticaulis</i>
<i>Dioscorea japonica</i>	<i>Dioscorea latifolia</i>	<i>Dioscorea macrostachya</i>
<i>Dioscorea opposita</i>	<i>Dioscorea paniculata</i>	<i>Dioscorea rotundata</i>
<i>Dioscorea rubella</i>	<i>Dioscorea rupicola</i>	<i>Dioscorea sansibarensis</i>
<i>Dioscorea sativa</i>	<i>Dioscorea septemloba</i>	<i>Dioscorea sylvatica</i>
<i>Dioscorea sylvatica</i> var. <i>paniculata</i>	<i>Dioscorea tokoro</i>	<i>Dioscorea transversa</i>
<i>Dioscorea villosa</i>	<i>Dioscorea villosa</i> var. <i>hirticaulis</i>	<i>Diplacus aurantiacus</i>
<i>Diplacus puniceus</i>	<i>Diporidium serrulata</i>	<i>Dipteris conjugata</i>
<i>Dipterocarpus alatus</i>	<i>Dipterocarpus obtusifolius</i>	<i>Dipterocarpus punctulatus</i>
<i>Dipterocarpus tuberculatus</i>	<i>Dipterocarpus turbinatus</i>	<i>Disphyma australe</i>
<i>Disphyma clavellatum</i>	<i>Disphyma crassifolium</i>	<i>Disporum bracystemon</i>
<i>Disporum cantoniense</i>	<i>Disporum hookeri</i>	<i>Disporum sessile</i>
<i>Disporum smilacinum</i>	<i>Disporum smithii</i>	<i>Disporum uniflorum</i>

<i>Dobrowskya tenella</i>	<i>Dodecatheon alpinum</i>	<i>Dodecatheon clevelandii</i>
<i>Dodecatheon conjugens</i>	<i>Dodecatheon dentatum</i>	<i>Dodecatheon hendersonii</i>
<i>Dodecatheon jeffreyi</i>	<i>Dodecatheon meadia</i>	<i>Dodecatheon poeticum</i>
<i>Dodecatheon pulchellum</i>	<i>Dodecatheon x lemoinei</i>	<i>Donax canniformis</i>
<i>Doodia aspera</i>	<i>Doodia caudata</i>	<i>Doodia maxima</i>
<i>Doodia media</i>	<i>Doodia squarrosa</i>	<i>Dorotheanthus bellidiformis</i>
<i>Dorotheanthus oculatus</i>	<i>Dortmanna roughii</i>	<i>Doryanthes excelsa</i>
<i>Doryanthes palmeri</i>	<i>Doryopteris ludens</i>	<i>Doryopteris palmata</i>
<i>Doryopteris pedata</i>	<i>Doryopteris pedata</i> var. <i>palmata</i>	<i>Douglasia montana</i>
<i>Dracontium amazonense</i>	<i>Dracontium angustispathum</i>	<i>Dracontium asperispathum</i>
<i>Dracontium asperum</i>	<i>Dracontium bogneri</i>	<i>Dracontium changuango</i>
<i>Dracontium croatii</i>	<i>Dracontium dressleri</i>	<i>Dracontium foecundum</i>
<i>Dracontium foetidum</i>	<i>Dracontium gigas</i>	<i>Dracontium grandispathum</i>
<i>Dracontium grayumianum</i>	<i>Dracontium margaretae</i>	<i>Dracontium nivosum</i>
<i>Dracontium peruvianum</i>	<i>Dracontium pittieri</i>	<i>Dracontium polyphyllum</i>
<i>Dracontium purdieanum</i>	<i>Dracontium socunuscum</i>	<i>Dracontium ulei</i>
<i>Dracophilus dealbatus</i>	<i>Dracophilus montis-draconis</i>	<i>Dracophilus proximus</i>
<i>Dracophilus rheolens</i>	<i>Dracunculus canariensis</i>	<i>Dracunculus muscivorus</i>
<i>Dracunculus vulgaris</i>	<i>Drosanthemum albiflorum</i>	<i>Drosanthemum bicolor</i>
<i>Drosanthemum floribundum</i>	<i>Drosanthemum hispidum</i>	<i>Drosanthemum lavisii</i>
<i>Drosanthemum micans</i>	<i>Drosanthemum midas</i>	<i>Drosanthemum pruinosa</i>
<i>Drosanthemum speciosum</i>	<i>Drosanthemum striatum</i>	<i>Drosera adelae</i>
<i>Drosera admirabilis</i>	<i>Drosera affinis</i>	<i>Drosera aliciae</i>
<i>Drosera anglica</i>	<i>Drosera ascendens</i>	<i>Drosera auriculata</i>
<i>Drosera binata</i>	<i>Drosera bulbosa</i>	<i>Drosera burkeana</i>
<i>Drosera burmannii</i>	<i>Drosera capensis</i>	<i>Drosera capillaris</i>
<i>Drosera cistiflora</i>	<i>Drosera collinsiae</i>	<i>Drosera darwinensis</i>
<i>Drosera ericksoniae</i>	<i>Drosera erythrorhiza</i>	<i>Drosera falconeri</i>
<i>Drosera filiformis</i>	<i>Drosera hamiltonii</i>	<i>Drosera hartmeyerorum</i>
<i>Drosera hirtella</i>	<i>Drosera intermedia</i>	<i>Drosera longifolia</i>
<i>Drosera macrantha</i>	<i>Drosera macrantha</i> subsp. <i>planchonii</i>	<i>Drosera macrophylla</i>
<i>Drosera madagascariensis</i>	<i>Drosera microphylla</i>	<i>Drosera montana</i>

<i>Drosera natalensis</i>	<i>Drosera neocaledonica</i>	<i>Drosera ob lanceolata</i>
<i>Drosera obovata</i>	<i>Drosera paleacea</i>	<i>Drosera peltata</i>
<i>Drosera pulchella</i>	<i>Drosera pygmaea</i>	<i>Drosera ramentacea</i>
<i>Drosera regia</i>	<i>Drosera roraimae</i>	<i>Drosera rotundifolia</i>
<i>Drosera rubrifolia</i>	<i>Drosera slackii</i>	<i>Drosera slakii</i>
<i>Drosera spathulata</i>	<i>Drosera spatulata</i>	<i>Drosera stolonifera</i>
<i>Drosera subhirtella</i>	<i>Drosera tracyi</i>	<i>Drosera venusta</i>
<i>Drosera villosa</i>	<i>Drosera whittakeri</i>	<i>Drosera x californica</i>
<i>Drosophyllum lusitanicum</i>	<i>Drymoglossum piloselloides</i>	<i>Drymophila cyanocarpa</i>
<i>Drymophila moorei</i>	<i>Drynaria bonii</i>	<i>Drynaria fortunei</i>
<i>Drynaria quercifolia</i>	<i>Drynaria rigidula</i>	<i>Dryobalanops aromatica</i>
<i>Dryobalanops lanceolata</i>	<i>Dudleya abramsii</i> subsp. <i>bettinae</i>	<i>Dudleya brittonii</i>
<i>Dudleya edulis</i>	<i>Dudleya hassei</i>	<i>Dudleya traskiae</i>
<i>Dudleya virens</i> subsp. <i>hassei</i>	<i>Dudleya viscida</i>	<i>Ebracteola montis-moltkei</i>
<i>Ebracteola wilmaniae</i>	<i>Ecdeiocolea monostachya</i>	<i>Echinodorus amazonicus</i>
<i>Echinodorus amphibius</i>	<i>Echinodorus argentinensis</i>	<i>Echinodorus austroamericanus</i>
<i>Echinodorus barthii</i>	<i>Echinodorus berteroii</i>	<i>Echinodorus bleheri</i>
<i>Echinodorus bolivianus</i>	<i>Echinodorus cordifolius</i>	<i>Echinodorus floribundus</i>
<i>Echinodorus gracilis</i>	<i>Echinodorus grandiflorus</i>	<i>Echinodorus grisebachii</i>
<i>Echinodorus horemanii</i>	<i>Echinodorus isthmicus</i>	<i>Echinodorus latifolius</i>
<i>Echinodorus longiscapus</i>	<i>Echinodorus macrophyllus</i>	<i>Echinodorus magdalenensis</i>
<i>Echinodorus major</i>	<i>Echinodorus martii</i>	<i>Echinodorus muricatus</i>
<i>Echinodorus osiris</i>	<i>Echinodorus ovalis</i>	<i>Echinodorus parviflorus</i>
<i>Echinodorus parvulus</i>	<i>Echinodorus patagonicus</i>	<i>Echinodorus quadricostatus</i>
<i>Echinodorus radicans</i>	<i>Echinodorus rostratus</i>	<i>Echinodorus 'Rubin'</i>
<i>Echinodorus scaber</i>	<i>Echinodorus schlueteri</i>	<i>Echinodorus sellowianus</i>
<i>Echinodorus tenellus</i>	<i>Echinodorus uruguayensis</i>	<i>Echinodorus xinguensis</i>
<i>Echinus maximilianii</i>	<i>Edgeworthia chrysanthia</i>	<i>Edgeworthia papyrifera</i>
<i>Edraianthus caricinus</i>	<i>Edraianthus caudatus</i>	<i>Edraianthus dalmaticus</i>
<i>Edraianthus dinaricus</i>	<i>Edraianthus graminifolius</i>	<i>Edraianthus horvatii</i>
<i>Edraianthus jugoslavicus</i>	<i>Edraianthus owerinianus</i>	<i>Edraianthus parnassicus</i>
<i>Edraianthus pumilio</i>	<i>Edraianthus serbicus</i>	<i>Edraianthus serpyllifolius</i>
<i>Edraianthus tenuifolius</i>	<i>Elaeocarpus angustifolius</i>	<i>Elaeocarpus bancroftii</i>

<i>Elaeocarpus cyaneus</i>	<i>Elaeocarpus dentatus</i>	<i>Elaeocarpus edulis</i>
<i>Elaeocarpus eumundi</i>	<i>Elaeocarpus ganitrus</i>	<i>Elaeocarpus glabripetalus</i>
<i>Elaeocarpus grandis</i>	<i>Elaeocarpus hookerianus</i>	<i>Elaeocarpus reticulatus</i>
<i>Elaeocarpus serratus</i>	<i>Elaeocarpus sphaericus</i>	<i>Elaeocarpus sylvestris</i>
<i>Elaphoglossum aemulum</i>	<i>Elegia capensis</i>	<i>Elegia cuspidata</i>
<i>Elegia filacea</i>	<i>Elegia fistulosa</i>	<i>Elmera racemosa</i>
<i>Encephalartos aemulans</i>	<i>Encephalartos altensteinii</i>	<i>Encephalartos aplanatus</i>
<i>Encephalartos arenarius</i>	<i>Encephalartos brevifoliolatus</i>	<i>Encephalartos bubalinus</i>
<i>Encephalartos caffer</i>	<i>Encephalartos cerinus</i>	<i>Encephalartos chimanmaniensis</i>
<i>Encephalartos concinnus</i>	<i>Encephalartos cupidus</i>	<i>Encephalartos cycadifolius</i>
<i>Encephalartos delucanus</i>	<i>Encephalartos dolomiticus</i>	<i>Encephalartos dyerianus</i>
<i>Encephalartos equatorialis</i>	<i>Encephalartos eugene-maraisii</i>	<i>Encephalartos ferox</i>
<i>Encephalartos friderici-guilielmi</i>	<i>Encephalartos ghellinckii</i>	<i>Encephalartos graniticola</i>
<i>Encephalartos gratus</i>	<i>Encephalartos heenanii</i>	<i>Encephalartos hildebrandtii</i>
<i>Encephalartos hirsutus</i>	<i>Encephalartos horridus</i>	<i>Encephalartos horridus</i> var. <i>trispinosus</i>
<i>Encephalartos humilis</i>	<i>Encephalartos inopinus</i>	<i>Encephalartos ituriensis</i>
<i>Encephalartos kisambo</i>	<i>Encephalartos laevifolius</i>	<i>Encephalartos lanatus</i>
<i>Encephalartos latifrons</i>	<i>Encephalartos laurentianus</i>	<i>Encephalartos lebomboensis</i>
<i>Encephalartos lehmannii</i>	<i>Encephalartos lemarinelianus</i>	<i>Encephalartos longifolius</i>
<i>Encephalartos mackenziei</i>	<i>Encephalartos macrostrobilus</i>	<i>Encephalartos manikensis</i>
<i>Encephalartos marunguensis</i>	<i>Encephalartos middelburgensis</i>	<i>Encephalartos miquelii</i>
<i>Encephalartos msinganus</i>	<i>Encephalartos munchii</i>	<i>Encephalartos natalensis</i>
<i>Encephalartos ngoyanus</i>	<i>Encephalartos nubimontanus</i>	<i>Encephalartos paucidentatus</i>
<i>Encephalartos poggei</i>	<i>Encephalartos princeps</i>	<i>Encephalartos pterogonus</i>
<i>Encephalartos schaijesii</i>	<i>Encephalartos schmitzii</i>	<i>Encephalartos sclavoi</i>
<i>Encephalartos senticosus</i>	<i>Encephalartos septentrionalis</i>	<i>Encephalartos tegulaneus</i>
<i>Encephalartos transvenosus</i>	<i>Encephalartos trispinosus</i>	<i>Encephalartos turneri</i>
<i>Encephalartos umbeluziensis</i>	<i>Encephalartos venetus</i>	<i>Encephalartos verrucosus</i>
<i>Encephalartos villosus</i>	<i>Encephalartos voiensis</i>	<i>Encephalartos whitelockii</i>
<i>Encephalartos woodii</i>	<i>Endopleura uchi</i>	<i>Ephedra minima</i>
<i>Ephedra monosperma</i>	<i>Ephedra nevadensis</i>	<i>Ephedra viridis</i>
<i>Epipremnum angustilobum</i>	<i>Epipremnum aureum</i>	<i>Epipremnum elegans</i>

<i>Epipremnum glaucicephalum</i>	<i>Epipremnum merrillii</i>	<i>Epipremnum mirabile</i>
<i>Epipremnum pinnatum</i>	<i>Eschscholzia caespitosa</i>	<i>Eschscholzia californica</i>
<i>Eschscholzia douglasii</i>	<i>Eschscholzia mexicana</i>	<i>Etlingera cevuga</i>
<i>Etlingera elatior</i>	<i>Etlingera fulgens</i>	<i>Etlingera hemisphaerica</i>
<i>Etlingera loerzingii</i>	<i>Etlingera maingayi</i>	<i>Etlingera venusta</i>
<i>Euadenia eminens</i>	<i>Eucommia ulmoides</i>	<i>Eucryphia cordifolia</i>
<i>Eucryphia glutinosa</i>	<i>Eucryphia x nymansensis</i>	<i>Eulychnia barquitensis</i>
<i>Eulychnia breviflora</i>	<i>Euptelea pleiosperma</i>	<i>Euptelea polyandra</i>
<i>Eurya emarginata</i>	<i>Eurya japonica</i>	<i>Eurya macartneyi</i>
<i>Eurycoma longifolia</i>	<i>Euscaphis japonica</i>	<i>Exacum affine</i>
<i>Exacum macranthum</i>	<i>Exacum trinervium</i>	<i>Fagraea berteriana</i>
<i>Fagraea fragrans</i>	<i>Fagraea schlechteri</i>	<i>Faucaria acutipetala</i>
<i>Faucaria albidens</i>	<i>Faucaria bosscheana</i>	<i>Faucaria britteniae</i>
<i>Faucaria candida</i>	<i>Faucaria cradockensis</i>	<i>Faucaria crassisepala</i>
<i>Faucaria duncanii</i>	<i>Faucaria felina</i>	<i>Faucaria felina</i> var. <i>jamesii</i>
<i>Faucaria gratiae</i>	<i>Faucaria haagei</i>	<i>Faucaria hooleae</i>
<i>Faucaria jamesii</i>	<i>Faucaria kendrewensis</i>	<i>Faucaria kingiae</i>
<i>Faucaria latipetala</i>	<i>Faucaria laxipetala</i>	<i>Faucaria longidens</i>
<i>Faucaria longifolia</i>	<i>Faucaria lupina</i>	<i>Faucaria militaris</i>
<i>Faucaria montana</i>	<i>Faucaria multidens</i>	<i>Faucaria multidens</i> var. <i>paardepoortensis</i>
<i>Faucaria nemorosa</i>	<i>Faucaria paucidens</i>	<i>Faucaria peersii</i>
<i>Faucaria plana</i>	<i>Faucaria ryneveldiae</i>	<i>Faucaria smithii</i>
<i>Faucaria speciosa</i>	<i>Faucaria subintegra</i>	<i>Faucaria tigrina</i>
<i>Faucaria tuberculosa</i>	<i>Faucaria uniondalensis</i>	<i>Fenestraria aurantiaca</i>
<i>Fenestraria rhopalophylla</i>	<i>Filix fragilis</i>	<i>Flueggea virosa</i>
<i>Flueggea wallichianus</i>	<i>Foetidia mauritiana</i>	<i>Fouquieria columnaris</i>
<i>Fouquieria diguetii</i>	<i>Fouquieria fasciculata</i>	<i>Fouquieria macdougalii</i>
<i>Fouquieria shrevei</i>	<i>Fouquieria splendens</i>	<i>Francoa appendiculata</i>
<i>Francoa ramosa</i>	<i>Francoa sonchifolia</i>	<i>Freycinetia banksii</i>
<i>Freycinetia multiflora</i>	<i>Freycinetia scandens</i>	<i>Frithia humilis</i>
<i>Frithia pulchra</i>	<i>Fritillaria acmopetala</i>	<i>Fritillaria acmopetala</i> subsp. <i>wendelboi</i>
<i>Fritillaria affinis</i>	<i>Fritillaria affinis</i> var. <i>affinis</i>	<i>Fritillaria agrestis</i>

<i>Fritillaria albidiflora</i>	<i>Fritillaria alburyana</i>	<i>Fritillaria alfredae</i>
<i>Fritillaria alfredae</i> subsp. <i>glaucoviridis</i>	<i>Fritillaria amana</i>	<i>Fritillaria argolica</i>
<i>Fritillaria ariana</i>	<i>Fritillaria armena</i>	<i>Fritillaria assyriaca</i>
<i>Fritillaria assyriaca</i> subsp. <i>melananthera</i>	<i>Fritillaria atrolineata</i>	<i>Fritillaria atropurpurea</i>
<i>Fritillaria aurea</i>	<i>Fritillaria barbata</i>	<i>Fritillaria biflora</i>
<i>Fritillaria biflora</i> x <i>purdyi</i>	<i>Fritillaria bithynica</i>	<i>Fritillaria brandegei</i>
<i>Fritillaria bucharica</i>	<i>Fritillaria camschatcensis</i>	<i>Fritillaria carica</i>
<i>Fritillaria caucasica</i>	<i>Fritillaria chitralensis</i>	<i>Fritillaria chlorantha</i>
<i>Fritillaria chlororhabdota</i>	<i>Fritillaria cirrhosa</i>	<i>Fritillaria collina</i>
<i>Fritillaria conica</i>	<i>Fritillaria crassicaulis</i>	<i>Fritillaria crassifolia</i>
<i>Fritillaria crassifolia</i> subsp. <i>crassifolia</i>	<i>Fritillaria crassifolia</i> subsp. <i>kurdica</i>	<i>Fritillaria crassifolia</i> subsp. <i>poluninii</i>
<i>Fritillaria dagana</i>	<i>Fritillaria davidii</i>	<i>Fritillaria davisii</i>
<i>Fritillaria davisii</i> x <i>graeca</i>	<i>Fritillaria delavayi</i>	<i>Fritillaria drenovskii</i>
<i>Fritillaria eastwoodiae</i>	<i>Fritillaria eduardii</i>	<i>Fritillaria ehrhartii</i>
<i>Fritillaria elwesii</i>	<i>Fritillaria epirotica</i>	<i>Fritillaria euboeica</i>
<i>Fritillaria falcata</i>	<i>Fritillaria fleischeri</i>	<i>Fritillaria fleischeriana</i>
<i>Fritillaria forbesii</i>	<i>Fritillaria frankiorum</i>	<i>Fritillaria fusca</i>
<i>Fritillaria gentneri</i>	<i>Fritillaria gibbosa</i>	<i>Fritillaria glauca</i>
<i>Fritillaria gracilis</i>	<i>Fritillaria graeca</i>	<i>Fritillaria graeca</i> subsp. <i>thessala</i>
<i>Fritillaria graeca</i> var. <i>graeca</i>	<i>Fritillaria grandiflora</i>	<i>Fritillaria grayana</i>
<i>Fritillaria gussichiae</i>	<i>Fritillaria hermonis</i>	<i>Fritillaria hermonis</i> subsp. <i>hermonis</i>
<i>Fritillaria hispanica</i>	<i>Fritillaria hodocanakis</i>	<i>Fritillaria imperialis</i>
<i>Fritillaria involucrata</i>	<i>Fritillaria ionica</i>	<i>Fritillaria japonica</i>
<i>Fritillaria kamtschatcensis</i>	<i>Fritillaria karelinii</i>	<i>Fritillaria kittianae</i>
<i>Fritillaria kotschyana</i>	<i>Fritillaria lanceolata</i>	<i>Fritillaria latakensis</i>
<i>Fritillaria latifolia</i>	<i>Fritillaria liliacea</i>	<i>Fritillaria lusitanica</i>
<i>Fritillaria macedonica</i>	<i>Fritillaria maximowiczii</i>	<i>Fritillaria meleagris</i>
<i>Fritillaria meleagroides</i>	<i>Fritillaria mellea</i>	<i>Fritillaria messanensis</i>
<i>Fritillaria messanensis</i> subsp. <i>gracilis</i>	<i>Fritillaria messanensis</i> subsp. <i>messanensis</i>	<i>Fritillaria michailovskyi</i>
<i>Fritillaria micrantha</i>	<i>Fritillaria minima</i>	<i>Fritillaria minuta</i>

<i>Fritillaria moggridgei</i>	<i>Fritillaria monantha</i>	<i>Fritillaria montana</i>
<i>Fritillaria mutabilis</i>	<i>Fritillaria mutica</i>	<i>Fritillaria nigra</i>
<i>Fritillaria obliqua</i>	<i>Fritillaria ojaiensis</i>	<i>Fritillaria olgae</i>
<i>Fritillaria olivieri</i>	<i>Fritillaria omeiensis</i>	<i>Fritillaria orientalis</i>
<i>Fritillaria pallidiflora</i>	<i>Fritillaria pelinaea</i>	<i>Fritillaria persica</i>
<i>Fritillaria pinardii</i>	<i>Fritillaria pinetorum</i>	<i>Fritillaria pluriflora</i>
<i>Fritillaria pontica</i>	<i>Fritillaria pontica</i> subsp. <i>substipelata</i>	<i>Fritillaria pontica</i> var. <i>substipelata</i>
<i>Fritillaria pudica</i>	<i>Fritillaria purdyi</i>	<i>Fritillaria pyrenaica</i>
<i>Fritillaria raddeana</i>	<i>Fritillaria recurva</i>	<i>Fritillaria regelii</i>
<i>Fritillaria reuteri</i>	<i>Fritillaria rhodia</i>	<i>Fritillaria rixii</i>
<i>Fritillaria roderickii</i>	<i>Fritillaria ruthenica</i>	<i>Fritillaria sewerzowii</i>
<i>Fritillaria sibthorpiana</i>	<i>Fritillaria sibthorpiana</i> subsp. <i>sibthorpiana</i>	<i>Fritillaria sororum</i>
<i>Fritillaria spetsiotica</i>	<i>Fritillaria sporadum</i>	<i>Fritillaria stenanthera</i>
<i>Fritillaria stenophylla</i>	<i>Fritillaria straussii</i>	<i>Fritillaria striata</i>
<i>Fritillaria stribryni</i>	<i>Fritillaria succulenta</i>	<i>Fritillaria taipaiensis</i>
<i>Fritillaria tenella</i>	<i>Fritillaria thessala</i>	<i>Fritillaria thessala</i> subsp. <i>reiseri</i>
<i>Fritillaria thessala</i> subsp. <i>thessala</i>	<i>Fritillaria thomsoniana</i>	<i>Fritillaria thunbergii</i>
<i>Fritillaria tortifolia</i>	<i>Fritillaria tubaeformis</i>	<i>Fritillaria tubiformis</i>
<i>Fritillaria tuntasia</i>	<i>Fritillaria ussuriensis</i>	<i>Fritillaria uva-vulpis</i>
<i>Fritillaria verticillata</i>	<i>Fritillaria verticillata</i> var. <i>thunbergii</i>	<i>Fritillaria viridea</i>
<i>Fritillaria viridia</i>	<i>Fritillaria wabuensis</i>	<i>Fritillaria walujewii</i>
<i>Fritillaria whittallii</i>	<i>Fritillaria yuminensis</i>	<i>Fritillaria zagrica</i>
<i>Fumaria alba</i>	<i>Fumaria bastardii</i>	<i>Fumaria bulbosa</i>
<i>Fumaria bulbosa</i> var. <i>cava</i>	<i>Fumaria bulbosa</i> var. <i>solida</i>	<i>Fumaria capreolata</i>
<i>Fumaria capreolata</i> subsp. <i>capreolata</i>	<i>Fumaria cucullaria</i>	<i>Fumaria densiflora</i>
<i>Fumaria eximia</i>	<i>Fumaria formosa</i>	<i>Fumaria indica</i>
<i>Fumaria muralis</i>	<i>Fumaria muralis</i> subsp. <i>boreai</i>	<i>Fumaria muralis</i> subsp. <i>muralis</i>
<i>Fumaria nobilis</i>	<i>Fumaria officinalis</i>	<i>Fumaria officinalis</i> subsp. <i>officinalis</i>

<i>Fumaria officinalis</i> subsp. <i>wirtgenii</i>	<i>Fumaria parviflora</i>	<i>Fumaria parviflora</i> var. <i>parviflora</i>
<i>Fumaria sempervirens</i>	<i>Fumaria spectabilis</i>	<i>Fumaria vaillantii</i>
<i>Fumaria vaillantii</i> var. <i>indica</i>	<i>Gadellia lactiflora</i>	<i>Ganitrus sphaerica</i>
<i>Geissois benthamii</i>	<i>Geissois biagiana</i>	<i>Gelasine azurea</i>
<i>Gelasine coerulea</i>	<i>Gelasine elongata</i>	<i>Gelasine uruguaiensis</i>
<i>Gelsemium rankinii</i>	<i>Gelsemium sempervirens</i>	<i>Gemmingia chinensis</i>
<i>Gentiana acaulis</i>	<i>Gentiana affinis</i>	<i>Gentiana alata</i>
<i>Gentiana alba</i>	<i>Gentiana algida</i>	<i>Gentiana alpina</i>
<i>Gentiana amarella</i>	<i>Gentiana amoena</i>	<i>Gentiana amplicrater</i>
<i>Gentiana andrewsii</i>	<i>Gentiana andrewsii</i> f. <i>albiflora</i>	<i>Gentiana angustifolia</i>
<i>Gentiana asclepiadea</i>	<i>Gentiana asclepiadea</i> var. <i>alba</i>	<i>Gentiana asterocalyx</i>
<i>Gentiana atunensis</i>	<i>Gentiana autumnalis</i>	<i>Gentiana bavarica</i>
<i>Gentiana bellidifolia</i>	<i>Gentiana bigelovii</i>	<i>Gentiana boissieri</i>
<i>Gentiana brachyphylla</i>	<i>Gentiana brachyphylla</i> subsp. <i>favratti</i>	<i>Gentiana cachemirica</i>
<i>Gentiana calycosa</i>	<i>Gentiana campestris</i>	<i>Gentiana carinata</i>
<i>Gentiana cephalantha</i>	<i>Gentiana clusii</i>	<i>Gentiana corymbifera</i>
<i>Gentiana crassa</i>	<i>Gentiana crassicaulis</i>	<i>Gentiana crassuloides</i>
<i>Gentiana crinita</i>	<i>Gentiana cruciata</i>	<i>Gentiana cruciata</i> subsp. <i>cruciata</i>
<i>Gentiana crutwellii</i>	<i>Gentiana dahurica</i>	<i>Gentiana davidii</i>
<i>Gentiana decorata</i>	<i>Gentiana decumbens</i>	<i>Gentiana delavayi</i>
<i>Gentiana dendrologi</i>	<i>Gentiana dendrologii</i>	<i>Gentiana depressa</i>
<i>Gentiana dinarica</i>	<i>Gentiana duclouxii</i>	<i>Gentiana elwesii</i>
<i>Gentiana emodi</i>	<i>Gentiana excisa</i>	<i>Gentiana farreri</i>
<i>Gentiana fetisowii</i>	<i>Gentiana fischeri</i>	<i>Gentiana freyniana</i>
<i>Gentiana frigida</i>	<i>Gentiana froelichii</i>	<i>Gentiana gelida</i>
<i>Gentiana gentilis</i>	<i>Gentiana georgei</i>	<i>Gentiana germanica</i>
<i>Gentiana gilvostrigata</i>	<i>Gentiana gracilipes</i>	<i>Gentiana grandiflora</i>
<i>Gentiana grossheimii</i>	<i>Gentiana hexaphylla</i>	<i>Gentiana imbricata</i>
<i>Gentiana jarmilae</i>	<i>Gentiana karelinii</i>	<i>Gentiana kesselringii</i>
<i>Gentiana kochiana</i>	<i>Gentiana kolakovskyi</i>	<i>Gentiana kurroo</i>
<i>Gentiana lagodechiana</i>	<i>Gentiana lawrencei</i>	<i>Gentiana ligustica</i>
<i>Gentiana loderi</i>	<i>Gentiana longcollis</i>	<i>Gentiana lutea</i>

<i>Gentiana macrophylla</i>	<i>Gentiana makinoi</i>	<i>Gentiana melandrifolia</i>
<i>Gentiana moorcroftiana</i>	<i>Gentiana namlaensis</i>	<i>Gentiana newberryi</i>
<i>Gentiana nipponica</i>	<i>Gentiana nivalis</i>	<i>Gentiana nutans</i>
<i>Gentiana occidentalis</i>	<i>Gentiana olivieri</i>	<i>Gentiana orbicularis</i>
<i>Gentiana ornata</i>	<i>Gentiana oschtenica</i>	<i>Gentiana otophora</i>
<i>Gentiana pannonica</i>	<i>Gentiana paradoxa</i>	<i>Gentiana parryi</i>
<i>Gentiana pneumonanthe</i>	<i>Gentiana pontica</i>	<i>Gentiana porphyrio</i>
<i>Gentiana primulaeflora</i>	<i>Gentiana prolata</i>	<i>Gentiana prostrata</i>
<i>Gentiana przewalskii</i>	<i>Gentiana pumila</i>	<i>Gentiana punctata</i>
<i>Gentiana purdomii</i>	<i>Gentiana purpurea</i>	<i>Gentiana pyrenaica</i>
<i>Gentiana saponaria</i>	<i>Gentiana saxosa</i>	<i>Gentiana scabra</i>
<i>Gentiana septemfida</i>	<i>Gentiana septemfida</i> var. <i>lagodechiana</i>	<i>Gentiana sikkimensis</i>
<i>Gentiana sinoornata</i>	<i>Gentiana siphonantha</i>	<i>Gentiana stragulata</i>
<i>Gentiana stylophora</i>	<i>Gentiana suendermannii</i>	<i>Gentiana syringea</i>
<i>Gentiana tergestina</i>	<i>Gentiana terglouensis</i>	<i>Gentiana ternifolia</i>
<i>Gentiana tianschanica</i>	<i>Gentiana tibetica</i>	<i>Gentiana tongolensis</i>
<i>Gentiana tricolour</i> subsp. <i>syringea</i>	<i>Gentiana triflora</i>	<i>Gentiana triflora</i> var. <i>japonica</i>
<i>Gentiana tubiflora</i>	<i>Gentiana urnula</i>	<i>Gentiana utriculosa</i>
<i>Gentiana veitchiorum</i>	<i>Gentiana venusta</i>	<i>Gentiana verna</i>
<i>Gentiana verna</i> subsp. <i>oschtenica</i>	<i>Gentiana vernayi</i>	<i>Gentiana wardii</i>
<i>Gentiana wilsonii</i>	<i>Gentiana wutaiensis</i>	<i>Gentiana x hexa-farreri</i>
<i>Gentiana x macaulayi</i>	<i>Gentiana yunnanensis</i>	<i>Gentianella campestris</i>
<i>Gentianella maddenii</i>	<i>Gentianella moorcroftiana</i>	<i>Gentianella saxosa</i>
<i>Gibbaeum dispar</i>	<i>Gibbaeum gibbosum</i>	<i>Gibbaeum heathii</i>
<i>Gibbaeum johnstonii</i>	<i>Gibbaeum muiri</i>	<i>Gibbaeum nebrownii</i>
<i>Gibbaeum pachypodium</i>	<i>Gibbaeum perviride</i>	<i>Gibbaeum pubescens</i>
<i>Gibbaeum schwantesii</i>	<i>Gibbaeum shandii</i>	<i>Gibbaeum velutinum</i>
<i>Glaucium corniculatum</i>	<i>Glaucium fimbrilligerum</i>	<i>Glaucium flavum</i>
<i>Glaucium leiocarpum</i>	<i>Glaux maritima</i>	<i>Globba cernua</i>
<i>Globba leucantha</i> var. <i>bicolor</i>	<i>Globba malaccensis</i>	<i>Globba marantina</i>
<i>Globba nutans</i>	<i>Globba parviflora</i>	<i>Globba variabilis</i> subsp. <i>pusilla</i>
<i>Globba winitii</i>	<i>Globulea atropurpurea</i>	<i>Glochidion vanioti</i>

<i>Gloriosa lutea</i>	<i>Glosocomia clematidea</i>	<i>Glottiphyllum angustum</i>
<i>Glottiphyllum buffelsvleyense</i>	<i>Glottiphyllum compressum</i>	<i>Glottiphyllum cruciatum</i>
<i>Glottiphyllum depressum</i>	<i>Glottiphyllum difforme</i>	<i>Glottiphyllum fragrans</i>
<i>Glottiphyllum jacobsenianum</i>	<i>Glottiphyllum linguiforme</i>	<i>Glottiphyllum longum</i>
<i>Glottiphyllum muirii</i>	<i>Glottiphyllum neilii</i>	<i>Glottiphyllum nelii</i>
<i>Glottiphyllum oligocarpum</i>	<i>Glottiphyllum pallens</i>	<i>Glottiphyllum parvifolium</i>
<i>Glottiphyllum platycarpum</i>	<i>Glottiphyllum pygmaeum</i>	<i>Glottiphyllum regium</i>
<i>Glottiphyllum salmii</i>	<i>Glottiphyllum semicylindricum</i>	<i>Glottiphyllum surrectum</i>
<i>Glottiphyllum uncatum</i>	<i>Gnetokokotum africanum</i>	<i>Gnetum africanum</i>
<i>Gnetum buchholzianum</i>	<i>Gnetum gnemon</i>	<i>Gnidia polyccephala</i>
<i>Gnidia squarrosa</i>	<i>Gomortega keule</i>	<i>Gomortega nitida</i>
<i>Goniolimon incanum</i>	<i>Goniolimon tataricum</i>	<i>Goniophlebium persicifolium</i>
<i>Goniophlebium subauriculatum</i>	<i>Goodenia affinis</i>	<i>Goodenia ovata</i>
<i>Goodenia scapigera</i>	<i>Graptopetalum amethystinum</i>	<i>Graptopetalum bellum</i>
<i>Graptopetalum craigii</i>	<i>Graptopetalum filiferum</i>	<i>Graptopetalum glassii</i>
<i>Graptopetalum goldi</i>	<i>Graptopetalum macdougallii</i>	<i>Graptopetalum mendozae</i>
<i>Graptopetalum pachyphyllum</i>	<i>Graptopetalum paraguayense</i>	<i>Graptopetalum paraguayense</i> subsp. <i>paraguayense</i>
<i>Graptopetalum pentandrum</i>	<i>Graptopetalum pentandrum</i> subsp. <i>superbum</i>	<i>Graptopetalum saxifragoides</i>
<i>Graptopetalum suaveolens</i>	<i>Greenovia aurea</i>	<i>Greyia flanaganii</i>
<i>Greyia radlkoferi</i>	<i>Greyia sutherlandii</i>	<i>Grielum flagelliforme</i>
<i>Grielum grandiflorum</i>	<i>Grielum humifusum</i>	<i>Grimmia canescens</i>
<i>Guillainia purpurata</i>	<i>Gunnera chilensis</i>	<i>Gunnera magellanica</i>
<i>Gunnera manicata</i>	<i>Gunnera prorepens</i>	<i>Gunnera tinctoria</i>
<i>Gustavia acuminata</i>	<i>Gustavia angustifolia</i>	<i>Gustavia augusta</i>
<i>Gustavia dodsonii</i>	<i>Gustavia gracillima</i>	<i>Gustavia longifolia</i>
<i>Gustavia macarenensis</i>	<i>Gustavia nana</i>	<i>Gustavia parviflora</i>
<i>Gustavia poeppigiana</i>	<i>Gustavia serrata</i>	<i>Gustavia speciosa</i>
<i>Gustavia superba</i>	<i>Gymnopteris heudelotii</i>	<i>Gynandropsis gynandra</i>
<i>Gynandropsis speciosa</i>	<i>Gyrocarpus americanus</i>	<i>Halenia elliptica</i>
<i>Halesia carolina</i>	<i>Halesia diptera</i>	<i>Halesia macgregorii</i>
<i>Halesia monticola</i>	<i>Halleria lucida</i>	<i>Halocarpus bidwillii</i>
<i>Hanguana malayana</i>	<i>Harpagophytum abbreviatum</i>	<i>Harpagophytum leptocarpum</i>

<i>Haumania leonardiana</i>	<i>Haumania liebrechtsiana</i>	<i>Hedychium coccineum</i>
<i>Hedychium coccineum</i> var. <i>carneum</i>	<i>Hedychium coronarium</i>	<i>Hedychium densiflorum</i>
<i>Hedychium flavum</i>	<i>Hedychium gardneranum</i>	<i>Hedychium gardnerianum</i>
<i>Hedychium greenei</i>	<i>Hedychium greenii</i>	<i>Hedychium horsfieldii</i>
<i>Hedychium longicornutum</i>	<i>Hedychium spicatum</i>	<i>Helanthium parvulum</i>
<i>Helanthium tenellum</i>	<i>Helicodiceros muscivorus</i>	<i>Helminthostachys zeylanica</i>
<i>Helonias bullata</i>	<i>Heloniopsis kawanoi</i>	<i>Heloniopsis orientalis</i>
<i>Helwingia japonica</i>	<i>Hemionitis arifolia</i>	<i>Hemionitis palmata</i>
<i>Hereroa brevifolia</i>	<i>Hereroa carinans</i>	<i>Hereroa dyeri</i>
<i>Hereroa gracilis</i>	<i>Hereroa granulata</i>	<i>Hereroa hesperantha</i>
<i>Hereroa incurva</i>	<i>Hereroa rehneltiana</i>	<i>Hereroa stanfordiae</i>
<i>Hereroa stanleyi</i>	<i>Hereroa wilmaniae</i>	<i>Hernandia peltata</i>
<i>Herrea brasiliensis</i>	<i>Herreanthus meyeri</i>	<i>Herschelianthe graminifolia</i>
<i>Hesperantha bachmannii</i>	<i>Hesperantha baurii</i>	<i>Hesperantha buhrii</i>
<i>Hesperantha ciliolata</i>	<i>Hesperantha coccinea</i>	<i>Hesperantha crocopsis</i>
<i>Hesperantha cucullata</i>	<i>Hesperantha erecta</i>	<i>Hesperantha falcata</i>
<i>Hesperantha flava</i>	<i>Hesperantha hantamensis</i>	<i>Hesperantha humilis</i>
<i>Hesperantha karoica</i>	<i>Hesperantha latifolia</i>	<i>Hesperantha luticola</i>
<i>Hesperantha muirii</i>	<i>Hesperantha oligantha</i>	<i>Hesperantha pauciflora</i>
<i>Hesperantha pilosa</i>	<i>Hesperantha purpurea</i>	<i>Hesperantha radiata</i>
<i>Hesperantha sufflava</i>	<i>Hesperantha truncatula</i>	<i>Hesperantha tysonii</i>
<i>Hesperantha vaginata</i>	<i>Hesperantha woodii</i>	<i>Hesperoxiphion peruvianum</i>
<i>Heuchera alba</i>	<i>Heuchera americana</i>	<i>Heuchera americana</i> var. <i>hirsuticaulis</i>
<i>Heuchera bracteata</i>	<i>Heuchera brevistaminea</i>	<i>Heuchera chlorantha</i>
<i>Heuchera cylindrica</i>	<i>Heuchera cylindrica</i> var. <i>alpina</i>	<i>Heuchera elegans</i>
<i>Heuchera grossularifolia</i>	<i>Heuchera hallii</i>	<i>Heuchera maxima</i>
<i>Heuchera merriamii</i>	<i>Heuchera micrantha</i>	<i>Heuchera parvifolia</i>
<i>Heuchera parvifolia</i> var. <i>nivalis</i>	<i>Heuchera 'Petite Marbled Burgundy'</i>	<i>Heuchera 'Petite Pearl Fairy'</i>
<i>Heuchera pilosissima</i>	<i>Heuchera pubescens</i>	<i>Heuchera pulchella</i>
<i>Heuchera richardsonii</i> var. <i>grayana</i>	<i>Heuchera rubescens</i>	<i>Heuchera sanguinea</i>

<i>Heuchera tiarelloides</i>	<i>Heuchera villosa</i>	<i>Heuchera x brizoides</i>
<i>Hexaglottis lewisiae</i>	<i>Hexaglottis longifolia</i>	<i>Hexaglottis virgata</i>
<i>Hibbertia amplexicaulis</i>	<i>Hibbertia commutata</i>	<i>Hibbertia huegelii</i>
<i>Hibbertia lasiopus</i>	<i>Hibbertia miniata</i>	<i>Hibbertia serrata</i>
<i>Holboellia angustifolia</i>	<i>Holboellia chapaensis</i>	<i>Holboellia coriacea</i>
<i>Holboellia fargesii</i>	<i>Holboellia latifolia</i>	<i>Holubi saccata</i>
<i>Homalomena aromatica</i>	<i>Homalomena cordata</i>	<i>Homalomena davidiana</i>
<i>Homalomena gardenii</i>	<i>Homalomena gaudichaudii</i>	<i>Homalomena havilandi</i>
<i>Homalomena humilis</i>	<i>Homalomena lindenii</i>	<i>Homalomena occulta</i>
<i>Homalomena peekelii</i>	<i>Homalomena pendula</i>	<i>Homalomena propinqua</i>
<i>Homalomena pygmaea</i>	<i>Homalomena robusta</i>	<i>Homalomena rostrata</i>
<i>Homalomena rubescens</i>	<i>Homalomena sagittifolia</i>	<i>Homalomena schlechteri</i>
<i>Homalomena speariae</i>	<i>Homalomena tenuispadix</i>	<i>Homalomena vagans</i>
<i>Homalomena wallisii</i>	<i>Homalomena wendlandii</i>	<i>Homeria britteniae</i>
<i>Homeria collina</i>	<i>Homeria cookii</i>	<i>Homeria elegans</i>
<i>Homeria lilacina</i>	<i>Homeria marlothii</i>	<i>Homeria ochroleuca</i>
<i>Homeria pallida</i>	<i>Homoglossum aureum</i>	<i>Homoglossum huttonii</i>
<i>Homoglossum watsonium</i>	<i>Hoteia chinensis</i>	<i>Hoteia thunbergii</i>
<i>Humata griffithiana</i>	<i>Humata heterophylla</i>	<i>Humata pectinata</i>
<i>Humata repens</i>	<i>Humata tyermannii</i>	<i>Hunnemannia fumariifolia</i>
<i>Huodendron biaristatum</i>	<i>Huperzia brassii</i>	<i>Huperzia carinata</i>
<i>Huperzia foliosa</i>	<i>Huperzia lockyeri</i>	<i>Huperzia nummulariifolia</i>
<i>Huperzia phlegmaria</i>	<i>Huperzia phlegmarioides</i>	<i>Huperzia prolifera</i>
<i>Huperzia salvinioides</i>	<i>Huperzia squarrosa</i>	<i>Huperzia subtrifoliata</i>
<i>Huperzia tetrasticha</i>	<i>Hydastilus borealis</i>	<i>Hydnocarpus anthelmintica</i>
<i>Hylomecon japonica</i>	<i>Hylotelephium cauticola</i>	<i>Hymenoglossum cruentum</i>
<i>Hymenogyne glabra</i>	<i>Hypertelis salsolooides</i>	<i>Hypoxis alba</i>
<i>Hypoxis aquatica</i>	<i>Hypoxis argentea</i>	<i>Hypoxis arillacea</i>
<i>Hypoxis aurea</i>	<i>Hypoxis baurii</i>	<i>Hypoxis capensis</i>
<i>Hypoxis flaccida</i>	<i>Hypoxis floccosa</i>	<i>Hypoxis hemerocallidea</i>
<i>Hypoxis hirsuta</i>	<i>Hypoxis hookeri</i>	<i>Hypoxis hygrometrica</i>
<i>Hypoxis linearis</i>	<i>Hypoxis longifolia</i>	<i>Hypoxis minuta</i>
<i>Hypoxis monophylla</i>	<i>Hypoxis neocanaliculata</i>	<i>Hypoxis nervosa</i>
<i>Hypoxis nitida</i>	<i>Hypoxis obtusa</i>	<i>Hypoxis platypetala</i>

<i>Hypoxis pratensis</i>	<i>Hypoxis pusilla</i>	<i>Hypoxis rigidula</i>
<i>Hypoxis rooperi</i>	<i>Hypoxis schlechteri</i>	<i>Hypoxis scullyi</i>
<i>Hypoxis serrata</i>	<i>Hypoxis setosa</i>	<i>Hypoxis trifurcillata</i>
<i>Hypoxis villosa</i>	<i>Hypsela reniformis</i>	<i>Idria columnaris</i>
<i>Ihlenfeldtia excavata</i>	<i>Ihlenfeldtia vanzyliae</i>	<i>Imitaria muirii</i>
<i>Iphigenia indica</i>	<i>Iridiodictyum winogradowii</i>	<i>Iris acutiloba</i>
<i>Iris acutiloba</i> subsp. <i>lineolata</i>	<i>Iris acutiloba x kirdwoodii</i>	<i>Iris acutiloba x medwedewii</i>
<i>Iris acutiloba x sprengeri</i>	<i>Iris afghanica</i>	<i>Iris albertii</i>
<i>Iris albicans</i>	<i>Iris albopurpurea</i>	<i>Iris alexeenkoi</i>
<i>Iris amabilis</i>	<i>Iris amoena</i>	<i>Iris anguifuga</i>
<i>Iris antilibanotica</i>	<i>Iris aphylla</i>	<i>Iris arenaria</i>
<i>Iris assadiana</i>	<i>Iris astrachanica</i>	<i>Iris atrofusca</i>
<i>Iris atropurpurea</i>	<i>Iris attica</i>	<i>Iris aurantica</i>
<i>Iris aurantica</i>	<i>Iris aurea</i>	<i>Iris babadagica</i>
<i>Iris barnumae</i>	<i>Iris barnumae f. protonyma</i>	<i>Iris barnumae</i> subsp. <i>demavendica</i>
<i>Iris barnumae</i> var. <i>zenobiae</i>	<i>Iris barnumiae</i>	<i>Iris bartonii</i>
<i>Iris basaltica</i>	<i>Iris belouini</i>	<i>Iris belouinii</i>
<i>Iris bicapitata</i>	<i>Iris bicolor</i>	<i>Iris biflora</i>
<i>Iris biggeri</i>	<i>Iris biliottii</i>	<i>Iris bismarckiana</i>
<i>Iris bismarkiana</i>	<i>Iris bloudowii</i>	<i>Iris bostrensis</i>
<i>Iris bracteata</i>	<i>Iris brandzae</i>	<i>Iris brevicaulis</i>
<i>Iris brevituba</i>	<i>Iris bulleyana</i>	<i>Iris bungei</i>
<i>Iris caespitosa</i>	<i>Iris camillae</i>	<i>Iris carthaliniae</i>
<i>Iris cedretii</i>	<i>Iris cengialti</i>	<i>Iris chamaeiris</i>
<i>Iris chamaeiris</i> var. <i>italica</i>	<i>Iris chamaeiris</i> var. <i>olbiensis</i>	<i>Iris chrysantha</i>
<i>Iris chrysographes</i>	<i>Iris chrysophylla</i>	<i>Iris clarkei</i>
<i>Iris clarkei</i> x <i>delavayi</i>	<i>Iris collettii</i>	<i>Iris confusa</i>
<i>Iris cretensis</i>	<i>Iris cristata</i>	<i>Iris croatica</i>
<i>Iris crocea</i>	<i>Iris cuniculiformis</i>	<i>Iris cuprea</i>
<i>Iris curvifolia</i>	<i>Iris cypriana</i>	<i>Iris daenensis</i>
<i>Iris damascena</i>	<i>Iris darwasica</i>	<i>Iris decora</i>
<i>Iris delavayi</i>	<i>Iris demavendica</i>	<i>Iris demetrii</i>
<i>Iris desertorum</i>	<i>Iris dolichosiphon</i>	<i>Iris douglasiana</i>

<i>Iris dubia</i>	<i>Iris dykesii</i>	<i>Iris elegantissima</i>
<i>Iris elisabethae</i>	<i>Iris elizabethae</i>	<i>Iris ensara</i> var. <i>pabularia</i>
<i>Iris ensata</i>	<i>Iris ensata</i> var. <i>spontanea</i>	<i>Iris ewbankiana</i>
<i>Iris falcata</i>	<i>Iris falcifolia</i>	<i>Iris fernaldii</i>
<i>Iris flavescens</i>	<i>Iris flavissima</i>	<i>Iris flavissima</i> subsp. <i>stolonifera</i>
<i>Iris florentina</i>	<i>Iris foetidissima</i>	<i>Iris fominii</i>
<i>Iris formosana</i>	<i>Iris forrestii</i>	<i>Iris fragrans</i>
<i>Iris fulva</i>	<i>Iris fulva</i> x <i>brevicaulis</i> x <i>giganticaerulea</i>	<i>Iris fulva</i> x <i>giganticaerulea</i>
<i>Iris furcata</i>	<i>Iris gatesii</i>	<i>Iris germanica</i>
<i>Iris germanica</i> var. <i>florentina</i>	<i>Iris giganticaerulea</i>	<i>Iris glaucescens</i>
<i>Iris goniocarpa</i>	<i>Iris gormanii</i>	<i>Iris gracilipes</i>
<i>Iris graminea</i>	<i>Iris graminea</i> var. <i>pseudocyperus</i>	<i>Iris grandiflora</i>
<i>Iris grant-duffii</i>	<i>Iris griffithii</i>	<i>Iris grossheimii</i>
<i>Iris guldenstaedtiana</i>	<i>Iris guldenstaedtiana</i> var. <i>sogdiana</i>	<i>Iris halophila</i>
<i>Iris halophila</i> var. <i>sogdiana</i>	<i>Iris hartwegii</i>	<i>Iris hauranensis</i>
<i>Iris haynei</i>	<i>Iris helenae</i>	<i>Iris hermona</i>
<i>Iris heweri</i>	<i>Iris hexagona</i>	<i>Iris heylandiana</i>
<i>Iris himalaica</i>	<i>Iris hoogiana</i>	<i>Iris hookeri</i>
<i>Iris hookeriana</i>	<i>Iris humilis</i>	<i>Iris iberica</i>
<i>Iris iberica</i> subsp. <i>elegantissima</i>	<i>Iris illyrica</i>	<i>Iris imbricata</i>
<i>Iris inberica</i> subsp. <i>iberica</i>	<i>Iris innominata</i>	<i>Iris italicica</i>
<i>Iris japonica</i>	<i>Iris japonica</i> x <i>confusa</i>	<i>Iris jordana</i>
<i>Iris junonia</i>	<i>Iris kaempferi</i>	<i>Iris kaempferi</i> var. <i>spontanea</i>
<i>Iris kamaonensis</i>	<i>Iris kashmiriana</i>	<i>Iris kasruwana</i>
<i>Iris kemaonensis</i>	<i>Iris keredjensis</i>	<i>Iris kerneriana</i>
<i>Iris kirkwoodiae</i> subsp. <i>calcarea</i>	<i>Iris kirkwoodii</i>	<i>Iris kochii</i>
<i>Iris koreana</i>	<i>Iris korolkowi</i>	<i>Iris korolkowii</i>
<i>Iris kuschkensis</i>	<i>Iris lactea</i>	<i>Iris lactea</i> var. <i>chinensis</i>
<i>Iris lactea</i> var. <i>chrysantha</i>	<i>Iris lacustris</i>	<i>Iris laevigata</i>
<i>Iris lazica</i>	<i>Iris leptophylla</i>	<i>Iris lineata</i>

<i>Iris lineolata</i>	<i>Iris lisbonensis</i>	<i>Iris longiflora</i>
<i>Iris longipetala</i>	<i>Iris longiscapa</i>	<i>Iris loretii</i>
<i>Iris loretii</i>	<i>Iris loretii</i> subsp. <i>samariae</i>	<i>Iris loretii</i> var. <i>loretii</i>
<i>Iris lutescens</i>	<i>Iris lutescens</i> var. <i>statellae</i>	<i>Iris lycotis</i>
<i>Iris maackii</i>	<i>Iris macedonica</i>	<i>Iris macrosiphon</i>
<i>Iris maculata</i>	<i>Iris mandschurica</i>	<i>Iris mariae</i>
<i>Iris maricoides</i>	<i>Iris maritima</i>	<i>Iris marsica</i>
<i>Iris martinicensis</i>	<i>Iris masia</i>	<i>Iris meda</i>
<i>Iris medwedewii</i>	<i>Iris medwedewii</i> x <i>korolkowii</i>	<i>Iris mellita</i>
<i>Iris mesopotamica</i>	<i>Iris milesii</i>	<i>Iris minutoaurea</i>
<i>Iris missouriensis</i>	<i>Iris monnierii</i>	<i>Iris munzii</i>
<i>Iris musulmanica</i>	<i>Iris nana</i>	<i>Iris narcissiflora</i>
<i>Iris nazarena</i>	<i>Iris nectarifera</i>	<i>Iris nelsonii</i>
<i>Iris nepalensis</i>	<i>Iris nigricans</i>	<i>Iris notha</i>
<i>Iris nudicaulis</i>	<i>Iris obtusifolia</i>	<i>Iris odaesanensis</i>
<i>Iris odorata</i>	<i>Iris olbiensis</i>	<i>Iris orientalis</i>
<i>Iris oxypetala</i>	<i>Iris pabularia</i>	<i>Iris pallasii</i> var. <i>chinensis</i>
<i>Iris pallida</i>	<i>Iris pallida</i> subsp. <i>cengialti</i>	<i>Iris pandurata</i>
<i>Iris papilionacea</i>	<i>Iris paradoxa</i>	<i>Iris paradoxa</i> f. <i>atrata</i>
<i>Iris paradoxa</i> f. <i>choschab</i>	<i>Iris perrieri</i>	<i>Iris petrana</i>
<i>Iris phragmitetorum</i>	<i>Iris pineticola</i>	<i>Iris polakii</i>
<i>Iris polystachya</i>	<i>Iris pontica</i>	<i>Iris potaninii</i>
<i>Iris prismatica</i>	<i>Iris proantha</i>	<i>Iris pseudacorus</i>
<i>Iris pseudocyperus</i>	<i>Iris pseudonotha</i>	<i>Iris pseudopumila</i>
<i>Iris pumila</i>	<i>Iris purdyi</i>	<i>Iris purpureobractea</i>
<i>Iris regelii</i>	<i>Iris reginae</i>	<i>Iris reichenbachii</i>
<i>Iris revoluta</i>	<i>Iris robinsoniana</i>	<i>Iris rossii</i>
<i>Iris rubromarginata</i>	<i>Iris ruthenica</i>	<i>Iris ruthenica</i> var. <i>nana</i>
<i>Iris samariae</i>	<i>Iris sanguinea</i>	<i>Iris sari</i>
<i>Iris scariosa</i>	<i>Iris schachtii</i>	<i>Iris schelkownikowii</i>
<i>Iris setina</i>	<i>Iris setosa</i>	<i>Iris setosa</i> subsp. <i>canadensis</i>
<i>Iris setosa</i> subsp. <i>setosa</i>	<i>Iris setosa</i> var. <i>canadensis</i>	<i>Iris sibirica</i>
<i>Iris sibirica</i> var. <i>sanguinea</i>	<i>Iris sibirica</i> x <i>sanguinea</i>	<i>Iris sichuanensis</i>
<i>Iris sikkimensis</i>	<i>Iris sintenisii</i>	<i>Iris sintenisii</i> subsp. <i>brandzae</i>

<i>Iris sisyrinchium</i>	<i>Iris sofarana</i>	<i>Iris sogdiana</i>
<i>Iris songarica</i>	<i>Iris spathulata</i>	<i>Iris speculatrix</i>
<i>Iris sprengeri</i>	<i>Iris spuria</i>	<i>Iris spuria</i> subsp. <i>aurea</i>
<i>Iris spuria</i> subsp. <i>carthaliniae</i>	<i>Iris spuria</i> subsp. <i>demetrii</i>	<i>Iris spuria</i> subsp. <i>guldenstaedtiana</i>
<i>Iris spuria</i> subsp. <i>halophila</i>	<i>Iris spuria</i> subsp. <i>maritima</i>	<i>Iris spuria</i> subsp. <i>musulmanica</i>
<i>Iris spuria</i> subsp. <i>natha</i>	<i>Iris spuria</i> subsp. <i>sogdiana</i>	<i>Iris spuria</i> var. <i>daenensis</i>
<i>Iris spuria</i> var. <i>desertorum</i>	<i>Iris spuria</i> var. <i>halophila</i>	<i>Iris spuria</i> var. <i>natha</i>
<i>Iris statellae</i>	<i>Iris stolonifera</i>	<i>Iris stricta</i>
<i>Iris stylosa</i>	<i>Iris suaveolens</i>	<i>Iris subbiflora</i>
<i>Iris sulphurea</i>	<i>Iris susiana</i>	<i>Iris swensoniana</i>
<i>Iris szovitsii</i>	<i>Iris talischi</i>	<i>Iris taochia</i>
<i>Iris taurica</i>	<i>Iris tectorum</i>	<i>Iris tenax</i>
<i>Iris tenuifolia</i>	<i>Iris tenuis</i>	<i>Iris tenuissima</i>
<i>Iris thompsonii</i>	<i>Iris thoroldii</i>	<i>Iris tianschanica</i>
<i>Iris tigridia</i>	<i>Iris timofejewii</i>	<i>Iris tolmieana</i>
<i>Iris tricuspidata</i>	<i>Iris tridentata</i>	<i>Iris triflora</i>
<i>Iris trojana</i>	<i>Iris typhifolia</i>	<i>Iris unguicularis</i>
<i>Iris unguicularis</i> subsp. <i>cretensis</i>	<i>Iris uniflora</i>	<i>Iris urmiensis</i>
<i>Iris variegata</i>	<i>Iris ventricosa</i>	<i>Iris verna</i>
<i>Iris versicolor</i>	<i>Iris versicolor</i> x <i>virginica</i>	<i>Iris villosa</i>
<i>Iris vinicolor</i>	<i>Iris violacea</i>	<i>Iris virginica</i>
<i>Iris wattii</i>	<i>Iris westii</i>	<i>Iris wilsonii</i>
<i>Iris x fulvala</i>	<i>Iris x germanica</i>	<i>Iris x kochii</i>
<i>Iris x lurida</i>	<i>Iris x monnieri</i>	<i>Iris x robusta</i>
<i>Iris x sambucina</i>	<i>Iris x squalens</i>	<i>Iris xanthospuria</i>
<i>Iris yebrudii</i>	<i>Iris yebrudii</i> subsp. <i>edgecombi</i>	<i>Irvingia womboli</i>
<i>Isotoma anethifolia</i>	<i>Isotoma armstrongii</i>	<i>Isotoma axillaris</i>
<i>Isotoma baueri</i>	<i>Isotoma fluviatilis</i>	<i>Isotoma gulliveri</i>
<i>Isotoma hypocrateriformis</i>	<i>Isotoma luticola</i>	<i>Isotoma petraea</i>
<i>Isotoma pusilla</i>	<i>Isotoma scapigera</i>	<i>Isotoma seneciooides</i>
<i>Itea chinensis</i>	<i>Itea ilicifolia</i>	<i>Itea japonica</i>
<i>Itea virginica</i>	<i>Itea yunnanensis</i>	<i>Ixiolirion pallasii</i>

<i>Ixiolirion tataricum</i>	<i>Jasione laevis</i>	<i>Jasione montana</i>
<i>Jasione perennis</i>	<i>Jensenobotrya lossowiana</i>	<i>Jovellana violacea</i>
<i>Jovibarba globifera</i> subsp. <i>arenaria</i>	<i>Jovibarba globifera</i> subsp. <i>globifera</i>	<i>Jovibarba sobolifera</i>
<i>Juncus bufonius</i>	<i>Juncus effusus</i>	<i>Juncus filiformis</i>
<i>Juncus inflexus</i>	<i>Juncus multiflorus</i>	<i>Juttadinteria simpsonii</i>
<i>Kadsura japonica</i>	<i>Kaempferia angustifolia</i>	<i>Kaempferia atrovirens</i>
<i>Kaempferia galanga</i>	<i>Kaempferia gilbertii</i>	<i>Kaempferia pulchra</i>
<i>Kaempferia roscooeana</i>	<i>Kaempferia rotunda</i>	<i>Kalanchoe ambrensis</i>
<i>Kalanchoe beauverdii</i>	<i>Kalanchoe beharensis</i>	<i>Kalanchoe blossfeldiana</i>
<i>Kalanchoe brevicaulis</i>	<i>Kalanchoe citrina</i>	<i>Kalanchoe costantinii</i>
<i>Kalanchoe crenata</i>	<i>Kalanchoe cuisinii</i>	<i>Kalanchoe eriophylla</i>
<i>Kalanchoe fedtschenkoi</i>	<i>Kalanchoe flammea</i>	<i>Kalanchoe glaucescens</i>
<i>Kalanchoe globulifera</i> var. <i>coccinea</i>	<i>Kalanchoe grandiflora</i>	<i>Kalanchoe hildebrandtii</i>
<i>Kalanchoe integra</i>	<i>Kalanchoe integra</i> var. <i>crenata</i>	<i>Kalanchoe integra</i> var. <i>vereia</i>
<i>Kalanchoe juelii</i>	<i>Kalanchoe lanceolata</i>	<i>Kalanchoe lateritia</i>
<i>Kalanchoe lateritia</i> var. <i>lateritia</i>	<i>Kalanchoe longiflora</i>	<i>Kalanchoe macrantha</i>
<i>Kalanchoe manginii</i>	<i>Kalanchoe marmorata</i>	<i>Kalanchoe millotii</i>
<i>Kalanchoe multiceps</i>	<i>Kalanchoe orgyalis</i>	<i>Kalanchoe paniculata</i>
<i>Kalanchoe peltata</i>	<i>Kalanchoe pumila</i>	<i>Kalanchoe rhombopilosa</i>
<i>Kalanchoe robusta</i>	<i>Kalanchoe rotundifolia</i>	<i>Kalanchoe scandens</i>
<i>Kalanchoe sexangularis</i>	<i>Kalanchoe stapfii</i>	<i>Kalanchoe synsepala</i>
<i>Kalanchoe synsepala</i> var. <i>dissecta</i>	<i>Kalanchoe thyrsiflora</i>	<i>Kalanchoe tomentosa</i>
<i>Kalanchoe uniflora</i>	<i>Kalanchoe van-tieghemii</i>	<i>Kalanchoe zimbabwensis</i>
<i>Kiggelaria africana</i>	<i>Kitchingia peltata</i>	<i>Kitchingia peltate</i> var. <i>stapfii</i>
<i>Kitchingia uniflora</i>	<i>Knema laurina</i>	<i>Labisia alata</i>
<i>Labisia maloniana</i>	<i>Labisia pothoina</i>	<i>Labisia pumila</i>
<i>Labisia smaragdina</i>	<i>Lagarostrobos franklinii</i>	<i>Lagenandra thwaitesii</i>
<i>Lampranthus aureus</i>	<i>Lampranthus blandus</i>	<i>Lampranthus coccineus</i>
<i>Lampranthus deltoides</i>	<i>Lampranthus falciformis</i>	<i>Lampranthus glaucus</i>
<i>Lampranthus glaucus</i> subsp. <i>glaucus</i>	<i>Lampranthus glaucus</i> var. <i>glaucus</i>	<i>Lampranthus immelmaniae</i>

<i>Lampranthus maximiliani</i>	<i>Lampranthus multiradiatus</i>	<i>Lampranthus roseus</i>
<i>Lampranthus scaber</i>	<i>Lampranthus spectabilis</i>	<i>Lampranthus tegens</i>
<i>Lampranthus tenuifolius</i>	<i>Lamprocapnos spectabilis</i>	<i>Languas galanga</i>
<i>Languas officinarum</i>	<i>Languas speciosa</i>	<i>Lapageria rosea</i>
<i>Lapageria rosea</i> var. <i>albiflora</i>	<i>Lapidaria margaretae</i>	<i>Lardizabala biternata</i>
<i>Larochea falcata</i> var. <i>minor</i>	<i>Lasia aculeata</i>	<i>Lasia spinosa</i>
<i>Lasiandra urvilleana</i>	<i>Lastreopsis acuminata</i>	<i>Lastreopsis calantha</i>
<i>Lastreopsis decomposita</i>	<i>Lastreopsis microsora</i>	<i>Laurelia novae-zelandiae</i>
<i>Laurelia sempervirens</i>	<i>Laurentia anethifolia</i>	<i>Laurentia armstrongii</i>
<i>Laurentia axillaris</i>	<i>Laurentia baueri</i>	<i>Laurentia ferdinandi</i>
<i>Laurentia fluvialis</i>	<i>Laurentia gaudichaudii</i>	<i>Laurentia gulliveri</i>
<i>Laurentia hypocrateriformis</i>	<i>Laurentia petraea</i>	<i>Laurentia pusilla</i>
<i>Lavigeria macrocarpa</i>	<i>Lechenaultia hirsuta</i>	<i>Lechenaultia macrantha</i>
<i>Lecomtedoxa klaineana</i>	<i>Lecythis ollaria</i>	<i>Lecythis pisonis</i>
<i>Legousia apoculum</i> <i>veneris</i>	<i>Legousia speculum-veneris</i>	<i>Leipoldia amplexicaulis</i>
<i>Leipoldia aprica</i>	<i>Leipoldia brevifolia</i>	<i>Leipoldia britteniae</i>
<i>Leipoldia constricta</i>	<i>Leipoldia herrei</i>	<i>Leipoldia nelii</i>
<i>Leipoldia pauciflora</i>	<i>Leipoldia schultzei</i>	<i>Leontochir ovallei</i>
<i>Lepidozamia hopei</i>	<i>Lepidozamia peroffskyana</i>	<i>Lepsia microphylla</i>
<i>Leptobryum pyriforme</i>	<i>Leptopteris superba</i>	<i>Leucostegia immersa</i>
<i>Leucostegia pallida</i>	<i>Libertia caerulescens</i>	<i>Libertia chilensis</i>
<i>Libertia formosa</i>	<i>Libertia grandiflora</i>	<i>Libertia ixoides</i>
<i>Libertia micrantha</i>	<i>Libertia paniculata</i>	<i>Libertia peregrinans</i>
<i>Libertia pulchella</i>	<i>Libertia sessiliflora</i>	<i>Lilium 'American' hybrid</i>
<i>Lilium 'Asiatic' hybrid</i>	<i>Lilium 'Candidum' hybrid</i>	<i>Lilium 'Dauricum' hybrid</i>
<i>Lilium 'Martagon' hybrid</i>	<i>Lilium 'Oriental' hybrid</i>	<i>Lilium 'Trumpet' hybrid</i>
<i>Lilium akkusianum</i>	<i>Lilium albanicum</i>	<i>Lilium alexandrae</i>
<i>Lilium amabile</i>	<i>Lilium amoenum</i>	<i>Lilium arboricola</i>
<i>Lilium armatum</i>	<i>Lilium auratum</i>	<i>Lilium auratum</i> var. <i>platyphyllum</i>
<i>Lilium auratum</i> var. <i>virginale</i>	<i>Lilium auratum</i> var. <i>wittei</i>	<i>Lilium bakerianum</i>
<i>Lilium bakerianum</i> var. <i>rubrum</i>	<i>Lilium bloomerianum</i> var. <i>ocellatum</i>	<i>Lilium bolanderi</i>
<i>Lilium brownii</i>	<i>Lilium bukosanense</i>	<i>Lilium bulbiferum</i>

<i>Lilium bulbiferum</i> var. <i>chaixii</i>	<i>Lilium bulbiferum</i> var. <i>croceum</i>	<i>Lilium callosum</i>
<i>Lilium camschatcense</i>	<i>Lilium canadense</i>	<i>Lilium canadense</i> var. <i>coccineum</i>
<i>Lilium canadense</i> var. <i>editorum</i>	<i>Lilium canadense</i> var. <i>parviflorum</i>	<i>Lilium canadense</i> var. <i>puberulum</i>
<i>Lilium candidum</i>	<i>Lilium carniolicum</i>	<i>Lilium catesbaei</i>
<i>Lilium cathayanum</i>	<i>Lilium caucasicum</i>	<i>Lilium cernuum</i>
<i>Lilium chaixii</i>	<i>Lilium chalcedonicum</i>	<i>Lilium ciliatum</i>
<i>Lilium columbianum</i>	<i>Lilium concolor</i>	<i>Lilium croceum</i>
<i>Lilium dauricum</i>	<i>Lilium davidii</i>	<i>Lilium davidii</i> var. <i>davidii</i>
<i>Lilium davidii</i> var. <i>willmottiae</i>	<i>Lilium debile</i>	<i>Lilium distichum</i>
<i>Lilium duchartrrei</i>	<i>Lilium eupetes</i>	<i>Lilium eximium</i>
<i>Lilium fargesii</i>	<i>Lilium formosanum</i>	<i>Lilium formosanum</i> var. <i>pricei</i>
<i>Lilium georgei</i>	<i>Lilium georgicum</i>	<i>Lilium giganteum</i>
<i>Lilium giganteum</i> var. <i>yunnanense</i>	<i>Lilium grayi</i>	<i>Lilium hansonii</i>
<i>Lilium harrisii</i>	<i>Lilium henrici</i>	<i>Lilium henryi</i>
<i>Lilium humboldtii</i>	<i>Lilium humboldtii</i> subsp. <i>humboldtii</i>	<i>Lilium humboldtii</i> subsp. <i>ocellatum</i>
<i>Lilium humboldtii</i> var. <i>ocellatum</i>	<i>Lilium iridollae</i>	<i>Lilium jankae</i>
<i>Lilium japonicum</i>	<i>Lilium japonicum</i> f. <i>nobilissimum</i>	<i>Lilium japonicum</i> var. <i>alexandrae</i>
<i>Lilium jinfushanense</i>	<i>Lilium kelleyanum</i>	<i>Lilium kelloggii</i>
<i>Lilium kesselringianum</i>	<i>Lilium krameri</i>	<i>Lilium lancifolium</i>
<i>Lilium lancifolium</i> var. <i>flaviflorum</i>	<i>Lilium lancifolium</i> var. <i>fortunei</i>	<i>Lilium lankongense</i>
<i>Lilium ledebourii</i>	<i>Lilium leichtlinii</i> var. <i>maximowiczii</i>	<i>Lilium leichtlinii</i> var. <i>tigrinum</i>
<i>Lilium leucanthum</i>	<i>Lilium lijangense</i>	<i>Lilium linifolium</i>
<i>Lilium longiflorum</i>	<i>Lilium longiflorum</i> var. <i>alexandrae</i>	<i>Lilium longiflorum</i> var. <i>eximium</i>
<i>Lilium lophophorum</i>	<i>Lilium mackliniae</i>	<i>Lilium maculatum</i>
<i>Lilium majoense</i>	<i>Lilium maritimum</i>	<i>Lilium martagon</i>
<i>Lilium martagon</i> subsp. <i>caucasicum</i>	<i>Lilium martagon</i> var. <i>albiflorum</i>	<i>Lilium martagon</i> var. <i>cattaniae</i>

<i>Lilium martagon</i> var. <i>dalmaticum</i>	<i>Lilium martagon</i> var. <i>martagon</i>	<i>Lilium matangense</i>
<i>Lilium maximowiczii</i>	<i>Lilium medeoloides</i>	<i>Lilium medogense</i>
<i>Lilium michauxii</i>	<i>Lilium michiganense</i>	<i>Lilium monadelphum</i>
<i>Lilium monadelphum</i> var. <i>ledebourii</i>	<i>Lilium nanum</i>	<i>Lilium nepalense</i>
<i>Lilium nobilissimum</i>	<i>Lilium occidentale</i>	<i>Lilium oxypetalum</i>
<i>Lilium oxypetalum</i> var. <i>insigne</i>	<i>Lilium papilliferum</i>	<i>Lilium paradoxum</i>
<i>Lilium pardalinum</i>	<i>Lilium pardalinum</i> subsp. <i>vollmeri</i>	<i>Lilium pardalinum</i> var. <i>schastense</i>
<i>Lilium parryi</i>	<i>Lilium parryi</i> var. <i>kessleri</i>	<i>Lilium parviflorum</i>
<i>Lilium parvum</i>	<i>Lilium parvum</i> var. <i>crocatum</i>	<i>Lilium philadelphicum</i>
<i>Lilium philippinense</i>	<i>Lilium pilosiusculum</i>	<i>Lilium pitkinense</i>
<i>Lilium poilanei</i>	<i>Lilium polyphyllum</i>	<i>Lilium pomponium</i>
<i>Lilium ponticum</i>	<i>Lilium primulinum</i>	<i>Lilium primulinum</i> var. <i>burmanicum</i>
<i>Lilium primulinum</i> var. <i>ochraceum</i>	<i>Lilium primulinum</i> var. <i>primulinum</i>	<i>Lilium pumilum</i>
<i>Lilium pyrenaicum</i>	<i>Lilium pyrenaicum</i> subsp. <i>carniolicum</i>	<i>Lilium pyrenaicum</i> subsp. <i>carniolicum</i> var. <i>albanicum</i>
<i>Lilium pyrenaicum</i> subsp. <i>ponticum</i>	<i>Lilium pyrenaicum</i> var. <i>albanicum</i>	<i>Lilium regale</i>
<i>Lilium rhodopaeum</i>	<i>Lilium roseum</i>	<i>Lilium rosthornii</i>
<i>Lilium rubellum</i>	<i>Lilium rubescens</i>	<i>Lilium saccatum</i>
<i>Lilium sachalinense</i>	<i>Lilium sargentiae</i>	<i>Lilium sempervivoideum</i>
<i>Lilium sherriffiae</i>	<i>Lilium souliei</i>	<i>Lilium speciosum</i>
<i>Lilium speciosum</i> f. <i>album</i>	<i>Lilium speciosum</i> f. <i>kraetzeri</i>	<i>Lilium speciosum</i> f. <i>melpomene</i>
<i>Lilium speciosum</i> f. <i>rubrum</i>	<i>Lilium speciosum</i> var. <i>album</i>	<i>Lilium speciosum</i> var. <i>clivorum</i>
<i>Lilium speciosum</i> var. <i>speciosum</i>	<i>Lilium stewartianum</i>	<i>Lilium sulphureum</i>
<i>Lilium superbum</i>	<i>Lilium sutchuenense</i>	<i>Lilium szovitsianum</i>
<i>Lilium taliense</i>	<i>Lilium tenuifolium</i>	<i>Lilium thomsonianum</i>
<i>Lilium tigrinum</i>	<i>Lilium tigrinum</i> var. <i>fortunei</i>	<i>Lilium tsingtauense</i>
<i>Lilium ukeyuri</i>	<i>Lilium vollmeri</i>	<i>Lilium vollmeri</i> x <i>shastense</i>
<i>Lilium wallichianum</i>	<i>Lilium wallichianum</i> var. <i>neilgherrense</i>	<i>Lilium wardii</i>

<i>Lilium washingtonianum</i>	<i>Lilium washingtonianum</i> subsp. <i>purpurascens</i>	<i>Lilium washingtonianum</i> var. <i>purpurascens</i>
<i>Lilium wenshanense</i>	<i>Lilium wigginsii</i>	<i>Lilium willmottiae</i>
<i>Lilium wilsonii</i>	<i>Lilium x dalhansonii</i>	<i>Lilium x hollandicum</i>
<i>Lilium x imperiale</i>	<i>Lilium x testaceum</i>	<i>Lilium xanthellum</i>
<i>Lilium yapingense</i>	<i>Limnanthes alba</i>	<i>Limnanthes douglasii</i>
<i>Limnanthes douglasii</i> subsp. <i>nivea</i>	<i>Limnanthes douglasii</i> subsp. <i>rosea</i>	<i>Limnanthes douglasii</i> subsp. <i>sulphurea</i>
<i>Limnanthes douglasii</i> var. <i>nivea</i>	<i>Limnanthes douglasii</i> var. <i>rosea</i>	<i>Limnanthes douglasii</i> var. <i>sulphurea</i>
<i>Limnanthes rosea</i>	<i>Limonium altaica</i>	<i>Limonium angustifolium</i>
<i>Limonium arborescens</i>	<i>Limonium bellidifolium</i>	<i>Limonium bellidifolium</i> x <i>latifolium</i>
<i>Limonium binervosum</i>	<i>Limonium brassicifolium</i>	<i>Limonium cancellatum</i>
<i>Limonium caspium</i>	<i>Limonium companyonis</i>	<i>Limonium cordatum</i>
<i>Limonium cosyrense</i>	<i>Limonium gerberi</i>	<i>Limonium gmelinii</i>
<i>Limonium hyblaeum</i>	<i>Limonium latifolium</i>	<i>Limonium lobatum</i>
<i>Limonium macrorrhabdos</i>	<i>Limonium minutum</i>	<i>Limonium myrianthum</i>
<i>Limonium otolepis</i>	<i>Limonium peregrinum</i>	<i>Limonium perezii</i>
<i>Limonium platyphyllum</i>	<i>Limonium purpuratum</i>	<i>Limonium roseum</i>
<i>Limonium sinense</i>	<i>Limonium sinuatum</i>	<i>Limonium suworowii</i>
<i>Limonium tataricum</i>	<i>Limonium thouinii</i>	<i>Lindernia ciliata</i>
<i>Lindernia crustacea</i>	<i>Lithophragma parviflorum</i>	<i>Lithops aucampiae</i>
<i>Lithops bella</i>	<i>Lithops bromfieldii</i>	<i>Lithops coleorum</i>
<i>Lithops comptonii</i>	<i>Lithops dinteri</i>	<i>Lithops dinteri</i> var. <i>frederici</i>
<i>Lithops divergens</i>	<i>Lithops dorotheae</i>	<i>Lithops francisi</i>
<i>Lithops fulviceps</i>	<i>Lithops gesinae</i>	<i>Lithops geyeri</i>
<i>Lithops gracilidelineata</i>	<i>Lithops hallii</i>	<i>Lithops helmuti</i>
<i>Lithops hermetica</i>	<i>Lithops herrei</i>	<i>Lithops hookeri</i>
<i>Lithops julii</i>	<i>Lithops karasmontana</i>	<i>Lithops karasmontana</i> var. <i>summitatum</i>
<i>Lithops lesliei</i>	<i>Lithops localis</i>	<i>Lithops marmorata</i>
<i>Lithops meyeri</i>	<i>Lithops naureeniae</i>	<i>Lithops olivacea</i>
<i>Lithops optica</i>	<i>Lithops otzeniana</i>	<i>Lithops pseudotruncatella</i>
<i>Lithops ruschiorum</i>	<i>Lithops salicola</i>	<i>Lithops schwantesii</i>

<i>Lithops steineckeana</i>	<i>Lithops terricolor</i>	<i>Lithops turbiniformis</i>
<i>Lithops vallis-mariae</i>	<i>Lithops verruculosa</i>	<i>Lithops villetii</i>
<i>Lithops viridis</i>	<i>Lithops wernerii</i>	<i>Littonia modesta</i>
<i>Lloydia delavayi</i>	<i>Lloydia serotina</i>	<i>Lobelia alata</i>
<i>Lobelia boninensis</i>	<i>Lobelia bridgesii</i>	<i>Lobelia cardinalis</i>
<i>Lobelia deckenii</i>	<i>Lobelia erinus</i>	<i>Lobelia excelsa</i>
<i>Lobelia fluviatilis</i>	<i>Lobelia fulgens</i>	<i>Lobelia graminea</i>
<i>Lobelia gulliverii</i>	<i>Lobelia hypocrateriformis</i>	<i>Lobelia inflata</i>
<i>Lobelia kalmii</i>	<i>Lobelia laxiflora</i>	<i>Lobelia polyphylla</i>
<i>Lobelia quadrangularis</i>	<i>Lobelia roughii</i>	<i>Lobelia siphilitica</i>
<i>Lobelia speciosa</i>	<i>Lobelia splendens</i>	<i>Lobelia tenuior</i>
<i>Lobelia tupa</i>	<i>Lobelia valida</i>	<i>Lobelia x gerardii</i>
<i>Logania capensis</i>	<i>Lomaria eriopus</i>	<i>Lomenia borbonica</i>
<i>Lophosoria quadripinnata</i>	<i>Ludovia crenifolia</i>	<i>Ludovia lancifolia</i>
<i>Lumnitzera littorea</i>	<i>Luzula erecta</i>	<i>Luzula multiflora</i>
<i>Luzula nivea</i>	<i>Lycopodium alpinum</i>	<i>Lycopodium clavatum</i>
<i>Lycopodium foliaceum</i>	<i>Lycopodium kraussianum</i>	<i>Lycopodium lepidophyllum</i>
<i>Lycopodium nummularifolium</i>	<i>Lycopodium pallescens</i>	<i>Lycopodium planum</i>
<i>Lycopodium uncinatum</i>	<i>Lycopodium wallichii</i>	<i>Lycopodium willdenowii</i>
<i>Lygodium circinatum</i>	<i>Lygodium japonicum</i>	<i>Lygodium microphyllum</i>
<i>Lygodium polymorphum</i>	<i>Lygodium scandens</i>	<i>Lygodium scandens</i> var. <i>intermedium</i>
<i>Lygodium scandens</i> var. <i>microphyllum</i>	<i>Lysichiton americanus</i>	<i>Lysichiton camtschatcensis</i>
<i>Lysimachia atropurpurea</i>	<i>Lysimachia barystachys</i>	<i>Lysimachia ciliata</i>
<i>Lysimachia clethroides</i>	<i>Lysimachia congestiflora</i>	<i>Lysimachia davurica</i>
<i>Lysimachia decurrens</i>	<i>Lysimachia ephemerum</i>	<i>Lysimachia fortunei</i>
<i>Lysimachia glutinosa</i>	<i>Lysimachia henryi</i>	<i>Lysimachia japonica</i>
<i>Lysimachia lanceolata</i>	<i>Lysimachia lichiangensis</i>	<i>Lysimachia mauritiana</i>
<i>Lysimachia minoricensis</i>	<i>Lysimachia nemorum</i>	<i>Lysimachia nummularia</i>
<i>Lysimachia paridiformis</i>	<i>Lysimachia procumbens</i>	<i>Lysimachia punctata</i>
<i>Lysimachia serpyllifolia</i>	<i>Lysimachia terrestris</i>	<i>Lysimachia vulgaris</i>
<i>Lysimachia vulgaris</i> subsp. <i>davurica</i>	<i>Lysimachia vulgaris</i> var. <i>davurica</i>	<i>Lysimachia yunnanensis</i>
<i>Machaerophyllum albidum</i>	<i>Macleaya cordata</i>	<i>Macleaya microcarpa</i>

<i>Macropidia fuliginosa</i>	<i>Macropiper excelsum</i>	<i>Macrothelypteris polypodioides</i>
<i>Macrothelypteris torresiana</i>	<i>Macrozamia cardiacensis</i>	<i>Macrozamia communis</i>
<i>Macrozamia concinna</i>	<i>Macrozamia conferta</i>	<i>Macrozamia cramei</i>
<i>Macrozamia crassifolia</i>	<i>Macrozamia diplomera</i>	<i>Macrozamia douglasii</i>
<i>Macrozamia dyeri</i>	<i>Macrozamia elegans</i>	<i>Macrozamia fawcettii</i>
<i>Macrozamia farnsidei</i>	<i>Macrozamia flexuosa</i>	<i>Macrozamia fraseri</i>
<i>Macrozamia glaucophylla</i>	<i>Macrozamia heteromera</i>	<i>Macrozamia humilis</i>
<i>Macrozamia johnsonii</i>	<i>Macrozamia lomandrodes</i>	<i>Macrozamia longispina</i>
<i>Macrozamia lucida</i>	<i>Macrozamia macdonnellii</i>	<i>Macrozamia machinii</i>
<i>Macrozamia macleayi</i>	<i>Macrozamia miquelii</i>	<i>Macrozamia montana</i>
<i>Macrozamia moorei</i>	<i>Macrozamia mountperriensis</i>	<i>Macrozamia occidus</i>
<i>Macrozamia parcifolia</i>	<i>Macrozamia pauli-guilielmi</i>	<i>Macrozamia platyrhachis</i>
<i>Macrozamia plurinervia</i>	<i>Macrozamia polymorpha</i>	<i>Macrozamia reducta</i>
<i>Macrozamia riedlei</i>	<i>Macrozamia secunda</i>	<i>Macrozamia serpentina</i>
<i>Macrozamia spiralis</i>	<i>Macrozamia stenomera</i>	<i>Macrozamia viridis</i>
<i>Maesobotrya barteri</i>	<i>Maesobotrya edulis</i>	<i>Maesobotrya sparsiflora</i>
<i>Mammea africana</i>	<i>Mammea americana</i>	<i>Mammea asiatica</i>
<i>Mammea emarginata</i>	<i>Maranta arundinacea</i>	<i>Maranta bella</i>
<i>Maranta bicolor</i>	<i>Maranta depressa</i>	<i>Maranta galanga</i>
<i>Maranta kegeliana</i>	<i>Maranta leuconeura</i>	<i>Maranta leuconeura</i> var. <i>erythroneura</i>
<i>Maranta leuconeura</i> var. <i>kerchoviana</i>	<i>Maranta lutea</i>	<i>Maranta majestica</i>
<i>Maranta makoyana</i>	<i>Maranta massangeana</i>	<i>Maranta ornata</i>
<i>Maranta princeps</i>	<i>Maranta regalis</i>	<i>Maranta sanderiana</i>
<i>Maranta veitchii</i>	<i>Maranta zebrina</i>	<i>Marantochloa cuspidata</i>
<i>Marantochloa flexuosa</i>	<i>Marantochloa leucantha</i>	<i>Marcgravia trinitatis</i>
<i>Marica californica</i>	<i>Marica gracilis</i>	<i>Marica longifolia</i>
<i>Marlothistella stenophyllum</i>	<i>Matteuccia struthiopteris</i>	<i>Maughaniella luckhoffii</i>
<i>Mazus pumilio</i>	<i>Mazus radicans</i>	<i>Mazus reptans</i>
<i>Meconopsis aculeata</i>	<i>Meconopsis argemonantha</i>	<i>Meconopsis baileyi</i>
<i>Meconopsis barbisetia</i>	<i>Meconopsis bella</i>	<i>Meconopsis betonicifolia</i>
<i>Meconopsis cambrica</i>	<i>Meconopsis cambrica</i> var. <i>aurantiaca</i>	<i>Meconopsis chelidonifolia</i>
<i>Meconopsis delavayi</i>	<i>Meconopsis dhwojii</i>	<i>Meconopsis discigera</i>

<i>Meconopsis forrestii</i>	<i>Meconopsis gracilipes</i>	<i>Meconopsis grandis</i>
<i>Meconopsis heterophylla</i>	<i>Meconopsis horridula</i>	<i>Meconopsis horridula</i> var. <i>rudis</i>
<i>Meconopsis impedita</i>	<i>Meconopsis integrifolia</i>	<i>Meconopsis lancifolia</i>
<i>Meconopsis 'Lingholm'</i>	<i>Meconopsis longipetiolata</i>	<i>Meconopsis lyrata</i>
<i>Meconopsis napaulensis</i>	<i>Meconopsis paniculata</i>	<i>Meconopsis prattii</i>
<i>Meconopsis pseudointegrifolia</i>	<i>Meconopsis pseudovenusta</i>	<i>Meconopsis punicea</i>
<i>Meconopsis quintuplinervia</i>	<i>Meconopsis racemosa</i>	<i>Meconopsis regia</i>
<i>Meconopsis robusta</i>	<i>Meconopsis rудis</i>	<i>Meconopsis sherriffii</i>
<i>Meconopsis simplicifolia</i>	<i>Meconopsis sinuata</i>	<i>Meconopsis sinuata</i> var. <i>prattii</i>
<i>Meconopsis speciosa</i>	<i>Meconopsis superba</i>	<i>Meconopsis taylorii</i>
<i>Meconopsis torquata</i>	<i>Meconopsis villosa</i>	<i>Meconopsis violacea</i>
<i>Meconopsis wallichii</i>	<i>Meconopsis wummungensis</i>	<i>Meconopsis x beamishii</i>
<i>Meconopsis x cookei</i>	<i>Meconopsis x finlayorum</i>	<i>Meconopsis x harleyana</i>
<i>Meconopsis x musgravei</i>	<i>Meconopsis x sarsonii</i>	<i>Meconopsis x sheldonii</i>
<i>Meconopsis zangnanensis</i>	<i>Medinilla cumingii</i>	<i>Medinilla magnifica</i>
<i>Medinilla mannii</i>	<i>Medinilla multiflora</i>	<i>Medinilla myriantha</i>
<i>Medinilla scortechinii</i>	<i>Medinilla speciosa</i>	<i>Medinilla venosa</i>
<i>Meeboldina cana</i>	<i>Meeboldina coangustata</i>	<i>Meeboldina scariosa</i>
<i>Megasea ciliata</i>	<i>Melanthium glaucum</i>	<i>Melanthium indicum</i>
<i>Melianthus major</i>	<i>Melianthus villosus</i>	<i>Memecylon edule</i>
<i>Mentzelia laevicaulis</i>	<i>Mentzelia lindleyi</i>	<i>Menyanthes trifoliata</i>
<i>Meratia praecox</i>	<i>Meratia praecox</i> var. <i>grandiflora</i>	<i>Mesembryanthemum aitonis</i>
<i>Mesembryanthemum angulatum</i>	<i>Mesembryanthemum arboriforme</i>	<i>Mesembryanthemum binum</i>
<i>Mesembryanthemum blandum</i>	<i>Mesembryanthemum bolusii</i>	<i>Mesembryanthemum britteniae</i>
<i>Mesembryanthemum caninum</i>	<i>Mesembryanthemum caroli</i>	<i>Mesembryanthemum cooperi</i>
<i>Mesembryanthemum criniflorum</i>	<i>Mesembryanthemum crystallinum</i>	<i>Mesembryanthemum depressum</i>
<i>Mesembryanthemum echinatum</i>	<i>Mesembryanthemum ecklonis</i>	<i>Mesembryanthemum felinum</i>
<i>Mesembryanthemum julii</i>	<i>Mesembryanthemum karasmontanum</i>	<i>Mesembryanthemum linguiforme</i>
<i>Mesembryanthemum locale</i>	<i>Mesembryanthemum loreum</i>	<i>Mesembryanthemum lupinum</i>
<i>Mesembryanthemum marmoratum</i>	<i>Mesembryanthemum maximiliani</i>	<i>Mesembryanthemum multiradiatum</i>

<i>Mesembryanthemum nodiflorum</i>	<i>Mesembryanthemum perviride</i>	<i>Mesembryanthemum phillipsii</i>
<i>Mesembryanthemum primulinum</i>	<i>Mesembryanthemum ringens</i>	<i>Mesembryanthemum roseum</i>
<i>Mesembryanthemum saxetanum</i>	<i>Mesembryanthemum schultzei</i>	<i>Mesembryanthemum simpsonii</i>
<i>Mesembryanthemum soildum</i>	<i>Mesembryanthemum spectabile</i>	<i>Mesembryanthemum strubeniae</i>
<i>Mesembryanthemum tigrinum</i>	<i>Mesembryanthemum tricolorum</i>	<i>Mesembryanthemum turbiniforme</i>
<i>Mesembryanthemum velutinum</i>	<i>Mestoklema arboriforme</i>	<i>Mestoklema tuberosum</i>
<i>Mesua ferrea</i>	<i>Metaxya rostrate</i>	<i>Michauxia campanuloides</i>
<i>Michauxia tchihatcheffii</i>	<i>Micranthes pensylvanica</i>	<i>Microcycas calocoma</i>
<i>Microsorum brachylepis</i>	<i>Microsorum diversifolium</i>	<i>Microsorum fortunei</i>
<i>Microsorum grossum</i>	<i>Microsorum irregulare</i>	<i>Microsorum linguiforme</i>
<i>Microsorum monstrosum</i>	<i>Microsorum musifolium</i>	<i>Microsorum pappei</i>
<i>Microsorum pteropus</i>	<i>Microsorum punctatum</i>	<i>Microsorum pustulatum</i>
<i>Microsorum scandens</i>	<i>Microsorum scolopendria</i>	<i>Microsorum sibomense</i>
<i>Miltonioides karwinskii</i>	<i>Mimulus bolanderi</i>	<i>Mimulus cardinalis</i>
<i>Mimulus cupreus x luteus</i>	<i>Mimulus cusickii</i>	<i>Mimulus eastwoodiae</i>
<i>Mimulus gracilis</i>	<i>Mimulus guttatus</i>	<i>Mimulus guttatus x luteus</i>
<i>Mimulus lewisii</i>	<i>Mimulus longiflorus</i>	<i>Mimulus longiflorus</i> subsp. <i>calycinus</i>
<i>Mimulus luteus</i>	<i>Mimulus moschatus</i>	<i>Mimulus nepalensis</i>
<i>Mimulus pictus</i>	<i>Mimulus primuloides</i>	<i>Mimulus puniceus</i>
<i>Mimulus repens</i>	<i>Mimulus ringens</i>	<i>Mimulus ringens</i> var. <i>colpophilus</i>
<i>Mimulus tigrinus</i>	<i>Mimulus tilingii</i>	<i>Mimulus x burnetii</i>
<i>Mimulus x hybridus = M. luteus x M. guttatus</i>	<i>Mimulus x maculosus</i>	<i>Mimulus x robertsii</i>
<i>Mimusops congolensis</i>	<i>Mimusops elengi</i>	<i>Mimusops hexandra</i>
<i>Mimusops roxburghiana</i>	<i>Mitella breweri</i>	<i>Mitrophyllum abbreviatum</i>
<i>Mitrophyllum cuspidatum</i>	<i>Mitrophyllum grande</i>	<i>Mitrophyllum niveum</i>
<i>Molineria capitulata</i>	<i>Mollugo cerviana</i>	<i>Mollugo verticillata</i>
<i>Monilaria pisiformis</i>	<i>Monochoria vaginalis</i>	<i>Monocostus uniflorus</i>
<i>Monopsis lutea</i>	<i>Monopsis unidentata</i>	<i>Monstera adansonii</i>
<i>Monstera deliciosa</i>	<i>Monstera dilacerata</i>	<i>Monstera dubia</i>
<i>Monstera epipremnoides</i>	<i>Monstera expilata</i>	<i>Monstera friedrichsthali</i>

<i>Monstera gracilis</i>	<i>Monstera obliqua</i>	<i>Monstera pinnatipartita</i>
<i>Monstera punctulata</i>	<i>Monstera siltepecana</i>	<i>Monstera standleyana</i>
<i>Monstera subpinnata</i>	<i>Moraea algoensis</i>	<i>Moraea alpina</i>
<i>Moraea alticola</i>	<i>Moraea angulata</i>	<i>Moraea angusta</i>
<i>Moraea aristata</i>	<i>Moraea atropunctata</i>	<i>Moraea barkerae</i>
<i>Moraea barnardii</i>	<i>Moraea bellendenii</i>	<i>Moraea bicolor</i>
<i>Moraea bipartita</i>	<i>Moraea bituminosa</i>	<i>Moraea brevifolia</i>
<i>Moraea britteniae</i>	<i>Moraea bubalina</i>	<i>Moraea caeca</i>
<i>Moraea calcicola</i>	<i>Moraea cantharophila</i>	<i>Moraea cedarmontana</i>
<i>Moraea chimboracensis</i>	<i>Moraea ciliata</i>	<i>Moraea collina</i>
<i>Moraea comptonii</i>	<i>Moraea confusa</i>	<i>Moraea contorta</i>
<i>Moraea cookii</i>	<i>Moraea cooperi</i>	<i>Moraea crispa</i>
<i>Moraea diandra</i>	<i>Moraea elegans</i>	<i>Moraea elliotii</i>
<i>Moraea falcifolia</i>	<i>Moraea fergussoniae</i>	<i>Moraea flexicaulis</i>
<i>Moraea fugacissima</i>	<i>Moraea fugax</i>	<i>Moraea fugax</i> subsp. <i>fugax</i>
<i>Moraea galaxia</i>	<i>Moraea galpinii</i>	<i>Moraea gawleri</i>
<i>Moraea gigandra</i>	<i>Moraea glaucopis</i>	<i>Moraea gracilenta</i>
<i>Moraea graminicola</i>	<i>Moraea herrei</i>	<i>Moraea hexaglottis</i>
<i>Moraea hiemalis</i>	<i>Moraea huttonii</i>	<i>Moraea inclinata</i>
<i>Moraea inconspicua</i>	<i>Moraea insolens</i>	<i>Moraea iridioides</i>
<i>Moraea kamiesensis</i>	<i>Moraea knersvlaktensis</i>	<i>Moraea lewisiae</i>
<i>Moraea lilacina</i>	<i>Moraea longifolia</i>	<i>Moraea loubseri</i>
<i>Moraea lugubris</i>	<i>Moraea lurida</i>	<i>Moraea luteoalba</i>
<i>Moraea macrocarpa</i>	<i>Moraea macronyx</i>	<i>Moraea marlothii</i>
<i>Moraea melanops</i>	<i>Moraea minima</i>	<i>Moraea minor</i>
<i>Moraea modesta</i>	<i>Moraea muddii</i>	<i>Moraea nana</i>
<i>Moraea neglecta</i>	<i>Moraea neopavonia</i>	<i>Moraea northiana</i>
<i>Moraea nubigena</i>	<i>Moraea ochroleuca</i>	<i>Moraea ovalifolia</i>
<i>Moraea pallida</i>	<i>Moraea papilionacea</i>	<i>Moraea pavonia</i>
<i>Moraea pavonia</i> var. <i>villosa</i>	<i>Moraea pendula</i>	<i>Moraea polyanthos</i>
<i>Moraea polystachya</i>	<i>Moraea pritzeliana</i>	<i>Moraea pseudospicata</i>
<i>Moraea radians</i>	<i>Moraea ramosissima</i>	<i>Moraea reticulata</i>
<i>Moraea robinsoniana</i>	<i>Moraea robusta</i>	<i>Moraea saxicola</i>
<i>Moraea serpentina</i>	<i>Moraea setifolia</i>	<i>Moraea simulans</i>

<i>Moraea sisyrinchium</i>	<i>Moraea spathacea</i>	<i>Moraea spathulata</i>
<i>Moraea speciosa</i>	<i>Moraea stagnalis</i>	<i>Moraea stricta</i>
<i>Moraea thomsonii</i>	<i>Moraea tortilis</i>	<i>Moraea tricolor</i>
<i>Moraea tricuspidata</i>	<i>Moraea trifida</i>	<i>Moraea tripetala</i>
<i>Moraea tristis</i>	<i>Moraea tulbaghensis</i>	<i>Moraea unguiculata</i>
<i>Moraea vallisbelli</i>	<i>Moraea variabilis</i>	<i>Moraea vegeta</i>
<i>Moraea versicolor</i>	<i>Moraea vespertina</i>	<i>Moraea villosa</i>
<i>Moraea virgata</i>	<i>Moraea viscaria</i>	<i>Moraea worcesterensis</i>
<i>Morella caroliniensis</i>	<i>Morella cordifolia</i>	<i>Morella pensylvanica</i>
<i>Morella rubra</i>	<i>Moringa drouhardii</i>	<i>Moringa hildebrandtii</i>
<i>Moringa oleifera</i>	<i>Moringa pterygosperma</i>	<i>Muiria hortenseae</i>
<i>Mukdenia rossii</i>	<i>Muntingia calabura</i>	<i>Musschia aurea</i>
<i>Musschia wollastonii</i>	<i>Myrica aspleniifolia</i>	<i>Myrica californica</i>
<i>Myrica carolinensis</i>	<i>Myrica cerifera</i>	<i>Myrica cordifolia</i>
<i>Myrica gale</i>	<i>Myrica gale</i> var. <i>tomentosa</i>	<i>Myrica heterophylla</i>
<i>Myrica pensylvanica</i>	<i>Myrica rubra</i>	<i>Myrica serrata</i>
<i>Myrica tomentosa</i>	<i>Nageia elongata</i>	<i>Nageia falcata</i>
<i>Nageia hallii</i>	<i>Nageia nivalis</i>	<i>Nageia totara</i>
<i>Namaquanthus vanheerdei</i>	<i>Nananthus aloides</i>	<i>Nananthus luckhoffii</i>
<i>Nananthus malherbei</i>	<i>Nananthus peersii</i>	<i>Nananthus rosulatus</i>
<i>Nananthus schooneesii</i>	<i>Nananthus setiferus</i>	<i>Nananthus spathulatus</i>
<i>Nananthus vittatus</i>	<i>Napoleona imperialis</i>	<i>Natalia lucens</i>
<i>Nebelia fragarioides</i>	<i>Nebelia paleacea</i>	<i>Nelia meyeri</i>
<i>Nelia pillansii</i>	<i>Nelia schlechteri</i>	<i>Neohenricia sibbetti</i>
<i>Neomarica brachypus</i>	<i>Neomarica caerulea</i>	<i>Neomarica gracilis</i>
<i>Neomarica longifolia</i>	<i>Neomarica northiana</i>	<i>Neomarica sabini</i>
<i>Neomarica silvestris</i>	<i>Nephroia sarmentosa</i>	<i>Nephrolepis acuminata</i>
<i>Nephrolepis auriculata</i>	<i>Nephrolepis biserrata</i>	<i>Nephrolepis cordifolia</i>
<i>Nephrolepis duffii</i>	<i>Nephrolepis exaltata</i>	<i>Nephrolepis falcata</i>
<i>Nephrolepis hirsutula</i>	<i>Nephrolepis multiflora</i>	<i>Nephrolepis oblitterata</i>
<i>Nicolaia atropurpurea</i>	<i>Nicolaia hemisphaerica</i>	<i>Nicolaia loerzingii</i>
<i>Niphidium americanum</i>	<i>Niphidium crassifolium</i>	<i>Nomocharis georgei</i>
<i>Nomocharis oxypetala</i>	<i>Nomocharis oxypetala</i> var. <i>insigne</i>	<i>Nothapodytes foetida</i>

<i>Nuxia floribunda</i>	<i>Nuytsia floribunda</i>	<i>Nymphozanthus rubrodiscus</i>
<i>Oakesia sessilifolia</i>	<i>Oakesiella sessilifolia</i>	<i>Octomeles moluccana</i>
<i>Octomeles sumatrana</i>	<i>Odontophorus albus</i>	<i>Odontophorus angustifolius</i>
<i>Odontophorus herrei</i>	<i>Odontophorus nanus</i>	<i>Odontophorus primulinus</i>
<i>Odontophorus primulinus</i>	<i>Odontosoria chinensis</i>	<i>Olinia emarginata</i>
<i>Olinia ventosa</i>	<i>Olsynium douglasii</i>	<i>Omphalocarpum elatum</i>
<i>Omphalogramma delavayi</i>	<i>Omphalogramma vinciflorum</i>	<i>Oncus esculentus</i>
<i>Onixotis punctata</i>	<i>Onixotis stricta</i>	<i>Onixotis triquetra</i>
<i>Onoclea sensibilis</i>	<i>Onychium japonicum</i>	<i>Oophytum nordenstamii</i>
<i>Oophytum oviforme</i>	<i>Ophioglossum filiforme</i>	<i>Ophioglossum japonicum</i>
<i>Ophioglossum reticulatum</i>	<i>Ophthalмophyllum dinteri</i>	<i>Ophthalмophyllum longum</i>
<i>Orellana americana</i> var. <i>leiocarpa</i>	<i>Orithyia dasystemon</i>	<i>Orostachys iwarenge</i>
<i>Orphium frutescens</i>	<i>Orthopterum waltoniae</i>	<i>Osbeckia chinensis</i>
<i>Osbeckia stellata</i>	<i>Osmunda banksifolia</i>	<i>Osmunda banksiifolia</i>
<i>Osmunda japonica</i>	<i>Osmunda palustris</i>	<i>Osmunda phylltidis</i>
<i>Osmunda regalis</i>	<i>Osmunda regalis</i> var. <i>brasiliensis</i>	<i>Osmunda regalis</i> var. <i>spectabilis</i>
<i>Osmunda spectabilis</i>	<i>Osmunda spectabilis</i> var. <i>brasiliensis</i>	<i>Osmunda vachellii</i>
<i>Ostrowskia magnifica</i>	<i>Osyris japonica</i>	<i>Ovidia andina</i>
<i>Pachyphytum oviferum</i>	<i>Paeonia albiflora</i>	<i>Paeonia anomala</i>
<i>Paeonia anomala</i> subsp. <i>veitchii</i>	<i>Paeonia arborea</i>	<i>Paeonia 'Argosy'</i>
<i>Paeonia arietina</i>	<i>Paeonia bakeri</i>	<i>Paeonia beresowskii</i>
<i>Paeonia broteri</i>	<i>Paeonia brotero</i>	<i>Paeonia brownii</i>
<i>Paeonia californica</i>	<i>Paeonia cambessedesii</i>	<i>Paeonia cambessedesii</i> x <i>mascula</i>
<i>Paeonia carthalinica</i>	<i>Paeonia caucasica</i>	<i>Paeonia clusii</i>
<i>Paeonia clusii</i> subsp. <i>clusii</i>	<i>Paeonia corallina</i>	<i>Paeonia corallina</i> var. <i>caucasica</i>
<i>Paeonia coriacea</i>	<i>Paeonia daurica</i>	<i>Paeonia delavayi</i>
<i>Paeonia emodi</i>	<i>Paeonia franchetii</i>	<i>Paeonia japonica</i>
<i>Paeonia jishanensis</i>	<i>Paeonia kavachensis</i>	<i>Paeonia kesrouanensis</i>
<i>Paeonia lactiflora</i>	<i>Paeonia lithophila</i>	<i>Paeonia lutea</i>
<i>Paeonia lutea</i> var. <i>ludlowii</i>	<i>Paeonia macrophylla</i>	<i>Paeonia mairei</i>

<i>Paeonia mascula</i>	<i>Paeonia mascula</i> subsp. <i>arietina</i>	<i>Paeonia mascula</i> subsp. <i>coriacea</i>
<i>Paeonia mascula</i> subsp. <i>hellenica</i>	<i>Paeonia mascula</i> subsp. <i>mascula</i>	<i>Paeonia mascula</i> subsp. <i>russi</i>
<i>Paeonia mascula</i> subsp. <i>triternata</i>	<i>Paeonia microcarpa</i>	<i>Paeonia mlokosewitschii</i>
<i>Paeonia mollis</i>	<i>Paeonia moutan</i>	<i>Paeonia obovata</i>
<i>Paeonia officinalis</i>	<i>Paeonia officinalis</i> subsp. <i>microcarpa</i>	<i>Paeonia ostii</i>
<i>Paeonia paradoxa</i>	<i>Paeonia parnassica</i>	<i>Paeonia peregrina</i>
<i>Paeonia potaninii</i>	<i>Paeonia rhodia</i>	<i>Paeonia rockii</i>
<i>Paeonia rubra</i>	<i>Paeonia ruprechtiana</i>	<i>Paeonia russoi</i>
<i>Paeonia sinjiangensis</i>	<i>Paeonia sterniana</i>	<i>Paeonia suffruticosa</i>
<i>Paeonia suffruticosa</i> subsp. <i>rockii</i>	<i>Paeonia suffruticosa</i> subsp. <i>suffruticosa</i>	<i>Paeonia tenuifolia</i>
<i>Paeonia triternata</i>	<i>Paeonia turcica</i>	<i>Paeonia veitchii</i>
<i>Paeonia wittmanniana</i>	<i>Paeonia wittmanniana</i> var. <i>tomentosa</i>	<i>Paeonia woodwardii</i>
<i>Paeonia x handel-mazzettii</i>	<i>Paeonia x lemoinei</i>	<i>Paeonia yananensis</i>
<i>Paepalanthus helichrysooides</i>	<i>Palaquium warburgianum</i>	<i>Panda oleosa</i>
<i>Pandanus amaryllifolius</i>	<i>Pandanus aquaticus</i>	<i>Pandanus baptistii</i>
<i>Pandanus basedowii</i>	<i>Pandanus dubius</i>	<i>Pandanus fascicularis</i>
<i>Pandanus forceps</i>	<i>Pandanus furcatus</i>	<i>Pandanus graminifolius</i>
<i>Pandanus misimaensis</i>	<i>Pandanus odoratissimus</i>	<i>Pandanus odorifer</i>
<i>Pandanus odoratus</i>	<i>Pandanus pacificus</i>	<i>Pandanus pygmaeus</i>
<i>Pandanus rabaiensis</i>	<i>Pandanus spiralis</i>	<i>Pandanus stuhlmannii</i>
<i>Pandanus tectorius</i>	<i>Pandanus tectorius</i> var. <i>sinensis</i>	<i>Pandanus utilis</i>
<i>Pandanus veitchii</i>	<i>Pandanus yalna</i>	<i>Pangium edule</i>
<i>Papaver aculeatum</i>	<i>Papaver alboroseum</i>	<i>Papaver alpinum</i>
<i>Papaver alpinum</i> subsp. <i>alpinum</i>	<i>Papaver alpinum</i> subsp. <i>kernerii</i>	<i>Papaver alpinum</i> subsp. <i>rhaeticum</i>
<i>Papaver alpinum</i> subsp. <i>sendtneri</i>	<i>Papaver amurense</i>	<i>Papaver anomalam</i>
<i>Papaver apokinomenon</i>	<i>Papaver argemone</i>	<i>Papaver atlanticum</i>
<i>Papaver burseri</i>	<i>Papaver californicum</i>	<i>Papaver carmeli</i>
<i>Papaver caucasicum</i>	<i>Papaver commutatum</i>	<i>Papaver croceum</i>

<i>Papaver dubium</i>	<i>Papaver floribundum</i>	<i>Papaver fugax</i>
<i>Papaver glaucum</i>	<i>Papaver heldreichii</i>	<i>Papaver hybridum</i>
<i>Papaver involucratum</i>	<i>Papaver kernerii</i>	<i>Papaver kluanense</i>
<i>Papaver laciniatum</i>	<i>Papaver lapponicum</i>	<i>Papaver lateritium</i>
<i>Papaver miyabeanum</i>	<i>Papaver nivale</i>	<i>Papaver nudicaule</i>
<i>Papaver nudicaule</i> subsp. <i>nudicaule</i> var. <i>aquilegioides</i>	<i>Papaver ocellatum</i>	<i>Papaver orientale</i>
<i>Papaver orientale</i> var. <i>paucifoliatum</i>	<i>Papaver paeoniflorum</i>	<i>Papaver paucifoliatum</i>
<i>Papaver pavoninum</i>	<i>Papaver pavoninum</i> subsp. <i>ocellatum</i>	<i>Papaver persicum</i>
<i>Papaver pilosum</i>	<i>Papaver popovii</i>	<i>Papaver pseudocanescens</i>
<i>Papaver pyrenaicum</i>	<i>Papaver radicatum</i>	<i>Papaver rhaeticum</i>
<i>Papaver rhoeas</i>	<i>Papaver rupifragum</i>	<i>Papaver rupifragum</i> var. <i>atlanticum</i>
<i>Papaver sendtneri</i>	<i>Papaver spicatum</i>	<i>Papaver tatewakii</i>
<i>Papaver tianschanicum</i>	<i>Papaver trinifolium</i>	<i>Parashorea parvifolia</i>
<i>Pardancanda norrisii</i>	<i>Paris axialis</i>	<i>Paris bashanensis</i>
<i>Paris chinensis</i>	<i>Paris cronquistii</i>	<i>Paris daliensis</i>
<i>Paris delavayi</i>	<i>Paris fargesii</i>	<i>Paris forrestii</i>
<i>Paris hubeiensis</i>	<i>Paris incompleta</i>	<i>Paris japonica</i>
<i>Paris lancifolia</i>	<i>Paris luquanensis</i>	<i>Paris mairei</i>
<i>Paris marmorata</i>	<i>Paris polyphylla</i>	<i>Paris polyphylla</i> var. <i>alba</i>
<i>Paris polyphylla</i> var. <i>appendiculata</i>	<i>Paris polyphylla</i> var. <i>chinensis</i>	<i>Paris polyphylla</i> var. <i>stenophylla</i>
<i>Paris polyphylla</i> var. <i>thibetica</i>	<i>Paris polyphylla</i> var. <i>yunnanensis</i>	<i>Paris quadrifolia</i>
<i>Paris rugosa</i>	<i>Paris thibetica</i> var. <i>apetala</i>	<i>Paris verticillata</i>
<i>Paris yunnanensis</i>	<i>Parkeria pteridoides</i>	<i>Passerina polyccephala</i>
<i>Patersonia fragilis</i>	<i>Patersonia glauca</i>	<i>Patersonia juncea</i>
<i>Patersonia longiscapa</i>	<i>Patersonia occidentalis</i>	<i>Patersonia rufa</i>
<i>Patersonia sericea</i>	<i>Patersonia umbrosa</i>	<i>Patersonia xanthina</i>
<i>Peddiea africana</i>	<i>Pekea tuberculosa</i>	<i>Pellaea calomelanos</i>
<i>Pellaea calomelanos</i> var. <i>swynnertoniana</i>	<i>Pellaea cordifolia</i>	<i>Pellaea falcata</i>
<i>Pellaea hastata</i>	<i>Pellaea mucronata</i>	<i>Pellaea ovata</i>

<i>Pellaea pectiniformis</i>	<i>Pellaea rotundifolia</i>	<i>Pellaea viridis</i>
<i>Pellaea viridis</i> var. <i>viridis</i>	<i>Peltoboykinia watanabei</i>	<i>Pennantia endlicheri</i>
<i>Penthorum sedoides</i>	<i>Petromarula pinnata</i>	<i>Peumus boldus</i>
<i>Phalocallis herbertii</i>	<i>Phanerophlebia falcata</i>	<i>Phedimus florifer</i>
<i>Phedimus kamtschaticus</i>	<i>Phedimus selskianus</i>	<i>Phedimus spurius</i>
<i>Philesia magellanica</i>	<i>Philodendron 'Dark lord'</i>	<i>Philodendron 'Joepii'</i>
<i>Philodendron 'Paraiso Verde'</i>	<i>Philodendron acutifolium</i>	<i>Philodendron advena</i>
<i>Philodendron andeanum</i>	<i>Philodendron angustisectum</i>	<i>Philodendron anisotomum</i>
<i>Philodendron atabapoense</i>	<i>Philodendron aurantiifolium</i>	<i>Philodendron auriculatum</i>
<i>Philodendron barrosoanum</i>	<i>Philodendron billietiae</i>	<i>Philodendron bipennifolium</i>
<i>Philodendron bipinnatifidum</i>	<i>Philodendron brandtianum</i>	<i>Philodendron cordatum</i>
<i>Philodendron crassinervium</i>	<i>Philodendron cruentum</i>	<i>Philodendron cuspidatum</i>
<i>Philodendron deltoideum</i>	<i>Philodendron discolor</i>	<i>Philodendron domesticum</i>
<i>Philodendron erubescens</i>	<i>Philodendron fenzlii</i>	<i>Philodendron fibrosum</i>
<i>Philodendron fragrantissimum</i>	<i>Philodendron giganteum</i>	<i>Philodendron gloriosum</i>
<i>Philodendron grandifolium</i>	<i>Philodendron grandipes</i>	<i>Philodendron grazielae</i>
<i>Philodendron guttiferum</i>	<i>Philodendron hastatum</i>	<i>Philodendron hederaceum</i>
<i>Philodendron hederaceum</i> var. <i>hederaceum</i>	<i>Philodendron hederaceum</i> var. <i>oxycardium</i>	<i>Philodendron imbe</i>
<i>Philodendron 'Imperial Green'</i>	<i>Philodendron insigne</i>	<i>Philodendron lacerum</i>
<i>Philodendron laciniatum</i>	<i>Philodendron laciniosum</i>	<i>Philodendron lehmannii</i>
<i>Philodendron levelii</i>	<i>Philodendron leyvae</i>	<i>Philodendron ligulatum</i>
<i>Philodendron lundii</i>	<i>Philodendron lupinum</i>	<i>Philodendron lynnhanoniae</i>
<i>Philodendron mamei</i>	<i>Philodendron martianum</i>	<i>Philodendron melanochrysum</i>
<i>Philodendron melinonii</i>	<i>Philodendron mexicanum</i>	<i>Philodendron micans</i>
<i>Philodendron microstictum</i>	<i>Philodendron milleri</i>	<i>Philodendron minarum</i>
<i>Philodendron nangularitense</i>	<i>Philodendron nervosum</i>	<i>Philodendron obtusilobum</i>
<i>Philodendron ornatum</i>	<i>Philodendron oxycardium</i>	<i>Philodendron panduriforme</i>
<i>Philodendron pastazanum</i>	<i>Philodendron pedatum</i>	<i>Philodendron pertusum</i>
<i>Philodendron pinnatilobum</i>	<i>Philodendron plowmanii</i>	<i>Philodendron quercifolium</i>
<i>Philodendron radiatum</i>	<i>Philodendron recurvifolium</i>	<i>Philodendron roseospathum</i>
<i>Philodendron rothschuhianum</i>	<i>Philodendron rugosum</i>	<i>Philodendron sagittifolium</i>
<i>Philodendron scandens</i>	<i>Philodendron scandens</i> f. <i>micans</i>	<i>Philodendron scandens</i> subsp. <i>oxycardium</i>

<i>Philodendron selloum</i>	<i>Philodendron squamicaule</i>	<i>Philodendron squamiferum</i>
<i>Philodendron subhastatum</i>	<i>Philodendron tatei</i>	<i>Philodendron tenue</i>
<i>Philodendron tortum</i>	<i>Philodendron tuxtlanum</i>	<i>Philodendron verrucosum</i>
<i>Philodendron victoriae</i>	<i>Philodendron warszewiczii</i>	<i>Philodendron wendlandii</i>
<i>Philodendron x joepii</i>	<i>Philodendron xanadu</i>	<i>Phlebodium aureum</i>
<i>Phrynum flexuosum</i>	<i>Phrynum philippinense</i>	<i>Phrynum villosulum</i>
<i>Phyllanthus emblica</i>	<i>Phyllitis japonica</i> subsp. <i>americana</i>	<i>Phyllitis scolopendrium</i>
<i>Phyllitis scolopendrium</i> var. <i>americanum</i>	<i>Phyllobolus abbreviatus</i>	<i>Phyllocladus alpinus</i>
<i>Phyllocladus aspleniifolius</i>	<i>Phyllocladus glaucus</i>	<i>Phyllocladus hypophyllus</i>
<i>Phyllocladus rhomboidalis</i>	<i>Phyllocladus toatoa</i>	<i>Phyllocladus trichomanoides</i>
<i>Phyllotaenium lindenii</i>	<i>Phymatosorus nigrescens</i>	<i>Phymatosorus scolopendria</i>
<i>Physoplexis comosa</i>	<i>Phyteuma balbisii</i>	<i>Phyteuma charmelii</i>
<i>Phyteuma cordatum</i>	<i>Phyteuma hedraianthifolium</i>	<i>Phyteuma hemisphaericum</i>
<i>Phyteuma humile</i>	<i>Phyteuma nigrum</i>	<i>Phyteuma orbiculare</i>
<i>Phyteuma ovatum</i>	<i>Phyteuma pinnatum</i>	<i>Phyteuma scheuchzeri</i>
<i>Phyteuma sieberi</i>	<i>Phyteuma spicatum</i>	<i>Pilularia globulifera</i>
<i>Pilularia novae-hollandiae</i>	<i>Pimelea axiflora</i>	<i>Pimelea curviflora</i>
<i>Pimelea elongata</i>	<i>Pimelea flava</i>	<i>Pimelea glauca</i>
<i>Pimelea humilis</i>	<i>Pimelea imbricata</i>	<i>Pimelea ligustrina</i>
<i>Pimelea linifolia</i>	<i>Pimelea macrostegia</i>	<i>Pimelea microcephala</i>
<i>Pimelea neo-anglica</i>	<i>Pimelea nivea</i>	<i>Pimelea oreophila</i>
<i>Pimelea pauciflora</i>	<i>Pimelea penicillaris</i>	<i>Pimelea physodes</i>
<i>Pimelea prostrata</i>	<i>Pimelea pygmaea</i>	<i>Pimelea rosea</i>
<i>Pimelea simplex</i>	<i>Pimelea spectabilis</i>	<i>Pimelea strigosa</i>
<i>Pimelea suaveolens</i>	<i>Pimelea sylvestris</i>	<i>Pimelea trichostachya</i>
<i>Pinellia cordata</i>	<i>Pinellia pedatisecta</i>	<i>Pinellia ternata</i>
<i>Pinellia tripartita</i>	<i>Pinguicula agnata</i>	<i>Pinguicula alpina</i>
<i>Pinguicula antarctica</i>	<i>Pinguicula balcanica</i>	<i>Pinguicula caerulea</i>
<i>Pinguicula calyptrotrata</i>	<i>Pinguicula caudata</i>	<i>Pinguicula chilensis</i>
<i>Pinguicula crystallina</i>	<i>Pinguicula crystallina</i> subsp. <i>hirtiflora</i>	<i>Pinguicula ehlersiae</i>
<i>Pinguicula emarginata</i>	<i>Pinguicula emarginata</i> x <i>filifolia</i>	<i>Pinguicula esseriana</i>

<i>Pinguicula filifolia</i>	<i>Pinguicula gigantea</i>	<i>Pinguicula grandiflora</i>
<i>Pinguicula gypsicola</i>	<i>Pinguicula hemiepiphytica</i>	<i>Pinguicula hirtiflora</i>
<i>Pinguicula involuta</i>	<i>Pinguicula laueana</i>	<i>Pinguicula leptoceras</i>
<i>Pinguicula longifolia</i>	<i>Pinguicula lusitanica</i>	<i>Pinguicula lutea</i>
<i>Pinguicula moctezumae</i>	<i>Pinguicula moctezumae x rectifolia</i>	<i>Pinguicula moranensis</i>
<i>Pinguicula planifolia</i>	<i>Pinguicula primuliflora</i>	<i>Pinguicula rectifolia</i>
<i>Pinguicula rotundifolia</i>	<i>Pinguicula vallisneriifolia</i>	<i>Pinguicula vulgaris</i>
<i>Piper argyrites</i>	<i>Piper crocatum</i>	<i>Piper longum</i>
<i>Piper magnificum</i>	<i>Piper pellucidum</i>	<i>Piper porphyrophyllum</i>
<i>Piper retrofractum</i>	<i>Pityrogramma calomelanos</i>	<i>Plagiostachys lateralis</i>
<i>Plagiostachys parva</i>	<i>Platycapnos saxicola</i>	<i>Platycerium alcicorne</i>
<i>Platycerium alcicorne x madagascariense</i>	<i>Platycerium andinum</i>	<i>Platycerium angolense</i>
<i>Platycerium bifurcatum</i>	<i>Platycerium bifurcatum</i> subsp. <i>bifurcatum</i> var. <i>hillii</i>	<i>Platycerium bifurcatum</i> subsp. <i>veitchii</i>
<i>Platycerium bifurcatum</i> subsp. <i>willinckii</i>	<i>Platycerium coronarium</i>	<i>Platycerium elephantotis</i>
<i>Platycerium ellisii</i>	<i>Platycerium grande</i>	<i>Platycerium hillii</i>
<i>Platycerium madagascariense</i>	<i>Platycerium quadridichotomum</i>	<i>Platycerium ridleyi</i>
<i>Platycerium stemaria</i>	<i>Platycerium stemaria x madagascariense</i>	<i>Platycerium superbum</i>
<i>Platycerium veitchii</i>	<i>Platycerium wallichii</i>	<i>Platycerium wandae</i>
<i>Platycerium willinckii</i>	<i>Platycodon glaucus</i>	<i>Platycodon grandiflorus</i>
<i>Pleiospilos bolusii</i>	<i>Pleiospilos compactus</i> subsp. <i>canus</i>	<i>Pleiospilos compactus</i> subsp. <i>fergusoniae</i>
<i>Pleiospilos compactus</i> subsp. <i>minor</i>	<i>Pleiospilos compactus</i> subsp. <i>sororius</i>	<i>Pleiospilos fergusoniae</i>
<i>Pleiospilos fergusonii</i>	<i>Pleiospilos kingiae</i>	<i>Pleiospilos latifolius</i>
<i>Pleiospilos magnipunctatus</i>	<i>Pleiospilos minor</i>	<i>Pleiospilos nelii</i>
<i>Pleiospilos peersii</i>	<i>Pleiospilos simulans</i>	<i>Pleopeltis excavata</i>
<i>Pleopeltis polypodioides</i> var. <i>polypodioides</i>	<i>Plumbago auriculata</i>	<i>Plumbago capensis</i>
<i>Plumbago coccinea</i>	<i>Plumbago indica</i>	<i>Plumbago scandens</i>
<i>Plumbago zeylanica</i>	<i>Podocarpus acutifolius</i>	<i>Podocarpus affinis</i>
<i>Podocarpus alpinus</i>	<i>Podocarpus andinus</i>	<i>Podocarpus aristulatus</i>

<i>Podocarpus aspleniifolius</i>	<i>Podocarpus brassii</i>	<i>Podocarpus chinensis</i>
<i>Podocarpus chingianus</i>	<i>Podocarpus cunninghamii</i>	<i>Podocarpus dawei</i>
<i>Podocarpus decumbens</i>	<i>Podocarpus elatus</i>	<i>Podocarpus elongata</i>
<i>Podocarpus falcatus</i>	<i>Podocarpus fasciculus</i>	<i>Podocarpus ferruginea</i>
<i>Podocarpus ferrugineus</i>	<i>Podocarpus fleuryi</i>	<i>Podocarpus gnidioides</i>
<i>Podocarpus grayae</i>	<i>Podocarpus hallii</i>	<i>Podocarpus henkelii</i>
<i>Podocarpus koordersii</i>	<i>Podocarpus laudei</i>	<i>Podocarpus lambertii</i>
<i>Podocarpus latifolius</i>	<i>Podocarpus lawrencei</i>	<i>Podocarpus longefoliolatus</i>
<i>Podocarpus macrophyllus</i>	<i>Podocarpus macrophyllus</i> var. <i>maki</i>	<i>Podocarpus maki</i>
<i>Podocarpus matudae</i>	<i>Podocarpus milanjanus</i>	<i>Podocarpus montana</i>
<i>Podocarpus montanus</i>	<i>Podocarpus nerifolius</i>	<i>Podocarpus nivalis</i>
<i>Podocarpus nubigenus</i>	<i>Podocarpus oleifolius</i>	<i>Podocarpus polystachyus</i>
<i>Podocarpus salignus</i>	<i>Podocarpus spicatus</i>	<i>Podocarpus subtropicalis</i>
<i>Podocarpus taxifolia</i>	<i>Podocarpus thunbergii</i>	<i>Podocarpus totara</i>
<i>Podocarpus totara</i> var. <i>hallii</i>	<i>Podolasia stipitata</i>	<i>Poga oleosa</i>
<i>Poivrea bracteosa</i>	<i>Poivrea constricta</i>	<i>Polanisia viscosa</i>
<i>Polyphlebium endlicherianum</i>	<i>Polypodium acrostichoides</i>	<i>Polypodium anhriscifolium</i>
<i>Polypodium aureum</i>	<i>Polypodium australe</i>	<i>Polypodium billardierei</i>
<i>Polypodium cambricum</i>	<i>Polypodium carthusianum</i>	<i>Polypodium cordifolium</i>
<i>Polypodium crassifolium</i>	<i>Polypodium cynapifolium</i>	<i>Polypodium dentatum</i>
<i>Polypodium diaphanum</i>	<i>Polypodium erecta</i>	<i>Polypodium exaltatum</i>
<i>Polypodium falcatum</i>	<i>Polypodium filix-femina</i>	<i>Polypodium filix-fragile</i>
<i>Polypodium formosanum</i>	<i>Polypodium fragile</i>	<i>Polypodium hirsutulum</i>
<i>Polypodium interjectum</i>	<i>Polypodium japonicum</i>	<i>Polypodium lingua</i>
<i>Polypodium loriceum</i>	<i>Polypodium medullare</i>	<i>Polypodium musifolium</i>
<i>Polypodium pellucidum</i>	<i>Polypodium persicifolium</i>	<i>Polypodium piloselloides</i>
<i>Polypodium polycarpon</i>	<i>Polypodium pteropus</i>	<i>Polypodium punctatum</i>
<i>Polypodium scolopendria</i>	<i>Polypodium spinulosum</i>	<i>Polypodium subauriculatum</i>
<i>Polypodium virginianum</i>	<i>Polypodium vulgare</i>	<i>Polypompholyx multifida</i>
<i>Polypompholyx tenella</i>	<i>Polystichum acrostichoides</i>	<i>Polystichum aculeatum</i>
<i>Polystichum adiantiforme</i>	<i>Polystichum andersonii</i>	<i>Polystichum braunii</i>
<i>Polystichum echinatum</i>	<i>Polystichum fortunei</i>	<i>Polystichum lentum</i>
<i>Polystichum lonchitis</i>	<i>Polystichum makinoi</i>	<i>Polystichum munitum</i>

<i>Polystichum polyblepharum</i>	<i>Polystichum proliferum</i>	<i>Polystichum retroso-paleaceum</i>
<i>Polystichum setiferum</i>	<i>Polystichum tagawanum</i>	<i>Polystichum torresianum</i>
<i>Polystichum tsus-simense</i>	<i>Polystichum vestitum</i>	<i>Pontederia cordata</i>
<i>Pontederia cordata</i> var. <i>cordata</i>	<i>Pontederia cordata</i> var. <i>lancifolia</i>	<i>Pontederia lanceolata</i>
<i>Pontederia lancifolia</i>	<i>Poraqueiba paraensis</i>	<i>Poraqueiba sericea</i>
<i>Portulacaria afra</i>	<i>Pothos acaule</i>	<i>Pothos cordata</i>
<i>Pothos coriacea</i>	<i>Pratia angulata</i>	<i>Pratia concolor</i>
<i>Pratia pedunculata</i>	<i>Pratia platycalyx</i>	<i>Primula 'Aire Mist'</i>
<i>Primula 'McWatt's Cream'</i>	<i>Primula acaulis</i>	<i>Primula advena</i>
<i>Primula agleniana</i>	<i>Primula algida</i>	<i>Primula allionii</i>
<i>Primula alpicola</i>	<i>Primula alpicola</i> subsp. <i>violacea</i>	<i>Primula alpicola</i> var. <i>alba</i>
<i>Primula alpicola</i> var. <i>alpicola</i>	<i>Primula alpicola</i> var. <i>violacea</i>	<i>Primula alpina</i>
<i>Primula amoena</i>	<i>Primula angustifolia</i>	<i>Primula anisodora</i>
<i>Primula apennina</i>	<i>Primula apocrita</i>	<i>Primula atrodentata</i>
<i>Primula aurantiaca</i>	<i>Primula aureata</i>	<i>Primula auricula</i>
<i>Primula auricula</i> x <i>carniolica</i>	<i>Primula auriculata</i>	<i>Primula baileyana</i>
<i>Primula beesiana</i>	<i>Primula bellidifolia</i>	<i>Primula boothii</i>
<i>Primula boveana</i>	<i>Primula bracteata</i>	<i>Primula bracteosa</i>
<i>Primula brevicula</i>	<i>Primula bulleyana</i>	<i>Primula bulleyana</i> subsp. <i>beesiana</i>
<i>Primula burmanica</i>	<i>Primula calderiana</i>	<i>Primula calliantha</i>
<i>Primula capitata</i>	<i>Primula capitata</i> subsp. <i>mooreana</i>	<i>Primula capitata</i> subsp. <i>sphaerocephala</i>
<i>Primula carniolica</i>	<i>Primula caveana</i>	<i>Primula cawdoriana</i>
<i>Primula cephalantha</i>	<i>Primula cernua</i>	<i>Primula chapaensis</i>
<i>Primula chionantha</i>	<i>Primula chionantha</i> subsp. <i>brevicula</i>	<i>Primula chionantha</i> subsp. <i>melanops</i>
<i>Primula chionantha</i> subsp. <i>sinoplagaginea</i>	<i>Primula chionantha</i> subsp. <i>sinopurpurea</i>	<i>Primula chionota</i>
<i>Primula chungensis</i>	<i>Primula chungensis</i> x <i>pulverulenta</i>	<i>Primula clarkei</i>
<i>Primula clusiana</i>	<i>Primula cockburniana</i>	<i>Primula columnae</i>
<i>Primula concholoba</i>	<i>Primula cortusoides</i>	<i>Primula cortusoides</i> var. <i>lichiangensis</i>

<i>Primula cuneifolia</i> subsp. <i>hakusensis</i>	<i>Primula cusickiana</i>	<i>Primula cyanantha</i>
<i>Primula daonensis</i>	<i>Primula darialica</i>	<i>Primula davisii</i>
<i>Primula deflexa</i>	<i>Primula denticulata</i>	<i>Primula denticulata</i> subsp. <i>sinodenticulata</i>
<i>Primula denticulata</i> var. <i>sinodenticulata</i>	<i>Primula deorum</i>	<i>Primula deuteranana</i>
<i>Primula dickieana</i>	<i>Primula dryadifolia</i>	<i>Primula edelbergii</i>
<i>Primula edgeworthii</i>	<i>Primula elatior</i>	<i>Primula elatior</i> subsp. <i>elatior</i>
<i>Primula elatior</i> subsp. <i>leucophylla</i>	<i>Primula elatior</i> subsp. <i>meyeri</i>	<i>Primula elegans</i>
<i>Primula elliptica</i>	<i>Primula ellisiae</i>	<i>Primula elongata</i> var. <i>barnardoana</i>
<i>Primula erosa</i>	<i>Primula falcifolia</i>	<i>Primula farinosa</i>
<i>Primula fauriei</i>	<i>Primula firmipes</i>	<i>Primula flaccida</i>
<i>Primula flexuosa</i>	<i>Primula florindae</i>	<i>Primula forrestii</i>
<i>Primula frondosa</i>	<i>Primula gambeliana</i>	<i>Primula gaubaeana</i>
<i>Primula gemmifera</i> var. <i>zambalensis</i>	<i>Primula geraniifolia</i>	<i>Primula glabra</i>
<i>Primula glacialis</i>	<i>Primula glaucescens</i>	<i>Primula glutinosa</i>
<i>Primula gracilipes</i>	<i>Primula griffithii</i>	<i>Primula halleri</i>
<i>Primula helodoxa</i>	<i>Primula heterochroma</i>	<i>Primula heucherifolia</i>
<i>Primula hirsuta</i>	<i>Primula ianthina</i>	<i>Primula inayati</i>
<i>Primula ingens</i>	<i>Primula integrifolia</i>	<i>Primula involucrata</i>
<i>Primula involucrata</i> subsp. <i>yargongensis</i>	<i>Primula ioessa</i>	<i>Primula japonica</i>
<i>Primula jesoana</i>	<i>Primula jonarduni</i>	<i>Primula juliae</i>
<i>Primula kisoana</i>	<i>Primula kitaibeliana</i>	<i>Primula kwangtungensis</i>
<i>Primula latifolia</i>	<i>Primula laurentiana</i>	<i>Primula lepta</i>
<i>Primula leucochnoa</i>	<i>Primula leucophylla</i>	<i>Primula lichiangensis</i>
<i>Primula littoniana</i>	<i>Primula littoniana</i> var. <i>robusta</i>	<i>Primula longipes</i>
<i>Primula luteola</i>	<i>Primula macrocalyx</i>	<i>Primula macrophylla</i>
<i>Primula macrophylla</i> var. <i>moorcroftiana</i>	<i>Primula mairei</i>	<i>Primula malacoides</i>
<i>Primula marginata</i>	<i>Primula matsumurae</i>	<i>Primula megasaeifolia</i>
<i>Primula melanops</i>	<i>Primula microdonta</i> var. <i>alpicola</i>	<i>Primula microphylla</i>

<i>Primula minima</i>	<i>Primula minkwitziae</i>	<i>Primula mistassinica</i>
<i>Primula mistassinica</i> var. <i>macropoda</i>	<i>Primula miyabeana</i>	<i>Primula modesta</i>
<i>Primula modesta</i> var. <i>fauriei</i>	<i>Primula modesta</i> var. <i>matsumurae</i>	<i>Primula mollis</i>
<i>Primula moorcroftiana</i>	<i>Primula morsheadiana</i>	<i>Primula munroi</i>
<i>Primula munroi</i> subsp. <i>yargonenensis</i>	<i>Primula muscarioides</i>	<i>Primula nana</i>
<i>Primula nanabella</i>	<i>Primula nivalis</i>	<i>Primula nutans</i>
<i>Primula obconica</i>	<i>Primula obconica</i> var. <i>grandiflora</i>	<i>Primula obliqua</i>
<i>Primula obtusifolia</i>	<i>Primula officinalis</i>	<i>Primula optata</i>
<i>Primula palinuri</i>	<i>Primula parryi</i>	<i>Primula paxiana</i>
<i>Primula pedemontana</i>	<i>Primula petiolaris</i>	<i>Primula pinnatifida</i>
<i>Primula poissonii</i>	<i>Primula poluninii</i>	<i>Primula polyneura</i>
<i>Primula praenitens</i>	<i>Primula prenantha</i>	<i>Primula prolifera</i>
<i>Primula pseudocapitata</i>	<i>Primula pseudosikkimensis</i>	<i>Primula pulchella</i>
<i>Primula pulchra</i>	<i>Primula pulverulenta</i>	<i>Primula pumilio</i>
<i>Primula purdomii</i>	<i>Primula redolens</i>	<i>Primula reidii</i>
<i>Primula reidii</i> var. <i>williamsii</i>	<i>Primula reptans</i>	<i>Primula rhodochroa</i>
<i>Primula rigida</i>	<i>Primula rosea</i>	<i>Primula rubra</i>
<i>Primula rusbyi</i>	<i>Primula sapphirina</i>	<i>Primula saxatilis</i>
<i>Primula scandinavica</i>	<i>Primula scapigera</i>	<i>Primula scotica</i>
<i>Primula secundiflora</i>	<i>Primula sherriffae</i>	<i>Primula sieboldii</i>
<i>Primula sikkimensis</i>	<i>Primula sinensis</i>	<i>Primula sinodenticulata</i>
<i>Primula sinoplagaginea</i>	<i>Primula sinopurpurea</i>	<i>Primula smithiana</i>
<i>Primula sonchifolia</i>	<i>Primula sphaerocephala</i>	<i>Primula strumosa</i>
<i>Primula suaveolens</i>	<i>Primula suffrutescens</i>	<i>Primula tangutica</i>
<i>Primula tanneri</i>	<i>Primula tibetica</i>	<i>Primula tsariensis</i>
<i>Primula turkestanica</i>	<i>Primula tyrolensis</i>	<i>Primula uralensis</i>
<i>Primula veris</i>	<i>Primula veris</i> subsp. <i>columnae</i>	<i>Primula veris</i> subsp. <i>macrocalyx</i>
<i>Primula veris</i> subsp. <i>suaveolens</i>	<i>Primula veris</i> var. <i>acaulis</i>	<i>Primula veris</i> var. <i>elatior</i>
<i>Primula verticillata</i>	<i>Primula vialii</i>	<i>Primula villosa</i>
<i>Primula viscosa</i>	<i>Primula vittata</i>	<i>Primula vulgaris</i>

<i>Primula waltonii</i>	<i>Primula wardii</i>	<i>Primula warshenewskiana</i>
<i>Primula watsonii</i>	<i>Primula whitei</i>	<i>Primula wigramiana</i>
<i>Primula wilsonii</i>	<i>Primula wilsonii</i> var. <i>anisodora</i>	<i>Primula wollastonii</i>
<i>Primula woodwardii</i>	<i>Primula wulfeniana</i>	<i>Primula x bullesiana</i>
<i>Primula x bullesiana</i>	<i>Primula x forsteri</i>	<i>Primula x kewensis</i>
<i>Primula x polyantha</i>	<i>Primula x pruhonicensis</i>	<i>Primula x pubescens</i>
<i>Primula x variabilis</i>	<i>Primula x vulgaris</i>	<i>Primula yargongensis</i>
<i>Primula yuparensis</i>	<i>Pseudocampanula dzaaku</i>	<i>Pseudodracontium anomalum</i>
<i>Pseudodracontium fallax</i>	<i>Pseudodracontium lacourii</i>	<i>Pseudofumaria alba</i>
<i>Pseudofumaria lutea</i>	<i>Pseudolachnostylis maprouneifolia</i>	<i>Pseudowintera colorata</i>
<i>Psylliostachys suworowii</i>	<i>Pteridophyllum racemosum</i>	<i>Pteris aquilina</i>
<i>Pteris argyraea</i>	<i>Pteris biaurita</i>	<i>Pteris caudata</i>
<i>Pteris cretica</i>	<i>Pteris dentata</i>	<i>Pteris ensiformis</i>
<i>Pteris esculenta</i>	<i>Pteris fauriei</i>	<i>Pteris latiuscula</i>
<i>Pteris longifolia</i>	<i>Pteris macilenta</i>	<i>Pteris multifida</i>
<i>Pteris pacifica</i>	<i>Pteris piloselloides</i>	<i>Pteris semipinnata</i>
<i>Pteris tremula</i>	<i>Pteris tricolor</i>	<i>Pteris tripartita</i>
<i>Pteris umbrosa</i>	<i>Pteris vittata</i>	<i>Pteris wallichiana</i>
<i>Pterodiscus aurantiacus</i>	<i>Pterodiscus elliotii</i>	<i>Pterodiscus ngamicus</i>
<i>Pterostyrax corymbosus</i>	<i>Ptisana salicina</i>	<i>Ptychopetalum olacoides</i>
<i>Pycnandra acuminata</i>	<i>Pycnospatha arietina</i>	<i>Pyrrosia lingua</i>
<i>Pyrrosia longifolia</i>	<i>Pyrrosia penangiana</i>	<i>Pyrrosia piloselloides</i>
<i>Pyrrosia polydactylis</i>	<i>Pyrrosia rupestris</i>	<i>Quassia amara</i>
<i>Quillaja saponaria</i>	<i>Quisqualis indica</i>	<i>Rabiea albinota</i>
<i>Rabiea albipuncta</i>	<i>Rabiea lesliei</i>	<i>Rajania quinata</i>
<i>Rehderodendron macrocarpum</i>	<i>Restio chondropetalum</i>	<i>Restio tetraphyllus</i>
<i>Rhaphidophora cryptantha</i>	<i>Rhaphidophora decursiva</i>	<i>Rhaphidophora foraminifera</i>
<i>Rhaphidophora glauca</i>	<i>Rhaphidophora korthalsii</i>	<i>Rhaphidophora latevaginata</i>
<i>Rhaphidophora pertusa</i>	<i>Rhaphidophora tetrasperma</i>	<i>Rhektophyllum mirabile</i>
<i>Rhexia interior</i>	<i>Rhexia mariana</i>	<i>Rhexia stricta</i>
<i>Rhexia virginica</i>	<i>Rhinephyllum broomii</i>	<i>Rhinephyllum muiri</i>
<i>Rhizophora stylosa</i>	<i>Rhodiola atropurpurea</i>	<i>Rhodiola neomexicana</i>

<i>Rhodiola rosea</i>	<i>Rhodiola rosea</i> subsp. <i>integripolium</i>	<i>Rhodiola rosea</i> subsp. <i>neomexicana</i>
<i>Rhodohypoxis baurii</i>	<i>Rhodohypoxis baurii</i> var. <i>baurii</i>	<i>Rhodohypoxis baurii</i> var. <i>platypetala</i>
<i>Rhodohypoxis deflexa</i>	<i>Rhodohypoxis incompta</i>	<i>Rhodohypoxis milloides</i>
<i>Rhodohypoxis rubella</i>	<i>Rhodohypoxis thodiana</i>	<i>Rhombophyllum dolabiforme</i>
<i>Rhombophyllum nelii</i>	<i>Rhombophyllum rhomboideum</i>	<i>Rhopalocyclus nelii</i>
<i>Rigidella orthantha</i>	<i>Rochea perfoliata</i> var. <i>coccinea</i>	<i>Rodgersia aesculifolia</i>
<i>Rodgersia henrici</i>	<i>Rodgersia nepalensis</i>	<i>Rodgersia pinnata</i>
<i>Rodgersia podophylla</i>	<i>Rodgersia sambucifolia</i>	<i>Rodgersia tabularis</i>
<i>Roella ciliata</i>	<i>Romneya coulteri</i>	<i>Roodia digitifolium</i>
<i>Roridula brachysepala</i>	<i>Roridula crinita</i>	<i>Roridula dentata</i>
<i>Roridula gorgonias</i>	<i>Roridula muscicapa</i>	<i>Roridula verticillata</i>
<i>Roscoea alpina</i>	<i>Roscoea auriculata</i>	<i>Roscoea australis</i>
<i>Roscoea capitata</i>	<i>Roscoea cautleoides</i>	<i>Roscoea humeana</i>
<i>Roscoea purpurea</i>	<i>Roscoea schneideriana</i>	<i>Roscoea scillifolia</i>
<i>Roscoea sinopurpurea</i>	<i>Roscoea tibetica</i>	<i>Roscoea wardii</i>
<i>Roscoea yunnanensis</i>	<i>Royena lucida</i>	<i>Royena whyteana</i>
<i>Rumohra adiantiformis</i>	<i>Ruschia alborubra</i>	<i>Ruschia argentea</i>
<i>Ruschia caroli</i>	<i>Ruschia dualis</i>	<i>Ruschia geminiflora</i>
<i>Ruschia herrei</i>	<i>Ruschia intrusa</i>	<i>Ruschia pulvinaris</i>
<i>Ruschia pumila</i>	<i>Ruschia rubricaulis</i>	<i>Ruschia sarmentosa</i>
<i>Ruschia solida</i>	<i>Ruschia strubeniae</i>	<i>Ruschia tumidula</i>
<i>Ruschia uncinata</i>	<i>Ruschianthus falcatus</i>	<i>Ryparosa acuminata</i>
<i>Ryparosa baccaureoides</i>	<i>Ryparosa glauca</i>	<i>Ryparosa hirsuta</i>
<i>Ryparosa hullettii</i>	<i>Ryparosa javanica</i>	<i>Ryparosa kostermanii</i>
<i>Sabatia angularis</i>	<i>Sabia cavaleriei</i>	<i>Sabia feddei</i>
<i>Saccoloma elegans</i>	<i>Sadleria cyatheoides</i>	<i>Sagittaria cordifolia</i>
<i>Sagittaria radicans</i>	<i>Sagittaria rostrata</i>	<i>Salpichlaena volubilis</i>
<i>Samolus repens</i>	<i>Sanguinaria canadensis</i>	<i>Sanguinaria canadensis</i> f. <i>colbyorum</i>
<i>Sanguinaria canadensis</i> var. <i>multiplex</i>	<i>Santalum album</i>	<i>Santalum austrocaledonicum</i>
<i>Santalum lanceolatum</i>	<i>Santalum macgregorii</i>	<i>Santalum yasi</i>
<i>Sauraia fasciculata</i>	<i>Sauromatum guttatum</i>	<i>Sauromatum venosum</i>

<i>Saxifraga 'Clarence Elliott'</i>	<i>Saxifraga adscendens</i> subsp. <i>adscendens</i>	<i>Saxifraga aizoides</i>
<i>Saxifraga andersonii</i>	<i>Saxifraga androsacea</i>	<i>Saxifraga aretioides</i>
<i>Saxifraga aspera</i>	<i>Saxifraga biflora</i>	<i>Saxifraga bronchialis</i> subsp. <i>vespertina</i>
<i>Saxifraga bryoides</i>	<i>Saxifraga burnatii</i>	<i>Saxifraga burseriana</i>
<i>Saxifraga caesia</i>	<i>Saxifraga caespitosa</i>	<i>Saxifraga calcicola</i>
<i>Saxifraga callosa</i> var. <i>bellardii</i>	<i>Saxifraga cardiophylla</i>	<i>Saxifraga carniolica</i>
<i>Saxifraga caucasica</i>	<i>Saxifraga cebennensis</i>	<i>Saxifraga cochlearis</i>
<i>Saxifraga columnaris</i>	<i>Saxifraga continentalis</i>	<i>Saxifraga cordifolia</i>
<i>Saxifraga coriifolia</i>	<i>Saxifraga cortusifolia</i>	<i>Saxifraga cortusifolia</i> var. <i>fortunei</i>
<i>Saxifraga cotyledon</i>	<i>Saxifraga crassifolia</i>	<i>Saxifraga crustata</i>
<i>Saxifraga cuneata</i>	<i>Saxifraga cuneifolia</i>	<i>Saxifraga delavayi</i>
<i>Saxifraga demnatensis</i>	<i>Saxifraga desoulavyi</i>	<i>Saxifraga diapensioides</i>
<i>Saxifraga dinnikii</i>	<i>Saxifraga exarata</i>	<i>Saxifraga exarata</i> subsp. <i>carniolica</i>
<i>Saxifraga exarata</i> var. <i>adenophora</i>	<i>Saxifraga federici-augusti</i>	<i>Saxifraga ferdinandi-coburgi</i>
<i>Saxifraga ferruginea</i>	<i>Saxifraga flagellaris</i>	<i>Saxifraga florulenta</i>
<i>Saxifraga fortunei</i>	<i>Saxifraga frederici-augusti</i>	<i>Saxifraga georgei</i>
<i>Saxifraga geranioides</i>	<i>Saxifraga granulata</i>	<i>Saxifraga grisebachii</i>
<i>Saxifraga heucherifolia</i>	<i>Saxifraga hirculoides</i>	<i>Saxifraga hirsuta</i>
<i>Saxifraga hirsuta</i> x <i>umbrosa</i>	<i>Saxifraga hostii</i>	<i>Saxifraga hypnoides</i>
<i>Saxifraga hypostoma</i>	<i>Saxifraga imbricata</i>	<i>Saxifraga iranica</i>
<i>Saxifraga irrigua</i>	<i>Saxifraga jarmilae</i>	<i>Saxifraga juniperifolia</i>
<i>Saxifraga karadzicensis</i>	<i>Saxifraga kotschy</i>	<i>Saxifraga laestadii</i>
<i>Saxifraga latepetiolata</i>	<i>Saxifraga lilacina</i>	<i>Saxifraga longifolia</i>
<i>Saxifraga lowndesii</i>	<i>Saxifraga luteo-viridis</i>	<i>Saxifraga manshuriensis</i>
<i>Saxifraga marginata</i>	<i>Saxifraga media</i>	<i>Saxifraga moncayensis</i>
<i>Saxifraga moschata</i>	<i>Saxifraga muscoides</i>	<i>Saxifraga mutata</i>
<i>Saxifraga neopropagulifera</i>	<i>Saxifraga oppositifolia</i>	<i>Saxifraga pallida</i>
<i>Saxifraga paniculata</i>	<i>Saxifraga paniculata</i> subsp. <i>cartilaginea</i>	<i>Saxifraga paniculata</i> subsp. <i>paniculata</i>
<i>Saxifraga paniculata</i> var. <i>minutifolia</i>	<i>Saxifraga pedemontana</i>	<i>Saxifraga pensylvanica</i>

<i>Saxifraga poluniniana</i>	<i>Saxifraga porophylla</i>	<i>Saxifraga primulifolia</i>
<i>Saxifraga pubescens</i>	<i>Saxifraga punctulata</i>	<i>Saxifraga pyramidalis</i>
<i>Saxifraga ramulosa</i>	<i>Saxifraga repanda</i>	<i>Saxifraga retusa</i>
<i>Saxifraga rotundifolia</i>	<i>Saxifraga sancta</i>	<i>Saxifraga scardica</i>
<i>Saxifraga scleropoda</i>	<i>Saxifraga sempervivum</i>	<i>Saxifraga sibthorpii</i>
<i>Saxifraga sikkimensis</i>	<i>Saxifraga spathularis x umbrosa</i>	<i>Saxifraga spruneri</i>
<i>Saxifraga squarrosa</i>	<i>Saxifraga stolitzkae</i>	<i>Saxifraga stolonifera</i>
<i>Saxifraga stribnysi</i>	<i>Saxifraga tombeanensis</i>	<i>Saxifraga trifurcata</i>
<i>Saxifraga umbrosa</i>	<i>Saxifraga valdensis</i>	<i>Saxifraga vayredana</i>
<i>Saxifraga x 'Esther'</i>	<i>Saxifraga x 'Whitehills'</i>	<i>Saxifraga x apiculata</i>
<i>Saxifraga x arendsii</i>	<i>Saxifraga x borisii</i>	<i>Saxifraga x boydii</i>
<i>Saxifraga x canis-dalmatica</i>	<i>Saxifraga x elizabethae</i>	<i>Saxifraga x fritschiana</i>
<i>Saxifraga x hausmanii</i>	<i>Saxifraga x irvingii</i>	<i>Saxifraga x megasaeflora</i>
<i>Saxifraga x paradoxa</i>	<i>Saxifraga x salmonica</i>	<i>Saxifraga x urbium</i>
<i>Scaevola aemula</i>	<i>Scaevola albida</i>	<i>Scaevola calliptera</i>
<i>Scaevola humilis</i>	<i>Scaevola microphylla</i>	<i>Scaevola oxyclona</i>
<i>Scaevola platyphylla</i>	<i>Scaevola ramosissima</i>	<i>Scaevola sericea</i>
<i>Scaevola striata</i>	<i>Scaphochlamys biloba</i>	<i>Scaphochlamys kunstleri</i>
<i>Scaphochlamys lanceolata</i>	<i>Scaphochlamys subbiloba</i>	<i>Schaffneria nigripes</i>
<i>Schisandra chinensis</i>	<i>Schismatoglottis acuminatissima</i>	<i>Schismatoglottis ahmadii</i>
<i>Schismatoglottis asperata</i>	<i>Schismatoglottis barbata</i>	<i>Schismatoglottis bauensis</i>
<i>Schismatoglottis brevicuspis</i>	<i>Schismatoglottis brevipes</i>	<i>Schismatoglottis calyprata</i>
<i>Schismatoglottis calyprata x wallichii</i>	<i>Schismatoglottis convolvula</i>	<i>Schismatoglottis crispa</i>
<i>Schismatoglottis ferruginea</i>	<i>Schismatoglottis hastifolia</i>	<i>Schismatoglottis hottae</i>
<i>Schismatoglottis lingua</i>	<i>Schismatoglottis mira</i>	<i>Schismatoglottis motleyana</i>
<i>Schismatoglottis multiflora</i>	<i>Schismatoglottis multinervia</i>	<i>Schismatoglottis mutata</i>
<i>Schismatoglottis neoguineensis</i>	<i>Schismatoglottis okadae</i>	<i>Schismatoglottis picta</i>
<i>Schismatoglottis pseudohatchii</i>	<i>Schismatoglottis retinervia</i>	<i>Schismatoglottis rupestris</i>
<i>Schismatoglottis scortechini</i>	<i>Schismatoglottis trivittata</i>	<i>Schismatoglottis venusta</i>
<i>Schismatoglottis viridissima</i>	<i>Schismatoglottis wallichii</i>	<i>Schizaea boninensis</i>
<i>Schizaea dichotoma</i>	<i>Schizaea digitata</i>	<i>Schizocasia lauterbachiana</i>
<i>Schizocasia portei</i>	<i>Schizostylis coccinea</i>	<i>Schlechteranthus hallii</i>

<i>Schoenocaulon officinale</i>	<i>Schwantesia acutipetala</i>	<i>Schwantesia triebneri</i>
<i>Sciadopitys verticillata</i>	<i>Scindapsus beccarii</i>	<i>Scindapsus borneensis</i>
<i>Scindapsus perakensis</i>	<i>Scindapsus pictus</i>	<i>Scindapsus siamensis</i>
<i>Scindapsus splendidus</i>	<i>Scindapsus treubii</i>	<i>Scoliopus bigelovii</i>
<i>Scyphularia pentaphylla</i>	<i>Securinega flexuosa</i>	<i>Sedum 'Purple Emperor'</i>
<i>Sedum acre</i>	<i>Sedum adolphi</i>	<i>Sedum aizoon</i>
<i>Sedum album</i>	<i>Sedum alexanderi</i>	<i>Sedum allantoides</i>
<i>Sedum americanum</i>	<i>Sedum anglicum</i>	<i>Sedum brevifolium</i>
<i>Sedum burrito</i>	<i>Sedum caeruleum</i>	<i>Sedum caespitosum</i>
<i>Sedum cauticola</i>	<i>Sedum cepaea</i>	<i>Sedum clavatum</i>
<i>Sedum coccineum</i>	<i>Sedum compressum</i>	<i>Sedum dasypodium</i>
<i>Sedum dendroideum</i>	<i>Sedum dendroideum</i> subsp. <i>praealtum</i>	<i>Sedum floriferum</i>
<i>Sedum forsterianum</i>	<i>Sedum frutescens</i>	<i>Sedum furfuraceum</i>
<i>Sedum glaucum</i>	<i>Sedum hernandezii</i>	<i>Sedum hintonii</i>
<i>Sedum hirsutum</i>	<i>Sedum hirsutum</i> subsp. <i>baeticum</i>	<i>Sedum hispanicum</i>
<i>Sedum integrifolium</i> subsp. <i>leedyi</i>	<i>Sedum integrifolium</i> subsp. <i>neomexicana</i>	<i>Sedum kamtschaticum</i>
<i>Sedum lanceolatum</i>	<i>Sedum lineare</i>	<i>Sedum lucidum</i>
<i>Sedum lydium</i>	<i>Sedum macdougallii</i>	<i>Sedum makinoi</i>
<i>Sedum maximum</i>	<i>Sedum mexicanum</i>	<i>Sedum mocinianum</i>
<i>Sedum morganianum</i>	<i>Sedum multiceps</i>	<i>Sedum nevii</i>
<i>Sedum nussbaumerianum</i>	<i>Sedum ochroleucum</i> subsp. <i>montanum</i>	<i>Sedum oppositifolium</i>
<i>Sedum oreganum</i>	<i>Sedum oxypetalum</i>	<i>Sedum pachyphyllum</i>
<i>Sedum palmeri</i>	<i>Sedum pilosum</i>	<i>Sedum praealtum</i>
<i>Sedum praealtum</i> subsp. <i>praealtum</i>	<i>Sedum pulchellum</i>	<i>Sedum reflexum</i>
<i>Sedum rhodiola</i>	<i>Sedum robertianum</i>	<i>Sedum rosea</i> var. <i>leedyi</i>
<i>Sedum rubens</i>	<i>Sedum rubrotinctum</i>	<i>Sedum rupestre</i>
<i>Sedum rupestre</i> var. <i>forsterianum</i>	<i>Sedum sarmentosum</i>	<i>Sedum sediforme</i>
<i>Sedum selskianum</i>	<i>Sedum sexangulare</i>	<i>Sedum sieboldii</i>
<i>Sedum spathulifolium</i>	<i>Sedum spathulifolium</i> subsp. <i>spathulifolium</i>	<i>Sedum spectabile</i>

<i>Sedum spurium</i>	<i>Sedum spurium</i> var. <i>coccineum</i>	<i>Sedum stahlii</i>
<i>Sedum telephium</i>	<i>Sedum ternatum</i>	<i>Sedum treleasei</i>
<i>Sedum trollii</i>	<i>Selaginella apoda</i>	<i>Selaginella biformis</i>
<i>Selaginella braunii</i>	<i>Selaginella delicatula</i>	<i>Selaginella emmeliana</i>
<i>Selaginella flabellata</i>	<i>Selaginella involvens</i>	<i>Selaginella kraussiana</i>
<i>Selaginella lepidophylla</i>	<i>Selaginella martensii</i>	<i>Selaginella martensii</i> f. <i>albolineata</i>
<i>Selaginella pallescens</i>	<i>Selaginella pallescens</i> f. <i>aurea</i>	<i>Selaginella plana</i>
<i>Selaginella umbrosa</i>	<i>Selaginella uncinata</i>	<i>Selaginella vogelii</i>
<i>Selaginella wallichii</i>	<i>Selaginella willdenovii</i>	<i>Semnanthe lacera</i>
<i>Sempervivum allionii</i>	<i>Sempervivum angustifolium</i>	<i>Sempervivum arachnoideum</i>
<i>Sempervivum arboreum</i>	<i>Sempervivum arenarium</i>	<i>Sempervivum atlanticum</i>
<i>Sempervivum calcareum</i>	<i>Sempervivum canariense</i>	<i>Sempervivum cantabricum</i>
<i>Sempervivum ciliosum</i>	<i>Sempervivum decorum</i>	<i>Sempervivum erythraeum</i>
<i>Sempervivum giuseppii</i>	<i>Sempervivum glaucum</i>	<i>Sempervivum globiferum</i>
<i>Sempervivum haemanthoides</i>	<i>Sempervivum haworthii</i>	<i>Sempervivum hirtum</i>
<i>Sempervivum kosaninii</i>	<i>Sempervivum marmoreum</i>	<i>Sempervivum montanum</i>
<i>Sempervivum schlehanii</i>	<i>Sempervivum soboliferum</i>	<i>Sempervivum tectorum</i>
<i>Sempervivum x fauconnetii</i>	<i>Serpyllopsis caespitosa</i>	<i>Sesamothamnus lugardii</i>
<i>Shorea curtisii</i>	<i>Shorea macroptera</i>	<i>Shorea robusta</i>
<i>Shortia davidii</i>	<i>Shortia soldanelloides</i>	<i>Shortia thibetica</i>
<i>Shortia uniflora</i>	<i>Sinocalycanthus chinensis</i>	<i>Sinocalycanthus chinensis</i> x <i>Calycanthus floridus</i>
<i>Sinofranchetia chinensis</i>	<i>Sinojackia xylocarpa</i>	<i>Siphonochilus kirkii</i>
<i>Siphonochilus roseus</i>	<i>Sisyrinchium angustifolium</i>	<i>Sisyrinchium arenarium</i>
<i>Sisyrinchium atlanticum</i>	<i>Sisyrinchium bellum</i>	<i>Sisyrinchium bermudiana</i>
<i>Sisyrinchium bermudianum</i>	<i>Sisyrinchium boreale</i>	<i>Sisyrinchium brachypus</i>
<i>Sisyrinchium californicum</i>	<i>Sisyrinchium chilense</i>	<i>Sisyrinchium convolutum</i>
<i>Sisyrinchium douglasii</i>	<i>Sisyrinchium exile</i>	<i>Sisyrinchium filifolium</i>
<i>Sisyrinchium graminifolium</i>	<i>Sisyrinchium graminoides</i>	<i>Sisyrinchium idahoense</i>
<i>Sisyrinchium idahoense</i> var. <i>macounii</i>	<i>Sisyrinchium iridifolium</i>	<i>Sisyrinchium ixoides</i>
<i>Sisyrinchium junceum</i>	<i>Sisyrinchium littorale</i>	<i>Sisyrinchium macrocarpon</i>
<i>Sisyrinchium micranthum</i>	<i>Sisyrinchium montanum</i>	<i>Sisyrinchium mucronatum</i>
<i>Sisyrinchium palmifolium</i>	<i>Sisyrinchium patagonicum</i>	<i>Sisyrinchium pearcei</i>

<i>Sisyrinchium rosulatum</i>	<i>Sisyrinchium speciosum</i>	<i>Sisyrinchium striatum</i>
<i>Sisyrinchium tenuifolium</i>	<i>Soldanella alpina</i>	<i>Soldanella austriaca</i>
<i>Soldanella carpatica</i>	<i>Soldanella cyanaster</i>	<i>Soldanella dimonie</i>
<i>Soldanella hungarica</i>	<i>Soldanella minima</i>	<i>Soldanella montana</i>
<i>Soldanella pindicola</i>	<i>Soldanella pusilla</i>	<i>Soldanella villosa</i>
<i>Solenopsis axillaris</i>	<i>Sparganium angustifolium</i>	<i>Sparganium antipodum</i>
<i>Sparganium erectum</i> subsp. <i>stoloniferum</i>	<i>Sparganium subglobosum</i>	<i>Sparmannia ricinicarpa</i>
<i>Spathiphyllum blandum</i>	<i>Spathiphyllum cannifolium</i>	<i>Spathiphyllum cochlearispathum</i>
<i>Spathiphyllum commutatum</i>	<i>Spathiphyllum floribundum</i>	<i>Spathiphyllum phryniifolium</i>
<i>Spathiphyllum wallisii</i>	<i>Specularia perfoliata</i>	<i>Specularia speculum-veneris</i>
<i>Sphaeropteris cooperi</i>	<i>Sphaeropteris medullaris</i>	<i>Sphalmanthus auratus</i>
<i>Sphalmanthus tenuiflorus</i>	<i>Sphenomeris chinensis</i>	<i>Sphenomeris chusana</i>
<i>Sporledera triloba</i>	<i>Staberoha remota</i>	<i>Stachyphrynium jagorianum</i>
<i>Stachyurus himalaicus</i>	<i>Stachyurus praecox</i>	<i>Stangeria eriopus</i>
<i>Stangeria paradoxa</i>	<i>Staphylea colchica</i>	<i>Staphylea holocarpa</i>
<i>Staphylea pinnata</i>	<i>Statice alliacea</i>	<i>Statice arenaria</i>
<i>Statice caespitosa</i>	<i>Statice chilensis</i>	<i>Statice chilensis</i> var. <i>magellanica</i>
<i>Statice glumacea</i>	<i>Statice gmelinii</i>	<i>Statice incana</i>
<i>Statice juniperifolia</i>	<i>Statice latifolia</i>	<i>Statice limonium</i> var. <i>bellidifolia</i>
<i>Statice macloviana</i>	<i>Statice maritima</i>	<i>Statice otolepis</i>
<i>Statice peregrina</i>	<i>Statice perezii</i>	<i>Statice pseudarmeria</i>
<i>Statice sibirica</i>	<i>Statice sinense</i>	<i>Statice sinuata</i>
<i>Statice suworowii</i>	<i>Statice tatarica</i>	<i>Stauntonia hexaphylla</i>
<i>Steenisioblechnum acuminatum</i>	<i>Stenoloma chusanum</i>	<i>Stephania erecta</i>
<i>Sticherus flabellatus</i>	<i>Stoeberia carpia</i>	<i>Stomatium acutifolium</i>
<i>Stomatium agnatum</i>	<i>Stomatium alboroseum</i>	<i>Stomatium mustellinum</i>
<i>Stomatium pyrodonrum</i>	<i>Stomatium suaveolens</i>	<i>Stomatium suricatinum</i>
<i>Streptopus lanceolatus</i>	<i>Streptopus roseus</i>	<i>Stromanthe sanguinea</i>
<i>Strychnos arborea</i>	<i>Strychnos axillaris</i>	<i>Strychnos colubrina</i>
<i>Strychnos decussata</i>	<i>Strychnos lucida</i>	<i>Strychnos madagascariensis</i>
<i>Strychnos minor</i>	<i>Strychnos psilosperma</i>	<i>Strychnos spinosa</i>

<i>Stylium affine</i>	<i>Stylium amoenum</i>	<i>Stylium crassifolium</i>
<i>Stylium debile</i>	<i>Stylium fasciculatum</i>	<i>Stylium glandulosum</i>
<i>Stylium graminifolium</i>	<i>Stylium scandens</i>	<i>Stylium schoenoides</i>
<i>Stylium spathulatum</i>	<i>Stylobasium spathulatum</i>	<i>Stylomecon heterophylla</i>
<i>Stylophorum diphyllum</i>	<i>Stylophorum japonicum</i>	<i>Stylophorum lasiocarpum</i>
<i>Swertia bimaculata</i>	<i>Swertia dilatata</i>	<i>Swertia perennis</i>
<i>Symphyandra armena</i>	<i>Symphyandra cretica</i>	<i>Symphyandra hofmannii</i>
<i>Symphyandra lazica</i>	<i>Symphyandra lezgina</i>	<i>Symphyandra ossetica</i>
<i>Symphyandra pendula</i>	<i>Symphyandra wanneri</i>	<i>Symphyandra zangezura</i>
<i>Syngonanthus chrysanthus</i>	<i>Syngonium angustatum</i>	<i>Syngonium auritum</i>
<i>Syngonium erythrophylum</i>	<i>Syngonium hastiferum</i>	<i>Syngonium hoffmannii</i>
<i>Syngonium macrophyllum</i>	<i>Syngonium podophyllum</i>	<i>Syngonium steyermarkii</i>
<i>Syngonium wendlandii</i>	<i>Synnotia bicolor</i>	<i>Synnotia metelerkampiae</i>
<i>Synnotia parviflora</i>	<i>Tacca chantrieri</i>	<i>Tacca chantrieri f. macrantha</i>
<i>Tacca integrifolia</i>	<i>Tacca leontopetaloides</i>	<i>Tacca macrantha</i>
<i>Tacca nivea</i>	<i>Tacca palmata</i>	<i>Tacca plantaginea</i>
<i>Tacitus bellus</i>	<i>Tambourissa peltata</i>	<i>Tambourissa sieberi</i>
<i>Tamus elephantipes</i>	<i>Tanquana archeri</i>	<i>Tanquana hilmarii</i>
<i>Tanquana prismatica</i>	<i>Tapeinochilos novaebudaensis</i>	<i>Tapeinochilos recurvatum</i>
<i>Tecophilaea cyanocrocus</i>	<i>Tecophilaea violiflora</i>	<i>Tectaria decurrens</i>
<i>Tectaria fimbriata</i>	<i>Tectaria gemmifera</i>	<i>Tectaria heracleifolia</i>
<i>Tectaria incisa</i>	<i>Tellima grandiflora</i>	<i>Ternstroemia gymnanthera</i>
<i>Testudinaria elephantipes</i>	<i>Tetracera loureiri</i>	<i>Tetragonia expansa</i>
<i>Tetragonia tetragonoides</i>	<i>Thalia dealbata</i>	<i>Thalia geniculata</i>
<i>Thalia welwitschii</i>	<i>Thamnochortus acuminatus</i>	<i>Thamnochortus lucens</i>
<i>Thelypteris dentata</i>	<i>Thelypteris glandulosa</i>	<i>Thelypteris patens</i>
<i>Thelypteris phegopteris</i>	<i>Thelypteris quelpaertensis</i>	<i>Thelypteris reptans</i> var. <i>reptans</i>
<i>Thelypteris serra</i>	<i>Thelypteris serrata</i>	<i>Thelypteris torresiana</i>
<i>Thomsonia thaiensis</i>	<i>Tiarella cordifolia</i>	<i>Tiarella cordifolia</i> var. <i>collina</i>
<i>Tiarella cordifolia x trifoliata</i>	<i>Tiarella polyphylla</i>	<i>Tiarella trifoliata</i> subsp. <i>unifoliata</i>
<i>Tiarella wherryi</i>	<i>Titanopsis calcarea</i>	<i>Titanopsis fulleri</i>
<i>Titanopsis hugo-schlechteri</i>	<i>Titanopsis luederitzii</i>	<i>Titanopsis primosii</i>
<i>Titanopsis schwantesii</i>	<i>Todea barbara</i>	<i>Todea superba</i>

<i>Tolmiea menziesii</i>	<i>Torenia baillonii</i>	<i>Torenia fournieri</i>
<i>Toxicoscordion nuttallii</i>	<i>Toxicoscordion texense</i>	<i>Trachelium caeruleum</i>
<i>Trachelium caeruleum</i> subsp. <i>caeruleum</i>	<i>Trianthema australis</i>	<i>Trianthema portulacastrum</i>
<i>Trianthema triquetra</i>	<i>Tricercandra fortunei</i>	<i>Tricercandra japonica</i>
<i>Tricercandra quadrifolia</i>	<i>Trichodiadema bulbosum</i>	<i>Trichodiadema decorum</i>
<i>Trichodiadema densum</i>	<i>Trichodiadema intonsum</i>	<i>Trichodiadema marlothii</i>
<i>Trichodiadema mirabile</i>	<i>Trichodiadema orientale</i>	<i>Trichodiadema stellatum</i>
<i>Trichomanes canariensis</i>	<i>Trichomanes chinense</i>	<i>Trichomanes javanicum</i>
<i>Trichomanes squarrosum</i>	<i>Tricuspidaria lanceolata</i>	<i>Tricyrtis affinis</i>
<i>Tricyrtis bakeri</i>	<i>Tricyrtis dilatata</i>	<i>Tricyrtis flava</i>
<i>Tricyrtis formosana</i>	<i>Tricyrtis formosana x hirta</i>	<i>Tricyrtis hirta</i>
<i>Tricyrtis hirta x formosana</i>	<i>Tricyrtis japonica</i>	<i>Tricyrtis lasiocarpa</i>
<i>Tricyrtis latifolia</i>	<i>Tricyrtis macrantha</i>	<i>Tricyrtis macranthopsis</i>
<i>Tricyrtis macropoda</i>	<i>Tricyrtis maculata</i>	<i>Tricyrtis nana</i>
<i>Tricyrtis ohsumiensis</i>	<i>Tricyrtis perfoliata</i>	<i>Tricyrtis puberula</i>
<i>Tricyrtis stolonifera</i>	<i>Trifurcia caerulea</i>	<i>Trifurcia lahue</i>
<i>Trifurcia lahue</i> subsp. <i>amoena</i>	<i>Trifurcia lahue</i> subsp. <i>caerulea</i>	<i>Triodanis perfoliata</i>
<i>Trochodendron aralioides</i>	<i>Tropaeolum azureum</i>	<i>Tropaeolum beuthii</i>
<i>Tropaeolum brachyceras</i>	<i>Tropaeolum ciliatum</i>	<i>Tropaeolum hookerianum</i>
<i>Tropaeolum incisum</i>	<i>Tropaeolum lepidum</i>	<i>Tropaeolum majus</i>
<i>Tropaeolum majus</i> x <i>peltophorum</i>	<i>Tropaeolum minus</i>	<i>Tropaeolum peltophorum</i>
<i>Tropaeolum pentaphyllum</i>	<i>Tropaeolum peregrinum</i>	<i>Tropaeolum polyphyllum</i>
<i>Tropaeolum sessilifolium</i>	<i>Tropaeolum speciosum</i>	<i>Tropaeolum tricolor</i>
<i>Tropaeolum tuberosum</i>	<i>Tumboa bainesii</i>	<i>Turpinia arguta</i>
<i>Tylecodon buchholzianus</i>	<i>Tylecodon cacalioides</i>	<i>Tylecodon hallii</i>
<i>Tylecodon paniculatus</i>	<i>Tylecodon pearsonii</i>	<i>Tylecodon pygmaeus</i>
<i>Tylecodon reticulatus</i>	<i>Tylecodon schaeferanus</i>	<i>Tylecodon stenocaulis</i>
<i>Tylecodon striatus</i>	<i>Tylecodon wallichii</i>	<i>Typhonium blumei</i>
<i>Typhonium brownii</i>	<i>Typhonium divaricatum</i>	<i>Typhonium eliosurum</i>
<i>Typhonium filiforme</i>	<i>Typhonium giganteum</i>	<i>Typhonium quadrifolia</i>
<i>Typhonium trilobatum</i>	<i>Typhonium venosum</i>	<i>Ugena microphylla</i>
<i>Umbilicus rupestris</i>	<i>Uncarina abbreviata</i>	<i>Uncarina decaryi</i>

<i>Uncarina grandidieri</i>	<i>Uncarina leptocarpa</i>	<i>Uncarina peltata</i>
<i>Uncarina perrieri</i>	<i>Uncarina platycarpa</i>	<i>Uncarina roeoesliana</i>
<i>Uncarina sakalava</i>	<i>Uncarina stellulifera</i>	<i>Uncarina turicana</i>
<i>Utricularia afromontana</i>	<i>Utricularia andicola</i>	<i>Utricularia cornigera</i>
<i>Utricularia denticulata</i>	<i>Utricularia dregei</i>	<i>Utricularia eburnea</i>
<i>Utricularia elevata</i>	<i>Utricularia engleri</i>	<i>Utricularia gentryi</i>
<i>Utricularia humbertiana</i>	<i>Utricularia humilis</i>	<i>Utricularia ibarensis</i>
<i>Utricularia livida</i>	<i>Utricularia lobata</i>	<i>Utricularia longecalcarata</i>
<i>Utricularia madagascariensis</i>	<i>Utricularia mauroyae</i>	<i>Utricularia odontosperma</i>
<i>Utricularia sanguinea</i>	<i>Utricularia sematophora</i>	<i>Utricularia sinuata</i>
<i>Utricularia spartea</i>	<i>Utricularia transrugosa</i>	<i>Uvularia grandiflora</i>
<i>Uvularia lanceolata</i>	<i>Uvularia sessilifolia</i>	<i>Vallarsia caalthifolia</i>
<i>Vandellia crustacea</i>	<i>Vanheerdia divergens</i>	<i>Vanheerdia primosii</i>
<i>Vanzijlia annulata</i>	<i>Vasconcellea cestriflora</i>	<i>Vasconcellea cundinamarcensis</i>
<i>Vasconcellea pubescens</i>	<i>Veratrum album</i>	<i>Veratrum californicum</i>
<i>Veratrum eschscholtzii</i>	<i>Veratrum lobelianum</i> var. <i>eschscholtzianum</i>	<i>Veratrum maackii</i>
<i>Veratrum mengtzeanum</i>	<i>Veratrum nigrum</i>	<i>Veratrum taliense</i>
<i>Veratrum viride</i>	<i>Victoria amazonica</i>	<i>Victoria cruziana</i>
<i>Victoria regiae</i>	<i>Vieusseuxia aristata</i>	<i>Vieusseuxia fugax</i>
<i>Virola peruviana</i>	<i>Viscum verticillatum</i>	<i>Vitaliana primuliflora</i>
<i>Wachendorfia paniculata</i>	<i>Wachendorfia thyrsiflora</i>	<i>Wageneria convolvulacea</i>
<i>Wahlenbergia albomarginata</i>	<i>Wahlenbergia appressifolia</i>	<i>Wahlenbergia capensis</i>
<i>Wahlenbergia ceracea</i>	<i>Wahlenbergia clematidea</i>	<i>Wahlenbergia communis</i>
<i>Wahlenbergia congesta</i>	<i>Wahlenbergia consimilis</i>	<i>Wahlenbergia cuspidata</i>
<i>Wahlenbergia fluminalis</i>	<i>Wahlenbergia gloriosa</i>	<i>Wahlenbergia gracilenta</i>
<i>Wahlenbergia gracilis</i>	<i>Wahlenbergia luteola</i>	<i>Wahlenbergia marginata</i> subvar. <i>trichogyna</i>
<i>Wahlenbergia saxicola</i>	<i>Wahlenbergia stricta</i>	<i>Wahlenbergia undulata</i>
<i>Wahlenbergia vernicosa</i>	<i>Weinmannia racemosa</i>	<i>Weinmannia silvicola</i>
<i>Weinmannia sylvicola</i>	<i>Weinmannia tinctoria</i>	<i>Weinmannia trichosperma</i>
<i>Wellingtonia gigantea</i>	<i>Wellingtonia pendula</i>	<i>Welwitschia bainesii</i>
<i>Welwitschia mirabilis</i>	<i>Wikstroemia australis</i>	<i>Woodsia ilvensis</i>
<i>Woodsia scopulina</i>	<i>Woodwardia fimbriata</i>	<i>Woodwardia orientalis</i>

<i>Woodwardia radicans</i>	<i>Woodwardia unigemmata</i>	<i>Wurmbea burttii</i>
<i>Wurmbea dioica</i>	<i>Wurmbea dolichantha</i>	<i>Wurmbea elatior</i>
<i>Wurmbea kraussii</i>	<i>Wurmbea marginata</i>	<i>Wurmbea minima</i>
<i>Wurmbea monopetala</i>	<i>Wurmbea recurva</i>	<i>Wurmbea spicata</i>
<i>Wurmbea variabilis</i>	<i>x Solidaster luteus</i>	<i>Xenophya lauterbachiana</i>
<i>Xeronema callistemon</i>	<i>Xeronema moorei</i>	<i>Xerophyllum asphodeloides</i>
<i>Xerophyllum tenax</i>	<i>Xerophyta viscosa</i>	<i>Yavia cryptocarpa</i>
<i>Zaleya galericulata</i> subsp. <i>australis</i>	<i>Zamia acuminata</i>	<i>Zamia amazonum</i>
<i>Zamia amblyphyllidia</i>	<i>Zamia amplifolia</i>	<i>Zamia angustifolia</i>
<i>Zamia angustissima</i>	<i>Zamia boliviana</i>	<i>Zamia bussellii</i>
<i>Zamia calocoma</i>	<i>Zamia chigua</i>	<i>Zamia cremnophila</i>
<i>Zamia cunaria</i>	<i>Zamia cupatiensis</i>	<i>Zamia cycadifolia</i>
<i>Zamia decumbens</i>	<i>Zamia disodon</i>	<i>Zamia dominiquensis</i>
<i>Zamia dressleri</i>	<i>Zamia elegantissima</i>	<i>Zamia encephalartoides</i>
<i>Zamia fairchildiana</i>	<i>Zamia fischeri</i>	<i>Zamia floridana</i>
<i>Zamia furfuracea</i>	<i>Zamia gentryi</i>	<i>Zamia gomeziana</i>
<i>Zamia grijalvensis</i>	<i>Zamia hamannii</i>	<i>Zamia herrerae</i>
<i>Zamia horrida</i>	<i>Zamia hymenophyllidia</i>	<i>Zamia imperialis</i>
<i>Zamia incognita</i>	<i>Zamia inermis</i>	<i>Zamia integrifolia</i>
<i>Zamia ipetiensis</i>	<i>Zamia jirijirimensis</i>	<i>Zamia kickxii</i>
<i>Zamia lacandona</i>	<i>Zamia lawsoniana</i>	<i>Zamia lecointei</i>
<i>Zamia lindenii</i>	<i>Zamia lindleyi</i>	<i>Zamia loddigesii</i>
<i>Zamia longifolia</i>	<i>Zamia lucayana</i>	<i>Zamia macrochiera</i>
<i>Zamia manicata</i>	<i>Zamia media</i>	<i>Zamia meermanii</i>
<i>Zamia melanorrhachis</i>	<i>Zamia montana</i>	<i>Zamia monticola</i>
<i>Zamia muricata</i>	<i>Zamia muricata</i> var. <i> picta</i>	<i>Zamia nesophila</i>
<i>Zamia neurophyllidia</i>	<i>Zamia obidensis</i>	<i>Zamia obliqua</i>
<i>Zamia onanreyesii</i>	<i>Zamia oreillyi</i>	<i>Zamia ottonis</i>
<i>Zamia paucijuga</i>	<i>Zamia picta</i>	<i>Zamia poeppigiana</i>
<i>Zamia polymorpha</i>	<i>Zamia portoricensis</i>	<i>Zamia prasina</i>
<i>Zamia pseudomonticola</i>	<i>Zamia pseudoparasitica</i>	<i>Zamia pumila</i>
<i>Zamia purpurea</i>	<i>Zamia pygmaea</i>	<i>Zamia pygmaea</i> x <i>kickxii</i>
<i>Zamia pyrophylla</i>	<i>Zamia restrepoi</i>	<i>Zamia roezlii</i>

<i>Zamia sandovalii</i>	<i>Zamia silicea</i>	<i>Zamia skinneri</i>
<i>Zamia soconusensis</i>	<i>Zamia spartea</i>	<i>Zamia spiralis</i>
<i>Zamia splendens</i>	<i>Zamia standleyi</i>	<i>Zamia stevensonii</i>
<i>Zamia stricta</i>	<i>Zamia sylvatica</i>	<i>Zamia tolimensis</i>
<i>Zamia tuerckheimii</i>	<i>Zamia ulei</i>	<i>Zamia urep</i>
<i>Zamia variegata</i>	<i>Zamia vazquezii</i>	<i>Zamia verschaffeltii</i>
<i>Zamia wallisii</i>	<i>Zamioculcas zamiifolia</i>	<i>Zerumbet speciosum</i>
<i>Zigadenus alpinus</i>	<i>Zigadenus chloranthus</i>	<i>Zigadenus coloradensis</i>
<i>Zigadenus dilatatus</i>	<i>Zigadenus elegans</i>	<i>Zigadenus glaucus</i>
<i>Zigadenus gracilentus</i>	<i>Zigadenus longus</i>	<i>Zigadenus mohinorensis</i>
<i>Zigadenus nuttallii</i>	<i>Zigadenus texensis</i>	<i>Zigadenus washakie</i>

Appendix 7: Documentation Requirements

The information below describes the requirements for documentation presented to the Department of Agriculture to support the risk assessment of imported goods.

Phytosanitary certificate

Phytosanitary certificates are issued by the National Plant Protection Organisation (NPPO) of a country of origin to attest that plants, plant products or other regulated articles meet the phytosanitary import requirements of Australia. This certificate is endorsed by a NPPO representative from the country of origin (or processing) and includes all relevant statements as required by the import conditions.

This document must meet the relevant overarching and consignment-specific requirements outlined below.

- a. **Complete** - All prescribed information required to be on a document must be present and complete. Additional prescribed information below:
 1. The phytosanitary certificate must comply with information on the [International Plant Protection Convention \(IPPC\) website](#).
 2. The document must be issued by the National Plant Protection Organisation (NPPO) of the issuing country.
 3. The document must contain the name of the country of origin of the goods.
 4. The name of the importing country must appear on the certificate.
 5. The document must contain the name and address of the exporter. Address of the exporter (or the exporter's local agent or shipper) should be located in the exporting country.
 6. The document must contain consignee details (including name and address). Sufficient detail should be included in this section to enable the NPPO of the importing country to confirm the identity of the consignee.
 7. The document must contain the number/quantity and description of the packages. Sufficient detail should be included in this section to enable the NPPO of the importing country to link the phytosanitary certificate with the corresponding consignment.
 8. Distinguishing marks may be indicated on the certificate.
 9. The document should contain the declared means of conveyance. Terms such as "sea, air, road, rail, mail and passenger" should be used.
 10. The document must contain the declared point of entry. This should be the first point of arrival in the country of final destination, or if not known, the country name.
 11. The document must identify plants and plant products using accepted scientific names, at least to genus level but preferably to species level.
 12. The document must include a description and quantity of goods.
 13. Additional declarations may be included as required by import conditions.
 14. Each certificate must contain a unique identification number.
 15. Treatments indicated should only be those which are acceptable to the importing country and are performed in the exporting country or in-transit to meet the phytosanitary requirements of the importing country.
 16. When details of methyl bromide treatment are included on a phytosanitary certificate, the department does not require plastic wrapping declarations.

17. The phytosanitary certificate must have been issued no more than six months prior to the date of export, unless otherwise specified in BICON or import permit conditions.
18. All documents must be endorsed by a representative of the body issuing the document, including their name and date.
19. Although the preferred language is English, phytosanitary certificates may be accepted in one of the IPPC recognised languages under the ISPM 12.
20. The document must contain the correct statements as required by BICON or import permit conditions.
21. The document must contain the mandatory declaration:
"This is to certify that the plants, plant products or other regulated articles described herein have been inspected and/or tested according to appropriate official procedures and are considered to be free from the quarantine pests specified by the importing contracting party and to conform with the current phytosanitary requirements of the importing contracting party, including those for regulated non-quarantine pests."
22. The certificate must contain the official seal, stamp or embossed mark identifying the issuing NPPO. The stamp may be printed on the certificate or added by the issuing official after the form is completed.

- b. **Legible** - All prescribed information required to be on a document must be legible.
- c. **Valid** - Many documents, such as import permits, are subject to a validity period. Presented documents must comply with the validity requirements specified for that class of document.
- d. **In English** - All prescribed information required to be on a document must be in English. Exceptions to this rule include:
 1. company letterheads do not need to be translated into English but must be in English characters (roman alphabet).
 2. commercial, transport and government certification that are required to comply with international standard formats.
 3. signatures and names of individuals.

Where a document cannot be provided in English, an affidavit will be accepted from either:

1. that country's consulate in Australia.
 2. the Australian embassy in the place of origin.
 3. a translator accredited by the National Accreditation Authority for Translators and Interpreters Ltd.
- e. **Free from erasures and alterations** - All prescribed information on a document must be free from erasures and alterations unless endorsed by an employee of the company who issued the document, or an authorised government official from the government department who issued a certificate. The only acceptable endorsement is a company stamp or seal signed by the company employee (including printed name) or a government stamp or seal signed by a government employee (including printed name) applied adjacent to the alteration.
 - f. **Multiple page documents** - Multi page document must:

- include a consignment-specific link on all pages of the document.
For example, commercial invoices (or similar) must contain the documents individual reference number (e.g. invoice number) or a numerical link on each page of the document.
- contain an endorsement on the final page of the document, following the information that is being endorsed.

Where a government issued document has noted attachments, the attachments can follow the endorsement. Where an international standard relating to the issuing of veterinary, government or phytosanitary certification does not explicitly require a link on each page of a multiple page certificate, the department will accept the document linkage on the first page of the certificate. For further information about international standards for veterinary, government and phytosanitary certificates please refer to sections 4.3.3, 4.3.4 and 4.3.5 of the [Minimum documentary and import declaration requirements policy](#).

Where a non-government issued document has noted attachments, the attachments are required to meet all of the overarching document requirements contained in section 1 of the [Minimum documentary and import declaration requirements policy](#) inclusive of endorsement.

- g. **Endorsed** - Unless otherwise stated in BICON, on an import permit or on the [department's website](#) for food subject to the Imported Food Inspection Scheme, all documents must be endorsed by an employee of the organisation, corporation, or government authority issuing the document. An endorsement must:
1. be an acceptable signature, electronic signature or stamp as defined in the Definitions section of this policy.
 2. appear after the information that the signatory is endorsing.
- Where a document has noted attachments, the endorsement can be made before the attachments, refer to section 1.6 of the [Minimum documentary and import declaration requirements policy](#).
- h. **Date of issue** - All documents must identify the date the document was issued including the day, month and year. Packing declarations may contain vessel/voyage number which can be used if a date of issue is not present on the document.
- i. **Consignment specific link** - All documents that are relied on to assess the level of biosecurity risk must have a unique consignment-specific link. Examples of consignment identification include:
- container numbers
 - bill numbers
 - commercial invoice numbers
 - lot codes
 - preferential tariff certificate numbers
 - packing list numbers
 - letter of credit numbers.

Where a document does not contain one of the accepted forms of consignment identification, a numerical link to another document that does contain appropriate consignment identification must be present.

Examples of acceptable numerical links include:

- order numbers
- reference numbers
- any other internal reference numbers used by overseas companies
- vessel/voyage references
- flight number and arrival date.

Numerical links alone cannot be used as consignment identification links.

Unacceptable numerical links are references that could be present in previous or subsequent consignments and relate to a model, type or standardised item number. Examples of unacceptable numerical links include:

- number of packages
- weights
- dates
- stockkeeping unit
- item codes.

Note¹: Annual packing declarations and Imported Food Inspection Scheme importer declarations are exempt from having consignment-specific links.

Note²: For acceptable consignment identification on phytosanitary certificates refer to sections 4 and 5 of [ISPM 12](#).

- j. **Conflicting information on documents** - Where there is conflicting information contained within a document, the document must not be accepted. Conflicting information occurs when prescribed information on one part of the document conflicts with other prescribed information on the same document.



For further information, please refer to the [Minimum documentary and import declaration requirements policy](#).

Note: Government certification received as an e-Cert are not required to be endorsed with a stamp or seal of the issuing national competent authority as outlined in the Minimum Documentary and Import Declaration Requirements Policy. Details on e-Cert requirements are located on the [department's website](#).

Manufacturer's declaration

A declaration provided by the manufacturer of the goods, which is specific to the goods in the consignment and attests to the condition/processing/treatment of the goods.

A manufacturer is the entity that has made/manufactured/produced/processed the goods that are being imported.

This document must meet the relevant overarching and consignment-specific requirements outlined below.

- a. **Complete** - All prescribed information required to be on a document must be present and complete. Additional prescribed information below:

1. The document must have been issued and dated within the last six months, unless otherwise specified.
 2. The document must be on the manufacturing company's letterhead and include their name and address.
 3. Declarations must include the employee name and their title within the company of the person issuing the document.
 4. The document must contain the correct statement(s) as required by the import conditions.
 5. The document must be specific to the good(s) and consignment unless otherwise stated in BICON, an import permit, or the [department's website](#) for food subject to the Imported Food Inspection Scheme.
 6. Declarations will only be accepted from the company that manufactured/produced the goods (either the specific site or head office within the country of export) unless stated otherwise.
- b. **Legible** - All prescribed information required to be on a document must be legible.
- c. **Valid** - Many documents, such as import permits, are subject to a validity period. Presented documents must comply with the validity requirements specified for that class of document.
- d. **In English** - All prescribed information required to be on a document must be in English. Exceptions to this rule include:
1. company letterheads do not need to be translated into English but must be in English characters (roman alphabet).
 2. commercial, transport and government certification that are required to comply with international standard formats.
 3. signatures and names of individuals.
- Where a document cannot be provided in English, an affidavit will be accepted from either:
1. that country's consulate in Australia.
 2. the Australian embassy in the place of origin.
 3. a translator accredited by the National Accreditation Authority for Translators and Interpreters Ltd.
- e. **Free from erasures and alterations** - All prescribed information on a document must be free from erasures and alterations unless endorsed by an employee of the company who issued the document, or an authorised government official from the government department who issued a certificate. The only acceptable endorsement is a company stamp or seal signed by the company employee (including printed name) or a government stamp or seal signed by a government employee (including printed name) applied adjacent to the alteration.
- f. **Multiple page documents** - Multi page document must:
- include a consignment-specific link on all pages of the document.
For example, commercial invoices (or similar) must contain the documents individual reference number (e.g. invoice number) or a numerical link on each page of the document.

- contain an endorsement on the final page of the document, following the information that is being endorsed.

Where a government issued document has noted attachments, the attachments can follow the endorsement. Where an international standard relating to the issuing of veterinary, government or phytosanitary certification does not explicitly require a link on each page of a multiple page certificate, the department will accept the document linkage on the first page of the certificate. For further information about international standards for veterinary, government and phytosanitary certificates please refer to sections 4.3.3, 4.3.4 and 4.3.5 of the [Minimum documentary and import declaration requirements policy](#).

Where a non-government issued document has noted attachments, the attachments are required to meet all of the overarching document requirements contained in section 1 of the [Minimum documentary and import declaration requirements policy](#) inclusive of endorsement.

- g. **Endorsed** - Unless otherwise stated in BICON, on an import permit or on the [department's website](#) for food subject to the Imported Food Inspection Scheme, all documents must be endorsed by an employee of the organisation, corporation, or government authority issuing the document. An endorsement must:
1. be an acceptable signature, electronic signature or stamp as defined in the Definitions section of this policy.
 2. appear after the information that the signatory is endorsing.
- Where a document has noted attachments, the endorsement can be made before the attachments, refer to section 1.6 of the [Minimum documentary and import declaration requirements policy](#).
- h. **Date of issue** - All documents must identify the date the document was issued including the day, month and year. Packing declarations may contain vessel/voyage number which can be used if a date of issue is not present on the document.
- i. **Consignment specific link** - All documents that are relied on to assess the level of biosecurity risk must have a unique consignment-specific link. Examples of consignment identification include:
- container numbers
 - bill numbers
 - commercial invoice numbers
 - lot codes
 - preferential tariff certificate numbers
 - packing list numbers
 - letter of credit numbers.

Where a document does not contain one of the accepted forms of consignment identification, a numerical link to another document that does contain appropriate consignment identification must be present.

Examples of acceptable numerical links include:

- order numbers
- reference numbers
- any other internal reference numbers used by overseas companies
- vessel/voyage references

- flight number and arrival date.

Numerical links alone cannot be used as consignment identification links.

Unacceptable numerical links are references that could be present in previous or subsequent consignments and relate to a model, type or standardised item number. Examples of unacceptable numerical links include:

- number of packages
- weights
- dates
- stockkeeping unit
- item codes.

Note¹: Annual packing declarations and Imported Food Inspection Scheme importer declarations are exempt from having consignment-specific links.

Note²: For acceptable consignment identification on phytosanitary certificates refer to sections 4 and 5 of [ISPM 12](#).

- j. **Conflicting information on documents** - Where there is conflicting information contained within a document, the document must not be accepted. Conflicting information occurs when prescribed information on one part of the document conflicts with other prescribed information on the same document.



For further information, please refer to the [Minimum documentary and import declaration requirements policy](#).

Invoice

A commercial document issued by the seller to the buyer indicating the products, quantities and prices for the goods being imported. This document will also include an invoice or order number.

This document must meet the relevant overarching and consignment-specific requirements outlined below.

- Complete** - All prescribed information required to be on a document must be present and complete. Additional prescribed information below:
 1. The document must include the name and physical address of the supplier.
 2. The document must include Commercial Reference numbers, such as invoice or order numbers.
 3. The document must include a description and quantity of the goods.
 4. The document must include the name and physical address of the purchaser.
- Legible** - All prescribed information required to be on a document must be legible.

Note: Where it is a requirement under the Imported Food Inspection Scheme (IFIS), an import condition on an import permit, or a BICON case states that a certain requirement can be produced, provided or stated on a commercial invoice, then the invoice must meet the overarching documentary and letterhead requirements of the [Minimum documentary and import declaration requirements policy](#).

c. **Valid** - Many documents, such as import permits, are subject to a validity period. Presented documents must comply with the validity requirements specified for that class of document.

d. **In English** - All prescribed information required to be on a document must be in English. Exceptions to this rule include:

1. company letterheads do not need to be translated into English but must be in English characters (roman alphabet).
2. commercial, transport and government certification that are required to comply with international standard formats.
3. signatures and names of individuals.

Where a document cannot be provided in English, an affidavit will be accepted from either:

1. that country's consulate in Australia.
2. the Australian embassy in the place of origin.
3. a translator accredited by the National Accreditation Authority for Translators and Interpreters Ltd.

e. **Free from erasures and alterations** - All prescribed information on a document must be free from erasures and alterations unless endorsed by an employee of the company who issued the document, or an authorised government official from the government department who issued a certificate. The only acceptable endorsement is a company stamp or seal signed by the company employee (including printed name) or a government stamp or seal signed by a government employee (including printed name) applied adjacent to the alteration.

f. **Multiple page documents** - Multi page document must:

- include a consignment-specific link on all pages of the document.

For example, commercial invoices (or similar) must contain the documents individual reference number (e.g. invoice number) or a numerical link on each page of the document.

- contain an endorsement on the final page of the document, following the information that is being endorsed.

Where a government issued document has noted attachments, the attachments can follow the endorsement. Where an international standard relating to the issuing of veterinary, government or phytosanitary certification does not explicitly require a link on each page of a multiple page certificate, the department will accept the document linkage on the first page of the certificate. For further information about international standards for veterinary, government and phytosanitary certificates please refer to sections 4.3.3, 4.3.4 and 4.3.5 of the [Minimum documentary and import declaration requirements policy](#).

Where a non-government issued document has noted attachments, the attachments are required to meet all of the overarching document requirements contained in section 1 of the [Minimum documentary and import declaration requirements policy](#) inclusive of endorsement.

g. **Endorsed** - Unless otherwise stated in BICON, on an import permit or on the [department's website](#) for food subject to the Imported Food Inspection Scheme, all documents must be endorsed by an employee of the organisation, corporation, or government authority issuing the document. An endorsement must:

1. be an acceptable signature, electronic signature or stamp as defined in the Definitions section of this policy.
2. appear after the information that the signatory is endorsing.

Where a document has noted attachments, the endorsement can be made before the attachments, refer to section 1.6 of the [Minimum documentary and import declaration requirements policy](#).

- h. **Date of issue** - All documents must identify the date the document was issued including the day, month and year. Packing declarations may contain vessel/voyage number which can be used if a date of issue is not present on the document.
- i. **Consignment specific link** - All documents that are relied on to assess the level of biosecurity risk must have a unique consignment-specific link. Examples of consignment identification include:
 - container numbers
 - bill numbers
 - commercial invoice numbers
 - lot codes
 - preferential tariff certificate numbers
 - packing list numbers
 - letter of credit numbers.

Where a document does not contain one of the accepted forms of consignment identification, a numerical link to another document that does contain appropriate consignment identification must be present.

Examples of acceptable numerical links include:

- order numbers
- reference numbers
- any other internal reference numbers used by overseas companies
- vessel/voyage references
- flight number and arrival date.

Numerical links alone cannot be used as consignment identification links.

Unacceptable numerical links are references that could be present in previous or subsequent consignments and relate to a model, type or standardised item number.

Examples of unacceptable numerical links include:

- number of packages
- weights
- dates
- stockkeeping unit
- item codes.

Note¹: Annual packing declarations and Imported Food Inspection Scheme importer declarations are exempt from having consignment-specific links.

Note²: For acceptable consignment identification on phytosanitary certificates refer to sections 4 and 5 of [ISPM 12](#).

- j. **Conflicting information on documents** - Where there is conflicting information contained within a document, the document must not be accepted. Conflicting information occurs when prescribed information on one part of the document conflicts with other prescribed information on the same document.



For further information, please refer to the [Minimum documentary and import declaration requirements policy](#).

Packing declaration

A document produced by the overseas packer/supplier that describes how the goods in a container were packed, the type of packing material used in the container and whether the container was clean prior to packing.

A packer is an entity who packs the goods into a container or observes the container being packed for export to an Australian territory. In some instances, the packer may also be the supplier or exporter of the goods.

A packing declaration must be provided for all containerised cargo consignments.

This document must meet the relevant overarching and consignment-specific requirements outlined below.

- a. **Complete** - All prescribed information required to be on a document must be present and complete. Additional prescribed information below:
 1. Must be issued by the exporter, supplier or packer who packed the goods into the container.
 2. The document must be on the issuing company's letterhead and include their address. An acceptable substitute is the issuing company's stamp or seal which must include the company's name and address.
 3. The document must identify the cargo type, e.g. FCL.
 4. Vessel and voyage numbers may be used if a date of issue is not present on the document.
 5. The document must be endorsed by an employee of the company issuing the packing declaration. Electronic signatures or stamped signatures are acceptable endorsements. These can include company or individual stamps incorporating a stamped signature.
 6. The document must contain all relevant statements as per the [Non-commodity information requirements policy](#).
- b. **Legible** - All prescribed information required to be on a document must be legible.
- c. **Valid** - Many documents, such as import permits, are subject to a validity period. Presented documents must comply with the validity requirements specified for that class of document.
- d. **In English** - All prescribed information required to be on a document must be in English. Exceptions to this rule include:
 1. company letterheads do not need to be translated into English but must be in English characters (roman alphabet).

2. commercial, transport and government certification that are required to comply with international standard formats.
3. signatures and names of individuals.

Where a document cannot be provided in English, an affidavit will be accepted from either:

1. that country's consulate in Australia.
2. the Australian embassy in the place of origin.
3. a translator accredited by the National Accreditation Authority for Translators and Interpreters Ltd.

- e. **Free from erasures and alterations** - All prescribed information on a document must be free from erasures and alterations unless endorsed by an employee of the company who issued the document, or an authorised government official from the government department who issued a certificate. The only acceptable endorsement is a company stamp or seal signed by the company employee (including printed name) or a government stamp or seal signed by a government employee (including printed name) applied adjacent to the alteration.

- f. **Multiple page documents** - Multi page document must:

- include a consignment-specific link on all pages of the document.
For example, commercial invoices (or similar) must contain the documents individual reference number (e.g. invoice number) or a numerical link on each page of the document.
- contain an endorsement on the final page of the document, following the information that is being endorsed.

Where a government issued document has noted attachments, the attachments can follow the endorsement. Where an international standard relating to the issuing of veterinary, government or phytosanitary certification does not explicitly require a link on each page of a multiple page certificate, the department will accept the document linkage on the first page of the certificate. For further information about international standards for veterinary, government and phytosanitary certificates please refer to sections 4.3.3, 4.3.4 and 4.3.5 of the [Minimum documentary and import declaration requirements policy](#).

Where a non-government issued document has noted attachments, the attachments are required to meet all of the overarching document requirements contained in section 1 of the [Minimum documentary and import declaration requirements policy](#) inclusive of endorsement.

- g. **Endorsed** - Unless otherwise stated in BICON, on an import permit or on the [department's website](#) for food subject to the Imported Food Inspection Scheme, all documents must be endorsed by an employee of the organisation, corporation, or government authority issuing the document. An endorsement must:

1. be an acceptable signature, electronic signature or stamp as defined in the Definitions section of this policy.
2. appear after the information that the signatory is endorsing.

Where a document has noted attachments, the endorsement can be made before the attachments, refer to section 1.6 of the [Minimum documentary and import declaration requirements policy](#).

- h. **Date of issue** - All documents must identify the date the document was issued including the day, month and year. Packing declarations may contain vessel/voyage number which can be used if a date of issue is not present on the document.
- i. **Consignment specific link** - All documents that are relied on to assess the level of biosecurity risk must have a unique consignment-specific link. Examples of consignment identification include:
- container numbers
 - bill numbers
 - commercial invoice numbers
 - lot codes
 - preferential tariff certificate numbers
 - packing list numbers
 - letter of credit numbers.

Where a document does not contain one of the accepted forms of consignment identification, a numerical link to another document that does contain appropriate consignment identification must be present.

Examples of acceptable numerical links include:

- order numbers
- reference numbers
- any other internal reference numbers used by overseas companies
- vessel/voyage references
- flight number and arrival date.

Numerical links alone cannot be used as consignment identification links.

Unacceptable numerical links are references that could be present in previous or subsequent consignments and relate to a model, type or standardised item number.

Examples of unacceptable numerical links include:

- number of packages
- weights
- dates
- stockkeeping unit
- item codes.

Note¹: Annual packing declarations and Imported Food Inspection Scheme importer declarations are exempt from having consignment-specific links.

Note²: For acceptable consignment identification on phytosanitary certificates refer to sections 4 and 5 of [ISPM 12](#).

- j. **Conflicting information on documents** - Where there is conflicting information contained within a document, the document must not be accepted. Conflicting information occurs when prescribed information on one part of the document conflicts with other prescribed information on the same document.



For further information, please refer to:

- [Minimum documentary and import declaration requirements policy](#)
- [Non-commodity information requirements policy](#)

Appendix 8: Document Options

Context & Inclusions

User Context: External

- | | |
|--|---|
| <input checked="" type="checkbox"/> Appendix - Annexes | <input checked="" type="checkbox"/> Appendix – Scientific Names |
| <input checked="" type="checkbox"/> Appendix – Documentation Requirements | <input checked="" type="checkbox"/> Element Identifiers |
| <input checked="" type="checkbox"/> Appendix - Glossary | <input checked="" type="checkbox"/> What's Changed |
| <input checked="" type="checkbox"/> Appendix – Questions and Answers | <input checked="" type="checkbox"/> Onshore Management |
| <input checked="" type="checkbox"/> Appendix – Rationale | <input checked="" type="checkbox"/> Main Processing Path Only |
| <input checked="" type="checkbox"/> Appendix – References (Files and URLs) | <input checked="" type="checkbox"/> Procedures |

Authoring Aids & Outputs

Output Format: WORD

This document is governed by the Terms and Conditions of the Department of Agriculture.

See <https://bicon.agriculture.gov.au/BiconWeb4.0> for further details.

© Commonwealth of Australia