Institut für nationale und internationale Angelegenheiten der Pflanzengesundheit

Institute for National and International Plant Health

JKI, Messeweg 11/12, 38104 Braunschweig, Germany



Federal Research Centre for Cultivated Plants www.julius-kuehn.de

04-11-2020

Notification of the presence of a harmful organism

1	General information		
1.1	Title	Presence (confirmed) of <i>Synchytrium endobioticum</i> in Germany (Baden-Wurttemberg)	
1.2	Executive summary	Synchytrium endobioticum was detected in potato tubers of the variety 'Finka' from a garden for self-sufficient farming in a forest clearing in Baden-Württemberg. Official phytosanitary measures have been taken. Growing potatoes and plants for replanting was prohibited. The source of the infestation is unknown.	
2	Information concerning the single authority and responsible persons		
2.1	Notification from	Julius Kühn-Institut (JKI), Institute for National and International Plant Health, Germany	
2.2	Official contact:	Katrin Kaminski, Tel: +49(0)531 299 3378, outbreaks@julius-kuehn.de	
3	Location		
3.1	Location	In Baden-Wurttemberg (Freiburg)	
4	Reason of the notification and the pest status		
4.1	First finding in Germany or in the area	Confirmed appearance of the pest in part of the territory of the Member State concerned, in which its presence was previously unknown.	
4.2	Pest status of the area where the harmful organism has been found present, after the official confirmation.	Present, under eradication	
4.3	Pest status in Germany before the official confirmation of the presence, or suspected presence, of the harmful organism.	Present, at low prevalence, few occurrences	

4.4	Pest status in Germany after the official confirmation of the presence of the harmful organism.	Present, at low prevalence, few occurrences	
5	Finding, sampling, testing and confirmation of the harmful organism		
5.1	How the presence or appearance of the harmful organism was found.	Information submitted by professional operators, laboratories or other persons.	
5.2	Date of finding:	25-08-2020	
5.3	Sampling for laboratory analysis.	09-09-2020	
5.4	Name and address of the Laboratory	Landwirtschaftliches Technologiezentrum Augustenberg (LTZ) – Referat 33	
		Neßlerstraße33	
		76227 Karlsruhe	
5.5	Diagnostic method	According to peer reviewed protocols.	
		PM 7/28 (1) - Synchytrium endobioticum	
		PM 7/28 (2)	
5.6	Date of official confirmation of the harmful organism's identity.	15-09-2020	
	Infested area, and the severity and source of the outbreak in that area		
6	Infested area, and the severity and so	urce of the outbreak in that area	
6 6.1	Size and delimitation of the infested area.	300 m ²	
6.1	Size and delimitation of the infested area. Characteristics of the infested area		
6.1	Size and delimitation of the infested area.	300 m²	
6.1	Size and delimitation of the infested area. Characteristics of the infested area	300 m² Open air – other: private garden Other plant, part of a plant or plant product (ware	
6.1	Size and delimitation of the infested area. Characteristics of the infested area and its vicinity. Host plants in the infested area and its	300 m ² Open air – other: private garden Other plant, part of a plant or plant product (ware potatoes).	
6.1 6.2 6.3	Size and delimitation of the infested area. Characteristics of the infested area and its vicinity. Host plants in the infested area and its vicinity Infested plant(s), plant product(s) and	300 m² Open air – other: private garden Other plant, part of a plant or plant product (ware potatoes). Solanum tuberosum	
6.1 6.2 6.3	Size and delimitation of the infested area. Characteristics of the infested area and its vicinity. Host plants in the infested area and its vicinity Infested plant(s), plant product(s) and other object(s).	300 m² Open air – other: private garden Other plant, part of a plant or plant product (ware potatoes). Solanum tuberosum Solanum tuberosum	
6.1 6.2 6.3 6.4 6.5	Size and delimitation of the infested area. Characteristics of the infested area and its vicinity. Host plants in the infested area and its vicinity Infested plant(s), plant product(s) and other object(s). Source of the outbreak Official phytosanitary measures Adoption of official phytosanitary	300 m² Open air – other: private garden Other plant, part of a plant or plant product (ware potatoes). Solanum tuberosum Solanum tuberosum	
6.1 6.2 6.3 6.4 6.5	Size and delimitation of the infested area. Characteristics of the infested area and its vicinity. Host plants in the infested area and its vicinity Infested plant(s), plant product(s) and other object(s). Source of the outbreak Official phytosanitary measures	300 m² Open air – other: private garden Other plant, part of a plant or plant product (ware potatoes). Solanum tuberosum Solanum tuberosum unknown	

7.3	Identification of the area covered by the official phytosanitary measures.	300 m ²
7.4	Objective of the official phytosanitary measures.	Eradication
7.5	Measures affecting the movement of goods.	Measures do not affect import into or movement within the Union of goods.
7.6	Specific surveys.	No
8	Pest risk analysis/assessment	Pest risk assessment is not required. Harmful organism is listed in Annex II B of Regulation (EU) 2019/2072.