

Fiji Pest Status – Attachment 3

Common Name	Scientific Name
almond bud failure	<i>(Prunus necrotic ringspot virus)</i>
alomae disease	<i>(Taro bacilliform virus)</i>
American corn rust	<i>(Puccinia polysora)</i>
angular bean leaf spot	<i>(Pseudocercospora griseola)</i>
angular mosaic of beans	<i>(Cowpea mild mottle virus)</i>
annual sedge	<i>(Cyperus compressus)</i>
anthracnose	<i>(Glomerella cingulata)</i>
anthracnose of cucurbits	<i>(Colletotrichum orbiculare)</i>
armillaria root rot	<i>(Armillaria tabescens)</i>
armyworm	<i>(Spodoptera mauritia acronyctoides)</i>
arrowhead scale	<i>(Unaspis yanonensis)</i>
bacterial canker of tomato)	<i>(Clavibacter michiganensis subsp. michiganensis)</i>
bacterial leaf blight	<i>(Acidovorax avenae subsp. avenae)</i>
bacterial spot of tomato and pepper	<i>(Xanthomonas vesicatoria)</i>
bacterial wilt of potato	<i>(Ralstonia solanacearum)</i>
bacterial: cabbage leaf spot	<i>(Pseudomonas syringae pv. maculicola)</i>
bakanae disease or rice	<i>(Gibberella fujikuroi)</i>
bamboo borer	<i>(Dinoderus minutus)</i>
banana aphid	<i>(Pentalonia nigronervosa)</i>
banana root nematode	<i>(Pratylenchus coffeae)</i>
banana scab moth	<i>(Nacoleia octasema)</i>
banana spiral nematode	<i>(Helicotylenchus multicinctus)</i>
banana thrips	<i>(Chaetanaphothrips signipennis)</i>
banana weevil	<i>(Cosmopolites sordidus)</i>
Banks melastoma	<i>(Melastoma malabathricum)</i>
barnyard grass	<i>(Echinochloa crus-galli)</i>
bean flower thrips	<i>(Megalurothrips usitatus)</i>
bean fly	<i>(Ophiomyia phaseoli)</i>
bean rust	<i>(Uromyces appendiculatus)</i>
Bermuda grass	<i>(Cynodon dactylon)</i>
billy goat weed	<i>(Ageratum conyzoides)</i>
bitter gourd	<i>(Momordica charantia)</i>
black citrus aphid	<i>(Toxoptera citricidus)</i>
black cross disease of banana	<i>(Phyllachora musicola)</i>
black cutworm	<i>(Agrotis ipsilon)</i>
black fungus beetle	<i>(Alphitobius laevigatus)</i>
black nightshade	<i>(Solanum nigrum)</i>
black rot	<i>(Xanthomonas campestris pv. campestris)</i>
black rot of pineapple	<i>(Ceratocystis paradoxa)</i>
black shank	<i>(Phytophthora nicotianae)</i>

Fiji Pest Status – Attachment 3

black Sigatoka	(<i>Mycosphaerella fijiensis</i>)
black smut of rice	(<i>Tilletia barclayana</i>)
black spot of roses	(<i>Diplocarpon rosae</i>)
black tea thrips	(<i>Heliothrips haemorrhoidalis</i>)
black twig borer	(<i>Xyleborus ferrugineus</i>)
blackjack	(<i>Bidens pilosa</i>)
blast of oil palm	(<i>Pythium splendens</i>)
blue mould	(<i>Penicillium italicum</i>)
brazil nut leaf blight	(<i>Phytophthora palmivora</i>)
breadfruit mealybug	(<i>Icerya aegyptiaca</i>)
broad mite	(<i>Polyphagotarsonemus latus</i>)
brown eye spot of coffee	(<i>Mycosphaerella coffeicola</i>)
brown leaf spot of cassava	(<i>Mycosphaerella henningsii</i>)
brown leaf spot of rice	(<i>Cochliobolus miyabeanus</i>)
brown planthopper	(<i>Nilaparvata lugens</i>)
brown rot of citrus fruit	(<i>Phytophthora citrophthora</i>)
brown rot of groundnut	(<i>Pythium myriotylum</i>)
brown soft scale	(<i>Coccus hesperidum</i>)
brown spot	(<i>Alternaria longipes</i>)
brown tea root disease	(<i>Phellinus noxius</i>)
brown twig beetle	(<i>Xylosandrus morigerus</i>)
bulrush	(<i>Scirpus juncooides</i>)
bunchy top of banana	(<i>Banana bunchy top virus</i>)
burrowing nematode	(<i>Radopholus similis</i>)
cabbage webworm	(<i>Hellula undalis</i>)
cadelle	(<i>Tenebroides mauritanicus</i>)
camellia aphid	(<i>Toxoptera aurantii</i>)
Canadian fleabane	(<i>Conyza canadensis</i>)
cane blight	(<i>Leptosphaeria coniothyrium</i>)
canker: apple	(<i>Botryosphaeria ribis</i>)
cape gooseberry budworm	(<i>Helicoverpa assulta</i>)
cashew leafminer	(<i>Acrocercops syngamma</i>)
cassava bacterial blight	(<i>Xanthomonas axonopodis</i> pv. <i>manihotis</i>)
catclaw mimosa	(<i>Mimosa pigra</i>)
Ceratocystis blight	(<i>Ceratocystis fimbriata</i>)
Cercosporiosis	(<i>Cercospora sorghi</i>)
charcoal rot of bean/tobacco	(<i>Macrophomina phaseolina</i>)
chilli thrips	(<i>Scirtothrips dorsalis</i>)
Chinese water chestnut	(<i>Eleocharis dulcis</i>)
Choanephora fruit rot	(<i>Choanephora cucurbitarum</i>)
Chrysanthemum foliar eelworm	(<i>Aphelenchoides ritzemabosi</i>)
circular scale	(<i>Chrysomphalus aonidum</i>)
citrus blackfly	(<i>Aleurocanthus woglumi</i>)

Fiji Pest Status – Attachment 3

citrus exocortis	(<i>Citrus exocortis viroid</i>)
citrus flower moth	(<i>Prays citri</i>)
citrus root nematode	(<i>Tylenchulus semipenetrans</i>)
citrus rust mite	(<i>Phyllocoptruta oleivora</i>)
citrus snow scale	(<i>Unaspis citri</i>)
coat buttons	(<i>Tridax procumbens</i>)
cocoa weevil	(<i>Araecerus fasciculatus</i>)
coconut budrot	(<i>Phytophthora palmivora</i>)
coconut bug	(<i>Amblypelta cocophaga</i>)
coconut scale	(<i>Aspidiotus destructor</i>)
coffee berry borer	(<i>Hypothenemus hampei</i>)
coffee leaf rust	(<i>Hemileia vastatrix</i>)
coffee senna	(<i>Senna occidentalis</i>)
common cocklebur	(<i>Xanthium strumarium</i>)
common mosaic of beans	(<i>Bean common mosaic virus</i>)
common rust of maize	(<i>Puccinia sorghi</i>)
common signal grass	(<i>Brachiaria paspaloides</i>)
common snail	(<i>Helix aspersa</i>)
common spiral nematode	(<i>Helicotylenchus dihystra</i>)
coontail	(<i>Ceratophyllum demersum</i>)
corn mosaic virus	(<i>Maize mosaic virus</i>)
corn planthopper	(<i>Peregrinus maidis</i>)
cotton aphid	(<i>Aphis gossypii</i>)
cotton bollworm	(<i>Helicoverpa armigera</i>)
cotton leaf roller	(<i>Haritalodes derogata</i>)
cotton tipworm	(<i>Crociosema plebejana</i>)
cottony cushion scale	(<i>Icerya purchasi</i>)
cottony soft rot	(<i>Sclerotinia sclerotiorum</i>)
creeping woodsorrel (USA)	(<i>Oxalis corniculata</i>)
crinkle disease of strawberry	(<i>Strawberry crinkle virus</i>)
Croftonweed	(<i>Ageratina adenophora</i>)
crowfoot grass	(<i>Dactyloctenium aegyptium</i>)
cucumber downy mildew	(<i>Pseudoperonospora cubensis</i>)
cucumber mosaic	(<i>Cucumber mosaic virus</i>)
cucumber moth	(<i>Diaphania indica</i>)
cucurbit beetle	(<i>Aulacophora indica</i>)
damping off	(<i>Phanerochaete salmonicolor</i>)
damping off	(<i>Pythium vexans</i>)
damping-off	(<i>Pythium debaryanum</i>)
dasheen mosaic	(<i>Dasheen mosaic virus</i>)
deenath grass	(<i>Pennisetum pedicellatum</i>)
devil's horsewhip	(<i>Achyranthes aspera</i>)
diamondback moth	(<i>Plutella xylostella</i>)
dictyospermum scale	(<i>Chrysomphalus dictyospermi</i>)

Fiji Pest Status – Attachment 3

dieback: carrot	(<i>Pythium irregulare</i>)
diplodia pod rot of cocoa	(<i>Lasiodiplodia theobromae</i>)
doveweed	(<i>Murdannia nudiflora</i>)
downy mildew	(<i>Hyaloperonospora parasitica</i>)
downy mildew of pearl millet	(<i>Sclerospora graminicola</i>)
drugstore beetle	(<i>Stegobium paniceum</i>)
dry bulb mite	(<i>Aceria tulipae</i>)
early leaf spot of groundnut	(<i>Mycosphaerella arachidis</i>)
east Indian jew's-mallow (USA)	(<i>Corchorus aestuans</i>)
eye spot	(<i>Bipolaris sacchari</i>)
false smut	(<i>Ustilaginoidea virens</i>)
false spider mite	(<i>Brevipalpus phoenicis</i>)
field dodder	(<i>Cuscuta campestris</i>)
Fiji coconut hispid	(<i>Promecotheca caerulipennis</i>)
fiji disease of sugar cane	(<i>Fiji disease virus</i>)
Fijian fruit fly	(<i>Bactrocera passiflorae</i>)
flat grain beetle	(<i>Cryptolestes pusillus</i>)
freckle disease of banana	(<i>Guignardia musae</i>)
fruit-piercing moth	(<i>Eudocima fullonia</i>)
Fusarium wilt of tomato	(<i>Fusarium oxysporum f.sp. lycopersici</i>)
garden spurge	(<i>Euphorbia hirta</i>)
giant reed	(<i>Arundo donax</i>)
giant sensitive plant	(<i>Mimosa diplotricha</i>)
glover scale	(<i>Lepidosaphes gloverii</i>)
goose grass	(<i>Eleusine indica</i>)
grapefruit stem pitting	(<i>Citrus tristeza virus</i>)
grapevine thrips	(<i>Rhipiphorothrips cruentatus</i>)
greater grain weevil	(<i>Sitophilus zeamais</i>)
green corn aphid	(<i>Rhopalosiphum maidis</i>)
green kyllinga	(<i>Kyllinga brevifolia</i>)
green looper caterpillar	(<i>Chrysodeixis eriosoma</i>)
green mould	(<i>Penicillium digitatum</i>)
green peach aphid	(<i>Myzus persicae</i>)
green shield scale	(<i>Pulvinaria psidii</i>)
green stink bug	(<i>Nezara viridula</i>)
grey sugarcane mealybug	(<i>Saccharicoccus sacchari</i>)
groundnut aphid	(<i>Aphis craccivora</i>)
groundnut chlorotic rosette	(<i>Groundnut rosette virus</i>)
groundnut leaf rust	(<i>Puccinia arachidis</i>)
guava fruit fly	(<i>Bactrocera correcta</i>)
guava fruit fly	(<i>Bactrocera zonata</i>)
Guinea grass	(<i>Panicum maximum</i>)
gummy stem blight of cucurbits	(<i>Didymella bryoniae</i>)

Fiji Pest Status – Attachment 3

hadda beetle	<i>(Epilachna vigintioctopunctata)</i>
halo blight (of beans)	<i>(Pseudomonas savastanoi pv. phaseolicola)</i>
Hawaiian beet webworm	<i>(Spoladea recurvalis)</i>
Hawaiian flower thrips	<i>(Thrips hawaiiensis)</i>
head mould of grasses rice and sorghum	<i>(Cochliobolus lunatus)</i>
headblight of maize	<i>(Gibberella zeae)</i>
hemispherical scale	<i>(Saissetia coffeae)</i>
horse hair blight	<i>(Marasmius crinis-equi)</i>
hydrilla	<i>(Hydrilla verticillata)</i>
indian grain aphid	<i>(Sitobion miscanthi)</i>
Indian jointvetch	<i>(Aeschynomene indica)</i>
Indian wax scale	<i>(Ceroplastes ceriferus)</i>
internal cork disease of sweet potato	<i>(Sweet potato feathery mottle virus)</i>
island pinhole borer	<i>(Xyleborus perforans)</i>
Italian ryegrass	<i>(Lolium multiflorum)</i>
jimsonweed	<i>(Datura stramonium)</i>
Johnson grass	<i>(Sorghum halepense)</i>
junglerice	<i>(Echinochloa colona)</i>
jute semi-looper	<i>(Anomis sabulifera)</i>
kariba weed	<i>(Salvinia molesta)</i>
knotgrass	<i>(Paspalum distichum)</i>
Koster's curse	<i>(Clidemia hirta)</i>
lance nematode	<i>(Hoplolaimus seinhorsti)</i>
lantana	<i>(Lantana camara)</i>
large cabbage-heart caterpillar	<i>(Crocidolomia pavonana)</i>
latania scale	<i>(Hemiberlesia lataniae)</i>
late leaf spot of groundnut	<i>(Mycosphaerella berkeleyi)</i>
leaf blight of carrot	<i>(Alternaria dauci)</i>
leaf blight of sunflower	<i>(Alternariaster helianthi)</i>
leaf scald	<i>(Monographella albescens)</i>
leaf scald of sugarcane	<i>(Xanthomonas albilineans)</i>
leaf spot	<i>(Colletotrichum dematium)</i>
leaf spot of cowpea	<i>(Mycosphaerella cruenta)</i>
leaf spot of okra	<i>(Pseudocercospora abelmoschi)</i>
leaf spot of papaya	<i>(Phoma caricae-papayae)</i>
leaf spot of peppers	<i>(Colletotrichum capsici)</i>
leafflower	<i>(Phyllanthus urinaria)</i>
lesser fimbristylis	<i>(Fimbristylis littoralis)</i>
lesser grain borer	<i>(Rhyzopertha dominica)</i>
lesser mealworm	<i>(Alphitobius diaperinus)</i>
lesser snow scale	<i>(Pinnaspis strachani)</i>
leucaena psyllid	<i>(Heteropsylla cubana)</i>

Fiji Pest Status – Attachment 3

lima bean pod borer	(<i>Maruca vitrata</i>)
long-tailed mealybug	(<i>Pseudococcus longispinus</i>)
Magnolia white scale (USA)	(<i>Pseudaulacaspis cockerelli</i>)
maize caterpillar	(<i>Mythimna loreyi</i>)
maize leaf blight	(<i>Setosphaeria turcica</i>)
Malayan leaf spot	(<i>Haplobasidion musae</i>)
mango aphid	(<i>Toxoptera odinae</i>)
mango seed weevil	(<i>Sternochetus mangiferae</i>)
mango shoot caterpillar	(<i>Penicillaria jocosatrix</i>)
Mediterranean pine beetle	(<i>Orthotomicus erosus</i>)
melanose of Citrus	(<i>Diaporthe citri</i>)
mesquite	(<i>Prosopis juliflora</i>)
Mexican poppy	(<i>Argemone mexicana</i>)
migratory locust	(<i>Locusta migratoria</i>)
mile-a-minute	(<i>Mikania micrantha</i>)
mission grass	(<i>Pennisetum polystachion</i>)
mosaic of abaca	(<i>Sugarcane mosaic virus</i>)
mottled stripe of sugarcane	(<i>Herbaspirillum rubrisubalbicans</i>)
mouse	(<i>Mus musculus</i>)
mulberry scale	(<i>Pseudaulacaspis pentagona</i>)
mustard aphid	(<i>Lipaphis erysimi</i>)
narrow brown leaf spot	(<i>Sphaerulina oryzina</i>)
oil palm bunch rot	(<i>Marasmius palmivorus</i>)
olive scale	(<i>Saissetia oleae</i>)
onion smudge	(<i>Colletotrichum circinans</i>)
orange rust	(<i>Puccinia kuehnii</i>)
orchid mosaic	(<i>Cymbidium mosaic virus</i>)
Oriental fruit fly	(<i>Bactrocera dorsalis</i>)
Pacific fruit fly	(<i>Bactrocera xanthodes</i>)
paddy armyworm	(<i>Mythimna separata</i>)
Panama disease of banana	(<i>Fusarium oxysporum f.sp. cubense</i>)
Pangola stunt	(<i>Pangola stunt virus</i>)
pea blue butterfly	(<i>Lampides boeticus</i>)
pea pod borer	(<i>Etiella zinckenella</i>)
peanut root-knot nematode	(<i>Meloidogyne arenaria</i>)
pepper fruit fly	(<i>Atherigona orientalis</i>)
Phytophthora blight	(<i>Phytophthora infestans</i>)
pineapple mealybug	(<i>Dysmicoccus brevipes</i>)
pink bollworm	(<i>Pectinophora gossypiella</i>)
pink hibiscus mealybug	(<i>Maconellicoccus hirsutus</i>)
plague caterpillar	(<i>Tiracola plagiata</i>)
plague thrips	(<i>Thrips imaginis</i>)
pomegranate scale	(<i>Parasaissetia nigra</i>)
potato thrips	(<i>Thrips tabaci</i>)

Fiji Pest Status – Attachment 3

potato tuber moth	(<i>Phthorimaea operculella</i>)
powderpost termite	(<i>Cryptotermes brevis</i>)
powdery mildew	(<i>Golovinomyces cichoracearum</i>)
powdery mildew of cotton	(<i>Leveillula taurica</i>)
primrose willow	(<i>Ludwigia octovalvis</i>)
puncture vine	(<i>Tribulus terrestris</i>)
purple blotch	(<i>Alternaria porri</i>)
purple nutsedge	(<i>Cyperus rotundus</i>)
purple scale	(<i>Lepidosaphes beckii</i>)
purple seed stain	(<i>Cercospora kikuchii</i>)
purpletop chloris	(<i>Chloris barbata</i>)
purslane	(<i>Portulaca oleracea</i>)
red flour beetle	(<i>Tribolium castaneum</i>)
red fruit passion flower	(<i>Passiflora foetida</i>)
red palm mite	(<i>Raoiella indica</i>)
red palm weevil	(<i>Rhynchophorus ferrugineus</i>)
red rot of sugarcane	(<i>Glomerella tucumanensis</i>)
red scale	(<i>Aonidiella aurantii</i>)
red spider mite	(<i>Tetranychus ludeni</i>)
red spiderling	(<i>Boerhavia diffusa</i>)
red tasselflower	(<i>Emilia sonchifolia</i>)
red wax scale	(<i>Ceroplastes rubens</i>)
red-banded thrips	(<i>Selenothrips rubrocinctus</i>)
redweed	(<i>Melochia corchorifolia</i>)
reniform nematode	(<i>Rotylenchulus reniformis</i>)
rhinoceros beetle	(<i>Oryctes rhinoceros</i>)
rice blast disease	(<i>Magnaporthe grisea</i>)
rice cyst nematode	(<i>Heterodera oryzaicola</i>)
rice flatsedge	(<i>Cyperus iria</i>)
rice grasshopper	(<i>Hieroglyphus banian</i>)
rice green leafhopper	(<i>Nephotettix nigropictus</i>)
rice leaf blight	(<i>Xanthomonas oryzae</i> pv. <i>oryzae</i>)
rice leaf folder	(<i>Cnaphalocrocis medinalis</i>)
rice leaf nematode	(<i>Aphelenchoides besseyi</i>)
rice leaf roller	(<i>Marasmia exigua</i>)
rice meal moth	(<i>Corcyra cephalonica</i>)
rice root aphid	(<i>Tetraneura nigriabdominalis</i>)
rice seed bug	(<i>Leptocorisa acuta</i>)
rice skipper	(<i>Pelopidas mathias</i>)
rice thrips	(<i>Stenchaetothrips biformis</i>)
ricegrass paspalum	(<i>Paspalum scrobiculatum</i>)
ring nematode	(<i>Criconemoides</i>)
root and foot rot	(<i>Cochliobolus sativus</i>)
root lesion nematode	(<i>Pratylenchus zeae</i>)

Fiji Pest Status – Attachment 3

root-knot nematode	<i>(Meloidogyne incognita)</i>
root-lesion nematode	<i>(Pratylenchus brachyurus)</i>
rose beetle	<i>(Adoretus versutus)</i>
rubber vine	<i>(Cryptostegia grandiflora)</i>
rust (of grasses sorghum)	<i>(Puccinia purpurea)</i>
saramollagrass	<i>(Ischaemum rugosum)</i>
satintail	<i>(Imperata cylindrica)</i>
scarlet tea mite	<i>(Brevipalpus obovatus)</i>
sensitive plant	<i>(Mimosa pudica)</i>
serpentine leafminer	<i>(Liriomyza brassicae)</i>
sesame webworm	<i>(Antigastra catalaunalis)</i>
sessile joyweed	<i>(Alternanthera sessilis)</i>
Seychelles scale	<i>(Icerya seychellarum)</i>
shot-hole borer	<i>(Xylosandrus compactus)</i>
Siam weed	<i>(Chromolaena odorata)</i>
sicklepod	<i>(Cassia obtusifolia)</i>
sida	<i>(Sida acuta)</i>
Sigatoka disease of banana	<i>(Mycosphaerella musicola)</i>
silverleaf whitefly	<i>(Bemisia tabaci (B biotype))</i>
slender rice bug	<i>(Leptocorisa oratorius)</i>
small-flowered nutsedge	<i>(Cyperus difformis)</i>
soft green scale	<i>(Coccus viridis)</i>
sorghum midge	<i>(Stenodiplosis sorghicola)</i>
sour paspalum	<i>(Paspalum conjugatum)</i>
southern leaf spot	<i>(Cochliobolus heterostrophus)</i>
southern sandbur	<i>(Cenchrus echinatus)</i>
soyabean anthracnose	<i>(Colletotrichum truncatum)</i>
soybean leaf folder	<i>(Omiodes diemenalis)</i>
spherical mealybug	<i>(Nipaecoccus viridis)</i>
spiked mealybug	<i>(Nipaecoccus nipae)</i>
spiny amaranth	<i>(Amaranthus spinosus)</i>
spiny bollworm	<i>(Earias vittella)</i>
spiral nematode	<i>(Helicotylenchus pseudorobustus)</i>
Spirea aphid	<i>(Aphis spiraecola)</i>
spreading dayflower	<i>(Commelina diffusa)</i>
star scale	<i>(Saissetia coffeae)</i>
stem rot	<i>(Magnaporthe salvinii)</i>
strawberry guava	<i>(Psidium cattleianum)</i>
stripe canker (of cinnamon)	<i>(Phytophthora cinnamomi)</i>
striped mealybug	<i>(Ferrisia virgata)</i>
stubby root nematode	<i>(Paratrichodorus minor)</i>
stubby root nematodes	<i>(Trichodorus)</i>
stunt nematode	<i>(Tylenchorhynchus annulatus)</i>

Fiji Pest Status – Attachment 3

sugarcane downy mildew	(<i>Peronosclerospora sacchari</i>)
sugarcane eelworm	(<i>Meloidogyne javanica</i>)
sugarcane ratoon stunting disease	(<i>Leifsonia xyli subsp. xyli</i>)
sugarcane weevil borer	(<i>Rhabdoscelus obscurus</i>)
sugarcane woolly aphid	(<i>Ceratovacuna lanigera</i>)
swamp morning-glory	(<i>Ipomoea aquatica</i>)
sweet potato leafminer	(<i>Bedellia somnulentella</i>)
sweet potato moth	(<i>Agrius convolvuli</i>)
sweet potato weevil	(<i>Cylas formicarius</i>)
synedrella	(<i>Synedrella nodiflora</i>)
tall fleabane	(<i>Conyza sumatrensis</i>)
tall fringe rush	(<i>Fimbristylis dichotoma</i>)
taro caterpillar	(<i>Spodoptera litura</i>)
taro hawkmoth	(<i>Hippotion celerio</i>)
tea shot-hole borer	(<i>Euwallacea fornicatus</i>)
teak defoliator	(<i>Hyblaea puera</i>)
thread blight	(<i>Corticium koleroga</i>)
tip rot of banana	(<i>Colletotrichum musae</i>)
tobacco whitefly	(<i>Bemisia tabaci</i>)
tomato bug	(<i>Cyrtopeltis tenuis</i>)
tomato leaf mould	(<i>Passalora fulva</i>)
tomato russet mite	(<i>Aculops lycopersici</i>)
tropical fire ant	(<i>Solenopsis geminata</i>)
turkey berry	(<i>Solanum torvum</i>)
vascular cotton wilt	(<i>Fusarium oxysporum f.sp. vasinfectum</i>)
water hyacinth	(<i>Eichhornia crassipes</i>)
water primrose	(<i>Ludwigia hyssopifolia</i>)
watermelon mosaic	(<i>Watermelon mosaic virus</i>)
West Indian red scale	(<i>Selenaspidus articulatus</i>)
West Indian sweet potato weevil	(<i>Euscepes postfasciatus</i>)
white butterfly ginger lily	(<i>Hedychium coronarium</i>)
white leafhopper	(<i>Cofana spectra</i>)
white rice borer	(<i>Scirpophaga nivella</i>)
white rust of crucifers	(<i>Albugo candida</i>)
white thread blight	(<i>Marasmiellus scandens</i>)
white-backed planthopper	(<i>Sogatella furcifera</i>)
whitefly	(<i>Aleurodicus dispersus</i>)
wild poinsettia	(<i>Euphorbia heterophylla</i>)
yellow foxtail	(<i>Setaria pumila</i>)