

## KATAR

### **Gesetz Nr. 24 von 2005 über landwirtschaftliche Quarantäne**

(قانون رقم (24) لسنة 2005 بشأن الحجر الزراعي)

Quelle: <http://www.fao.org>

(Auszugsweise Übersetzung aus dem Arabischen, Julius Kühn-Institut, Bundesforschungsinstitut für Kulturpflanzen, Institut für nationale und internationale Angelegenheiten der Pflanzengesundheit, 14.08.2020)

Übersetzung und Wiedergabe erfolgen ohne Gewähr.

### **Gesetz Nr. 24 von 2005 über landwirtschaftliche Quarantäne**

....

#### **Liste Nr. 1**

#### **Geregelte Quarantäneschädlinge – Pilze**

##### **A1**

| Name |                                                               |
|------|---------------------------------------------------------------|
| 1    | Apiosporina morbosa (Schweinitz) Von Arx                      |
| 2    | Alternaria mali Roberts                                       |
| 3    | Armillaria mellea Vohl (Fr.)                                  |
| 4    | Botrytis allii                                                |
| 5    | Ceratocystis fimbriata f. sp. Platani Ellis & Halsted Walter  |
| 6    | Cercospora capsici                                            |
| 7    | Claviceps purpurea (Fr.) Tal                                  |
| 8    | Coleosporium ipomoea                                          |
| 9    | Colletotrichum graminocolum                                   |
| 10   | Cytospora sacchari                                            |
| 11   | Deuterophoma tracheiphila Petri                               |
| 12   | Diaporthe helianthi                                           |
| 13   | Diaporthe phaseolorum var. caulivora                          |
| 14   | Endocronartium karknessi (J.P. Moore) Y. Hiratsuka            |
| 15   | Fusarium oxysporum f. sp. albedinis (Killian & Mair) Malenkon |
| 16   | Fusarium oxysporum f.sp. alaeidis**                           |
| 17   | Fusarium oxysporum f.sp. canariensis                          |
| 18   | Fusarium oxysporum f.sp. cubense (E.F. Smith) Syn & Hans.     |

|    |                                                          |
|----|----------------------------------------------------------|
| 19 | Glomerella gossypii Edgerton                             |
| 20 | Guignardia citricarpa kiely                              |
| 21 | Guignardia bidwellii (Ell.) Viala.& Ravaz                |
| 22 | Gymnosporangium asiaticum Miyabe ex Yamada               |
| 23 | Gymnosporangium junipers - virginianae Schwein           |
| 24 | Gymnosporangium fuscum Farlow                            |
| 25 | Puccinia pittieriana P.Hennings                          |
| 26 | Sclerotium cepivorum Berk                                |
| 27 | Sclerophthora macrospora                                 |
| 28 | Septoria lycopersici var. malagutii Ciccar one & Boerema |
| 29 | Spongospora subterranean (Wallr.) Lagerh                 |
| 30 | Sphaceloma arachidis Bitancourt & A. E. Jenkins.         |
| 31 | Stenocarpella macrospora (Earle) Sutton                  |
| 32 | Stigmata carpophila (Lev.) M.B.Ellis                     |
| 33 | Synchytrium endobioticum (Schilbersky) Percival          |
| 34 | Tilletia indica (Mitra.) Mund                            |
| 35 | Tilletia controversa Kuhn                                |
| 36 | Urocystis cepulae Frost                                  |
| 37 | Ustilago maydis (De Camdolle) Corda                      |
| 38 | Ustilago scitaminea                                      |
| 39 | Venturia spp                                             |
| 40 | Verticillium albo-atrum Reink & Berthold                 |
| 41 | Verticillium dahliae Klebahn                             |
| 42 | Monilinia fructicola (Winter) Honey                      |
| 43 | Mycosphaerella musicola leach                            |
| 44 | Mycosphaerella fijiensis                                 |
| 45 | Mycosphaerella dearnessii M.E. Barr                      |
| 46 | Mycovellosiella koepkei                                  |
| 47 | Peronosclerospora maydis                                 |
| 48 | Peronosclerospora sacchari                               |
| 49 | Peronospora tabacina Adam                                |
| 50 | Phoma andina Turkensteen                                 |
| 51 | Pestalotiopsis Palmarum (Che.) Stey                      |

|    |                                                      |
|----|------------------------------------------------------|
| 52 | Phacoramularia capsicicola                           |
| 53 | Phoma exigua var. foveata (Foister) Boerema.         |
| 54 | Phomopsis viticola                                   |
| 55 | Phomopsis sclerotoides                               |
| 56 | Phytophthora cinnamomi Rands                         |
| 57 | Phytophthora megasperma f. sp. glycinea Kuan & Erwin |
| 58 | Phytophthora Palmivora (Butl.) Butl.                 |
| 59 | Phymatotrichopsis omnivora (Butl.) Butl.             |
| 60 | Plasmodiophora brassica Woronin                      |
| 61 | Plasmopara halstedii (Farlow) Berlese & de Toni      |
| 62 | Puccinia kuehnii                                     |
| 63 | Puccinia psidii                                      |
| 64 | Puccinia melanocephala                               |

#### Liste Nr. 1

#### Geregelte Quarantäneschädlinge – Pilze

#### A2

| Name |                                              |
|------|----------------------------------------------|
| 1    | Phytophthora capsici Leonian                 |
| 2    | Colletotrichum spp.                          |
| 3    | Phytophthora fragariae var fragariae Hichman |
| 4    | Phytophthora infestans (Mont.) Bv.           |
| 5    | Deuterophoma tracheiphila Petri              |

#### Liste Nr. 1

#### Geregelte Quarantäneschädlinge – Nematoden

#### A1

| Name |                                                         |
|------|---------------------------------------------------------|
| 1    | Anguina tritici (Stein.) Filip.                         |
| 2    | Aphelenchoides besseyi Christie                         |
| 3    | Aphelenchoides fragariae Ritz. Bos.                     |
| 4    | Bursaphelenchus xylophilus (Steiner & Buhrer) Nickle    |
| 5    | Heterodera spp.                                         |
| 6    | Meloidogyne chitwoodi Golden. O' Bannon. Santo & Finley |

|    |                                                |
|----|------------------------------------------------|
| 7  | Meloidogyne fallax                             |
| 8  | Nacobbus aberrans (Thorne) Thome & Allen       |
| 9  | Globodera rostochiensis Wollenweber            |
| 10 | Globodera pallida (Stone) Behrens              |
| 11 | Pratylenchus coffeae (Zimmermann) Goodey       |
| 12 | Radopholus citrophilus Huettel et al.          |
| 13 | Rhadinaphelenchus cocophilus Cobb              |
| 14 | Xiphinema americanum Cobb sensu Lato           |
| 15 | Xiphinema californicum Lamberti & Bleve-Zacheo |

#### Liste Nr. 1

#### Geregelte Quarantäneschädlinge – Nematoden

##### A2

| Name |                                             |
|------|---------------------------------------------|
| 1    | Ditylenchus destructor Thorne               |
| 2    | Ditylenchus dipsaci (Khun) Filipjev         |
| 3    | Helicotylenchus spp.                        |
| 4    | Pratylenchus spp.                           |
| 5    | Radopholus similis (Cobb) Thome             |
| 6    | Rotylenchulus reniformis Linford & Oliveira |

#### Liste Nr. 2

#### Geregelte Nicht-Quarantäneschädlinge – Nematoden

| Name |                                 |
|------|---------------------------------|
| 1    | Meloidogyne spp.                |
| 2    | Tylenchulus semipenetrans Cobb. |

#### Liste Nr. 1

#### Geregelte Quarantäneschädlinge – Bakterien

##### A1

| Name |                                            |
|------|--------------------------------------------|
| 1    | Agrobacterium rhizogenes                   |
| 2    | Erwinia amylovora (Burrill) Winslow et al. |

|    |                                                                                                |
|----|------------------------------------------------------------------------------------------------|
| 3  | <i>Pantoea stewartii</i> Pv. <i>stewartii</i> ( <i>Erwinia stewartii</i> ) (Smith) Merg. et al |
| 4  | <i>Clavibacter xyli</i> var. <i>xyli</i>                                                       |
| 5  | <i>Curtobacterium flaccumfaciens</i> pv. <i>betae</i>                                          |
| 6  | <i>Curtobacterium flaccumfaciens</i> pv. <i>flaccumfaciens</i> (Hedges) Collins & Jones        |
| 7  | <i>Pseudomonas phaeolicola</i>                                                                 |
| 8  | <i>Pseudomonas syringae</i> pv. <i>persicae</i> (Prunier et al.)Young et al.                   |
| 9  | <i>Xanthomonas fragariae</i> Kennedy & Knig                                                    |
| 10 | <i>Xylella fastidiosa</i> (Wells et al)                                                        |
| 11 | <i>Xylophilus ampelinus</i> (Panagopoulos) Willems et al                                       |
| 12 | <i>Xanthomonas campestris</i> pv. <i>glycines</i> (Nakone) Malgrea                             |
| 13 | <i>Xanthomonas campestris</i> pv. <i>vasculorum</i>                                            |
| 14 | <i>Xanthomonas oryzae</i> pv. <i>oryzae</i> (Ishiyama) Swings et al.                           |

#### Liste Nr. 1

#### Geregelte Quarantäneschädlinge – Bakterien

#### A2

| Name |                                                                                 |
|------|---------------------------------------------------------------------------------|
| 1    | <i>Agrobacterium tumefaciens</i> (E. F. Sm & Towns)                             |
| 2    | <i>Clavibacter michiganensis</i> pv. <i>michiganensis</i> (Smith) Davis et al.  |
| 3    | <i>Clavibacter michiganensis</i> pv. <i>Sepedonicus</i> (Kotthoff) Davis et al. |
| 4    | <i>Clavibacter michiganensis</i> pv. <i>insidiosus</i> (McCulloch) Davis et al. |
| 5    | Citrus greening bacterium ( <i>Liberobacter</i> spp.)                           |
| 6    | <i>Pseudomonas syringae</i> pv. <i>lachrymans</i> (Smith) Yabuuchi et al.       |
| 7    | <i>Ralstonia solanacearum</i>                                                   |
| 8    | <i>Xanthomonas axonopodis</i> pv. <i>citri</i>                                  |
| 9    | <i>Xanthomonas axonopodis</i> pv. <i>phaseoli</i> (Smith) Dowson                |
| 10   | <i>Xanthomonas campestris</i> pv. <i>alfalfae</i> (Hasse) Dye                   |
| 11   | <i>Xanthomonas campestris</i> pv. <i>mangiferae</i> indica                      |

**Liste Nr. 2****Geregelte Nicht-Quarantäneschädlinge – Bakterien**

| Name |                                                      |
|------|------------------------------------------------------|
| 1    | Erwinia carotovora subsp. atroseptica (Van Hall) Dye |
| 2    | Erwinia carotovora subsp. carotovora (Jones) Dye     |
| 3    | Streptomyces scabies (Thaxter) Wakesman & Henrici    |

**Liste Nr. 1****Geregelte Quarantäneschädlinge – Viren****A1**

| Name |                                                                |
|------|----------------------------------------------------------------|
| 1    | Andean potato latent tymovirus                                 |
| 2    | Andean potato mottle comovirus                                 |
| 3    | Arabis mosaic nepovirus                                        |
| 4    | Banana bract mosaic potyvirus                                  |
| 5    | Banana bunchy top' luteovirus'= Abaca bunchy top virus         |
| 6    | Banana streak badnavirus                                       |
| 7    | Bean common mosaic potyvirus                                   |
| 8    | Bean golden mosaic bigeminivirus                               |
| 9    | Bean pod mottle comovirus                                      |
| 10   | Bean yellow mosaic potyvirus                                   |
| 11   | Beet necrotic yellow vein furovirus                            |
| 12   | Blueberry leaf mottle nepovirus                                |
| 13   | Citrus vein enation - (woody gall Luteovirus) disease          |
| 14   | Citrus leaf rugose ilarvirus                                   |
| 15   | Citrus leprosis rhabdovirus                                    |
| 16   | Citrus tatter leaf capillovirus                                |
| 17   | Citrus yellow mosaic badnavirus                                |
| 18   | Citrus ringspot virus = Citrus Psorosis virus Complex A and B. |
| 19   | Cowpea mild mottle carlavirus                                  |
| 20   | Garlic yellow streak potyvirus                                 |
| 21   | Grapevine fan leaf nepovirus                                   |
| 22   | Groundnut rosette assistor luteovirus                          |

|    |                                                                                                 |
|----|-------------------------------------------------------------------------------------------------|
| 23 | Impatiens necrotic spot tospovirus                                                              |
| 24 | Pea seed-borne mosaic potyvirus                                                                 |
| 25 | Pea stunt virus = Red clover vein mosaic carlavirus                                             |
| 26 | Peach rosette mosaic nepovirus                                                                  |
| 27 | Peanut clump furovirus                                                                          |
| 28 | Peanut stripe potyvirus                                                                         |
| 29 | Plum pox potyvirus                                                                              |
| 30 | Potato mop top virus (furovirus)                                                                |
| 31 | Potato yellow dwarf nucleorhabdovirus                                                           |
| 32 | Potato yellow mosaic bigeminivirus                                                              |
| 33 | Potato yellow vein disease                                                                      |
| 34 | Raspberry ringspot nepovirus                                                                    |
| 35 | Rice black - streaked dwarf fijivirus                                                           |
| 36 | Satsuma dwarf virus ( nepovirus )                                                               |
| 37 | Rice hoja blanca tenuivirus                                                                     |
| 38 | Rice tungro virus<br>= Rice tungro bacilliform badnavirus<br>= Rice tungro spherical waikavirus |
| 39 | Rice yellow mottle sobemovirus                                                                  |
| 40 | Strawberry latent C (?) rhabdovirus                                                             |
| 41 | Strawberry latent ringspot nepovirus                                                            |
| 42 | Strawberry vein banding (?) caulimovirus                                                        |
| 43 | Sugarcane mosaic potyvirus                                                                      |
| 44 | Sugarcane Fiji disease fijivirus                                                                |
| 45 | Sugarcane streak monogeminivirus                                                                |
| 46 | Sugarcane sereh disease                                                                         |
| 47 | Tobacco leaf curl bigeminivirus                                                                 |
| 48 | Tobacco rattle tobnavirus                                                                       |
| 49 | Tomato bushy stunt tombuvirus                                                                   |
| 50 | Tomato ringspot nepovirus                                                                       |
| 51 | Tomato spotted wilt tospovirus                                                                  |

**Liste Nr. 1****Geregelte Quarantäneschädlinge – Viren****A2**

| Name |                                                 |
|------|-------------------------------------------------|
| 1    | Alfalfa mosaic alfamovirus.                     |
| 2    | Barley stripe mosaic hordeivirus                |
| 3    | Citrus impietratura disease (viruslike disease) |
| 4    | Citrus tristeza closterovirus.                  |
| 5    | Cucumber green mottle mosaic tobamovirus.       |
| 6    | Cucumber mosaic cucumovirus.                    |
| 7    | Lettuce mosaic potyvirus.                       |
| 8    | Lettuce infection yellows closterovirus.        |
| 9    | Maize streak geminivirus                        |
| 10   | Onion yellow dwarf potyvirus                    |
| 11   | Papaya droopy necrosis virus                    |
| 12   | Papaya mosaic potexvirus.                       |
| 13   | Papaya ring spot potyvirus.                     |
| 14   | Potato leaf roll luteovirus                     |
| 15   | Potato X potexvirus.                            |
| 16   | Potato Y potyvirus.                             |
| 17   | Squash leaf curl bigeminivirus.                 |
| 18   | Squash mosaic comovirus.                        |
| 19   | Tomato mosaic tobamovirus                       |
| 20   | Tomato yellow leaf curl bigeminivirus.          |
| 21   | Watermelon mosaic virus – 2 potyvirus.          |
| 22   | Zucchini yellow mosaic potyvirus.               |

**Liste Nr. 1****Geregelte Quarantäneschädlinge – Phytoplasma****A1**

| Name |                               |
|------|-------------------------------|
| 1    | Apple proliferation           |
| 2    | Apple Decline                 |
| 3    | Apricot chlorotic leafroll    |
| 4    | Austrstion lucerne yelloes    |
| 5    | Chat fruit                    |
| 6    | Cherry albino                 |
| 7    | Cherry Blossom Anomaly        |
| 8    | Grapevine flavescence doree   |
| 9    | Hydrangea Virescence          |
| 10   | Molieres Disease              |
| 11   | Palm lethal yellowing         |
| 12   | Papaya bunchy Top             |
| 13   | Papaya die back               |
| 14   | Peach Red suture              |
| 15   | Peach rosette                 |
| 16   | Peach X disease               |
| 17   | Peach yellows                 |
| 18   | Pear decline                  |
| 19   | Potato purple top wilt        |
| 20   | Potato stolbur                |
| 21   | Rubbery wood                  |
| 22   | Strawberry Aster yellows      |
| 23   | Strawberry Geen Petal         |
| 24   | Strawberry Lethal Decline     |
| 25   | Strawberry Multiplier Disease |
| 26   | Strawberry Witches Broom      |
| 27   | Sugarcane grassy stunt        |

**Liste Nr. 1****Geregelte Quarantäneschädlinge – Phytoplasma****A2**

| Name |                    |
|------|--------------------|
| 1    | Alfalfa phyllody   |
| 2    | Lime witches broom |

**Liste Nr. 1****Geregelte Quarantäneschädlinge – Virusähnliche**

| Name |                       |
|------|-----------------------|
| 1    | Avocado sun blotch    |
| 2    | Chrysanthemum stunt   |
| 3    | Citrus exocortis      |
| 4    | Coconut cadang-cadang |
| 5    | Cucumber pale fruit   |
| 6    | Peach spindle tuber   |
| 7    | Potato spindle tuber  |

**Liste Nr. 1****Geregelte Quarantäneschädlinge – Insekten****A1**

| Name |                                       |
|------|---------------------------------------|
| 1    | Aceria sheldoni (Ewig)                |
| 2    | Aleurocanthus spiniferus (Quaintance) |
| 3    | Aleurocanthus floccosus (Maskell)     |
| 4    | Aleurocanthus woglumi (Ashby)         |
| 5    | Amauromyza maculosa                   |
| 6    | Anarsia lineatella Zeller             |
| 7    | Anastrepha fraterculus Wiedemann      |
| 8    | Anastrepha ludens Loew                |
| 9    | Anastrepha obliqua Macquart           |

|    |                                            |
|----|--------------------------------------------|
| 10 | <i>Anastrepha serpentina</i> Wiedemann     |
| 11 | <i>Anastrepha suspensa</i> Loew            |
| 12 | <i>Anthonomus grandis</i> Boheman          |
| 13 | <i>Araecerus fasciculatus</i> (De Geer)    |
| 14 | <i>Asterolecanium phoenicis</i>            |
| 15 | <i>Bactrocera atrisetosa</i> Perkins       |
| 16 | <i>Bactrocera cucurbitae</i>               |
| 17 | <i>Bactrocera tsuneonis</i> Miyake         |
| 18 | <i>Bactrocera tryoni</i> Froggatt          |
| 19 | <i>Bactrocera melonata</i> Coquillett      |
| 20 | <i>Bactrocera melanotus</i> Coquillett     |
| 21 | <i>Bactrocera minax</i> (Enderlein)        |
| 22 | <i>Blitopertha orientalis</i> (Waterhouse) |
| 23 | <i>Brevipalpus californicus</i> (Banks)    |
| 24 | <i>Brevipalpus lewisi</i> (McGregor)       |
| 25 | <i>Bruchidius incarnatus</i> (Boheman)     |
| 26 | <i>Bruchus rufimanus</i> (Boheman)         |
| 27 | <i>Bryobia praetiosa</i> (Koch)            |
| 28 | <i>Cacoecimorpha pronubana</i> (Hubner)    |
| 29 | <i>Carposina niponensis</i>                |
| 30 | <i>Cephus cinctus</i> (Norton)             |
| 31 | <i>Cephus pygmeus</i> (Linnaeus)           |
| 32 | <i>Cerambyx</i> sp.                        |
| 33 | <i>Ceratitis rosa</i> (Karsch)             |
| 34 | <i>Chilo suppressalis</i> (Walker)         |
| 35 | <i>Cicadulina mbila</i> (Naude')           |

|    |                                     |
|----|-------------------------------------|
| 36 | Chrysomphalus aonidum (Linnaeus)    |
| 37 | Cosmopolites sordidus (Germar)      |
| 38 | Cryptotermes sp.                    |
| 39 | Cydia nigrican (Fabricius)          |
| 40 | Cydia inopinata (Heinrich)          |
| 41 | Cydia molesta (Busck)               |
| 42 | Cydia packardi (Zeller)             |
| 43 | Cydia pomonella (Linnaeus)          |
| 44 | Cydia prunivora (Walsh)             |
| 45 | Diaphorina citri (Kuwayana)         |
| 46 | Diaspidiotus perniciosus (Comstock) |
| 47 | Diatraea saccharalis                |
| 48 | Epitrix cucumeris (Harris)          |
| 49 | Epitrix tuberis (Bry)               |
| 50 | Eutetranychus banksi (McGregor)     |
| 51 | Eutetranychus lewisi                |
| 52 | Eutetranychus orientalis (Klein)    |
| 53 | Eutetranychus sexmaculatus (Riley)  |
| 54 | Fiorinia japonica (Kuwana)          |
| 55 | Frankliniella fusca (Hinds)         |
| 56 | Gonipterus gibberus (Boisduval)     |
| 57 | Grapholita molesta (Busck)          |
| 58 | Helicoverpa zea (Boddie)            |
| 59 | Lepidosaphes beckii (Newman)        |
| 60 | Lepidosaphes gloverii (Packard)     |
| 61 | Lepidosaphes ulmi (Linnaeus)        |

|    |                                               |
|----|-----------------------------------------------|
| 62 | <i>Leptinotarsa decemlineata</i> (Say)        |
| 63 | <i>Linepithema humile</i> (Mayr)              |
| 64 | <i>Liriomyza brassicae</i> (Riley)            |
| 65 | <i>Liriomyza huidobrensis</i>                 |
| 66 | <i>Lopholeucaspis japonica</i> (Cockerell)    |
| 67 | <i>Margarodes</i> spp.                        |
| 68 | <i>Monochamus alternatus</i> (Hope)           |
| 69 | <i>Monochamus carolinensis</i> (Olivier)      |
| 70 | <i>Myndus crudus</i> (Van Duzee)              |
| 71 | <i>Naupactus leucolomus</i> Boheman           |
| 72 | <i>Oligonychus pratensis</i> (Banks)          |
| 73 | <i>Opogona sacchari</i>                       |
| 74 | <i>Panonychus citri</i> (McGregor)            |
| 75 | <i>Panonychus ulmi</i> (Koch)                 |
| 76 | <i>Parabemisia myricae</i> (Kuwana)           |
| 77 | <i>Parasaissetia nigra</i> (Nietner)          |
| 78 | <i>Pentalonia nigronervosa</i> (Coquerel)     |
| 79 | <i>Penthaleus major</i> (Duges)               |
| 80 | <i>Petrobia lateens</i> (Moller)              |
| 81 | <i>Phoracantha semipunctata</i> (Fabricius)   |
| 82 | <i>Popillia japonica</i> (Newman)             |
| 83 | <i>Premnotypes</i> spp.                       |
| 84 | <i>Prostephanus truncatus</i> (Horn)          |
| 85 | <i>Quadraspidiotus perniciosus</i> (Comstock) |
| 86 | <i>Rhagoletis pomonella</i> (Walsh)           |
| 87 | <i>Rhynchophorus palmarum</i> (Linnaeus)      |

|     |                                   |
|-----|-----------------------------------|
| 88  | Rhynchophorus vulneratus (Panzer) |
| 89  | Scirtothrips aurantii (Faure)     |
| 90  | Scirtothrips citri                |
| 91  | Spodoptera eridania (Cramer)      |
| 92  | Spodoptera frugiperda (JE. Smith) |
| 93  | Sternochetus mangiferae           |
| 94  | Thrips palmi Karny                |
| 95  | Toxoptera citricida Kirkaldy      |
| 96  | Trioza erytrae (Del Guerico)      |
| 97  | Trogoderma granarium              |
| 98  | Tuta absoluta                     |
| 99  | Unaspis citri (Comstock)          |
| 100 | Unaspis yanonensis (Kuwana)       |
| 101 | Viteus vitifoliae Fitch           |
| 102 | Zeuzera pyrina (Linnaeus)         |

#### Liste Nr. 1

#### Geregelte Quarantäneschädlinge – Insekten

#### A2

| Name |                               |
|------|-------------------------------|
| 1    | Aceria mangiferae (Sayed)     |
| 2    | Aonidiella citrina (Craw)     |
| 3    | Aonidiella aurantii (Maskell) |
| 4    | Bactrocera ciliatus           |
| 5    | Bactrocera dorsalis           |
| 6    | Bactrocera olea (Gmelin)      |
| 7    | Bactrocera zonata (Saunders)  |
| 8    | Bemisia tabaci                |
| 9    | Carpomya incompleta           |

|    |                                              |
|----|----------------------------------------------|
| 10 | <i>Carpomya vesuviana</i>                    |
| 11 | <i>Ceratitis capitata</i> (Weidmann)         |
| 12 | <i>Conotrachelus nenuphar</i>                |
| 13 | <i>Frankliniella occidentalis</i> (Pergande) |
| 14 | <i>Liriomyza sativae</i> (Blanchard)         |
| 15 | <i>Liriomyza trifolii</i>                    |
| 16 | <i>Nipaecoccus viridis</i> (Newstead)        |
| 17 | <i>Ommatissus lybicus</i>                    |
| 18 | <i>Oryctes</i> spp.                          |
| 19 | <i>Perkinsiella saccharicida</i> (Kirkaldy)  |
| 20 | <i>Phyllocnistis citrella</i>                |
| 21 | <i>Rhynchophorus ferrugineus</i>             |
| 22 | <i>Scirtothrips dorsalis</i>                 |
| 23 | <i>Spodoptera exigua</i>                     |
| 24 | <i>Spodoptera litura</i>                     |
| 25 | All other fruit flies not mentioned in A1    |
| 26 | All other leaf miners not mentioned in A1    |

## Liste Nr. 2

### Geregelte Nicht-Quarantäneschädlinge – Insekten

| Name |                                           |
|------|-------------------------------------------|
| 1    | <i>Aphis craccivora</i> (Koch)            |
| 2    | <i>Aphis gossypii</i> (Glov)              |
| 3    | <i>Aphis spiraecola</i> (Patch)           |
| 4    | <i>Apomecyna lameerei</i> (Pic)           |
| 5    | <i>Aulacophora africana</i> (Weise)       |
| 6    | <i>Bacterocera vertebratus</i> (Bez)      |
| 7    | <i>Campylomma impicta</i> (Wagner)        |
| 8    | <i>Carpophilus dimidiatus</i> (Fabricius) |
| 9    | <i>Carpophilus hemipterus</i> (Linnaeus)  |
| 10   | <i>Cryphalus dilutus</i> (Eichhoff)       |
| 11   | <i>Frankliniella shultzi</i> (Trybon)     |
| 12   | <i>Lipaphis erysimi</i> (Kalt)            |

|    |                                      |
|----|--------------------------------------|
| 13 | Macrocoma sp.                        |
| 14 | Megalothrips sp.                     |
| 15 | Mylocerus undecimpustulatus (Faust)  |
| 16 | Myzus persicae (Sulz)                |
| 17 | Procontarinia matteiana              |
| 18 | Pseudaspidopectus hypheniacus (Hall) |
| 19 | Pseudococcus spp                     |
| 20 | Rhopalosiphum maidis (Fitch)         |
| 21 | Sphenoptera Arabica (Gory)           |