

SERVICIO NACIONAL DE SANIDAD, INOCUIDAD Y CALIDAD AGROALIMENTARIA

DIRECCION GENERAL DE SANIDAD VEGETAL

LISTA DE PLAGAS REGLAMENTADAS DE MEXICO 2011 a FEBRERO 2019

Plaga	Descriptor
<i>Acacia ringspot virus</i>	
<i>Acalitus gossypii</i>	Banks
<i>Acanthospermum australe</i>	(Loefl.) Kuntze
<i>Acanthospermum hispidum</i>	DeCandolle
<i>Acarus siro</i>	Linnaeus
<i>Aceria sheldoni</i>	(Erwing)
<i>Aceria tulipae</i>	(Keifer, 1938)
<i>Acidovorax avenae</i> subsp. <i>avenae</i>	(Manns, 1909) Willems et al., 1992
<i>Acidovorax avenae</i> subsp. <i>cattleyae</i>	(Pavarino, 1911) Willems et al., 1992
<i>Acidovorax avenae</i> subsp. <i>citrulli</i>	(Schaad et al., 1978) Willems et al., 1992
<i>Acremonium maydis</i>	
<i>Acrobasis nuxvorella</i>	Neunzig, 1970
<i>Acrobasis pyrivorella</i>	(Matsumura)
<i>Acrolepiopsis assectella</i>	Zeller
<i>Acrophialophora fusispora</i>	(Saksena, 1953) Samson, 1970
<i>Acrospermum maxoni</i>	
<i>Aculops fuchsiae</i>	Keifer
<i>Aculus fockeui</i>	Nalepa y Trouessart
<i>Adoxophyes orana</i>	Fischer von Roeslerstamm, 1834
<i>Aegilops cylindrica</i>	Host
<i>Aeolothrips collaris</i>	Priesner, 1919
<i>Aeolothrips intermedius</i>	Bagnall, 1934
<i>Aeolothrips scabiosatibia</i>	Moulton, 1930
<i>Aeolothrips tenuicornis</i>	Bagnall, 1926
<i>Agasphaerops nigra</i>	Horn, 1876
<i>Agriotes lineatus</i>	
<i>Agrostemma githago</i>	Linnaeus
<i>Alcidodes dentipes</i>	(Olivier, 1790)
<i>Aleurocanthus spiniferus</i>	(Quaintance, 1903)
<i>Aleurocanthus woglumi</i>	
<i>Aleurodicus destructor</i>	Mackie, 1912
<i>Aleurodicus dispersus</i>	Russell, 1965
<i>Aleurothrixus floccosus</i>	(Maskell, 1896)
Alfalfa mosaic virus	
<i>Alopecurus myosuroides</i>	Huds. (1762)
<i>Alsophila pomataria</i>	Harris, 1841
<i>Alternaria brassicicola</i>	(Schwein., 1832) Wiltshire, 1947
<i>Alternaria cucumerina</i>	(Ellis y Everh., 1895) Elliott, 1917

<i>Alternaria dauci</i>	(Kühn, 1855) Groves y Skolko, 1944
<i>Alternaria dianthi</i>	Stevens y Hall, 1909
<i>Alternaria gaisen</i>	Nagano, 1928
<i>Alternaria helianthi</i>	(Hansf.) Tubaki y Nishih.
<i>Alternaria japonica</i>	Yoshii, 1941
<i>Alternaria macrospora</i>	Zimmerm., 1931
<i>Alternaria mali</i>	Roberts, 1914
<i>Alternaria radicina</i>	Meier et al., 1922
<i>Alternaria ricini</i>	(Yoshii, 1929) Hansf., 1943
<i>Alternaria stanphylioides</i>	
<i>Alternaria steviae</i>	Ishiba et al., 1982
<i>Alternaria tenuissima</i>	(Kunze, 1818) Wiltshire, 1933
<i>Alternaria triticina</i>	Prasada y Prabhu, 1963
<i>Alternaria zinniae</i>	Ellis, 1972
<i>Amaranthus blitum</i>	Linnaeus, 1753
<i>Amblypelta cocophaga</i>	China
<i>Amblypelta lutescens</i>	(Distant)
<i>Amblyptilia pica</i>	Walsingham, 1880
American plum line pattern virus	
<i>Amerrhynus ynca</i>	Sahlberg, 1823
<i>Amitermes desertorum</i>	(Desneaux)
<i>Ammannia baccifera</i>	Linnaeus, 1753
<i>Amphitetranychus viennensis</i>	(Zacher)
<i>Amrasca biguttula biguttula</i>	Ishida, 1912
<i>Amrineus cocofolius</i>	Flechtmann, 1994
<i>Anarsia lineatella</i>	Zeller, 1839
<i>Anastrepha fraterculus</i>	Wiedemann, 1830
<i>Anastrepha grandis</i>	Macquart, 1846
<i>Anastrepha ludens</i>	Loew, 1873
<i>Anastrepha obliqua</i>	Macquart, 1835
<i>Anastrepha serpentina</i>	Wiedemann, 1830
<i>Anastrepha striata</i>	Schiner, 1868
<i>Anastrepha suspensa</i>	Loew, 1862
Andean potato latent virus	
Andean potato mottle virus	
Anemone ringspot virus	
<i>Anguina agrostis</i>	(Steinbuch, 1799) Filipjev, 1936
<i>Anguina tritici</i>	(Steinbuch, 1799) Chitwood, 1935
<i>Anomis flava</i>	Fabricius 1775
<i>Anoplophora chinensis</i>	(Forster, 1771)
<i>Anthonomus eugenii</i>	Cano , 1894
<i>Anthonomus grandis</i>	Boheman , 1843
<i>Anthonomus pomorum</i>	Linnaeus
<i>Anthonomus signatus</i>	Say , 1831
<i>Anthonomus vestitus</i>	Boheman, 1859
<i>Anthoxanthum odoratum</i>	Linnaeus
<i>Anthoxanthum puelii</i>	Lecoq y Lamotte

<i>Apera spica-venti</i>	(Linnaeus) Beauv.
<i>Aphanomyces euteiches</i>	Drechsler, 1925
<i>Aphelenchoides besseyi</i>	Christie, 1942
<i>Aphelenchoides fragariae</i>	(Ritzema-Bos, 1891) Christie, 1932
<i>Aphelenchoides parietinus</i>	(Bastian, 1865) Steiner, 1932
<i>Aphelenchoides ritzemabosi</i>	(Schwartz, 1911) Steiner y Buhner, 1932
<i>Aphelenchoides tagetae</i>	Steiner, 1941
<i>Aphis nasturtii</i>	Kaltenbach, 1843
<i>Apion soleatum</i>	Wagner
<i>Apiospora camptospora</i>	Penz. y Sacc., 1897
<i>Apomyelois ceratoniae</i>	Zeller, 1839
Apple chlorotic leaf spot virus	
Apple mosaic virus	
Apple ringspot disease	
Apple rubbery wood phytoplasma	
Apple stem grooving virus	
Apricot pseudo-chlorotic leaf spot virus	
Arabis mosaic virus	
<i>Archips argyrospilus</i>	Walker, 1863
<i>Archips rosana</i>	Linnaeus
<i>Argyrotaenia citrana</i>	(Fernald, 1889)
<i>Argyrotaenia ljugiana</i>	(Thunberg)
<i>Argyrotaenia velutinana</i>	Walker, 1863
<i>Armillaria tabescens</i>	(Scop., 1772) Emel, 1921
Arracacha virus A	
Artichoke latent virus	
<i>Artona catoxantha</i>	(Hampson, 1892)
<i>Asclepias syriaca</i>	Linnaeus
<i>Ascochyta cycadina</i>	Scalia
<i>Ascochyta hyalospora</i>	(Cooke & Ellis, 1878) Boerema et al., 1977
<i>Ascochyta plumbaginicola</i>	Henn.
Asparagus virus 1	
Asparagus virus 2	
<i>Aspergillus terreus</i>	Thom, 1918
<i>Asperisporium pongamiae</i>	(Syd., 1913) Deighton, 1976
<i>Asphondylia ilicicola</i>	Foote, 1953
<i>Aspidiotus nerii</i>	Bouché, 1833
Aster yellows phytoplasma group	
<i>Asteromella pongamiae</i>	(Sydow y Sydow) Aa, 2002
<i>Athelia rolfsii</i>	(Curzi, 1932) Tu y Kimbr., 1978
<i>Athelia rolfsii</i> var. <i>delphinii</i>	(Curzi) Tu y Kimbrough
<i>Aulacaspis rosae</i>	(Bouché, 1833)
<i>Aulacaspis tegalensis</i>	(Zehntner, 1898)
<i>Aulacorthum solani</i>	(Kaltenbach, 1843)
<i>Autographa gamma</i>	(Linnaeus, 1758)
<i>Avena sterilis</i>	Linnaeus
<i>Bactericera cockerelli</i>	(Sulc, 1909)

<i>Bactrocera carambolae</i>	Drew y Hancock, 1994
<i>Bactrocera cucurbitae</i>	Coquillett, 1899
<i>Bactrocera dorsalis</i>	(Hendel, 1912)
<i>Bactrocera latifrons</i>	(Hendel, 1915)
<i>Bactrocera minax</i>	(Enderlein, 1920)
<i>Bactrocera musae</i>	(Tryon, 1927)
<i>Bactrocera oleae</i>	Gmelin, 1790
<i>Bactrocera passiflorae</i>	(Froggatt, 1911)
<i>Bactrocera pedestris</i>	(Bezzi, 1914)
<i>Bactrocera psidii</i>	Froggatt, 1899
<i>Bactrocera tryoni</i>	(Froggatt, 1897)
<i>Bactrocera tsuneonis</i>	(Miyake, 1919)
<i>Bactrocera zonata</i>	(Saunders, 1841)
Balansia oryzae-sativae	Hashioka, 1971
Banana bunchy top virus	
Barley yellow dwarf viruses	
<i>Batrachedra amydraula</i>	Meyrick, 1916
Bean leafroll virus	
Beet curly top virus	
Beet western yellows virus	
<i>Bemisia tabaci</i>	(Gennadius, 1889)
<i>Bemisia tabaci</i> biot. B	(Gennadius, 1889)
Bidens mottle virus	
Blueberry leaf mottle virus	
<i>Boeremia foveata</i>	(Foister, 1940) Aveskamp et al., 2010
<i>Boerhavia diffusa</i>	Linnaeus, 1753
<i>Bondia comonana</i>	(Kearfott, 1907)
Botryosphaeria berengeriana f.sp. pyricolae	(Nose, 1933) Koganezawa y Sakuma, 1984
<i>Botryosphaeria cocogena</i>	Subileau et al., 1994
<i>Botryosphaeria obtusa</i>	(Schweinitz, 1822) Shoem.
Botryosphaeria protearum	Denman & Crous, 2003
Botryosphaeria ribis	Grossenb. y Duggar, 1911
Botryotinia convoluta	(Drayton, 1937) Whetzel, 1945
Botryotinia fuckeliana	(de Bary) Whetzel, 1945
Botryotinia porri	(Beyma, 1927) Whetzel, 1945
<i>Botryotinia ricini</i>	(Godfrey, 1919) Whetzel, 1945
Botryotinia squamosa	Vienn., 1953
Botrytis aclada	Fresen., 1850
Botrytis paeoniae	Oudem., 1897
Botrytis tulipae	(Lib., 1830) Lind, 1913
<i>Brachycaudus helichrysi</i>	Kaltenbach 1843
<i>Brachycerus albidentatus</i>	Gyllenhal , 1840
<i>Brachystola</i> sp.	
<i>Bradysia</i> sp.	
<i>Bregmatothrips iridis</i>	Watson, 1924
Bremia lactucae	Regel, 1843
Brenneria rubrifaciens	(Wilson et al., 1967) Hauben et al., 1999

<i>Brevipalpus californicus</i>	(Banks, 1904)
<i>Brevipalpus chilensis</i>	Baker, 1949
<i>Brevipalpus phoenicis</i>	(Geijskes, 1936)
Broad bean mottle virus	
Broad bean wilt virus	
<i>Bromus sterilis</i>	Linnaeus
<i>Brontispa longissima</i>	Gestro, 1885
<i>Buglossoides arvensis</i>	(Linnaeus) Johnston
Burkholderia andropogonis	(Smith, 1911) Gillis et al., 1995
Burkholderia caryophylli	(Burkholder, 1942) Yabuuchi et al., 1993
Burkholderia cepacia	(ex Burkholder) Yabuuchi et al., 1993
Burkholderia gladioli pv. alliicola	(Burkholder 1942) comb. nov.
Burkholderia gladioli pv. gladioli	(Severini, 1913) Yabuuchi et al., 1993
Burkholderia glumae	(Kurita y Tabei, 1967) Urakami et al., 1994
<i>Busseola fusca</i>	Fuller, 1901
<i>Byturus fumatus</i>	Schreiber, 1910
Cacao swollen shoot virus	
Cacao yellow mosaic virus	
<i>Cacoecimorpha pronubana</i>	Hübner 1800
<i>Cactoblastis cactorum</i>	Berg, 1885
Cactus virus X	
<i>Cacyreus marshalli</i>	Butler, 1898
<i>Callopietria floridensis</i>	(Guenée, 1852)
<i>Callosobruchus analis</i>	Fabricius
Calonectria kyotensis	Terashita, 1968
<i>Calystegia sepium</i>	(Linnaeus) Br.
Candidatus Liberibacter asiaticus	Jagoueix, Bové y Garnier
Candidatus Liberibacter solanacearum	
Candidatus Phytoplasma aurantifolia	Zreik et al., 1995
Candidatus Phytoplasma mali	Seemüller y Schneider, 2004
Candidatus Phytoplasma prunorum	Seemüller y Schneider, 2004
Candidatus Phytoplasma pyri	Seemüller y Schneider, 2004
Carnation etched ring virus	
Carnation necrotic fleck virus	Inouye & Mitsuhashi, 1973
<i>Carposina sasakii</i>	Matsumura, 1900
<i>Carthamus lanatus</i>	Linnaeus
<i>Carthamus oxyacantha</i>	Bieb.
<i>Castniomera licus</i>	(Drury)
Caulotops distantis	(Reuter, 1905)
Celery latent virus	
Celery mosaic virus	
<i>Cephaleuros virescens</i>	Künze
<i>Cerataphis brasiliensis</i>	(Hempel)
<i>Cerataphis orchidearum</i>	(Westwood)
<i>Ceratitis capitata</i>	(Wiedemann, 1824)
<i>Ceratitis cosyra</i>	(Walker, 1849)
<i>Ceratitis quinaria</i>	(Bezzi, 1918)

<i>Ceratitis rosa</i>	Karsch, 1887
<i>Ceratitis rubivora</i>	Coquillett, 1901
<i>Ceratocystis paradoxa</i>	(Dade, 1928) Moreau, 1952
<i>Ceratorhiza decidua</i>	(Davis, 1919) Roberts, 1999
<i>Ceratothrips discolor</i>	(Karny, 1907)
<i>Cercospora amaryllidis</i>	Ellis y Everh.
<i>Cercospora beticola</i>	Sacc., 1876
<i>Cercospora callae</i>	Peck y Clinton, 1876
<i>Cercospora callicarpae</i>	Cooke
<i>Cercospora dendrobii</i>	Burnett
<i>Cercospora kikuchii</i>	(Matsumoto y Tomoy., 1925) Gardner, 1927
<i>Cercospora steviae</i>	
<i>Ceriporiopsis carnegiae</i>	(Baxter, 1941) Gilb. y Ryvarden, 1985
<i>Ceroplastes destructor</i>	Newstead, 1917
<i>Ceroplastes rubens</i>	Maskell, 1893
<i>Ceruraphis viburnicola</i>	(Gillette, 1909)
<i>Ceutorhynchus pleurostigma</i>	(Marsham) Stephens , 1829
<i>Chaetanaphothrips orchidii</i>	(Moulton, 1907)
<i>Chalara elegans</i>	Raj y Kendrick, 1975
<i>Chenopodium petiolare</i>	Kunth
Cherry leaf roll virus	
Cherry necrotic rusty mottle virus	
Cherry rasp leaf virus	
Cherry rusty mottle disease	
<i>Chilo partellus</i>	(Swinhoe, 1885)
<i>Chloroclystis rectangulata</i>	Linnaeus, 1758
<i>Choanephora cucurbitarum</i>	(Berk. y Ravenel, 1875) Thaxt., 1903
<i>Choristoneura rosaceana</i>	(Harris, 1841)
<i>Chromatomyia syngenesiae</i>	Hardy, 1849
Chrysanthemum chlorotic mottle pelamoviroid	
Chrysanthemum flower distortion virus	
Chrysanthemum stunt pospiviroid	
Chrysanthemum virus B	
<i>Chrysodeixis includens</i>	(Walker, 1858)
<i>Chrysomyxa rhododendri</i>	(DC., 1815) De Bary, 1879
<i>Chrysopogon aciculatus</i>	(Retz.) Trin.
<i>Cirsium arvense</i>	(Linnaeus) Scop., 1772
Citrus blight disease	
Citrus cachexia hostuviroid	
Citrus exocortis pospiviroid	
Citrus impietratura disease	Ruggieri, 1955
Citrus infectious variegation virus	
Citrus leprosis virus	
Citrus psorosis B	
Citrus tristeza virus	
Citrus vein enation disease	
<i>Cladosporium iridis</i>	(Fautrey y Roumeguère) Vries, 1952

<i>Cladosporium tenuissimum</i>	Cooke, 1878
<i>Clavibacter michiganensis</i> subsp. <i>insidio</i>	(McCulloch, 1925) Davis et al., 1984
<i>Clavibacter michiganensis</i> subsp. <i>michig</i>	(Smith, 1910) Davis et al., 1984
<i>Clavibacter michiganensis</i> subsp. <i>nebrasc</i>	(Vidaver y Mandel, 1974) Davis et al., 1984
<i>Clavibacter michiganensis</i> subsp. <i>sepedi</i>	(Spieckermann y Kotthoff, 1914) Dye y Kemp
<i>Clavibacter michiganensis</i> subsp. <i>tessell</i>	(Carlson y Vidaver, 1982) Davis et al., 1984
<i>Claviceps africana</i>	Frederickson et al., 1991
<i>Claviceps sorghi</i>	Kulk. et al., 1976
<i>Cleome viscosa</i>	Linnaeus
<i>Coccomyces coronatus</i>	(Schumacher, 1803) De Notaris, 1859
<i>Coccus viridis</i>	(Green, 1889)
<i>Cochliobolus carbonum</i>	Nelson, 1959
Cocoa necrosis virus	
Coconut cadang-cadang cocadviroid	
<i>Coelaenomenodera elaeidis</i>	Maulik
<i>Coelogyne pulverula</i>	Teijsm. y Binn., 1862
Coffee ringspot virus	
<i>Coleosporium asterum</i>	(Dietel, 1899) Syd. y Syd., 1914
<i>Coleosporium tussilaginis</i>	(Pers., 1801) Lév., 1849
<i>Coleosporium tussilaginis</i> f.sp. <i>campanulae-trachel</i>	
<i>Colletotrichum acutatum</i>	Simmonds, 1968
<i>Colletotrichum boninense</i>	Moriwaki et al., 2003
<i>Colletotrichum capsici</i>	(Sydow & Sydow, 1913) Butler & Bisby, 1931
<i>Colletotrichum coccodes</i>	(Wallr., 1833) Hughes, 1958
<i>Colletotrichum coffeanum</i> var. <i>virulans</i>	Noack
<i>Colletotrichum dematium</i>	(Pers., 1801) Grove, 1918
<i>Colletotrichum sublineolum</i>	Henn., 1913
<i>Colletotrichum truncatum</i>	(Schwein., 1832) Andrus y Moore, 1935
<i>Commelina benghalensis</i>	Linnaeus, 1753
<i>Coniothyrium callicarpae</i>	Cooke
<i>Coniothyrium wernsdorffiae</i>	Laubert, 1905
<i>Conoderus falli</i>	Lane, 1956
<i>Conogethes punctiferalis</i>	(Guenée)
<i>Conotrachelus aguacatae</i>	Barber, 1923
<i>Conotrachelus nenuphar</i>	(Herbst) Harris , 1841
<i>Conotrachelus perseae</i>	Barber, 1919
<i>Conringia orientalis</i>	(Linnaeus) Dumort.
<i>Copitarsia consueta</i>	(Walker, 1857)
<i>Copturus aguacatae</i>	Kissinger
<i>Corynespora cassiicola</i>	(Berk. y Curtis, 1868) Wei, 1950
<i>Corythucha marmorata</i>	(Uhler, 1878)
Cotton anthocyanosis virus	
Cotton leaf curl virus	
<i>Crioceris asparagi</i>	(Linnaeus, 1758)
Crocus mosaic virus	
<i>Crupina vulgaris</i>	Pers. ex Cass.
<i>Cryptosporella umbrina</i>	(Jenkins, 1918) Jenkins y Wehmeyer, 1935

Ctnicera pruinina	Horn, 1871
Cucumber green mottle mosaic virus	
Cucumber leaf spot virus	
Cucumber mosaic virus	
<i>Curculio caryae</i>	Horn, 1873
<i>Curculio elephas</i>	Gyllenhal, 1836
Curtobacterium flaccumfaciens pv. flacc (Hedges, 1922) Collins y Jones, 1983	
Curtobacterium flaccumfaciens pv. poin (Starr y Pirone, 1942) Collins y Jones, 1983	
Curvularia spp.	
Curvularia trifolii	(Kauffman, 1920) Boedijn, 1933
<i>Cuscuta campestris</i>	
<i>Cuscuta corymbosa</i>	
<i>Cuscuta corymbosa</i> var. <i>stylosa</i>	
<i>Cuscuta europaea</i>	Linnaeus, 1753
<i>Cuscuta indecora</i>	
<i>Cuscuta potosina</i> var. <i>globifera</i>	
<i>Cuscuta squamata</i>	
<i>Cuscuta</i> spp.	
<i>Cuscuta umbellata</i>	
<i>Cydia caryana</i>	Fitch, 1856
<i>Cydia latiferreana</i>	(Walsingham, 1879)
<i>Cydia splendana</i>	(Hübner, 1796) Hübner, 1799
Cylindrocladium circumscriptum	
Cylindrocladium pteridis	Wolf, 1926
Cymbidium mosaic virus	
Cymbidium ringspot virus	
<i>Cynthia cardui</i>	Linnaeus, 1758
<i>Dacus ciliatus</i>	Loew, 1862
Daedalea ambigua	Berk., 1845
Dahlia mosaic stunt virus	
Dahlia mosaic virus	
Dasheen mosaic virus	
Datana major	Grote & Robinson
Davidiella macrospora	(Kleb., 1924) Crous y Braun, 2003
Davidiella tassiana	(De Notaris, 1863) Crous y Braun, 2003
<i>Delia antiqua</i>	Meigen, 1826
<i>Delia floralis</i>	(Fallén, 1824)
<i>Delia florilega</i>	Zetterstedt, 1945
<i>Delia platura</i>	(Meigen, 1826)
Dendrobium mosaic virus	
<i>Dendrothrips ornatus</i>	(Jablonowski, 1894)
Dendryphiella vinosa	(Berkeley y Curtis) Reisinger, 1968
<i>Deroceras</i> spp.	
Desmella superficialis	Sydow y Sydow, 1919
<i>Diaphorina citri</i>	Kuwayama, 1908
Diaporthe phaseolorum var. meridional	Fernández, 1996
Diaporthe phaseolorum var. sojae	(Lehman, 1922) Wehm., 1933

Diaporthe vaccinii	Shear, 1931
Diaporthe vexans	Gratz, 1942
<i>Diaprepes abbreviatus</i>	(Linnaeus, 1758) Hustache, 1929
<i>Diaspis bromeliae</i>	(Kerner, 1778) Kerner
<i>Diaspis echinocacti</i>	(Bouché, 1833)
<i>Diatraea indigenella</i>	Dyar y Heinrich, 1927
<i>Dichromothrips corbetti</i>	(Priesner, 1936)
Dickeya chrysanthemi	(Burkholder et al., 1953) Samson et al., 2005
Dickeya dianthicola	Samson et al., 2005
Dickeya paradisiaca	(Fernández y López, 1970) Samson et al., 2005
Dickeya zeae	Samson et al., 2005
<i>Di cladispa armigera</i>	(Olivier, 1808)
Didymella bryoniae	(Auersw., 1869) Rehm, 1881
Didymella fuchsiae	Cooke Y Harkn.
Didymella holci	(Tehon, 1937) Arx, 1987
<i>Didymella ligulicola</i>	(Baker et al., 1949) Arx, 1962
Didymella rabiei	(Kovatschevski, 1936) Arx, 1962
<i>Digitaria abyssinica</i>	(Rich.) Stapf, 1907
<i>Digitaria velutina</i>	(Forssk.) Beauv.
<i>Dinoderus minutus</i>	(Fabricius, 1775)
<i>Diparopsis tephrogramma</i>	Baker, 1911
<i>Diplotaxis erucoides</i>	(Linnaeus) DeCandolle
Diplothea tunae	(Spreng., 1820) Starbäck, 1893
<i>Ditylenchus angustus</i>	(Butler, 1913) Filipjev, 1936
<i>Ditylenchus destructor</i>	Thorne, 1945
<i>Ditylenchus dipsaci</i>	(Kühn, 1857) Filip'ev, 1936
Dothiorella rot	Especie inexistente
Dothiorella spp.	
Dracaena mottle virus	
<i>Draeculacephala minerva</i>	Ball, 1927
<i>Drosophila suzukii</i>	(Matsumura, 1931)
<i>Dysaphis tulipae</i>	Boyer de Fonscolombe, 1841
<i>Dysdercus cingulatus</i>	(Fabricius, 1775)
<i>Dysdercus fasciatus</i>	Signoret
Dysmicoccus neobrevipes	Beardsley
<i>Earias biplaga</i>	Walker, 1866
<i>Earias cupreoviridis</i>	Walker, 1862
<i>Earias insulana</i>	Boisduval, 1833
<i>Earias vittella</i>	(Fabricius, 1794)
Echidnodes bromeliacearum	(Rehm) Theiss. y Sydow, 1918
<i>Echinochloa frumentacea</i>	(Roxb.) Link
<i>Echinochloa oryzoides</i>	(Ard.) Fritsch
<i>Echium vulgare</i>	Linnaeus
Eggplant latent elaviroid	
Eggplant mottled dwarf virus	
<i>Eldana saccharina</i>	Walker, 1865
<i>Elsinoë brasiliensis</i>	Bitancourt & Jenkins, 1942

<i>Elymus repens</i>	(Linnaeus) Gould, 1947
<i>Emericella nidulans</i>	(Eidam, 1883) Vuillemin, 1927
<i>Emex australis</i>	Steinh.
<i>Emex spinosa</i>	(Linnaeus) Campd.
<i>Endothenia hebesana</i>	Walker, 1863
<i>Enneadesmus obtusidentatus</i>	Lesne
<i>Enneadesmus trispinosus</i>	(Olivier, 1795)
<i>Entopeltis interrupta</i>	(Winter, 1884) Höhnelt, 1910
<i>Entyloma eryngii</i>	(Corda, 1839) de Bary, 1874
<i>Entyloma lobeliae</i>	Farlow, 1883
<i>Entyloma veronicae</i>	(Halsted, 1890) Lagerheim, 1891
<i>Epicaerus cognatus</i>	Sharp, 1891
<i>Epicauta pensylvanica</i>	(De Geer, 1775)
<i>Epichoristodes acerbella</i>	(Walker, 1864)
<i>Epiphyas postvittana</i>	Walker, 1863
<i>Epitrix tuberis</i>	Gentner, 1944
<i>Eriophyes eucricotesi</i>	
<i>Eriophyes hibisci</i>	Nalepa
<i>Eriophyes pyri</i>	(Pagenstecher)
<i>Erwinia amylovora</i> pv. <i>crenatoserrata</i>	
<i>Erwinia chrysanthemi</i> pv. <i>chrysanthemi</i>	(Burkholder et al., 1953) Dye, 1969
<i>Erwinia herbicola</i> pv. <i>gypsophilae</i>	(Brown, 1934) Miller et al., 1981
<i>Erwinia</i> sp.	
<i>Erwinia tracheiphila</i>	(Smith, 1895)
<i>Erynnis lucilius</i>	Scudder y Burgess, 1870
<i>Erysiphe australiana</i>	(McAlpine, 1899) Braun y Takam., 2000
<i>Eudocima fullonia</i>	(Clerck, 1764)
<i>Eulophonotus myrmeleon</i>	Felder, 1874
<i>Eumerus funeralis</i>	Meigen, 1822
<i>Eupalamides cyparissias</i>	Fabricius, 1777
<i>Euphorbia esula</i>	Linnaeus
<i>Euphorbia helioscopia</i>	Linnaeus, 1753
<i>Euphranta canadensis</i>	(Loew, 1873)
<i>Euphydryas viburnii</i>	
<i>Euplatypus segnis</i>	Bright & Skidmore, 2002
<i>Euplexia benesimilis</i>	McDunnough, 1922
<i>Euplexia similis</i>	
<i>Eupoecilia ambiguella</i>	Hübner, 1796
<i>Euproctis chrysorrhoea</i>	(Linnaeus, 1758)
<i>Euscepes postfasciatus</i>	(Fairmaire, 1849)
<i>Eutetranychus buxi</i>	
<i>Eutetranychus orientalis</i>	Klein
<i>Eutinobothrus brasiliensis</i>	(Hambleton, 1937) Lima, 1938
<i>Euwallacea fornicatus</i>	(Eichhoff, 1868) Wood y Bright, 1992
<i>Exartema ferriferanum</i>	(Walker, 1863) Clemens y Zeller
Fiji disease virus	
<i>Frankliniella cestrum</i>	Moulton

<i>Frankliniella intonsa</i>	(Trybom, 1895)
<i>Frankliniella occidentalis</i>	(Pergande, 1895)
<i>Frankliniella schultzei</i>	(Trybom, 1910)
Freesia mosaic virus	
<i>Fumaria officinalis</i>	Linnaeus, 1753
<i>Fusarium cerealis</i>	(Cooke, 1878) Saccardo, 1886
<i>Fusarium incarnatum</i>	(Roberge, 1849) Saccardo, 1886
<i>Fusarium oxysporum</i> f.sp. <i>aechmeae</i>	Gordon, 1965
<i>Fusarium oxysporum</i> f.sp. <i>asparagi</i>	Cohen, 1946
<i>Fusarium oxysporum</i> f.sp. <i>cattleyae</i>	Foster
<i>Fusarium oxysporum</i> f.sp. <i>cepae</i>	(Hanzawa, 1914) Snyder & Hansen, 1940
<i>Fusarium oxysporum</i> f.sp. <i>conglutinans</i>	(Wollenweber, 1913) Snyder & Hansen, 1940
<i>Fusarium oxysporum</i> f.sp. <i>cubense</i>	(Smith, 1910) Snyder y Hansen, 1940
<i>Fusarium oxysporum</i> f.sp. <i>cubense</i> raza	(Smith, 1910)
<i>Fusarium oxysporum</i> f.sp. <i>gladioli</i>	(Massey, 1926) Snyder y Hansen, 1940
<i>Fusarium oxysporum</i> f.sp. <i>melongenae</i>	Matuo y Ishigami, 1958
<i>Fusarium oxysporum</i> f.sp. <i>radicis-cucur</i>	Vakalounakis, 1996
<i>Fusarium oxysporum</i> f.sp. <i>ricini</i>	(Wollenweber, 1940) Gordon, 1965
<i>Fusarium oxysporum</i> f.sp. <i>sesami</i>	Jacz.
<i>Fusarium oxysporum</i> f.sp. <i>vasinfectum</i>	(Atkinson, 1892) Snyder y Hansen, 1940
<i>Fusarium solani</i> f.sp. <i>cucurbitae</i>	Snyder y Hansen, 1941
<i>Fusarium solani</i> f.sp. <i>pisi</i>	(Jones, 1923) Snyder y Hansen, 1941
<i>Fusarium</i> sp.	
<i>Gaeumannomyces graminis</i> var. <i>Graminis</i>	(Saccardo) Arx y Olivier
<i>Galega officinalis</i>	Linnaeus
<i>Galeopsis tetrahit</i>	Linnaeus
<i>Gangara thyrsis</i>	(Fabricius, 1775)
<i>Ganoderma lucidum</i>	(Curtis, 1781) Karsten, 1881
<i>Gastrolobium grandiflorum</i>	Muell., 1862
<i>Gibberella acuminata</i>	Wollenweber
<i>Gibberella avenacea</i>	Cook
<i>Gibberella fujikuroi</i>	(Sawada, 1919) Wollenw., 1931
<i>Gibberella intricans</i>	Wollenw., 1930
<i>Gibberella stilboides</i>	Gordon ex Booth
<i>Gladiolus grassines</i> (MLO)	
<i>Globodera pallida</i>	(Stone, 1973) Behrens, 1975
<i>Globodera rostochiensis</i>	(Wollenweber, 1923) Behrens, 1975
<i>Gloeosporium convallariae</i>	Allescher, 1895
<i>Glomerella tucumanensis</i>	(Spegazzini) Arx y Müller, 1954
<i>Golovinomyces orontii</i>	(Castagne) Heluta
Grapevine enation disease	
Grapevine flavescence doree phytoplasma	
Grapevine leafroll-associated viruses	
Grapevine vein necrosis virus	
Grapevine virus A	
<i>Grapholita funebrana</i>	Treitschke, 1835
<i>Grapholita inopinata</i>	Heinrich, 1928

<i>Grapholita molesta</i>	(Busck, 1916)
<i>Grapholita packardi</i>	Zeller
<i>Grapholita prunivora</i>	(Walsh)
Green mosaic virus	
Guignardia musae	Raciborsky, 1909
<i>Gymnaspis aechmeae</i>	Newstead, 1898
Gymnosporangium clavipes	Cooke y Peck, 1873
Gymnosporangium globosum	Farlow, 1880
Gymnosporangium juniperi-virginianae	Schweinitz, 1822
<i>Hadula trifolii</i>	(Hufnagel, 1766)
<i>Halticus bractatus</i>	(Say, 1832)
Haplobasidion musae	Ellis, 1957
<i>Haplothrips kurdjumovi</i>	Karny, 1913
<i>Harrisina brillians</i>	
<i>Heilipus lauri</i>	Boheman , 1845
<i>Helicotylenchus pseudorobustus</i>	(Steiner, 1914) Golden, 1956
<i>Helicoverpa armigera</i>	(Hübner, 1809)
<i>Helicoverpa zea</i>	(Boddie, 1850)
<i>Heliothis virescens</i>	(Fabricius, 1777)
<i>Heliothrips haemorrhoidalis</i>	(Bouché, 1833)
Helminthosporium solani	Durieu y Montagne, 1848
<i>Hemiberlesia rapax</i>	(Comstock, 1881)
Hemileia coffeicola	Maublanc y Roger, 1934
Hemileia vastatrix	Berkeley y Broome, 1869
Henderinia cerei	
<i>Heracleum mantegazzianum</i>	Sommier y Levier, 1895
<i>Hercinothrips bicinctus</i>	(Bagnall, 1919)
<i>Hercinothrips femoralis</i>	(Reuter, 1891)
<i>Heterodera avenae</i>	Wollenweber, 1924
<i>Heterodera glycines</i>	Ichinohe, 1952
<i>Heterodera oryzae</i>	Luc y Brizuela, 1961
<i>Heterodera schachtii</i>	Schmidt, 1871
<i>Heterodera trifolii</i>	Goffart, 1932
<i>Heterodera zea</i>	Koshy et al., 1971
Heterosporium fulvarosae	
<i>Hibiscus trionum</i>	Linnaeus
Hollyhock yellow-vein mosaic disease	
<i>Homalodisca vitripennis</i>	Germar, 1821
<i>Homoeosoma heinrichi</i>	Pastrana, 1961
Hop stunt hostuviroid	
<i>Horcias nobilellus</i>	(Berg, 1883)
Hydrangea ringspot virus	
Hydrangea virescense MLO	
<i>Hylemya sp.</i>	
<i>Hypera zoilus</i>	(Fabricius, 1763)
<i>Hypothenemus hampei</i>	(Ferrari, 1867) Wood y Bright , 1992
<i>Icerya aegyptiaca</i>	(Douglas, 1890)

<i>Idiopterus nephrolepidis</i>	Davis, 1909
Impatiens necrotic spot virus	
<i>Imperata cylindrica</i>	(Linnaeus) Raeuschel, 1797
Indian citrus ringspot virus	
<i>Ipomoea carnea</i>	Jacq.
<i>Ipomoea polymorpha</i>	Roem. & Schult.
Irenopsis cupaniae	(Stevens, 1916) Stevens, 1927
Iris fulva mosaic virus	
Iris mild mosaic virus	
Iris severe mosaic virus	
<i>Ischaemum rugosum</i>	Salisb., 1791
Jasmine infectious variegation disease	
Kabatiella lini	(Lafferty, 1921) Karakulin, 1957
Kabatiella microsticta	Bubák, 1907
Kellermania anomala	(Cooke) Höhnelt, 1915
<i>Khuskia oryzae</i>	Hudson, 1963
Lasioidiplodia theobromae	(Pat., 1892) Griffiths y Maubl., 1909
Lavender yellow decline (MLO)	
Leifsonia xyli subsp. xyli	(Davis et al., 1984) Evtushenko et al., 2000
<i>Lepidosaphes ulmi</i>	(Linnaeus, 1758)
<i>Leptinotarsa decemlineata</i>	Say, 1824
<i>Leptochloa chinensis</i>	(Linnaeus) Nees, 1824
<i>Leptopharsa gibbicarina</i>	Froeschner
Leptothyrium rosarum	Cooke
Lettuce big-vein virus	
Lettuce mosaic virus	
<i>Ligniera vasculorum</i>	(Matz) Cook
<i>Ligyrum ebenus</i>	(De Geer, 1774)
<i>Ligyrum gibbosus</i>	(Degeer, 1774)
<i>Lilioceris lili</i>	(Scopoli, 1763)
Lily mottle virus	
Lily rosette virus	
Limonia californicus	Mannerheim, 1843
<i>Linaria vulgaris</i>	Miller
<i>Liriomyza bryoniae</i>	(Kaltenbach, 1858)
<i>Liriomyza huidobrensis</i>	(Blanchard, 1926)
<i>Liriomyza pusilla</i>	(Meigen, 1830)
<i>Liriomyza sativae</i>	Blanchard, 1938
<i>Liriomyza trifolii</i>	(Burgess in Comstock, 1880) Burgess, 1880
<i>Lissachatina fulica</i>	(Bowdich, 1822)
<i>Listroderes costirostris</i>	Schönherr, 1826
Little cherry virus	
<i>Lobesia botrana</i>	Denis y Schiffermüller, 1776
<i>Lolium rigidum</i>	Gaudin, 1811
<i>Longicaudus trirhodus</i> subsp. <i>trirhodus</i>	
<i>Longidorus elongatus</i>	(de Man, 1876) Micoletzky, 1922
Lophodermium exaridum	(Cooke y Peck, 1878) Saccardo, 1883

<i>Lophodermium schweinitzii</i>	Wilson & Robertson, 1947
<i>Lopholeucaspis japonica</i>	(Cockerell, 1897)
<i>Lopidea davisii</i>	Knight, 1917
<i>Ludwigia hyssopifolia</i>	(Don) Exell
<i>Lycium ferocissimum</i>	Miers
<i>Lyctus africanus</i>	Lesne
<i>Lymantria dispar</i>	Linnaeus, 1758
<i>Maconellicoccus hirsutus</i>	(Green, 1908)
<i>Macronoctua onusta</i>	Grote, 1874
<i>Macrophoma pandani</i>	(Léveillé, 1846) Berlese y Voglino, 1886
<i>Macrophya simillima</i>	Rohwer, 1917
<i>Macrosiphoniella artemisiae subsp. arte</i>	(Harrington, 1985)
<i>Macrosiphoniella sanborni</i>	(Gillette, 1908)
<i>Macrosiphum euphorbiae</i>	Thomas, 1878
<i>Malacosoma americanum</i>	Fabricius, 1793
<i>Malacosoma disstria</i>	Hübner, 1819
<i>Maladera castanea</i>	(Arrow, 1913)
Maple mosaic disease	
<i>Marasmia trapezalis</i>	(Guenée)
<i>Marasmus palmivorus</i>	Sharples, 1928
<i>Marmara gulosa</i>	Guillén y Davis, 2001
<i>Mayetiola destructor</i>	(Say, 1817)
<i>Megalopyge opercularis</i>	Smith y Abbot, 1797
<i>Melaleuca quinquenervia</i>	(Cav.) Blake
<i>Melanconium pandani</i>	Léveillé, 1845
<i>Melanomma dothideasporum</i>	
<i>Melanoplus sp.</i>	
<i>Melanotus communis</i>	Gyllenhal , 1817
<i>Melanthrips fuscus</i>	(Stutzer, 1776)
<i>Melastoma malabathricum</i>	Linnaeus
<i>Meliola dracaena</i>	Stevens, 1925
<i>Meliola praetervisa</i>	Gaillard, 1892
<i>Melochia corchorifolia</i>	Linnaeus
<i>Meloidogyne arenaria</i>	(Neal, 1889) Chitwood, 1949
<i>Meloidogyne chitwoodi</i>	Golden et al., 1980
<i>Meloidogyne exigua</i>	Goeldi, 1892
<i>Meloidogyne hapla</i>	Chitwood, 1949
<i>Meloidogyne javanica</i>	(Treub, 1885) Chitwood, 1949
<i>Meloidogyne marioni</i>	(Cornu, 1879) Chitwood y Oteifa, 1952
<i>Meloidogyne spp.</i>	
<i>Melolontha melolontha</i>	(Linnaeus, 1758)
Melon necrotic spot virus	
<i>Merodon equestris</i>	Fabricius, 1794
<i>Metcalfa pruinosa</i>	(Say, 1830)
<i>Microbotryum violaceum</i>	(Persoon) Deml y Oberwinkler, 1982
<i>Microcephalothrips abdominalis</i>	(Crawford, 1910)
<i>Microdochium dimerum</i>	(Penzig, 1882) Arx, 1984

<i>Microlophium carnosum</i>	(Buckton, 1876)
<i>Microsphaeropsis hellebori</i>	(Cooke y Massee, 1887) Aa, 2002
<i>Mikania micrantha</i>	Kunth
<i>Milesia insularis</i>	Faull, 1932
<i>Monarthropalpus buxi</i>	(Laboulbène)
<i>Monilinia fructigena</i>	(Aderh. y Ruhland) Honey, 1945
<i>Moniliophthora perniciosa</i>	(Stahel) Aime y Mora, 2006
<i>Moniliophthora roreri</i>	(Ciferri, 1933) Evans et al., 1978
<i>Monochoria vaginalis</i>	(Burm.) Presl, 1827
<i>Monographella albescens</i>	(Thümen, 1889) Parkinson et al., 1981
<i>Mononychus vulpeculus</i>	Schoenherr , 1825
<i>Mycoleptodiscus indicus</i>	(Sahni) Sutton, 1973
<i>Mycosphaerella anthurii</i>	Miles, 1917
<i>Mycosphaerella fijiensis</i>	Morelet, 1969
<i>Mycosphaerella opuntia</i>	(Ellis y Everhart, 1888) Dearness, 1919
<i>Mycosphaerella pinodes</i>	(Berk. & Bloxam) Vestergren
<i>Myndus crudus</i>	Van Duzee, 1907
<i>Myrothecium roridum</i>	Tode, 1790
<i>Mythimna unipuncta</i>	Haworth
<i>Myzaphis rosarum</i>	(Kaltenbach, 1843)
<i>Nacoleia octasema</i>	Meyrick (1886)
<i>Nandina mosaic virus</i>	
<i>Naohidemyces vacciniarum</i>	(Link) Spooner, 1999
<i>Narcissus mosaic virus</i>	
<i>Narcissus yellow stripe virus</i>	
<i>Nassella trichotoma</i>	(Nees) Hackel ex Arech., 1896
<i>Naupactus leucoloma</i>	Boheman , 1840
<i>Naupactus xanthographus</i>	(Germar) Boheman in Schoenh. , 1833
<i>Nectria magnoliae</i>	Lohman y Hepting, 1943
<i>Nectriella pironii</i>	Alfieri y Samuels, 1980
<i>Nemorimyza maculosa</i>	(Malloch, 1913)
<i>Neomyzus circumflexum</i>	(Buckton, 1876)
<i>Neonectria radicola</i>	(Gerlach y Nilsson) Mantiri y Samuels, 2001
<i>Neoscytalidium dimidiatum</i>	(Penzig) Crous y Slippers, 2006
<i>Neosilba pendula</i>	(Bezzi, 1919)
<i>Neslia paniculata</i>	(Linnaeus) Desv.
<i>Nodonota puncticollis</i>	(Say)
<i>Oberea bimaculata</i>	(Olivier, 1795)
<i>Odontoglossum ringspot virus</i>	
<i>Oligonychus coffeae</i>	(Nietner)
<i>Oligonychus ilicis</i>	
<i>Olpidium brassicae</i>	(Woronin, 1878) Dangeard, 1886
<i>Omophlus lepturoides</i>	(Fabricius, 1787)
<i>Omophoita aequinoctialis</i>	(Linnaeus, 1758)
<i>Oncidium ringspot virus</i>	
<i>Onion yellow dwarf virus</i>	
<i>Operophtera brumata</i>	Linnaeus, 1758

<i>Opogona sacchari</i>	Bojer, 1856
<i>Orchamoplatus mammaeferus</i>	(Quaintancer y Baker, 1917)
<i>Orchidophilus aterrimus</i>	(Waterhouse)
<i>Orgyia leucostigma</i>	(Smith, 1797)
<i>Orgyia postica</i>	(Walker, 1855)
<i>Orobanche cernua</i>	Loefl., 1758
<i>Orobanche ramosa</i>	Linnaeus (1753)
<i>Orobanche spp.</i>	
<i>Orseolia oryzivora</i>	Harris y Gagné, 1982
<i>Orthosia hibisci</i>	(Guenée, 1852)
<i>Oryza longistaminata</i>	Chev. y Roehr., 1914
<i>Oryza punctata</i>	Kotschy ex Steud.
<i>Oryza rufipogon</i>	Griffiths
<i>Ostrinia nubilalis</i>	(Hübner)
<i>Otala lactea</i>	(Muller, 1774)
<i>Otiorhynchus sulcatus</i>	(Fabricius, 1775) Germar
<i>Ovalisia virgata</i>	(Motschulsky)
<i>Pachnaeus azurescens</i>	Gyllenhal , 1834
<i>Pachymerus nucleorum</i>	(Fabricius)
<i>Pachysandra terminalis</i>	Siebold y Zucc.
<i>Paecilomyces variotii</i>	Bainier, 1907
<i>Paeonia virus 1</i>	
<i>Paleacrita vernata</i>	(Peck, 1795)
Palm lethal yellowing phytoplasma	
<i>Pandemis heparana</i>	Denis y Schiffermüller
<i>Pantoea stewartii</i>	(Smith, 1898) Mergaert et al., 1993
<i>Pantomorus cervinus</i>	(Boheman)
<i>Papaipema cataphracta</i>	Grote, 1864
<i>Papaipema nebris</i>	Guenée, 1852
<i>Papaipema purpurifasciata</i>	Grote y Robinson, 1868
Papaya meleira virus	
<i>Parabemisia myricae</i>	(Kuwana, 1927)
<i>Paratachardina lobata lobata</i>	(Chamberlin, 1923)
<i>Paratrachodorus minor</i>	(Colbran, 1956) Siddiqi, 1974
<i>Paratrachodorus porosus</i>	(Allen, 1957) Siddiqi, 1974
<i>Parlatoria blanchardi</i>	(Targioni Tozzetti) Leonardi, 1899
<i>Parlatoria ziziphi</i>	(Lucas, 1853)
<i>Paspalum scrobiculatum</i>	Linnaeus
<i>Passalora bataticola</i>	(Cif. y Bruner, 1931) Braun y Crous, 2003
<i>Passalora crotonis</i>	(Ellis y Everhart, 1893) Crous y Braun, 2003
<i>Passalora sojina</i>	(Hara, 1915) Shin y Braun, 1996
Pea enation mosaic virus-1	
Pea seed-borne mosaic virus	
Pea streak virus	
Peach latent mosaic pelamovir	
Peach rosette mosaic virus	
Peach rosette phytoplasma	

Peach X disease phytoplasma	
Peach yellows phytoplasma	
Peanut stunt virus	
Pear blister canker apscaviroid	
Pear bud drop disease	
<i>Pectinophora gossypiella</i>	Saunders, 1843
<i>Pectinophora scutigera</i>	Holdaway, 1926
Pectobacterium atrosepticum	(van Hall, 1902) Gardan et al., 2003
Pectobacterium carnegieanum	(Standring, 1942) Brenner et al., 1973
Pectobacterium carotovorum subsp. car	(Jones, 1901) Hauben et al., 1999
Pectobacterium cypripedii	(Hori, 1911) Brenner et al., 1973
Pelargonium leaf curl virus	
Penicilium expansum	Link, 1809
<i>Pennisetum macrourum</i>	Trin.
<i>Pennisetum pedicellatum</i>	Trin.
<i>Pennisetum polystachion</i>	(Linnaeus, 1759) Schultes (1824)
Pepper mottle virus	
Periconia circinata	(Mangin, 1899) Saccardo, 1905
<i>Peridroma saucia</i>	Hübner, 1803/808
<i>Perkinsiella saccharicida</i>	Kirkaldy, 1903
Perofascia lepidii	(McAlpine, 1895) Constant., 2002
Peronosclerospora maydis	(Raciborski, 1897) Shaw, 1978
Peronosclerospora philippinensis	(Weston) Shaw, 1978
Peronosclerospora sacchari	(Miyake) Shirai y Hara, 1927
Peronospora farinosa f.sp. chenopodii	Byford
Peronospora farinosa f.sp. spinaciae	Byford
Pestalotiopsis palmarum	(Cooke, 1875) Steyaert, 1949
<i>Petrobia latens</i>	(Müller, 1776)
Peyronellaea curtisii	(Berkeley, 1878) Aveskamp et al., 2010
Phaeochoropsis palmicola	(Stevens, 1920) Hyde y Cannon, 1999
Phakopsora cherimoliae	Cummins, 1941
Phakopsora pachyrhizi	Sydow y Sydow, 1914
Phialophora cinerescens	(Wollenweber, 1930) Beyma, 1940
<i>Phoenicococcus marlatti</i>	Cockerell, 1899
Phoma anemones	Kauffman, 1936
Phoma destructiva	Plowright, 1881
Phoma exigua var. exigua	Saccardo, 1879
Phoma iowana	Saccardo
Phoma sp.	
Phoma tracheiphila	(Petri) Kantachveli y Gikachvili, 1948
Phomopsis longicolla	Hobbs, 1985
<i>Phthorimaea operculella</i>	(Zeller 1873)
Phyllachora pomigena	(Schweinitz) Saccardo, 1883
<i>Phyllachora torrendiella</i>	(Batista, 1948) Subileau et al., 1993
Phyllachora yapensis subsp. pongamiae	(Berkeley y Broome, 1875) Cannon, 1991
<i>Phyllocnistis citrella</i>	Stainton, 1856
<i>Phyllognathus excavatus</i>	(Forster, 1771)

<i>Phyllonorycter blancardella</i>	(Fabricius, 1781)
<i>Phyllosticta ghaesembillae</i>	Koorders, 1907
<i>Phyllosticta maculicola</i>	Halsted, 1894
<i>Phyllosticta solitaria</i>	Ellis y Everhart, 1895
<i>Phyllosticta telopeae</i>	Yip, 1989
<i>Phyllotreta cruciferae</i>	(Goeze, 1777)
<i>Phymatotrichopsis omnivora</i>	(Duggar, 1916) Hennebert, 1973
<i>Phytomonas staheli</i>	McGhee y McGhee, 1979
<i>Phytomyza aconiti</i>	Hendel, 1920
<i>Phytomyza ilicis</i>	Curtis, 1846
<i>Phytomyza minuscula</i>	Goureau, 1851
<i>Phytomyza rufipes</i>	Meigen, 1830
<i>Phytonemus pallidus</i>	(Banks)
<i>Phytophthora cactorum</i>	(Lebert y Cohn) Schröter, 1886
<i>Phytophthora capsici</i>	Leonian, 1922
<i>Phytophthora cinnamomi</i>	Rands, 1922
<i>Phytophthora cryptogea</i>	Pethybridge y Lafferty, 1919
<i>Phytophthora erythroseptica</i> var. <i>erythr</i>	(Waterhouse, 1963)
<i>Phytophthora fragariae</i>	Hickman, 1940
<i>Phytophthora infestans</i>	(Montagne) de Bary, 1876
<i>Phytophthora megakarya</i>	Brasier y Griffin, 1979
<i>Phytophthora ramorum</i>	Werres et al., 2001
<i>Phytophthora richardiae</i>	Buisman, 1927
<i>Phytophthora rubi</i>	(Wilcox y Duncan, 1993) Man in't Veld, 2007
<i>Phytophthora sojae</i>	Kaufmann y Gerdemann, 1958
<i>Pinnaspis buxi</i>	(Bouché)
<i>Pinnaspis dysoxyl</i>	(Maskell, 1885)
<i>Planococcus citri</i>	(Risso, 1813)
<i>Planococcus ficus</i>	Signoret, 1875
<i>Planococcus kenya</i>	(Le Pelley, 1935)
<i>Planococcus lilacinus</i>	Cockerell, 1905
<i>Planococcus minor</i>	(Maskell, 1897)
<i>Plasmopara halstedii</i>	(Farlow) Berlese y de Toni, 1888
<i>Platycarpa scaly bark disease</i>	
<i>Platynota idaeusalis</i>	Walker, 1859
<i>Pleospora betae</i>	(Berlese) Nevodovsky, 1915
<i>Plowrightia circumscissa</i>	Tracy y Earle, 1901
<i>Plum pox virus</i>	
<i>Plutella xylostella</i>	Linnaeus, 1767
<i>Pococera atramentalis</i>	(Lederer)
<i>Podischnus agenor</i>	(Olivier, 1789)
<i>Poecilocapsus lineatus</i>	(Fabricius, 1798)
<i>Polygonum barbatum</i>	Linnaeus
<i>Polygonum convolvulus</i>	Linnaeus
<i>Polygonum lapathifolium</i>	Linnaeus
<i>Polyphagotarsonemus latus</i>	Banks
<i>Polyscytalum pustulans</i>	(Owen y Wakefield, 1919) Ellis, 1919

<i>Popillia japonica</i>	Newman
Porroca	Ferrand, 1960
Potato black ringspot virus	
Potato deforming mosaic virus	
Potato latent virus	
Potato leaflet stunt disease	
Potato leafroll virus	
Potato mop-top virus	
Potato spindle tuber pospiviroid	
Potato stolbur phytoplasma	
Potato virus A	
Potato virus M	
Potato virus S	
Potato virus T	
Potato virus X	
Potato virus Y	
Potato virus Yn	
Potato virus Yntn	
Potato witches' broom phytoplasma	
Potato yellow dwarf virus	
Potato yellow vein virus	
<i>Prathoda longissima</i>	(Deighton & MacGarvie, 1968) Simmons, 2007
<i>Pratylenchus coffeae</i>	(Zimmermann, 1898) Filipjev y Stekhoven, 1941
<i>Pratylenchus penetrans</i>	(Cobb, 1917) Filipjev y Stekhoven, 1941
<i>Pratylenchus pratensis</i>	(de Man, 1880) Filipjev, 1936
<i>Pratylenchus vulnus</i>	Allen y Jensen, 1951
<i>Pratylenchus zeae</i>	Graham, 1951
<i>Prays citri</i>	Millière, 1873
<i>Premnotrypes latithorax</i>	(Pierce)
<i>Premnotrypes sanfordi</i>	(Pierce)
<i>Premnotrypes solani</i>	Pierce , 1913
<i>Premnotrypes vorax</i>	(Hustache)
Privet infectious variegation disease	
<i>Proeulia auraria</i>	(Clarke, 1949)
<i>Proeulia chrysopteris</i>	(Butler, 1883)
Prune dwarf virus	Saponari Maria
Prunus necrotic ringspot virus	
<i>Psammotermes hypostoma</i>	Desmeux
<i>Pseudaulacaspis cockerelli</i>	(Cooley, 1897)
<i>Pseudaulacaspis pentagona</i>	(Targioni Tozzetti, 1886) MacGillivray, 1921
<i>Pseudischnaspis bowreyi</i>	(Cockerell, 1893)
<i>Pseudocercospora pongamiae-pinnatae</i>	Ram y Mallaiah, 1993
<i>Pseudocneorhinus bifasciatus</i>	(Roelofs)
<i>Pseudococcus comstocki</i>	(Kuwana, 1902)
<i>Pseudococcus longispinus</i>	(Targioni Tozzetti, 1867) Targioni Tozzetti
<i>Pseudococcus viburni</i>	(Signoret, 1875) Signoret
<i>Pseudocochliobolus pallescens</i>	Tsuda y Ueyama, 1983

<i>Pseudomonas cichorii</i>	(Swingle, 1925) Stapp, 1928
<i>Pseudomonas erodii</i>	Lewis
<i>Pseudomonas fluorescens</i>	(Trevisan, 1889) Migula, 1895
<i>Pseudomonas gardeniae</i>	
<i>Pseudomonas marginalis</i>	(Brown, 1918) Stevens, 1925
<i>Pseudomonas marginalis</i> pv. <i>marginalis</i>	(Brown, 1918) Stevens, 1925
<i>Pseudomonas savastanoi</i> pv. <i>glycinea</i>	(Coerper, 1919) Gardan et al., 1992
<i>Pseudomonas savastanoi</i> pv. <i>savastanoi</i>	(ex Smith, 1908) Gardan et al., 1992
<i>Pseudomonas syringae</i> pv. <i>aptata</i>	(Brown y Jamieson, 1913) Young et al., 1978
<i>Pseudomonas syringae</i> pv. <i>atrofaciens</i>	(McCulloch, 1920) Young et al., 1978
<i>Pseudomonas syringae</i> pv. <i>coronafaciens</i>	(Elliott, 1920) Young et al., 1978
<i>Pseudomonas syringae</i> pv. <i>delphinii</i>	(Smith, 1904) Young et al., 1978
<i>Pseudomonas syringae</i> pv. <i>garcae</i>	(Amaral et al., 1956) Young et al., 1978
<i>Pseudomonas syringae</i> pv. <i>lachrymans</i>	(Smith y Bryan, 1915) Young et al., 1978
<i>Pseudomonas syringae</i> pv. <i>lapsea</i>	(Ark, 1940) Young et al., 1978
<i>Pseudomonas syringae</i> pv. <i>maculicola</i>	(McCulloch, 1911) Young et al., 1978
<i>Pseudomonas syringae</i> pv. <i>morsprunorum</i>	(Wormald, 1931) Young et al., 1978
<i>Pseudomonas syringae</i> pv. <i>primulae</i>	(Ark y Gardner, 1936) Young et al., 1978
<i>Pseudomonas syringae</i> pv. <i>sesami</i>	(Malkoff, 1906) Young et al., 1978
<i>Pseudomonas syringae</i> pv. <i>syringae</i>	van Hall, 1902
<i>Pseudomonas syringae</i> pv. <i>tomato</i>	(Okabe) Young et al.
<i>Pseudomonas syringae</i> pv. <i>zizaniae</i>	(ex Bowden y Percich, 1983) Young et al., 1991
<i>Pseudomonas viridiflava</i>	(Burkholder, 1930) Dowson, 1939
<i>Pseudomonas xanthochlora</i>	(Schuster) Stapp, 1928
<i>Pseudospiropes indicus</i>	Rai y Rai, 1995
<i>Psylla buxi</i>	(Linné, 1758)
<i>Puccinia albulensis</i>	Magnus, 1890
<i>Puccinia allii</i>	(DeCandolle, 1815) Rudolphi, 1829
<i>Puccinia andina</i>	Dietel y Neger, 1899
<i>Puccinia andropogonis</i>	Schweinitz, 1832
<i>Puccinia anisacanthi</i>	Dietel y Holw., 1901
<i>Puccinia arenariae</i>	(Schumacher, 1803) Winter, 1880
<i>Puccinia aristidae</i>	Tracy, 1893
<i>Puccinia arundiariae</i>	Schweinitz, 1822
<i>Puccinia bartholomaei</i>	Dietel, 1892
<i>Puccinia calcitrapae</i>	DeCandolle, 1805
<i>Puccinia campanulae</i>	Carmichael, 1836
<i>Puccinia cannae</i>	Hennings, 1902
<i>Puccinia caricina</i> var. <i>caricina</i>	DeCandolle, 1815
<i>Puccinia chelonis</i>	Dietel y Holway, 1897
<i>Puccinia chrysanthemi</i>	Roze, 1900
<i>Puccinia cirsii-lanceolati</i>	Schröter, 1887
<i>Puccinia cnici-oleracei</i>	Persoon, 1823
<i>Puccinia conrescens</i>	Ellis y Everhart, 1915
<i>Puccinia conoclinii</i>	Seymour, 1885
<i>Puccinia cooperiae</i>	Long, 1902
<i>Puccinia cyani</i>	Passerini, 1874

<i>Puccinia cyperi</i>	Arthur, 1891
<i>Puccinia delphinii</i>	Dietel y Holway, 1893
<i>Puccinia dichondrae</i>	Montagne, 1852
<i>Puccinia dioicae</i> var. <i>extensicola</i>	(Plowright, 1889) Henderson, 1961
<i>Puccinia douglasii</i>	Ellis y Everhart, 1893
<i>Puccinia dulichii</i>	Sydow y Sydow, 1904
<i>Puccinia eleocharidis</i>	Arthur, 1884
<i>Puccinia ellisiana</i>	Thümen, 1878
<i>Puccinia enceliae</i>	Dietel y Holway, 1897
<i>Puccinia extensicola</i> var. <i>asteris</i>	(Thümen, 1877) Arthur
<i>Puccinia gentianae</i>	(Strauss) Martius, 1824
<i>Puccinia graminis</i> f.sp. <i>tritici</i> raza TTKS	Erikssoon y Henning
<i>Puccinia grindeliae</i>	Peck, 1879
<i>Puccinia heliconiae</i>	(Dietel, 1897) Arthur, 1918
<i>Puccinia horiana</i>	Hennings, 1901
<i>Puccinia iridis</i>	Wallroth, 1844
<i>Puccinia iridis</i> f.sp. <i>floridana</i>	Sobers, 1966
<i>Puccinia irrequisita</i>	Jackson, 1921
<i>Puccinia kuehnii</i>	(Krüger, 1890) Butler, 1914
<i>Puccinia lateritia</i>	Schweinitz, 1853
<i>Puccinia leonotidicola</i>	Hennings, 1903
<i>Puccinia liatridis</i>	(Bethel ex Arthur y Fromme, 1920) Arthur, 1934
<i>Puccinia limosae</i>	Magnus, 1877
<i>Puccinia lobeliae</i>	Gerard, 1873
<i>Puccinia mcleanii</i>	
<i>Puccinia melampodii</i>	Dietel y Holway, 1897
<i>Puccinia obtecta</i>	Peck, 1873
<i>Puccinia panici</i>	Dietel y Holway, 1895
<i>Puccinia pelargonii-zonalis</i>	Doidge, 1926
<i>Puccinia peridermiospora</i>	(Ellis y Tracy, 1890) Arthur, 1899
<i>Puccinia physostegiae</i>	Peck y Clinton, 1878
<i>Puccinia pimpinellae</i>	(Strauss, 1810) Link, 1824
<i>Puccinia poarum</i>	Nielsen, 1877
<i>Puccinia probabilis</i>	Arthur y Cummins, 1934
<i>Puccinia psidii</i>	Winter, 1884
<i>Puccinia punctiformis</i>	(Strauss, 1810) Röhling, 1813
<i>Puccinia rhaetica</i>	Fischer, 1899
<i>Puccinia rubigo-vera</i> var. <i>agropyri</i>	(Erikss.) Arthur
<i>Puccinia stipae</i>	(Opiz, 1852) Arthur, 1884
<i>Puccinia tenuis</i>	Bonorden
<i>Puccinia tillandsiae</i>	Cummins y Pollack, 1974
<i>Puccinia triticina</i>	Eriksson, 1899
<i>Puccinia vagans</i>	(DeCandolle) Arthur, 1934
<i>Puccinia venustula</i>	(Arthur, 1916) Arthur, 1918
<i>Puccinia verbesinae</i>	Schweinitz, 1822
<i>Pucciniastrum epilobii</i>	Otth, 1861
<i>Pyrenophora chaetomioides</i>	Spegazzini, 1899

<i>Pyricularia setariae</i>	Nisikado, 1927
<i>Pyrilla perpusilla</i>	(Walker, 1851) Walker
<i>Pyrrhia umbra</i>	Hüfnagel, 1766
<i>Pythium myriotylum</i>	Drechsler, 1930
<i>Pythium splendens</i>	Braun, 1925
<i>Radopholus similis</i>	(Cobb, 1893) Thorne, 1949
<i>Ralstonia solanacearum</i>	(Smith, 1896) Yabuuchi et al., 1996
<i>Ralstonia solanacearum</i> raza 2	(Smith, 1896) Yabuuchi et al., 1996
<i>Ralstonia solanacearum</i> raza 3	(Smith, 1896) Yabuuchi et al., 1996
<i>Ranunculus repens</i>	Linnaeus
<i>Raoiella indica</i>	Hirst
Raspberry bushy dwarf virus	
Raspberry leaf curl virus	
Raspberry ringspot virus	
<i>Ravenelia hobsonii</i>	Cooke, 1880
<i>Ravenelia humphreyana</i>	Hennings, 1898
<i>Ravenelia spegazziniana</i>	Lindquist, 1946
<i>Ravenelia texensis</i>	Ellis y Galloway, 1894
Red clover vein mosaic virus	
<i>Retithrips syriacus</i>	(Mayet, 1890)
<i>Retracrus elaeis</i>	Keifer
<i>Rhabdoscelus obscurus</i>	(Boisduval)
<i>Rhabdospora oudemansii</i>	Hennings, 1900
<i>Rhadinaphelenchus cocophilus</i>	(Cobb, 1919) Goodey, 1960
<i>Rhagoletis basiola</i>	(Sacken, 1877)
<i>Rhagoletis cerasi</i>	Linnaeus, 1758
<i>Rhagoletis indifferens</i>	Curran, 1932
<i>Rhagoletis pomonella</i>	Walsh, 1867
<i>Rhagoletis suavis</i>	Loew, 1862
<i>Rhagoletis tomatitis</i>	Foote, 1981
<i>Rhigopsidius tucumanus</i>	Heller, 1906
<i>Rhinostomus barbirostris</i>	(Fabricius) Rafinesque
<i>Rhizobium radiobacter</i>	(Beijerinck y van Delden, 1902) Young et al., 2001
<i>Rhizobium rhizogenes</i>	(Riker et al., 1930) Young et al., 2001
<i>Rhizoctonia crocorum</i>	(Persoon) DeCandolle, 1815
<i>Rhizoecus falcifer</i>	Herculais, 1878
<i>Rhizoecus floridanus</i>	Hambleton, 1973
<i>Rhodococcus fascians</i>	(Tilford, 1936) Goodfellow, 1984
<i>Rhopalosiphoninus latysiphon</i>	(Davidson, 1912)
<i>Rhopobota ilicifolia</i>	Kearfott, 1907
<i>Rhopoglyphus filicinus</i>	(Fries, 1823) Nitschke ex Fuckel, 1870
<i>Rhynchites foveipennis</i>	Fairm. , 1888
<i>Rhynchophorus ferrugineus</i>	(Olivier, 1790)
<i>Rhyssomatus subtilis</i>	Fiedler , 1937
Rice black streaked dwarf virus	
Rice hoja blanca virus	
Rice stripe virus	

<i>Richardia brasiliensis</i>	Gomes, 1801
<i>Richardia grandiflora</i>	(Cham. & Schltdl.) Steud.
<i>Richardia stellaris</i>	(Cham. & Schltdl.) Steud.
Rose wilt disease	
Rose X disease	
<i>Rottboellia cochinchinensis</i>	(Lour.) Clayton (1981)
<i>Rotylenchulus parvus</i>	(Williams, 1960) Sher, 1961
<i>Rubus fruticosus</i>	Linnaeus
<i>Rubus moluccanus</i>	Linnaeus
Rubus stunt phytoplasma	Seemüller et al., 1998
<i>Sabulodes aegrotata</i>	(Guenée, 1858)
<i>Sacadodes pyralis</i>	Dyar, 1912
Saccharata proteae	(Wakefield, 1922) Denman & Crous, 2004
<i>Saccharum spontaneum</i>	Linnaeus, 1771
<i>Salsola vermiculata</i>	Linnaeus
Sandal spike phytoplasma	
<i>Sarocladium oryzae</i>	(Sawada, 1922) Gams y Hawksworth, 1975
<i>Schistocerca piceifrons piceifrons</i>	(Walker, 1870)
<i>Schoenoplectiella juncoides</i>	(Roxb.) Lye
<i>Scirtothrips aurantii</i>	Faure, 1929
<i>Scirtothrips dorsalis</i>	Hood, 1919
<i>Sclerophoma eustomonis</i>	Taubenhaus y Ezekiel
<i>Sclerophthora rayssiae</i> var. <i>zeae</i>	Payak y Renfro, 1967
<i>Sclerotinia denigricans</i>	
<i>Sclerotinia minor</i>	Jagger, 1920
<i>Sclerotinia trifoliorum</i>	Eriksson, 1880
<i>Sclerotium denigrans</i>	Pape, 1943
<i>Scolytus rugulosus</i>	(Müller)
<i>Scolytus schevyrewi</i>	Semenov, 1902
<i>Scutellonema brachyurus</i>	(Steiner, 1938) Andrassy, 1958
<i>Senecio vulgaris</i>	Linnaeus, 1753
<i>Septoria atriplicis</i>	(Westendorp, 1851) Fuckel, 1870
<i>Septoria helianthi</i>	Ellis y Kellerman, 1883
<i>Septoria steviae</i>	Ishiba et al., 1982
<i>Sesamia calamistis</i>	Hampson, 1910
<i>Sesamia cretica</i>	Lederer, 1857
<i>Sesamia inferens</i>	(Walker, 1856)
<i>Setaria pumila</i>	(Poir.) Roemer y Schultes, 1817
<i>Setaria</i> spp.	
<i>Sigmodon hispidus</i>	Say y Ord, 1825
<i>Silene noctiflora</i>	Linnaeus
<i>Silybum marianum</i>	(Linnaeus) Gaertn.
<i>Sinapis arvensis</i>	Linnaeus
<i>Sitodiplosis mosellana</i>	(Gehin, 1857)
<i>Solanum carolinense</i>	Linnaeus (1753)
<i>Solanum peruvianum</i>	Linnaeus
<i>Solanum ptycanthum</i>	Dunal

<i>Solanum viarum</i>	Dunal
<i>Sonchus arvensis</i>	Linnaeus, 1753
Sonchus yellow net virus	
Sowbane mosaic virus	
<i>Sparganothis sulfureana</i>	Clemens, 1860
<i>Sphaceloma poinsettiae</i>	Jenkins y Rühle, 1942
<i>Sphaceloma venezuelanum</i>	Bitancourt y Jenkins
<i>Sphacelotheca erianthi</i>	(Sydow y Sydow) Mundkur, 1942
<i>Sphacelotheca macrospora</i>	Yen y Wang, 1955
<i>Sphacelotheca reiliana</i>	(Kühn, 1875) Clinton, 1902
<i>Sphaeraspis vitis</i>	Jakubski, 1965
<i>Sphaeropsis hedericola</i>	(Spegazzini) Saccardo, 1884
<i>Sphenarium</i> sp.	
<i>Sphenoclea zeylanica</i>	Gaertn., 1788
<i>Sphenophorus venatus vestitus</i>	Chittendon
<i>Spilonota albicana</i>	Motschulsky
<i>Spilonota ocellana</i>	(Denis y Schiffermüller) Schiffermüller
<i>Spilosoma virginica</i>	Fabricius, 1798
<i>Spiroplasma citri</i>	Saglio et al., 1973
<i>Spodoptera exigua</i>	(Hübner- 1803-1808)
<i>Spodoptera littoralis</i>	(Boisduval, 1833)
<i>Spodoptera litura</i>	(Fabricius, 1775)
<i>Spodoptera mauritia</i>	Boisduval, 1833
<i>Spoladea recurvalis</i>	(Fabricius, 1775)
<i>Spongospora subterranea</i>	(Wallr.) Lagerh., 1892
Squash mosaic virus	
<i>Steneotarsonemus concavuscutum</i>	Lofego & Gondim
<i>Steneotarsonemus laticeps</i>	(Halbert)
<i>Steneotarsonemus spinki</i>	Smiley, 1967
<i>Stenoma catenifer</i>	Walsingham, 1912
<i>Stigmina palmivora</i>	(Saccardo, 1898) Hughes, 1952
Strawberry crinkle virus	
Strawberry latent C virus	
Strawberry latent ringspot virus	
Strawberry mild yellow edge virus	
Strawberry mottle virus	
Strawberry pseudo mild yellow edge virus	
Strawberry vein banding virus	
Strawberry witches' broom phytoplasma	
<i>Streptomyces scabiei</i>	(ex Thaxter, 1892) Lambert y Loria, 1989
<i>Striga angustifolia</i>	(Don) Saldanha, 1963
<i>Striga asiatica</i>	(Linnaeus, 1753) Kuntze, 1891
<i>Striga densiflora</i>	(Benth., 1835) Benth., 1863
<i>Striga hermonthica</i>	(Del., 1813) Benth., 1836
<i>Striga</i> spp.	
<i>Stromatinia cepivora</i>	(Berkeley, 1841) Whetzel, 1945
Sugarcane bacilliform virus	

Sugarcane sereh disease	
Sugarcane streak virus	
Sugarcane yellow leaf virus	
Symmetrischema tangolia	Turner, 1919
Synchytrium aureum	Schröter, 1870
Synchytrium edgertonii	Cook, 1945
Synchytrium endobioticum	(Schilberszky) Percival, 1909
Synchytrium fulgens	Schröter, 1873
Synchytrium nigrescens	Davis, 1924
Synchytrium vaccinii	Thomas, 1889
<i>Taeniothrips eucharis</i>	(Whetzel, 1923)
Taphrina bullata	(Berkeley y Broome, 1855) Tulasne, 1866
Teratosphaeria jonkershoekensis	(Wyk ET AL., 1975) Crous y Braun, 2007
<i>Tetraleurodes ursorum</i>	(Cockerell, 1910)
Thanatephorus cucumeris	(Frank) Donk, 1956
Thanatephorus theobromae	(Talbot y Keane) Roberts, 1999
<i>Thaumatotibia leucotreta</i>	Meyrick
<i>Thecaphora solani</i>	Barrus, 1944
Thekopsora areolata	(Fries, 1818) Magnus, 1875
<i>Themeda quadrivalvis</i>	(Linnaeus) Kuntze
<i>Theretra oldenlandiae</i>	(Fabricius, 1775)
<i>Thlaspi arvense</i>	Linnaeus (1753)
<i>Thrips angusticeps</i>	Uzel, 1895
<i>Thrips flavus</i>	Schrank
<i>Thrips hawaiiensis</i>	(Morgan, 1913)
<i>Thrips meridionalis</i>	(Priesner, 1926)
Thrips nigropilosus	Uzel
<i>Thrips palmi</i>	Karny, 1925
<i>Thrips simplex</i>	(Morison, 1930)
<i>Thrips sumatrensis</i>	(Priesner, 1934)
Tilletia barclayana	(Brefeld) Saccardo y Sydow, 1899
Tilletia controversa	Kühn, 1874
Tilletia indica	Mitra, 1931
Tilletia tritici	(Bjerkander, 1775) Winter, 1874
<i>Tipula paludosa</i>	Meigen, 1830
Tobacco etch virus	
Tobacco mosaic virus	
Tobacco necrosis virus	
Tobacco rattle virus	
Tobacco ringspot virus	
Tobacco streak virus	
Tomato aspermy virus	
Tomato black ring virus	
Tomato bushy stunt virus	
Tomato mottle virus	
Tomato ringspot virus	
Tomato spotted wilt virus	

<i>Toxoptera citricida</i>	(Kirkaldy)
<i>Toxotrypana sp.</i>	
<i>Tremex fuscicornis</i>	(Fabricius, 1787)
<i>Tretendophragmia palmivora</i>	Subramanian, 1994
<i>Trialeurodes vaporariorum</i>	(Westwood, 1856)
<i>Trichoconiella padwickii</i>	(Ganguly, 1948) Jain, 1976
<i>Trichodorus spp.</i>	
<i>Trichodorus viruliferus</i>	Hooper, 1963
<i>Trichothecium roseum</i>	(Persoon, 1794) Link, 1809
<i>Trichromothrips xanthius</i>	(Williams, 1917)
<i>Trioza alacris</i>	Flor, 1861
<i>Tripleurospermum inodorum</i>	(Linnaeus) Sch.
<i>Tripleurospermum maritimum</i>	(Linnaeus) Koch
<i>Trirhithrum coffeae</i>	Bezzi, 1918
<i>Trogoderma granarium</i>	Everts, 1899
Tulip breaking virus	
<i>Tuta absoluta</i>	(Meyrick, 1917) Povolny (1994)
<i>Tylenchorhynchus claytoni</i>	Steiner, 1937
<i>Typophorus nigrinus</i>	(Fabricius, 1801)
<i>Udea rubigalis</i>	(Guenée) Guenée, 1854
<i>Uleodothis pteridis</i>	Stevens, 1920
<i>Ulex europaeus</i>	Linnaeus
<i>Unaspis citri</i>	(Comstock, 1883)
<i>Unaspis yanonensis</i>	(Kuwana, 1923)
<i>Uredo behnickiana</i>	Hennings, 1905
<i>Uredo gladioli-buettneri</i>	Bubák, 1911
<i>Urocarpidium peruvianum</i>	(Linnaeus, 1753) Krapov.
<i>Urochloa panicoides</i>	Beauv.
<i>Urocystis sorosporioides</i>	Körnicker ex von Waldheim, 1877
<i>Uromyces asclepiadis</i>	Cooke, 1877
<i>Uromyces compactus</i>	Peck, 1882
<i>Uromyces dianthi</i>	(Persoon) Niessl 1872
<i>Uromyces euphorbiae</i>	Cooke y Peck, 1873
<i>Uromyces funci</i>	
<i>Uromyces gentianae</i>	Arthur, 1891
<i>Uromyces holwayi</i>	Lagerheim, 1889
<i>Uromyces houstoniatus</i>	Sheldon, 1909
<i>Uromyces junci</i>	(Desmazières) Tulasne y Tulasne, 1854
<i>Uromyces limonii</i>	(DeCandolle, 1805) Léveillé, 1849
<i>Uromyces lupini</i>	Berkeley y Curtis, 1860
<i>Uromyces occidentalis</i>	Dietel, 1903
<i>Uromyces pisi-sativi</i>	(Persoon) Liro, 1908
<i>Uromyces probus</i>	Arthur 1911
<i>Uromyces sparganii</i>	Cooke y Peck, 1874
<i>Uromyces triquetrus</i>	Cooke, 1862
<i>Uromycladium tepperianum</i>	(Saccardo, 1889) McAlpine, 1906
<i>Ustilago cissi</i>	Tulasne y Tulasne

<i>Ustilago nuda</i> f.sp. tritici	Schaffnit, 1928
<i>Ustilago scitaminea</i>	Sydow, 1924
<i>Vaccaria hispanica</i>	(Miller) Rauschert
<i>Vankya vaillantii</i>	Vankya vaillantii (Tul. & C. Tul.) Ershad 2000
<i>Verticillium albo-atrum</i>	Reinke y Berthold, 1879
<i>Verticillium dahliae</i>	Klebahn, 1913
<i>Verticillium heterocladium</i>	Penzig, 1882
<i>Villosiclava virens</i>	(Sakurai ex Nakata) Tanaka y Tanaka, 2009
<i>Vinsonia stellifera</i>	(Westwood, 1871)
<i>Virachola bimaculata</i>	Hewitson, 1874
<i>Virus marchitez variegada</i>	
<i>Viteus vitifoliae</i>	(Fitch, 1851)
<i>Volutella albido-pila</i>	Boudier, 1891
Watermelon mosaic virus-II	Wang et al., 1993
Wheat streak mosaic virus	
<i>Xanthomonas albilineans</i>	(Ashby, 1929) Dowson, 1943
<i>Xanthomonas arboricola</i> pv. pruni	(Smith, 1903) Vauterin et al.
<i>Xanthomonas axonopodis</i> pv. alfalfae	(Riker et al., 1935) Vauterin et al., 1995
<i>Xanthomonas axonopodis</i> pv. begoniae	(Takimoto 1934) Vauterin et al. 1995
<i>Xanthomonas axonopodis</i> pv. citri	(Hasse, 1915) Vauterin et al., 1995
<i>Xanthomonas axonopodis</i> pv. dieffenba	(McCulloch y Pirone, 1939) Vauterin et al., 1995
<i>Xanthomonas axonopodis</i> pv. malvacea	(Smith, 1901) Vauterin et al., 1995
<i>Xanthomonas axonopodis</i> pv. poinsettii	(Patel et al., 1951) Vauterin et al., 1995
<i>Xanthomonas axonopodis</i> pv. ricini	(Yoshii & Takimoto, 1928) Vauterin et al., 1995
<i>Xanthomonas axonopodis</i> pv. vasculoru	(Cobb, 1893) Vauterin et al., 1995
<i>Xanthomonas campestris</i>	(Pammel, 1895) Dowson, 1939
<i>Xanthomonas campestris</i> pv. aberrans	(Knösel, 1961) Dye, 1978
<i>Xanthomonas campestris</i> pv. armoracia	(McCulloch, 1929) Dye, 1978
<i>Xanthomonas campestris</i> pv. campestris	(Pammel, 1895) Dowson, 1939
<i>Xanthomonas campestris</i> pv. sesami	(Sabet y Dowson, 1960) Dye, 1978
<i>Xanthomonas cucurbitae</i>	(Bryan, 1926) Vauterin et al., 1995
<i>Xanthomonas fragariae</i>	Kennedy y King, 1962
<i>Xanthomonas hortorum</i> pv. carotae	(Kendrick, 1934) Vauterin et al., 1995
<i>Xanthomonas hortorum</i> pv. hederiae	(Arnaud, 1920) Vauterin et al., 1995
<i>Xanthomonas hortorum</i> pv. pelargonii	(Brown, 1923) Vauterin et al., 1995
<i>Xanthomonas hyacinthi</i>	(Wakker, 1883) Vauterin et al., 1995
<i>Xanthomonas oryzae</i> pv. oryzae	(Ishiyama, 1922) Swings et al., 1990
<i>Xanthomonas oryzae</i> pv. oryzicola	(Fang et al., 1957) Swings et al., 1990
<i>Xanthomonas translucens</i> pv. cerealis	(Hagborg, 1942) Vauterin et al., 1995
<i>Xanthomonas vasicola</i> pv. holcicola	(Elliott, 1930) Vauterin et al., 1995
<i>Xanthomonas vesicatoria</i>	(Doidge, 1920) Dowson, 1939
<i>Xanthopastis timais</i>	(Cramer, 1782)
<i>Xestia c-nigrum</i>	(Linnaeus, 1758)
<i>Xiphinema coxi</i>	Tarjan, 1964
<i>Xiphinema diversicaudatum</i>	(Micoletzky, 1927) Thorne, 1939
<i>Xiphinema index</i>	Thorne y Allen, 1950
<i>Xiphinema rivesi</i>	Dalmasso, 1969

<i>Xylella fastidiosa</i> subsp. <i>fastidiosa</i>	(Wells et al., 1987)
<i>Xylella fastidiosa</i> subsp. <i>multiplex</i>	(Wells et al., 1987)
<i>Xylella fastidiosa</i> subsp. <i>pauca</i>	(Wells et al., 1987)
<i>Xylomyges curialis</i>	(Grote, 1873)
<i>Xylophilus ampelinus</i>	(Panagopoulos, 1969) Willems et al., 1987
<i>Xyphon fulgida</i>	(Nottingham, 1932)
<i>Yucca bacilliform virus</i>	
<i>Yuccaborus frontalis</i>	LeConte, 1876
<i>Zeuzera pyrina</i>	Linnaeus, 1761
<i>Zonosemata electa</i>	(Say, 1830)
<i>Zygotylenchus guevarai</i>	(Jiménez, 1963) Braun y Loof, 1966