

Fiji Pest Status – Attachment 3

Common Name	Scientific Name
almond bud failure	<i>(Prunus necrotic ringspot virus)</i>
alomae disease	<i>(Taro bacilliform virus)</i>
American corn rust	<i>(Puccinia polysora)</i>
angular bean leaf spot	<i>(Pseudocercospora griseola)</i>
angular mosaic of beans	<i>(Cowpea mild mottle virus)</i>
annual sedge	<i>(Cyperus compressus)</i>
anthracnose	<i>(Glomerella cingulata)</i>
anthracnose of cucurbits	<i>(Colletotrichum orbiculare)</i>
armillaria root rot	<i>(Armillaria tabescens)</i>
armyworm	<i>(Spodoptera mauritia acronyctoides)</i>
arrowhead scale	<i>(Unaspis yanonensis)</i>
bacterial canker of tomato)	<i>(Clavibacter michiganensis subsp. michiganensis)</i>
bacterial leaf blight	<i>(Acidovorax avenae subsp. avenae)</i>
bacterial spot of tomato and pepper	<i>(Xanthomonas vesicatoria)</i>
bacterial wilt of potato	<i>(Ralstonia solanacearum)</i>
bacterial: cabbage leaf spot	<i>(Pseudomonas syringae pv. maculicola)</i>
bakanae disease or rice	<i>(Gibberella fujikuroi)</i>
bamboo borer	<i>(Dinoderus minutus)</i>
banana aphid	<i>(Pentalonia nigronervosa)</i>
banana root nematode	<i>(Pratylenchus coffeae)</i>
banana scab moth	<i>(Nacoleia octasema)</i>
banana spiral nematode	<i>(Helicotylenchus multicinctus)</i>
banana thrips	<i>(Chaetanaphothrips signipennis)</i>
banana weevil	<i>(Cosmopolites sordidus)</i>
Banks melastoma	<i>(Melastoma malabathricum)</i>
barnyard grass	<i>(Echinochloa crus-galli)</i>
bean flower thrips	<i>(Megalurothrips usitatus)</i>
bean fly	<i>(Ophiomyia phaseoli)</i>
bean rust	<i>(Uromyces appendiculatus)</i>
Bermuda grass	<i>(Cynodon dactylon)</i>
billy goat weed	<i>(Ageratum conyzoides)</i>
bitter gourd	<i>(Momordica charantia)</i>
black citrus aphid	<i>(Toxoptera citricidus)</i>
black cross disease of banana	<i>(Phyllachora musicola)</i>
black cutworm	<i>(Agrotis ipsilon)</i>
black fungus beetle	<i>(Alphitobius laevigatus)</i>
black nightshade	<i>(Solanum nigrum)</i>
black rot	<i>(Xanthomonas campestris pv. campestris)</i>
black rot of pineapple	<i>(Ceratocystis paradoxa)</i>
black shank	<i>(Phytophthora nicotianae)</i>

Fiji Pest Status – Attachment 3

black Sigatoka	<i>(Mycosphaerella fijiensis)</i>
black smut of rice	<i>(Tilletia barclayana)</i>
black spot of roses	<i>(Diplocarpon rosae)</i>
black tea thrips	<i>(Heliothrips haemorrhoidalis)</i>
black twig borer	<i>(Xyleborus ferrugineus)</i>
blackjack	<i>(Bidens pilosa)</i>
blast of oil palm	<i>(Pythium splendens)</i>
blue mould	<i>(Penicillium italicum)</i>
brazil nut leaf blight	<i>(Phytophthora palmivora)</i>
breadfruit mealybug	<i>(Icerya aegyptiaca)</i>
broad mite	<i>(Polyphagotarsonemus latus)</i>
brown eye spot of coffee	<i>(Mycosphaerella coffeicola)</i>
brown leaf spot of cassava	<i>(Mycosphaerella henningsii)</i>
brown leaf spot of rice	<i>(Cochliobolus miyabeanus)</i>
brown planthopper	<i>(Nilaparvata lugens)</i>
brown rot of citrus fruit	<i>(Phytophthora citrophthora)</i>
brown rot of groundnut	<i>(Pythium myriotylum)</i>
brown soft scale	<i>(Coccus hesperidum)</i>
brown spot	<i>(Alternaria longipes)</i>
brown tea root disease	<i>(Phellinus noxius)</i>
brown twig beetle	<i>(Xylosandrus morigerus)</i>
bulrush	<i>(Scirpus juncooides)</i>
bunchy top of banana	<i>(Banana bunchy top virus)</i>
burrowing nematode	<i>(Radopholus similis)</i>
cabbage webworm	<i>(Hellula undalis)</i>
cadelle	<i>(Tenebroides mauritanicus)</i>
camellia aphid	<i>(Toxoptera aurantii)</i>
Canadian fleabane	<i>(Conyza canadensis)</i>
cane blight	<i>(Leptosphaeria coniothyrium)</i>
canker: apple	<i>(Botryosphaeria ribis)</i>
cape gooseberry budworm	<i>(Helicoverpa assulta)</i>
cashew leafminer	<i>(Acrocercops syngamma)</i>
cassava bacterial blight	<i>(Xanthomonas axonopodis pv. manihotis)</i>
catclaw mimosa	<i>(Mimosa pigra)</i>
Ceratocystis blight	<i>(Ceratocystis fimbriata)</i>
Cercosporiosis	<i>(Cercospora sorghi)</i>
charcoal rot of bean/tobacco	<i>(Macrophomina phaseolina)</i>
chilli thrips	<i>(Scirtothrips dorsalis)</i>
Chinese water chestnut	<i>(Eleocharis dulcis)</i>
Choanephora fruit rot	<i>(Choanephora cucurbitarum)</i>
Chrysanthemum foliar eelworm	<i>(Aphelenchoides ritzemabosi)</i>
circular scale	<i>(Chrysomphalus aonidum)</i>
citrus blackfly	<i>(Aleurocanthus woglumi)</i>

Fiji Pest Status – Attachment 3

citrus exocortis	(<i>Citrus exocortis viroid</i>)
citrus flower moth	(<i>Prays citri</i>)
citrus root nematode	(<i>Tylenchulus semipenetrans</i>)
citrus rust mite	(<i>Phyllocoptuta oleivora</i>)
citrus snow scale	(<i>Unaspis citri</i>)
coat buttons	(<i>Tridax procumbens</i>)
cocoa weevil	(<i>Araecerus fasciculatus</i>)
coconut budrot	(<i>Phytophthora palmivora</i>)
coconut bug	(<i>Amblypelta cocophaga</i>)
coconut scale	(<i>Aspidiotus destructor</i>)
coffee berry borer	(<i>Hypothenemus hampei</i>)
coffee leaf rust	(<i>Hemileia vastatrix</i>)
coffee senna	(<i>Senna occidentalis</i>)
common cocklebur	(<i>Xanthium strumarium</i>)
common mosaic of beans	(<i>Bean common mosaic virus</i>)
common rust of maize	(<i>Puccinia sorghi</i>)
common signal grass	(<i>Brachiaria paspaloides</i>)
common snail	(<i>Helix aspersa</i>)
common spiral nematode	(<i>Helicotylenchus dihystera</i>)
coontail	(<i>Ceratophyllum demersum</i>)
corn mosaic virus	(<i>Maize mosaic virus</i>)
corn planthopper	(<i>Peregrinus maidis</i>)
cotton aphid	(<i>Aphis gossypii</i>)
cotton bollworm	(<i>Helicoverpa armigera</i>)
cotton leaf roller	(<i>Haritalodes derogata</i>)
cotton tipworm	(<i>Crociosema plebejana</i>)
cottony cushion scale	(<i>Icerya purchasi</i>)
cottony soft rot	(<i>Sclerotinia sclerotiorum</i>)
creeping woodsorrel (USA)	(<i>Oxalis corniculata</i>)
crinkle disease of strawberry	(<i>Strawberry crinkle virus</i>)
Croftonweed	(<i>Ageratina adenophora</i>)
crowfoot grass	(<i>Dactyloctenium aegyptium</i>)
cucumber downy mildew	(<i>Pseudoperonospora cubensis</i>)
cucumber mosaic	(<i>Cucumber mosaic virus</i>)
cucumber moth	(<i>Diaphania indica</i>)
cucurbit beetle	(<i>Aulacophora indica</i>)
damping off	(<i>Phanerochaete salmonicolor</i>)
damping off	(<i>Pythium vexans</i>)
damping-off	(<i>Pythium debaryanum</i>)
dasheen mosaic	(<i>Dasheen mosaic virus</i>)
deenanath grass	(<i>Pennisetum pedicellatum</i>)
devil's horsewhip	(<i>Achyranthes aspera</i>)
diamondback moth	(<i>Plutella xylostella</i>)
dictyospermum scale	(<i>Chrysomphalus dictyospermi</i>)

Fiji Pest Status – Attachment 3

dieback: carrot	<i>(Pythium irregulare)</i>
diplodia pod rot of cocoa	<i>(Lasiodiplodia theobromae)</i>
doveweed	<i>(Murdannia nudiflora)</i>
downy mildew	<i>(Hyaloperonospora parasitica)</i>
downy mildew of pearl millet	<i>(Sclerospora graminicola)</i>
drugstore beetle	<i>(Stegobium paniceum)</i>
dry bulb mite	<i>(Aceria tulipae)</i>
early leaf spot of groundnut	<i>(Mycosphaerella arachidis)</i>
east Indian jew's-mallow (USA)	<i>(Corchorus aestuans)</i>
eye spot	<i>(Bipolaris sacchari)</i>
false smut	<i>(Ustilaginoidea virens)</i>
false spider mite	<i>(Brevipalpus phoenicis)</i>
field dodder	<i>(Cuscuta campestris)</i>
Fiji coconut hispid	<i>(Promecotheca caerulipennis)</i>
fiji disease of sugar cane	<i>(Fiji disease virus)</i>
Fijian fruit fly	<i>(Bactrocera passiflorae)</i>
flat grain beetle	<i>(Cryptolestes pusillus)</i>
freckle disease of banana	<i>(Guignardia musae)</i>
fruit-piercing moth	<i>(Eudocima fullonia)</i>
Fusarium wilt of tomato	<i>(Fusarium oxysporum f.sp. lycopersici)</i>
garden spurge	<i>(Euphorbia hirta)</i>
giant reed	<i>(Arundo donax)</i>
giant sensitive plant	<i>(Mimosa diplotricha)</i>
glover scale	<i>(Lepidosaphes gloverii)</i>
goose grass	<i>(Eleusine indica)</i>
grapefruit stem pitting	<i>(Citrus tristeza virus)</i>
grapevine thrips	<i>(Rhipiphorothrips cruentatus)</i>
greater grain weevil	<i>(Sitophilus zeamais)</i>
green corn aphid	<i>(Rhopalosiphum maidis)</i>
green kyllinga	<i>(Kyllinga brevifolia)</i>
green looper caterpillar	<i>(Chrysodeixis eriosoma)</i>
green mould	<i>(Penicillium digitatum)</i>
green peach aphid	<i>(Myzus persicae)</i>
green shield scale	<i>(Pulvinaria psidii)</i>
green stink bug	<i>(Nezara viridula)</i>
grey sugarcane mealybug	<i>(Saccharicoccus sacchari)</i>
groundnut aphid	<i>(Aphis craccivora)</i>
groundnut chlorotic rosette	<i>(Groundnut rosette virus)</i>
groundnut leaf rust	<i>(Puccinia arachidis)</i>
guava fruit fly	<i>(Bactrocera correcta)</i>
guava fruit fly	<i>(Bactrocera zonata)</i>
Guinea grass	<i>(Panicum maximum)</i>
gummy stem blight of cucurbits	<i>(Didymella bryoniae)</i>

Fiji Pest Status – Attachment 3

hadda beetle	<i>(Epilachna vigintioctopunctata)</i>
halo blight (of beans)	<i>(Pseudomonas savastanoi pv. phaseolicola)</i>
Hawaiian beet webworm	<i>(Spoladea recurvalis)</i>
Hawaiian flower thrips	<i>(Thrips hawaiiensis)</i>
head mould of grasses rice and sorghum	<i>(Cochliobolus lunatus)</i>
headblight of maize	<i>(Gibberella zeae)</i>
hemispherical scale	<i>(Saissetia coffeae)</i>
horse hair blight	<i>(Marasmius crinis-equi)</i>
hydrilla	<i>(Hydrilla verticillata)</i>
indian grain aphid	<i>(Sitobion miscanthi)</i>
Indian jointvetch	<i>(Aeschynomene indica)</i>
Indian wax scale	<i>(Ceroplastes ceriferus)</i>
internal cork disease of sweet potato	<i>(Sweet potato feathery mottle virus)</i>
island pinhole borer	<i>(Xyleborus perforans)</i>
Italian ryegrass	<i>(Lolium multiflorum)</i>
jimsonweed	<i>(Datura stramonium)</i>
Johnson grass	<i>(Sorghum halepense)</i>
junglerice	<i>(Echinochloa colona)</i>
jute semi-looper	<i>(Anomis sabulifera)</i>
kariba weed	<i>(Salvinia molesta)</i>
knotgrass	<i>(Paspalum distichum)</i>
Koster's curse	<i>(Clidemia hirta)</i>
lance nematode	<i>(Hoplolaimus seinhorsti)</i>
lantana	<i>(Lantana camara)</i>
large cabbage-heart caterpillar	<i>(Crocidolomia pavonana)</i>
latania scale	<i>(Hemiberlesia lataniae)</i>
late leaf spot of groundnut	<i>(Mycosphaerella berkeleyi)</i>
leaf blight of carrot	<i>(Alternaria dauci)</i>
leaf blight of sunflower	<i>(Alternariaster helianthi)</i>
leaf scald	<i>(Monographella albescens)</i>
leaf scald of sugarcane	<i>(Xanthomonas albilineans)</i>
leaf spot	<i>(Colletotrichum dematium)</i>
leaf spot of cowpea	<i>(Mycosphaerella cruenta)</i>
leaf spot of okra	<i>(Pseudocercospora abelmoschi)</i>
leaf spot of papaya	<i>(Phoma caricae-papayae)</i>
leaf spot of peppers	<i>(Colletotrichum capsici)</i>
leafflower	<i>(Phyllanthus urinaria)</i>
lesser fimbristylis	<i>(Fimbristylis littoralis)</i>
lesser grain borer	<i>(Rhyzopertha dominica)</i>
lesser mealworm	<i>(Alphitobius diaperinus)</i>
lesser snow scale	<i>(Pinnaspis strachani)</i>
leucaena psyllid	<i>(Heteropsylla cubana)</i>

Fiji Pest Status – Attachment 3

lima bean pod borer	<i>(Maruca vitrata)</i>
long-tailed mealybug	<i>(Pseudococcus longispinus)</i>
Magnolia white scale (USA)	<i>(Pseudaulacaspis cockerelli)</i>
maize caterpillar	<i>(Mythimna loreyi)</i>
maize leaf blight	<i>(Setosphaeria turcica)</i>
Malayan leaf spot	<i>(Haplobasidion musae)</i>
mango aphid	<i>(Toxoptera odinae)</i>
mango seed weevil	<i>(Sternochetus mangiferae)</i>
mango shoot caterpillar	<i>(Penicillaria jocosatrix)</i>
Mediterranean pine beetle	<i>(Orthotomicus erosus)</i>
melanose of Citrus	<i>(Diaporthe citri)</i>
mesquite	<i>(Prosopis juliflora)</i>
Mexican poppy	<i>(Argemone mexicana)</i>
migratory locust	<i>(Locusta migratoria)</i>
mile-a-minute	<i>(Mikania micrantha)</i>
mission grass	<i>(Pennisetum polystachion)</i>
mosaic of abaca	<i>(Sugarcane mosaic virus)</i>
mottled stripe of sugarcane	<i>(Herbaspirillum rubrisubalbicans)</i>
mouse	<i>(Mus musculus)</i>
mulberry scale	<i>(Pseudaulacaspis pentagona)</i>
mustard aphid	<i>(Lipaphis erysimi)</i>
narrow brown leaf spot	<i>(Sphaerulina oryzina)</i>
oil palm bunch rot	<i>(Marasmius palmivorus)</i>
olive scale	<i>(Saissetia oleae)</i>
onion smudge	<i>(Colletotrichum circinans)</i>
orange rust	<i>(Puccinia kuehnii)</i>
orchid mosaic	<i>(Cymbidium mosaic virus)</i>
Oriental fruit fly	<i>(Bactrocera dorsalis)</i>
Pacific fruit fly	<i>(Bactrocera xanthodes)</i>
paddy armyworm	<i>(Mythimna separata)</i>
Panama disease of banana	<i>(Fusarium oxysporum f.sp. cubense)</i>
Pangola stunt	<i>(Pangola stunt virus)</i>
pea blue butterfly	<i>(Lampides boeticus)</i>
pea pod borer	<i>(Etiella zinckenella)</i>
peanut root-knot nematode	<i>(Meloidogyne arenaria)</i>
pepper fruit fly	<i>(Atherigona orientalis)</i>
Phytophthora blight	<i>(Phytophthora infestans)</i>
pineapple mealybug	<i>(Dysmicoccus brevipes)</i>
pink bollworm	<i>(Pectinophora gossypiella)</i>
pink hibiscus mealybug	<i>(Maconellicoccus hirsutus)</i>
plague caterpillar	<i>(Tiracola plagiata)</i>
plague thrips	<i>(Thrips imaginis)</i>
pomegranate scale	<i>(Parasaissetia nigra)</i>
potato thrips	<i>(Thrips tabaci)</i>

Fiji Pest Status – Attachment 3

potato tuber moth	<i>(Phthorimaea operculella)</i>
powderpost termite	<i>(Cryptotermes brevis)</i>
powdery mildew	<i>(Golovinomyces cichoracearum)</i>
powdery mildew of cotton	<i>(Leveillula taurica)</i>
primrose willow	<i>(Ludwigia octovalvis)</i>
puncture vine	<i>(Tribulus terrestris)</i>
purple blotch	<i>(Alternaria porri)</i>
purple nutsedge	<i>(Cyperus rotundus)</i>
purple scale	<i>(Lepidosaphes beckii)</i>
purple seed stain	<i>(Cercospora kikuchii)</i>
purpletop chloris	<i>(Chloris barbata)</i>
purslane	<i>(Portulaca oleracea)</i>
red flour beetle	<i>(Tribolium castaneum)</i>
red fruit passion flower	<i>(Passiflora foetida)</i>
red palm mite	<i>(Raoiella indica)</i>
red palm weevil	<i>(Rhynchophorus ferrugineus)</i>
red rot of sugarcane	<i>(Glomerella tucumanensis)</i>
red scale	<i>(Aonidiella aurantii)</i>
red spider mite	<i>(Tetranychus ludeni)</i>
red spiderling	<i>(Boerhavia diffusa)</i>
red tasselflower	<i>(Emilia sonchifolia)</i>
red wax scale	<i>(Ceroplastes rubens)</i>
red-banded thrips	<i>(Selenothrips rubrocinctus)</i>
redweed	<i>(Melochia corchorifolia)</i>
reniform nematode	<i>(Rotylenchulus reniformis)</i>
rhinoceros beetle	<i>(Oryctes rhinoceros)</i>
rice blast disease	<i>(Magnaporthe grisea)</i>
rice cyst nematode	<i>(Heterodera oryzicola)</i>
rice flatsedge	<i>(Cyperus iria)</i>
rice grasshopper	<i>(Hieroglyphus banian)</i>
rice green leafhopper	<i>(Nephotettix nigropictus)</i>
rice leaf blight	<i>(Xanthomonas oryzae pv. oryzae)</i>
rice leaf folder	<i>(Cnaphalocrocis medinalis)</i>
rice leaf nematode	<i>(Aphelenchoides besseyi)</i>
rice leaf roller	<i>(Marasmia exigua)</i>
rice meal moth	<i>(Corcyra cephalonica)</i>
rice root aphid	<i>(Tetraneura nigriabdominalis)</i>
rice seed bug	<i>(Leptocorisa acuta)</i>
rice skipper	<i>(Pelopidas mathias)</i>
rice thrips	<i>(Stenchaetothrips biformis)</i>
ricegrass paspalum	<i>(Paspalum scrobiculatum)</i>
ring nematode	<i>(Criconemoides)</i>
root and foot rot	<i>(Cochliobolus sativus)</i>
root lesion nematode	<i>(Pratylenchus zae)</i>

Fiji Pest Status – Attachment 3

root-knot nematode	<i>(Meloidogyne incognita)</i>
root-lesion nematode	<i>(Pratylenchus brachyurus)</i>
rose beetle	<i>(Adoretus versutus)</i>
rubber vine	<i>(Cryptostegia grandiflora)</i>
rust (of grasses sorghum)	<i>(Puccinia purpurea)</i>
saramollagrass	<i>(Ischaemum rugosum)</i>
satintail	<i>(Imperata cylindrica)</i>
scarlet tea mite	<i>(Brevipalpus obovatus)</i>
sensitive plant	<i>(Mimosa pudica)</i>
serpentine leafminer	<i>(Liriomyza brassicae)</i>
sesame webworm	<i>(Antigastra catalaunalis)</i>
sessile joyweed	<i>(Alternanthera sessilis)</i>
Seychelles scale	<i>(Icerya seychellarum)</i>
shot-hole borer	<i>(Xylosandrus compactus)</i>
Siam weed	<i>(Chromolaena odorata)</i>
sicklepod	<i>(Cassia obtusifolia)</i>
sida	<i>(Sida acuta)</i>
Sigatoka disease of banana	<i>(Mycosphaerella musicola)</i>
silverleaf whitefly	<i>(Bemisia tabaci (B biotype))</i>
slender rice bug	<i>(Leptocorisa oratorius)</i>
small-flowered nutsedge	<i>(Cyperus difformis)</i>
soft green scale	<i>(Coccus viridis)</i>
sorghum midge	<i>(Stenodiplosis sorghicola)</i>
sour paspalum	<i>(Paspalum conjugatum)</i>
southern leaf spot	<i>(Cochliobolus heterostrophus)</i>
southern sandbur	<i>(Cenchrus echinatus)</i>
soyabean anthracnose	<i>(Colletotrichum truncatum)</i>
soybean leaf folder	<i>(Omiodes diemenalis)</i>
spherical mealybug	<i>(Nipaecoccus viridis)</i>
spiked mealybug	<i>(Nipaecoccus nipae)</i>
spiny amaranth	<i>(Amaranthus spinosus)</i>
spiny bollworm	<i>(Earias vittella)</i>
spiral nematode	<i>(Helicotylenchus pseudorobustus)</i>
Spirea aphid	<i>(Aphis spiraecola)</i>
spreading dayflower	<i>(Commelina diffusa)</i>
star scale	<i>(Saissetia coffeae)</i>
stem rot	<i>(Magnaporthe salvinii)</i>
strawberry guava	<i>(Psidium cattleianum)</i>
stripe canker (of cinnamon)	<i>(Phytophthora cinnamomi)</i>
striped mealybug	<i>(Ferrisia virgata)</i>
stubby root nematode	<i>(Paratrichodorus minor)</i>
stubby root nematodes	<i>(Trichodorus)</i>
stunt nematode	<i>(Tylenchorhynchus annulatus)</i>

Fiji Pest Status – Attachment 3

sugarcane downy mildew	<i>(Peronosclerospora sacchari)</i>
sugarcane eelworm	<i>(Meloidogyne javanica)</i>
sugarcane ratoon stunting disease	<i>(Leifsonia xyli subsp. xyli)</i>
sugarcane weevil borer	<i>(Rhabdoscelus obscurus)</i>
sugarcane woolly aphid	<i>(Ceratovacuna lanigera)</i>
swamp morning-glory	<i>(Ipomoea aquatica)</i>
sweet potato leafminer	<i>(Bedellia somnulentella)</i>
sweet potato moth	<i>(Agrius convolvuli)</i>
sweet potato weevil	<i>(Cylas formicarius)</i>
synedrella	<i>(Synedrella nodiflora)</i>
tall fleabane	<i>(Conyza sumatrensis)</i>
tall fringe rush	<i>(Fimbristylis dichotoma)</i>
taro caterpillar	<i>(Spodoptera litura)</i>
taro hawkmoth	<i>(Hippotion celerio)</i>
tea shot-hole borer	<i>(Euwallacea fornicatus)</i>
teak defoliator	<i>(Hyblaea puera)</i>
thread blight	<i>(Corticium koleroga)</i>
tip rot of banana	<i>(Colletotrichum musae)</i>
tobacco whitefly	<i>(Bemisia tabaci)</i>
tomato bug	<i>(Cyrtopeltis tenuis)</i>
tomato leaf mould	<i>(Passalora fulva)</i>
tomato russet mite	<i>(Aculops lycopersici)</i>
tropical fire ant	<i>(Solenopsis geminata)</i>
turkey berry	<i>(Solanum torvum)</i>
vascular cotton wilt	<i>(Fusarium oxysporum f.sp. vasinfectum)</i>
water hyacinth	<i>(Eichhornia crassipes)</i>
water primrose	<i>(Ludwigia hyssopifolia)</i>
watermelon mosaic	<i>(Watermelon mosaic virus)</i>
West Indian red scale	<i>(Selenaspis articulatus)</i>
West Indian sweet potato weevil	<i>(Euscepes postfasciatus)</i>
white butterfly ginger lily	<i>(Hedychium coronarium)</i>
white leafhopper	<i>(Cofana spectra)</i>
white rice borer	<i>(Scirpophaga nivella)</i>
white rust of crucifers	<i>(Albugo candida)</i>
white thread blight	<i>(Marasmiellus scandens)</i>
white-backed planthopper	<i>(Sogatella furcifera)</i>
whitefly	<i>(Aleurodicus dispersus)</i>
wild poinsettia	<i>(Euphorbia heterophylla)</i>
yellow foxtail	<i>(Setaria pumila)</i>